

# Krystyna Barbara Kostyrko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9194563/publications.pdf>

Version: 2024-02-01

14  
papers

180  
citations

1307543

7  
h-index

1125717

13  
g-index

14  
all docs

14  
docs citations

14  
times ranked

160  
citing authors

#	ARTICLE	IF	CITATIONS
1	Indoor environmental quality assessment: Part 1: Choice of the indoor environmental quality sub-component models. <i>Journal of Building Physics</i> , 2017, 41, 264-289.	2.4	44
2	The Approach of Including TVOCs Concentration in the Indoor Environmental Quality Model (IEQ) – Case Studies of BREEAM Certified Office Buildings. <i>Sustainability</i> , 2018, 10, 3902.	3.2	26
3	Development of Weighting Scheme for Indoor Air Quality Model Using a Multi-Attribute Decision Making Method. <i>Energies</i> , 2020, 13, 3120.	3.1	25
4	Air Enthalpy as an IAQ Indicator in Hot and Humid Environment – Experimental Evaluation. <i>Energies</i> , 2020, 13, 1481.	3.1	21
5	Combined Model for IAQ Assessment: Part 1 – Morphology of the Model and Selection of Substantial Air Quality Impact Sub-Models. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 3918.	2.5	20
6	Indoor environmental quality assessment, part 2: Model reliability analysis. <i>Journal of Building Physics</i> , 2018, 42, 288-315.	2.4	17
7	Certified reference materials for thermal analysis. <i>Journal of Thermal Analysis</i> , 1988, 33, 351-357.	0.6	13
8	Temperature standard reference materials for thermal analysis. <i>Journal of Thermal Analysis</i> , 1992, 38, 2181-2188.	0.6	4
9	The Influence of Outdoor Particulate Matter PM2.5 on Indoor Air Quality: The Implementation of a New Assessment Method. <i>Energies</i> , 2021, 14, 6230.	3.1	4
10	A two-balance direct method of mixing ratio determination. <i>Journal of Physics E: Scientific Instruments</i> , 1977, 10, 802-807.	0.7	2
11	The Ability to Control VOC Emissions from Multilayer Building Materials. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4806.	2.5	2
12	Standard sorption-gravimetric hygrometer. <i>Measurement Techniques</i> , 1976, 19, 1663-1667.	0.6	1
13	Określanie wskaźnika IEQ jako części środowiska wewnątrznego budynku. <i>Materiały Budowlane</i> , 2016, 1, 32-34.1		1
14	Determination of Water in Compound Fertilizers. <i>Journal of the Association of Official Analytical Chemists</i> , 1978, 61, 1155-1157.	0.2	0