## Jun Dang

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9195160/publications.pdf

Version: 2024-02-01

		471509	610901
54	739	17	24
papers	citations	h-index	24 g-index
54	54	54	603
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Dioscorea zingiberensis C. H. Wright: An overview on its traditional use, phytochemistry, pharmacology, clinical applications, quality control, and toxicity. Journal of Ethnopharmacology, 2018, 220, 283-293.	4.1	46
2	Botany, traditional use, phytochemistry, pharmacology, quality control, and authentication of Radix Gentianae Macrophyllae -A traditional medicine: A review. Phytomedicine, 2018, 46, 142-163.	5.3	40
3	Simultaneous Determination of Oleanolic Acid and Ursolic Acid by in Vivo Microdialysis via UHPLC-MS/MS Using Magnetic Dispersive Solid Phase Extraction Coupling with Microwave-Assisted Derivatization and Its Application to a Pharmacokinetic Study of <i>Arctiumlappa</i> Rats, Journal of Agricultural and Food Chemistry, 2018, 66, 3975-3982.	5.2	39
4	Simultaneous Determination of Food-Related Biogenic Amines and Precursor Amino Acids Using in Situ Derivatization Ultrasound-Assisted Dispersive Liquid–Liquid Microextraction by Ultra-High-Performance Liquid Chromatography Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2016, 64, 8225-8234.	5.2	35
5	Two-dimensional chromatography based on on-line HPLC-DPPH bioactivity-guided assay for the preparative isolation of analogue antioxidant compound from Arenaria kansuensis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1046, 81-86.	2.3	30
6	Anti-hepatitis, antioxidant activities and bioactive compounds of Dracocephalum heterophyllum extracts., 2016, 57, 16.		29
7	Twoâ€dimensional hydrophilic interaction chromatography × reversedâ€phase liquid chromatography for the preparative isolation of potential antiâ€hepatitis phenylpropanoids from <i>Salvia prattii</i> Journal of Separation Science, 2016, 39, 3327-3338.	2.5	27
8	Rapid and sensitive determination of phytosterols in functional foods and medicinal herbs by using UHPLC–MS/MS with microwaveâ€assisted derivatization combined with dual ultrasoundâ€assisted dispersive liquid–liquid microextraction. Journal of Separation Science, 2017, 40, 725-732.	2.5	26
9	Efficient purification of highâ€purity compounds from the stem of <i>Lonicera japonica ⟨i⟩ Thunb using twoâ€dimensional preparative chromatography. Journal of Separation Science, 2013, 36, 2414-2420.</i>	2.5	23
10	Efficient separation of highâ€purity compounds from <i>Oxytropis falcata</i> using twoâ€dimensional preparative chromatography. Journal of Separation Science, 2017, 40, 3593-3601.	2.5	23
11	Anti-inflammatory bioactive equivalence of combinatorial components $\hat{l}^2$ -carboline alkaloids identified in <i>Arenaria kansuensis</i> by two-dimensional chromatography and solid-phase extraction coupled with liquid-liquid extraction enrichment technology. Journal of Separation Science, 2017, 40, 2895-2905.	2.5	22
12	Fatty Acid and Phytosterol Composition, and Biological Activities of <i>Lycium ruthenicum</i> Murr. Seed Oil. Journal of Food Science, 2018, 83, 2448-2456.	3.1	22
13	Preparative isolation of flavonoid glycosides from <i>Sphaerophysa salsula</i> using hydrophilic interaction solidâ€phase extraction coupled with twoâ€dimensional preparative liquid chromatography. Journal of Separation Science, 2017, 40, 3808-3816.	2.5	21
14	On-line HPLC-DPPH bioactivity-guided assay for isolated of antioxidative phenylpropanoids from Qinghai-Tibet Plateau medicinal plant Lancea tibetica. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1106-1107, 1-10.	2.3	21
15	Targeted isolation of 1,1-diphenyl-2-picrylhydrazyl inhibitors from Saxifraga atrata using medium- and high- pressure liquid chromatography combined with online high performance liquid chromatography–1,1-diphenyl-2- picrylhydrazyl detection. Journal of Chromatography A, 2021, 1635, 461690.	3.7	20
16	Protective Effects of <i>Dracocephalum heterophyllum </i> in ConA-Induced Acute Hepatitis. Mediators of Inflammation, 2016, 2016, 1-8.	3.0	19
17	Preparative isolation of antioxidative compounds from Dracocephalum heterophyllum using off-line two-dimensional reversed-phase liquid chromatography/hydrophilic interaction chromatography guided by on-line HPLC-DPPH assay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2018. 1095. 267-274.	2.3	19
18	Preparative separation of isoquinoline alkaloids from <i>Corydalis impatiens</i> using a middleâ€pressure chromatogram isolated gel column coupled with twoâ€dimensional liquid chromatography. Journal of Separation Science, 2019, 42, 3182-3190.	2.5	18

#	Article	IF	CITATIONS
19	Target separation of flavonoids from <i>Saxifraga tangutica ⟨i⟩ using twoâ€dimensional hydrophilic interaction chromatography/reversedâ€phase liquid chromatography. Journal of Separation Science, 2018, 41, 4419-4429.</i>	2.5	17
20	A novel twoâ€dimensional preparative chromatography method designed for the separation of traditional animal Tibetan medicine Osteon Myospalacem Baileyi. Journal of Separation Science, 2014, 37, 3060-3066.	2.5	16
21	Preparative isolation of highly polar free radical inhibitor from Floccularia luteovirens using hydrophilic interaction chromatography directed by on-line HPLC-DPPH assay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1142, 122043.	2.3	16
22	Preparative isolation of 1,1â€diphenylâ€2â€picrylhydrazyl inhibitors from <i>Ribes himalense</i> using mediumâ€pressure and twoâ€dimensional reversedâ€phase/reversedâ€phase liquid chromatography guided by an online HPLCâ€1, 1â€diphenylâ€2â€picrylhydrazyl assay. Journal of Separation Science, 2021, 44, 1345-1352.	2.5	14
23	Preparative separation of isoquinoline alkaloids from <i>Corydalis impatiens</i> using middle chromatogram isolated gel column coupled with positively charged reversedâ€phase liquid chromatography. Journal of Separation Science, 2020, 43, 2521-2528.	2.5	13
24	A new isocoumarin from the aerial parts of <i>Aconitum gymnandrum</i> . Natural Product Research, 2016, 30, 1746-1752.	1.8	12
25	Efficient Separation of Four Antibacterial Diterpenes from the Roots of Salvia Prattii Using Non-Aqueous Hydrophilic Solid-Phase Extraction Followed by Preparative High-Performance Liquid Chromatography. Molecules, 2018, 23, 623.	3.8	11
26	Large-scale preparative isolation of bergenin standard substance from Saxifraga atrata using polyamide coupled with MCI GEL® CHP20P as stationary phases in medium pressure chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1170, 122617.	2.3	11
27	Preparative isolation of maltol glycoside from <i>Dianthus superbus</i> and its anti-inflammatory activity <i>in vitro</i> . RSC Advances, 2022, 12, 5031-5041.	3.6	10
28	Screening and Isolation of Potential Anti-Inflammatory Compounds from Saxifraga atrata via Affinity Ultrafiltration-HPLC and Multi-Target Molecular Docking Analyses. Nutrients, 2022, 14, 2405.	4.1	10
29	Preparative isolation of antioxidative gallic acid derivatives from <i>Saxifraga tangutica</i> using a class separation method based on mediumâ€pressure liquid chromatography and reversedâ€phase liquid chromatography. Journal of Separation Science, 2021, 44, 3734-3746.	2.5	9
30	Safety investigation on total steroid saponins extracts from Dioscorea zingiberensis C.H. Wright: Sub-acute and chronic toxicity studies on dogs. Regulatory Toxicology and Pharmacology, 2017, 91, 58-67.	2.7	8
31	Purification of Flavonolignan Diastereoisomers from Arenaria kansuensis by Two-Dimensional Liquid Chromatography Combined with Solid-Phase Extraction. Journal of Chromatographic Science, 2019, 57, 418-425.	1.4	8
32	Chemotaxonomic importance of diarylheptanoids and phenylpropanoids in Saxifraga tangutica (Saxifragaceae). Biochemical Systematics and Ecology, 2017, 72, 29-31.	1.3	7
33	Trace anti-inflammatory $\hat{l}^2$ -carboline alkaloid identified in Arenaria kansuensis by two-dimensional chromatography coupled with UniElut C18AEX based solid-phase extraction re-enrichment technology. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1068-1069, 282-288.	2.3	7
34	Preparative isolation of arylbutanoidâ€type phenol [(â€)â€rhododendrin] with peak tailing on conventional C18 column using middle chromatogram isolated gel column coupled with reversedâ€phase liquid chromatography. Journal of Separation Science, 2020, 43, 3233-3241.	2.5	7
35	A novel chromatographic separation method for rapid enrichment and isolation of novel flavonoid glycosides from Sphaerophysa salsula. Journal of Separation Science, 2020, 43, 4018-4027.	2.5	7
36	Chemical Constituents of Fruit Body of Armillaria luteo-virens. Chemistry of Natural Compounds, 2019, 55, 373-375.	0.8	6

#	Article	IF	CITATIONS
37	Isolation and Identification of Water-Soluble Components of Lycium barbarum Leaves. Chemistry of Natural Compounds, 2019, 55, 138-140.	0.8	6
38	Dracocephalum heterophyllum (DH) Exhibits Potent Anti-Proliferative Effects on Autoreactive CD4+ T Cells and Ameliorates the Development of Experimental Autoimmune Uveitis. Frontiers in Immunology, 2020, 11, 575669.	4.8	6
39	Preparative separation of $1,1$ -diphenyl-2-picrylhydrazyl inhibitors originating from <i>Saxifraga sinomontana</i> employing medium-pressure liquid chromatography in combination with reversed-phase liquid chromatography. RSC Advances, 2021, 11, 38739-38749.	3.6	6
40	Preparation and Antioxidant Activities of Phenylethanoids from Dracocephalum heterophyllum. Separations, 2022, 9, 111.	2.4	6
41	Novel Diketopiperazine Dihydroorotate Dehydrogenase Inhibitors Purified from Traditional Tibetan Animal Medicine Osteon Myospalacem Baileyi. Chemical Biology and Drug Design, 2015, 86, 626-636.	3.2	5
42	A New Diarylheptanoid from Saxifraga tangutica. Chemistry of Natural Compounds, 2017, 53, 48-50.	0.8	5
43	Two new polycyclic polyprenylated acylphloroglucinols derivatives from Hypericum acmosepalum. Journal of Asian Natural Products Research, 2021, 23, 1-10.	1.4	5
44	Chemical Constituents of Incarvillea compacta. Chemistry of Natural Compounds, 2017, 53, 548-550.	0.8	4
45	Triterpenes, Flavonoids, and Lignans from Dracocephalum heterophyllum. Chemistry of Natural Compounds, 2018, 54, 970-972.	0.8	4
46	Three new dihydroflavonols with free radical scavenging activity from <i>Ribes himalense</i> Royle ex Decne. Natural Product Research, 2022, 36, 5490-5498.	1.8	4
47	Targeted isolation of 1,1â€diphenylâ€2â€picrylhydrazyl inhibitors from <i>Saxifraga atrata</i> and their antioxidant activities. Journal of Separation Science, 2022, 45, 2435-2445.	2.5	4
48	The Antibacterial Activity Mode of Action of Plantaricin YKX against Staphylococcus aureus. Molecules, 2022, 27, 4280.	3.8	4
49	Terpene from Roots of Salvia prattii. Chemistry of Natural Compounds, 2017, 53, 781-783.	0.8	3
50	8-isopentenyl isoflavone derivatives from the whole herb of <i>Sphaerophysa salsula</i> Natural Product Research, 2018, 32, 2542-2546.	1.8	2
51	Flavonoids from the Poisonous Plant Oxytropis falcate. Chemistry of Natural Compounds, 2019, 55, 1147-1149.	0.8	2
52	Phenylpropanoid Glycosides and Flavonolignans from Lancea tibetica. Chemistry of Natural Compounds, 2019, 55, 318-321.	0.8	2
53	OPTIMIZATION OF EXTRACTION TECHNOLOGY OF GENTIOPICROSIDE FROM GENTIANA STRAMINEA MAXIM USING RESPONSE SURFACE METHODOLOGY ON ACCOUNT OF HPLC. Journal of Liquid Chromatography and Related Technologies, 2014, 37, 1940-1952.	1.0	1
54	Two new stilbenoids from the whole herb of Sphaerophysa salsula. Phytochemistry Letters, 2018, 27, 139-142.	1.2	1