

# Lene Friis MÃ,ller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9195770/publications.pdf>

Version: 2024-02-01

35

papers

744

citations

567281

15

h-index

526287

27

g-index

35

all docs

35

docs citations

35

times ranked

363

citing authors

#	ARTICLE	IF	CITATIONS
1	Disentangling ribbon worm relationships: multi-locus analysis supports traditional classification of the phylum Nemertea. <i>Cladistics</i> , 2012, 28, 141-159.	3.3	107
2	Checklist of Nemertean Genera and Species Published between 1995 and 2007. <i>Species Diversity</i> , 2008, 13, 245-274.	0.4	98
3	Statistical analysis of variation in characters in <i>Tetrastemma laminariae</i> (Nemertini), with a redescription of the species. <i>Journal of Zoology</i> , 1979, 189, 39-56.	1.7	40
4	Microgeographic variation in shell characters of <i>Littorina saxatilis</i> Olivi-a question mainly of size?. <i>Biological Journal of the Linnean Society</i> , 1988, 35, 169-184.	1.6	39
5	PHYLOGENY OF THE NEMERTEAN SUBCLASS PALAEONEMERTEA (ANOPLA, NEMERTEA). <i>Cladistics</i> , 1994, 10, 347-402.	3.3	38
6	Phylogeny and Cladistic Classification of the Paramonostiliferous Family Plectonemertidae (Phylum) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 3.3	3.3	36
7	A DNA-based description of a new nemertean (phylum Nemertea) species. <i>Marine Biology Research</i> , 2011, 7, 63-70.	0.7	35
8	Gibson's reclassification of the enoplan nemerteans (Enopla, Nemertea): a critique and cladistic analysis. <i>Zoologica Scripta</i> , 1990, 19, 133-140.	1.7	33
9	Taxonomy and Philosophy of Names. <i>Biology and Philosophy</i> , 1998, 13, 233-244.	1.4	27
10	Phylogeny and cladistic classification of terrestrial nemerteans: the genera Pantinonemertes Moore & Gibson and Geonemertes Semper. <i>Zoological Journal of the Linnean Society</i> , 1989, 95, 363-372.	2.3	25
11	A proposal for renaming the higher taxonomic categories in the phylum Nemertea. <i>Journal of Natural History</i> , 1991, 25, 45-48.	0.5	21
12	The phylogenetic relationships between Amphinomidae, Archinomidae and Euphrosinidae (Amphinomida: Aciculata: Polychaeta), inferred from molecular data. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 509-513.	0.8	21
13	Morphological, vocal and genetic divergence in the <i>Cettia acanthizoides</i> complex (Aves:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2.3	2.3	19
14	Global diversity of nemerteans (Nemertea) in freshwater. <i>Hydrobiologia</i> , 2008, 595, 61-66.	2.0	19
15	Nemertean taxonomy - time to change lane?. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2010, 48, 283.	1.4	19
16	Random Amplified Polymorphic Dna (Rapd) and Intraspecific Variation in <i>Oerstedia Dorsalis</i> (Hoplonemertea, Nemertea). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1995, 75, 483-490.	0.8	15
17	In Linnaeusâ™ Wake: 300 Years of Marine Discovery. <i>Zoologica Scripta</i> , 2009, 38, 1-6.	1.7	15
18	Parasitic anemone infects the invasive ctenophore <i>Mnemiopsis leidyi</i> in the North East Atlantic. <i>Biological Invasions</i> , 2010, 12, 1003-1009.	2.4	15

#	ARTICLE		IF	CITATIONS
19	Genus <i>Baseodiscus</i> (Nemertea: Heteronemertea): Molecular identification of a new species in a phylogenetic context. <i>Journal of Natural History</i> , 2005, 39, 3785-3793.		0.5	14
20	Title is missing!. <i>Hydrobiologia</i> , 2000, 421, 157-164.		2.0	12
21	Swedish nemerteans (phylum Nemertea), with description of a new hoplonemertean genus and species. <i>Journal of Natural History</i> , 2007, 41, 2287-2299.		0.5	12
22	A new monostiliferous hoplonemertean (Nemertea), <i>Oerstedia striata</i> sp.n., from the west coast of Sweden. <i>Zoologica Scripta</i> , 1988, 17, 135-139.		1.7	11
23	< i>Annulonemertes</i> (phylum Nemertea): when segments do not count. <i>Biology Letters</i> , 2007, 3, 570-573.		2.3	11
24	Classification of the family Plectonemertidae (Nemertea): a phenetic comparison. <i>Zoological Journal of the Linnean Society</i> , 1989, 97, 57-68.		2.3	10
25	Genetics do not reflect habitat differences in <i>Riseriellus occultus</i> (Heteronemertea, Nemertea) from Spain and Wales. <i>Marine Biology Research</i> , 2007, 3, 117-122.		0.7	10
26	Conservation and turnover of miRNAs and their highly complementary targets in early branching animals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20203169.		2.6	9
27	There is no support for Jensen's hypothesis of nemerteans as ancestors to the vertebrates. <i>Hydrobiologia</i> , 1997, 365, 47-54.		2.0	7
28	Intraspecific variation in <i>Tetrastemma laminariae</i> (Nemertini): an examination of one of its possible causes. <i>Journal of Zoology</i> , 2009, 192, 137-141.		1.7	6
29	Dispersal and speciation: The cross Atlantic relationship of two parasitic cnidarians. <i>Molecular Phylogenetics and Evolution</i> , 2018, 126, 346-355.		2.7	6
30	Nemertean systematics and phenetic classification: an example from a group of hoplonemerteans. <i>Zoological Journal of the Linnean Society</i> , 1985, 85, 247-266.		2.3	5
31	Multivariate analysis of morphometric differentiation within the <i>Laonice cirrata</i> -group (Polychaeta,) Tj ETQq1 1 0.784314 rgBT <sub>3</sub> /Overlock		1.7	
32	Littoral nemerteans from the Faroe Islands. <i>Sarsia</i> , 1977, 63, 185-190.		0.5	2
33	Gross morphology and cnidae of <i>edwardsiella</i> anemones and larvae (Anthozoa, Edwardsiidae) from the Swedish West Coast. <i>Acta Zoologica</i> , 2021, 102, 467-482.		0.8	2
34	Phylogeny of the Nemertean Subclass Palaeonemertea (Anopla, Nemertea). <i>Cladistics</i> , 1994, 10, 347-402.		3.3	2
35	In Linnaeusâ€™ Wake: 300Â Years of Marine Discovery - Conference Report. <i>Zoologica Scripta</i> , 2009, 38, iii-iv.		1.7	0