Rachael Parke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9196526/publications.pdf

Version: 2024-02-01

72 papers 8,293 citations

147566 31 h-index 65 g-index

72 all docs 72 docs citations

times ranked

72

10996 citing authors

#	Article	IF	CITATIONS
1	Interleukin-6 Receptor Antagonists in Critically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 384, 1491-1502.	13.9	1,419
2	Therapeutic Anticoagulation with Heparin in Noncritically III Patients with Covid-19. New England Journal of Medicine, 2021, 385, 790-802.	13.9	778
3	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 385, 777-789.	13.9	712
4	Effect of Hydrocortisone on Mortality and Organ Support in Patients With Severe COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1317.	3.8	671
5	Restrictive versus Liberal Fluid Therapy for Major Abdominal Surgery. New England Journal of Medicine, 2018, 378, 2263-2274.	13.9	561
6	Association Between Administration of IL-6 Antagonists and Mortality Among Patients Hospitalized for COVID-19. JAMA - Journal of the American Medical Association, 2021, 326, 499.	3.8	498
7	Nasal high-flow therapy delivers low level positive airway pressure. British Journal of Anaesthesia, 2009, 103, 886-890.	1.5	382
8	The Effects of Flow on Airway Pressure During Nasal High-Flow Oxygen Therapy. Respiratory Care, 2011, 56, 1151-1155.	0.8	285
9	Pressures Delivered By Nasal High Flow Oxygen During All Phases of the Respiratory Cycle. Respiratory Care, 2013, 58, 1621-1624.	0.8	247
10	The REMAP-CAP (Randomized Embedded Multifactorial Adaptive Platform for Community-acquired) Tj ETQq0 0 () rgBT /Ov	erlock 10 Tf 5
11	A Preliminary Randomized Controlled Trial to Assess Effectiveness of Nasal High-Flow Oxygen in Intensive Care Patients. Respiratory Care, 2011, 56, 265-270.	0.8	177
12	Effect of Convalescent Plasma on Organ Support–Free Days in Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2021, 326, 1690.	3.8	169
13	A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU*. Critical Care Medicine, 2016, 44, 1145-1152.	0.4	164
14	Goal-directed perfusion to reduce acute kidney injury: A randomized trial. Journal of Thoracic and Cardiovascular Surgery, 2018, 156, 1918-1927.e2.	0.4	151
15	Intravenous Vitamin C in Adults with Sepsis in the Intensive Care Unit. New England Journal of Medicine, 2022, 386, 2387-2398.	13.9	146
16	Open-label, phase II study of routine high-flow nasal oxygen therapy in cardiac surgical patients. British Journal of Anaesthesia, 2013, 111, 925-931.	1.5	143
17	Effect of Very-High-Flow Nasal Therapy on Airway Pressure and End-Expiratory Lung Impedance in Healthy Volunteers. Respiratory Care, 2015, 60, 1397-1403.	0.8	137
18	Targeted therapeutic mild hypercapnia after cardiac arrest: A phase II multi-centre randomised controlled trial (the CCC trial). Resuscitation, 2016, 104, 83-90.	1.3	134

#	Article	IF	CITATIONS
19	Long-Term Survival and Dialysis Dependency Following Acute Kidney Injury in Intensive Care: Extended Follow-up of a Randomized Controlled Trial. PLoS Medicine, 2014, 11, e1001601.	3.9	117
20	Maximal Recruitment Open Lung Ventilation in Acute Respiratory Distress Syndrome (PHARLAP). A Phase II, Multicenter Randomized Controlled Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2019, 200, 1363-1372.	2.5	93
21	ASAP ECMO: Antibiotic, Sedative and Analgesic Pharmacokinetics during Extracorporeal Membrane Oxygenation: a multi-centre study to optimise drug therapy during ECMO. BMC Anesthesiology, 2012, 12, 29.	0.7	90
22	Transfusion practice and guidelines in Australian and New Zealand intensive care units. Intensive Care Medicine, 2010, 36, 1138-1146.	3.9	87
23	What Happens to Nutrition Intake in the Post–Intensive Care Unit Hospitalization Period? An Observational Cohort Study in Critically III Adults. Journal of Parenteral and Enteral Nutrition, 2019, 43, 88-95.	1.3	83
24	Association between augmented renal clearance and clinical outcomes in patients receiving \hat{l}^2 -lactam antibiotic therapy by continuous or intermittent infusion: a nested cohort study of the BLING-II randomised, placebo-controlled, clinical trial. International Journal of Antimicrobial Agents, 2017, 49, 624-630.	1.1	80
25	Lopinavir-ritonavir and hydroxychloroquine for critically ill patients with COVID-19: REMAP-CAP randomized controlled trial. Intensive Care Medicine, 2021, 47, 867-886.	3.9	65
26	Sodium Bicarbonate Infusion to Reduce Cardiac Surgery–Associated Acute Kidney Injury. Critical Care Medicine, 2013, 41, 1599-1607.	0.4	56
27	A Multicenter, Randomized, Controlled Phase IIb Trial of Avoidance of Hyperoxemia during Cardiopulmonary Bypass. Anesthesiology, 2016, 125, 465-473.	1.3	49
28	Misinformation During the Coronavirus Disease 2019 Outbreak: How Knowledge Emerges From Noise., 2020, 2, e0098.		46
29	Restrictive versus liberal fluid therapy in major abdominal surgery (RELIEF): rationale and design for a multicentre randomised trial. BMJ Open, 2017, 7, e015358.	0.8	45
30	Supplemental parenteral nutrition versus usual care in critically ill adults: a pilot randomized controlled study. Critical Care, 2018, 22, 12.	2.5	44
31	Global outbreak research: harmony not hegemony. Lancet Infectious Diseases, The, 2020, 20, 770-772.	4.6	40
32	Sodium Bicarbonate and Renal Function after Cardiac Surgery. Anesthesiology, 2015, 122, 294-306.	1.3	37
33	Effect of prone positioning on survival in adult patients receiving venovenous extracorporeal membrane oxygenation for acute respiratory distress syndrome: a systematic review and meta-analysis. Intensive Care Medicine, 2022, 48, 270-280.	3.9	36
34	Clinical characteristics, risk factors and outcomes in patients with severe COVID-19 registered in the International Severe Acute Respiratory and Emerging Infection Consortium WHO clinical characterisation protocol: a prospective, multinational, multicentre, observational study. ERJ Open Research, 2022, 8, 00552-2021.	1.1	33
35	Semirecumbent Positioning in Ventilator-Dependent Patients: A Multicenter, Observational Study. American Journal of Critical Care, 2010, 19, e100-e108.	0.8	24
36	A Randomised feasibility study to assess a novel strategy to rationalise fluid in patients after cardiac surgery. British Journal of Anaesthesia, 2015, 115, 45-52.	1.5	22

#	Article	IF	CITATIONS
37	Lessening Organ dysfunction with VITamin C (LOVIT): protocol for a randomized controlled trial. Trials, 2020, 21, 42.	0.7	19
38	Bacteremia Antibiotic Length Actually Needed for Clinical Effectiveness (BALANCE) randomised clinical trial: study protocol. BMJ Open, 2020, 10, e038300.	0.8	16
39	Protocol for a randomised controlled trial of nasal high flow oxygen therapy compared to standard care in patients following cardiac surgery: The HOT-AS study. International Journal of Nursing Studies, 2012, 49, 338-344.	2.5	14
40	Supplemental parenteral nutrition in critically ill patients: a study protocol for a phase II randomised controlled trial. Trials, 2015, 16, 587.	0.7	13
41	A pilot randomized clinical trial of cryopreserved versus liquidâ€stored platelet transfusion for bleeding in cardiac surgery: The cryopreserved versus liquid platelet <scp>†< /scp>New Zealand pilot trial. Vox Sanguinis, 2022, 117, 337-345.</scp>	0.7	13
42	A Prospective Study of the Timing and Accuracy of Neutrophil Gelatinase-Associated Lipocalin Levels in Predicting Acute Kidney Injury in High-Risk Cardiac Surgery Patients. Journal of Cardiothoracic and Vascular Anesthesia, 2016, 30, 76-81.	0.6	12
43	Endotracheal suction in intensive care: A point prevalence study of current practice in New Zealand and Australia. Australian Critical Care, 2019, 32, 112-115.	0.6	12
44	A cross-sectional survey of Australian and New Zealand public opinion on methods totriage intensive care patients in an influenza pandemic. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2017, 19, 254-265.	0.0	11
45	Using cardiac output monitoring to guide perioperative haemodynamic therapy. Current Opinion in Critical Care, 2015, 21, 364-368.	1.6	10
46	Choice of Fluid Therapy and Bleeding Risk After Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2016, 30, 1094-1103.	0.6	9
47	A Multicenter, Open-Label, Randomized Controlled Trial of a Conservative Fluid Management Strategy Compared With Usual Care in Participants After Cardiac Surgery: The Fluids After Bypass Study*. Critical Care Medicine, 2021, 49, 449-461.	0.4	9
48	Population Pharmacokinetics of Piperacillin and Tazobactam in Critically Ill Patients Receiving Extracorporeal Membrane Oxygenation: an ASAP ECMO Study. Antimicrobial Agents and Chemotherapy, 2021, 65, e0143821.	1,4	9
49	Protocol summary and statistical analysis plan for I ntensive N utrition T herapy compar E d to usual care i N cri T ically ill adults (INTENT): a phase Il randomised controlled trial. BMJ Open, 2022, 12, e050153.	0.8	8
50	Population Pharmacokinetics and Dosing Simulations of Ceftriaxone in Critically III Patients Receiving Extracorporeal Membrane Oxygenation (An ASAP ECMO Study). Clinical Pharmacokinetics, 2022, 61, 847-856.	1.6	8
51	Experience with High Frequency Oscillation Ventilation during the 2009 H1N1 Influenza Pandemic in Australia and New Zealand. Anaesthesia and Intensive Care, 2011, 39, 837-846.	0.2	7
52	A single-centre study of safety and efficacy of prone positioning for critically ill patients on veno-venous extracorporeal membrane oxygenation. Australian Critical Care, 2021, 34, 446-451.	0.6	7
53	Population Pharmacokinetics of Vancomycin in Critically III Adult Patients Receiving Extracorporeal Membrane Oxygenation (an ASAP ECMO Study). Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0137721.	1.4	7
54	A pilot randomized controlled trial of 7 versus 14 days of antibiotic treatment for bloodstream infection on non-intensive care versus intensive care wards. Trials, 2020, 21, 92.	0.7	6

#	Article	IF	CITATIONS
55	Failure of high-flow nasal cannula and delayed intubation: a new harmful sequence?. Intensive Care Medicine, 2015, 41, 1170-1170.	3.9	5
56	Impact of Nonpharmaceutical Interventions on ICU Admissions During Lockdown for Coronavirus Disease 2019 in New Zealand—A Retrospective Cohort Study. Critical Care Medicine, 2021, 49, 1749-1756.	0.4	5
57	Intravenous Fluid Bolus Therapy: A Bi-national Survey of Critical Care Nurses' Self-Reported Practice. Anaesthesia and Intensive Care, 2016, 44, 44-51.	0.2	4
58	Nosocomial infection prevalence in patients undergoing extracorporeal membrane oxygenation (ECMO): protocol for a point prevalence study across Australia and New Zealand. BMJ Open, 2019, 9, e029293.	0.8	4
59	Permissive Hypercapnia, Alveolar Recruitment and Low Airway Pressure (PHARLAP): a protocol for a phase 2 trial in patients with acute respiratory distress syndrome. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2018, 20, 139-149.	0.0	4
60	Study protocol: A randomized controlled trial assessing the avoidance of endotracheal suction in cardiac surgical patients ventilated for â‰Â12Âhr. Journal of Advanced Nursing, 2019, 75, 2006-2014.	1.5	3
61	Prophylactic Intra-Aortic Balloon Counterpulsation in High Risk Cardiac Surgery: The PINBALL Pilot Multicentre, Registry-Linked, Randomised, Controlled Feasibility Trial. Heart Lung and Circulation, 2020, 29, 710-718.	0.2	3
62	Fluid resuscitation associated with elevated angiopoietin-2 and length of mechanical ventilation after cardiac surgery. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2018, 20, 198-208.	0.0	3
63	Lessening Organ Dysfunction With Vitamin C (LOVIT) Trial: Statistical Analysis Plan. JMIR Research Protocols, 2022, 11, e36261.	0.5	3
64	Nosocomial Infection Rates in Patients Receiving Extracorporeal Membrane Oxygenation Across Australia and New Zealand: An Interim Analysis. Australian Critical Care, 2019, 32, S12.	0.6	1
65	Effect of Cardiac Surgery on Health-Related Quality of Life in Patients Aged 75ÂYears or Older: A Prospective Study. Heart Lung and Circulation, 2021, 30, 282-287.	0.2	1
66	Design and statistical analysis plan for a trial comparing a conservative fluid management strategy with usual care in patients after cardiac surgery: the FAB study. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2018, 20, 190-197.	0.0	1
67	An observational study of cardiac intensive care patients receiving nasal high flow therapy. Australian Critical Care, 2010, 23, 35.	0.6	0
68	A randomized feasibility study to assess a novel strategy to rationalize fluid in patients after cardiac surgery. British Journal of Anaesthesia, 2016, 117, 141.	1.5	0
69	Avoidance of Routine Endotracheal Suction in Subjects Ventilated for ≤2 h Following Elective Cardiac Surgery. Respiratory Care, 2020, 65, respcare.07821.	0.8	0
70	The authors reply. Critical Care Medicine, 2021, 49, e1192-e1193.	0.4	0
71	Fasting prior to cardiac catheterisation: a single-centre observational study. New Zealand Medical Journal, 2020, 133, 16-22.	0.5	0
72	Protocol summary and statistical analysis plan for the Targeted Therapeutic Mild Hypercapnia after Resuscitated Cardiac Arrest (TAME) trial. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23, 374-385.	0.0	0