Frances R Levin

List of Publications by Citations

Source: https://exaly.com/author-pdf/9196575/frances-r-levin-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92 2,449 29 48 g-index

97 3,013 5.2 5.32 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
92	Treatment of cocaine dependent treatment seekers with adult ADHD: double-blind comparison of methylphenidate and placebo. <i>Drug and Alcohol Dependence</i> , 2007 , 87, 20-9	4.9	163
91	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166	4.9	123
90	Treatment of methadone-maintained patients with adult ADHD: double-blind comparison of methylphenidate, bupropion and placebo. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 137-48	4.9	119
89	Methylphenidate treatment for cocaine abusers with adult attention-deficit/hyperactivity disorder: a pilot study. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 300-5	4.6	115
88	Development of a Cascade of Care for responding to the opioid epidemic. <i>American Journal of Drug and Alcohol Abuse</i> , 2019 , 45, 1-10	3.7	111
87	Extended-Release Mixed Amphetamine Salts vs Placebo for Comorbid Adult Attention-Deficit/Hyperactivity Disorder and Cocaine Use Disorder: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2015 , 72, 593-602	14.5	104
86	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014 , 109, 262-72	4.6	103
85	Quantification and comparison of marijuana smoking practices: blunts, joints, and pipes. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 249-51	4.9	95
84	A randomized placebo-controlled trial of N-acetylcysteine for cannabis use disorder in adults. <i>Drug and Alcohol Dependence</i> , 2017 , 177, 249-257	4.9	79
83	Developing an opioid use disorder treatment cascade: A review of quality measures. <i>Journal of Substance Abuse Treatment</i> , 2018 , 91, 57-68	4.2	79
82	Bupropion treatment for cocaine abuse and adult attention-deficit/hyperactivity disorder. <i>Journal of Addictive Diseases</i> , 2002 , 21, 1-16	1.7	70
81	The Current State of Pharmacological Treatments for Cannabis Use Disorder and Withdrawal. <i>Neuropsychopharmacology</i> , 2018 , 43, 173-194	8.7	65
80	Long-Acting Injectable Naltrexone Induction: A Randomized Trial of Outpatient Opioid Detoxification With Naltrexone Versus Buprenorphine. <i>American Journal of Psychiatry</i> , 2017 , 174, 459-4	167 ^{1.9}	60
79	Psychostimulant treatment of cocaine dependence. <i>Psychiatric Clinics of North America</i> , 2012 , 35, 425-3	193.1	59
78	Extended-release mixed amphetamine salts and topiramate for cocaine dependence: a randomized controlled trial. <i>Biological Psychiatry</i> , 2012 , 72, 950-6	7.9	59
77	The effects of dronabinol during detoxification and the initiation of treatment with extended release naltrexone. <i>Drug and Alcohol Dependence</i> , 2015 , 154, 38-45	4.9	57
76	Dronabinol and lofexidine for cannabis use disorder: A randomized, double-blind, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2016 , 159, 53-60	4.9	56

(2020-2019)

75	A Single Ketamine Infusion Combined With Mindfulness-Based Behavioral Modification to Treat Cocaine Dependence: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2019 , 176, 923-930	11.9	42	
74	The self-medication hypothesis and psychostimulant treatment of cocaine dependence: an update. <i>American Journal on Addictions</i> , 2014 , 23, 189-93	3.7	42	
73	Venlafaxine treatment of cocaine abusers with depressive disorders. <i>American Journal of Drug and Alcohol Abuse</i> , 2000 , 26, 25-31	3.7	42	
72	A Randomized Trial Comparing Extended-Release Injectable Suspension and Oral Naltrexone, Both Combined With Behavioral Therapy, for the Treatment of Opioid Use Disorder. <i>American Journal of Psychiatry</i> , 2019 , 176, 129-137	11.9	42	
71	Mood and performance changes in women with premenstrual dysphoric disorder: acute effects of alprazolam. <i>Neuropsychopharmacology</i> , 1998 , 19, 499-516	8.7	39	
70	Achieving cannabis cessation evaluating N-acetylcysteine treatment (ACCENT): design and implementation of a multi-site, randomized controlled study in the National Institute on Drug Abuse Clinical Trials Network. <i>Contemporary Clinical Trials</i> , 2014 , 39, 211-23	2.3	35	
69	Attention deficit hyperactivity disorder (ADHD) and substance use disorders. <i>Current Psychiatry Reports</i> , 2001 , 3, 497-506	9.1	34	
68	A Single Ketamine Infusion Combined With Motivational Enhancement Therapy for Alcohol Use Disorder: A Randomized Midazolam-Controlled Pilot Trial. <i>American Journal of Psychiatry</i> , 2020 , 177, 125-133	11.9	33	
67	Prescription psychostimulants for the treatment of stimulant use disorder: a systematic review and meta-analysis. <i>Psychopharmacology</i> , 2020 , 237, 2233-2255	4.7	32	
66	A review of a national training initiative to increase provider use of MAT to address the opioid epidemic. <i>American Journal on Addictions</i> , 2016 , 25, 603-609	3.7	32	
65	Trauma and trauma-related disorders for women on methadone: prevalence and treatment considerations. <i>Journal of Psychoactive Drugs</i> , 1994 , 26, 421-9	3.6	31	
64	A placebo-controlled trial of memantine as an adjunct to injectable extended-release naltrexone for opioid dependence. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 546-52	4.2	30	
63	Pilot study of the effects of lisdexamfetamine on cocaine use: A randomized, double-blind, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2015 , 153, 94-103	4.9	29	
62	Diagnosing ADHD in adults with substance use disorder: DSM-IV criteria and differential diagnosis. Journal of Clinical Psychiatry, 2007 , 68, e18	4.6	29	
61	Assessment of riboflavin as a tracer substance: comparison of a qualitative to a quantitative method of riboflavin measurement. <i>Drug and Alcohol Dependence</i> , 2013 , 128, 77-82	4.9	27	
60	Use of dronabinol for cannabis dependence: two case reports and review. <i>American Journal on Addictions</i> , 2008 , 17, 161-4	3.7	26	
59	The state of clinical outcome assessments for cannabis use disorder clinical trials: A review and research agenda. <i>Drug and Alcohol Dependence</i> , 2020 , 212, 107993	4.9	25	
58	New directions in the treatment of opioid withdrawal. <i>Lancet, The</i> , 2020 , 395, 1938-1948	40	21	

57	Extended release mixed amphetamine salts and topiramate for cocaine dependence: A randomized clinical replication trial with frequent users. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107700	4.9	21
56	Pharmacotherapeutic strategies for treating cocaine use disorder-what do we have to offer?. <i>Addiction</i> , 2021 , 116, 694-710	4.6	21
55	Pergolide mesylate for cocaine abuse: a controlled preliminary trial. <i>American Journal on Addictions</i> , 1999 , 8, 120-7	3.7	19
54	COVID-19, mental health, and opioid use disorder: Old and new public health crises intertwine. <i>Psychological Trauma: Theory, Research, Practice, and Policy,</i> 2020 , 12, S111-S112	7.8	19
53	Medication treatment for opioid use disorder in the age of COVID-19: Can new regulations modify the opioid cascade?. <i>Journal of Substance Abuse Treatment</i> , 2021 , 122, 108196	4.2	19
52	Towards Precision Addiction Treatment: New Findings in Co-morbid Substance Use and Attention-Deficit Hyperactivity Disorders. <i>Current Psychiatry Reports</i> , 2017 , 19, 14	9.1	16
51	Guanfacine decreases symptoms of cannabis withdrawal in daily cannabis smokers. <i>Addiction Biology</i> , 2019 , 24, 707-716	4.6	16
50	Treating nicotine dependence by targeting attention-deficit/ hyperactivity disorder (ADHD) with OROS methylphenidate: the role of baseline ADHD severity and treatment response. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 983-90	4.6	15
49	Long-term follow-up study of community-based patients receiving XR-NTX for opioid use disorders. <i>American Journal on Addictions</i> , 2017 , 26, 319-325	3.7	14
48	Effects of lorcaserin on oxycodone self-administration and subjective responses in participants with opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2020 , 208, 107859	4.9	14
47	How treatment improvement in ADHD and cocaine dependence are related to one another: A secondary analysis. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 135-140	4.9	14
46	Severity of dependence and motivation for treatment: comparison of marijuana- and cocaine-dependent treatment seekers. <i>Journal of Addictive Diseases</i> , 2006 , 25, 33-41	1.7	14
45	Increased sensitivity to alprazolam in females with a paternal history of alcoholism. <i>Psychopharmacology</i> , 2000 , 150, 150-62	4.7	14
44	Do withdrawal-like symptoms mediate increased marijuana smoking in individuals treated with venlafaxine-XR?. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 42-6	4.9	12
43	International Consensus Statement for the Screening, Diagnosis, and Treatment of Adolescents with Concurrent Attention-Deficit/Hyperactivity Disorder and Substance Use Disorder. <i>European Addiction Research</i> , 2020 , 26, 223-232	4.6	12
42	Treatment for Substance Use Disorder With Co-Occurring Mental Illness. <i>Focus (American Psychiatric Publishing)</i> , 2019 , 17, 88-97	1.1	9
41	Dissociative identity disorder and substance abuse: the forgotten relationship. <i>Journal of Psychoactive Drugs</i> , 1999 , 31, 71-83	3.6	8
40	Understanding predictors of improvement in risky drinking in a U.S. multi-site, longitudinal cohort study of transgender individuals: Implications for culturally-tailored prevention and treatment efforts. <i>Addictive Behaviors</i> , 2019 , 96, 68-75	4.2	7

39	Open-label pilot study of injectable naltrexone for cannabis dependence. <i>American Journal of Drug and Alcohol Abuse</i> , 2018 , 44, 619-627	3.7	7
38	Medical Student Attitudes Toward Substance Use Disorders Before and After a Skills-Based Screening, Brief Intervention, and Referral to Treatment (SBIRT) Curriculum. <i>Advances in Medical Education and Practice</i> , 2020 , 11, 455-461	1.5	6
37	Attention Deficit Hyperactivity Disorder Increases Nicotine Addiction Severity in Adults Seeking Treatment for Substance Use Disorders: The Role of Personality Disorders. <i>European Addiction Research</i> , 2020 , 26, 191-200	4.6	5
36	Case Series: Rapid Induction Onto Long Acting Buprenorphine Injection for High Potency Synthetic Opioid Users. <i>American Journal on Addictions</i> , 2020 , 29, 345-348	3.7	5
35	Derived relations moderate the association between changes in the strength of commitment language and cocaine treatment response. <i>Experimental and Clinical Psychopharmacology</i> , 2016 , 24, 77-8	3 ³ 7 ²	5
34	Attention Deficit/Hyperactivity Disorder and Global Severity Profiles in Treatment-Seeking Patients with Substance Use Disorders. <i>European Addiction Research</i> , 2020 , 26, 201-210	4.6	4
33	Quetiapine treatment for cannabis use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108366	4.9	4
32	Supporting Providers After Drug Overdose Death. American Journal of Psychiatry, 2019, 176, 173-178	11.9	3
31	Impulsiveness as a moderator of amphetamine treatment response for cocaine use disorder among ADHD patients. <i>Drug and Alcohol Dependence</i> , 2020 , 213, 108082	4.9	3
30	The International Collaboration on ADHD and Substance Abuse (ICASA): Mission, Results, and Future Activities. <i>European Addiction Research</i> , 2020 , 26, 173-178	4.6	3
29	Exploring longitudinal course and treatment-baseline severity interactions in secondary outcomes of smoking cessation treatment in individuals with attention-deficit hyperactivity disorder. American Journal of Drug and Alcohol Abuse, 2018, 44, 653-659	3.7	3
28	Ling et al.\$ Sustained-release methylphenidate in a randomized trial of treatment of methamphetamine use disorder\$ Addiction, 2015, 110, 875-6	4.6	2
27	Pain catastrophizing and mental health phenotypes in adults with refractory chronic pain: A latent class analysis. <i>Journal of Psychiatric Research</i> , 2021 , 145, 102-110	5.2	2
26	Onset and Severity of Early Disruptive Behavioral Disorders in Treatment-Seeking Substance Use Disorder Patients with and without Attention-Deficit/Hyperactivity Disorder. <i>European Addiction Research</i> , 2020 , 26, 211-222	4.6	2
25	Open-label pilot study of lisdexamfetamine for cocaine use disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2021 , 47, 402-409	3.7	2
24	COVID-19 related substance use services policy changes: Policymaker perspectives on policy development & implementation. <i>Journal of Substance Abuse Treatment</i> , 2021 , 108550	4.2	2
23	Open-label trial of a single-day induction onto buprenorphine extended-release injection for users of heroin and fentanyl. <i>American Journal on Addictions</i> , 2021 , 30, 470-476	3.7	2
22	Deficient Functioning of Frontostriatal Circuits DuringIthe Resolution of Cognitive Conflict in Cannabis-Using Youth. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 702-711	7.2	2

21	5HT-2C agonist lorcaserin decreases cannabis self-administration in daily cannabis smokers. <i>Addiction Biology</i> , 2021 , 26, e12993	4.6	2
20	Well-Being of Health Care Professionals Treating Opioid Use Disorder During the COVID-19 Pandemic: Results From a National Survey. <i>Psychiatric Services</i> , 2021 , appips202100080	3.3	2
19	Commentary: Providing technical assistance for the state targeted response for opioid use disorders: Time is of the essence. <i>American Journal on Addictions</i> , 2018 , 27, 158-160	3.7	1
18	Medical Marijuana and Opioids (MEMO) Study: protocol of a longitudinal cohort study to examine if medical cannabis reduces opioid use among adults with chronic pain. <i>BMJ Open</i> , 2020 , 10, e043400	3	1
17	Pharmacological Treatment of Substance Abuse Disorders2390-2416		1
16	Design and methods of a multi-site randomized controlled trial of an integrated care model of long-acting injectable buprenorphine with infectious disease treatment among persons hospitalized with infections and opioid use disorder. <i>Contemporary Clinical Trials</i> , 2021 , 105, 106394	2.3	1
15	Lorcaserin treatment for extended-release naltrexone induction and retention for opioid use disorder individuals: A pilot, placebo-controlled randomized trial. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108482	4.9	1
14	Drinking reduction during cognitive behavioral therapy for alcohol use disorder is associated with a reduction in anterior insula-bed nucleus of the stria terminalis resting-state functional connectivity. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1596-1606	3.7	1
13	Non-abstinent treatment outcomes for cannabis use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 225, 108765	4.9	1
12	Analysis of Stimulant Prescriptions and Drug-Related Poisoning Risk Among Persons Receiving Buprenorphine Treatment for Opioid Use Disorder <i>JAMA Network Open</i> , 2022 , 5, e2211634	10.4	1
11	Advocacy and Public Policy Efforts of the American Academy of Addiction Psychiatry. <i>American Journal on Addictions</i> , 2020 , 29, 401-406	3.7	0
10	Attention Deficit Hyperactivity Disorder in Prisoners: Increased Substance Use Disorder Severity and Psychiatric Comorbidity. <i>European Addiction Research</i> , 2020 , 26, 179-190	4.6	O
9	An adaptive clinical trial design for cocaine use disorder: Extended-release amphetamine salts for early behavioral intervention non-responders. <i>Contemporary Clinical Trials</i> , 2020 , 98, 106187	2.3	
8	The Perils of Screening for Unhealthy Drug Use Are a Call to Action for the Mental Health Workforce. <i>JAMA Psychiatry</i> , 2020 , 77, 1101-1102	14.5	
7	Clinical Significance and Outcomes in Trial of Nabiximols for Treatment of Cannabis Dependence. <i>JAMA Internal Medicine</i> , 2020 , 180, 162-163	11.5	
6	Pharmacological Treatment of Substance Abuse Disorders 2015 , 2331-2360		
5	Substance Abuse: Cannabis-Related Disorders 2015 , 1458-1469		
4	Support for COVID-19-Related Substance Use Services Policy Changes: a New York State-Wide Survey <i>Journal of Behavioral Health Services and Research</i> , 2022 , 1	1.7	

LIST OF PUBLICATIONS

3 AAAP Becomes a National Presence: The KCW Years. American Journal on Addictions, 2020, 29, 383-389 3.7

Substance Abuse: Cannabis-Related Disorders1041-1057

How can we optimally channel therapeutic optimism to advance pharmacotherapy research on cocaine use disorder?. *Addiction*, **2021**, 116, 715-717

4.6