

Ricardo Faria Ribeiro

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9197470/ricardo-faria-ribeiro-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

1,703
citations

24
h-index

34
g-index

119
ext. papers

1,955
ext. citations

3.2
avg, IF

4.47
L-index

#	Paper	IF	Citations
117	Bacterial adhesion on the titanium and zirconia abutment surfaces. <i>Clinical Oral Implants Research</i> , 2014 , 25, 337-343	4.8	86
116	Endodontically treated teeth: characteristics and considerations to restore them. <i>Journal of Prosthodontic Research</i> , 2011 , 55, 69-74	4.3	70
115	Microbiome of titanium and zirconia dental implants abutments. <i>Dental Materials</i> , 2016 , 32, 93-101	5.7	56
114	Accuracy of stone casts obtained by different impression materials. <i>Brazilian Oral Research</i> , 2008 , 22, 293-8	2.6	51
113	Comparative study of circumferential clasp retention force for titanium and cobalt-chromium removable partial dentures. <i>Journal of Prosthetic Dentistry</i> , 2002 , 88, 290-6	4	47
112	The effect of commercially pure titanium and alternative dental alloys on the marginal fit of one-piece cast implant frameworks. <i>Journal of Dentistry</i> , 2007 , 35, 800-5	4.8	46
111	Leakage of saliva through the implant-abutment interface: in vitro evaluation of three different implant connections under unloaded and loaded conditions. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012 , 27, 551-60	2.8	45
110	The effect of mold temperature on castability of CP Ti and Ti-6Al-4V castings into phosphate bonded investment materials. <i>Dental Materials</i> , 2006 , 22, 1098-102	5.7	39
109	Wear resistance of experimental titanium alloys for dental applications. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011 , 4, 1873-9	4.1	38
108	Effect of beryllium on the castability and resistance of ceramometal bonds in nickel-chromium alloys. <i>Journal of Prosthetic Dentistry</i> , 1998 , 80, 570-4	4	37
107	In vitro comparative analysis of the fit of gold alloy or commercially pure titanium implant-supported prostheses before and after electroerosion. <i>Journal of Prosthetic Dentistry</i> , 2004 , 92, 132-8	4	36
106	Fracture resistance of the implant-abutment connection in implants with internal hex and internal conical connections under oblique compressive loading: an in vitro study. <i>International Journal of Prosthodontics</i> , 2009 , 22, 283-6	1.9	34
105	Microleakage into and from two-stage implants: an in vitro comparative study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 56-62	2.8	34
104	Surveying removable partial dentures: the importance of guiding planes and path of insertion for stability. <i>Journal of Prosthetic Dentistry</i> , 1997 , 78, 412-8	4	30
103	Validation of finite element models for strain analysis of implant-supported prostheses using digital image correlation. <i>Dental Materials</i> , 2013 , 29, 788-96	5.7	29
102	Correlation between vertical misfits and stresses transmitted to implants from metal frameworks. <i>Journal of Biomechanics</i> , 2011 , 44, 1735-9	2.9	28
101	Relation between implant/abutment vertical misfit and torque loss of abutment screws. <i>Brazilian Dental Journal</i> , 2008 , 19, 358-63	1.9	28

100	Torque removal evaluation of prosthetic screws after tightening and loosening cycles: an in vitro study. <i>Clinical Oral Implants Research</i> , 2012 , 23, 475-80	4.8	27
99	Effect of repeated torque/mechanical loading cycles on two different abutment types in implants with internal tapered connections: an in vitro study. <i>Clinical Oral Implants Research</i> , 2009 , 20, 624-32	4.8	27
98	Castability and resistance of ceramometal bonding in Ni-Cr and Ni-Cr-Be alloys. <i>Journal of Prosthetic Dentistry</i> , 2001 , 85, 299-304	4	27
97	Marginal fit and microbial leakage along the implant-abutment interface of fixed partial prostheses: An in vitro analysis using Checkerboard DNA-DNA hybridization. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 831-8	4	26
96	Effect of surface treatment on the bond strength between yttria partially stabilized zirconia ceramics and resin cement. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 357-64	4	26
95	Digital image correlation analysis of the load transfer by implant-supported restorations. <i>Journal of Biomechanics</i> , 2011 , 44, 1008-13	2.9	25
94	Mechanical comparison of experimental conical-head abutment screws with conventional flat-head abutment screws for external-hex and internal tri-channel implant connections: an in vitro evaluation of loosening torque. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, e321-9	2.8	24
93	Modified section method for laser-welding of ill-fitting cp Ti and Ni-Cr alloy one-piece cast implant-supported frameworks. <i>Journal of Oral Rehabilitation</i> , 2010 , 37, 359-63	3.4	23
92	Implant/abutment vertical misfit of one-piece cast frameworks made with different materials. <i>Brazilian Dental Journal</i> , 2010 , 21, 515-9	1.9	23
91	Three-dimensional finite element analysis of the stress distribution on morse taper implants surface. <i>Journal of Prosthodontic Research</i> , 2013 , 57, 206-12	4.3	22
90	Effects of chemical composition on the corrosion of dental alloys. <i>Brazilian Dental Journal</i> , 2012 , 23, 141-8	1.9	21
89	Evaluation of screw loosening on new abutment screws and after successive tightening. <i>Brazilian Dental Journal</i> , 2011 , 22, 51-5	1.9	21
88	Loss of preload in screwed implant joints as a function of time and tightening/untightening sequences. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014 , 29, 89-96	2.8	20
87	Analysis of the relationship between the surface hardness and wear resistance of indirect composites used as veneer materials. <i>Brazilian Dental Journal</i> , 2007 , 18, 60-4	1.9	20
86	Oral bacterial colonization on dental implants restored with titanium or zirconia abutments: 6-month follow-up. <i>Clinical Oral Investigations</i> , 2018 , 22, 2335-2343	4.2	19
85	Comparative analysis of the fit of 3-unit implant-supported frameworks cast in nickel-chromium and cobalt-chromium alloys and commercially pure titanium after casting, laser welding, and simulated porcelain firings. <i>International Journal of Prosthodontics</i> , 2008 , 21, 121-3	1.9	19
84	In vivo evaluation of Candida spp. adhesion on titanium or zirconia abutment surfaces. <i>Archives of Oral Biology</i> , 2013 , 58, 853-61	2.8	18
83	Retention and stress distribution in distal extension removable partial dentures with and without implant association. <i>Journal of Prosthodontic Research</i> , 2013 , 57, 24-9	4.3	18

82	An in vitro study of non-axial forces upon the retention of an O-ring attachment. <i>Clinical Oral Implants Research</i> , 2009 , 20, 1314-9	4.8	18
81	Influence of the interimplant distance on crestal bone resorption and bone density: a histomorphometric study in dogs. <i>Journal of Periodontology</i> , 2006 , 77, 614-21	4.6	18
80	Oral biofilm formation on the titanium and zirconia substrates. <i>Microscopy Research and Technique</i> , 2013 , 76, 126-32	2.8	17
79	Three-dimensional finite element analysis of stress distribution on different bony ridges with different lengths of Morse taper implants and prosthesis dimensions. <i>Journal of Craniofacial Surgery</i> , 2012 , 23, 1888-92	1.2	17
78	Digital image correlation analysis on the influence of crown material in implant-supported prostheses on bone strain distribution. <i>Journal of Prosthodontic Research</i> , 2012 , 56, 25-31	4.3	16
77	Ear symptomatology and occlusal factors: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2000 , 83, 21-44		16
76	In vitro cytotoxicity of dental alloys and cpTi obtained by casting. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 85, 504-8	3.5	15
75	Mechanical analysis of conventional and small diameter conical implant abutments. <i>Journal of Advanced Prosthodontics</i> , 2012 , 4, 158-61	2.2	14
74	Effect of temperature variation on the cytotoxicity of cast dental alloys and commercially pure titanium. <i>Journal of Applied Oral Science</i> , 2009 , 17, 421-6	3.3	14
73	Experimental titanium alloys for dental applications. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 1448-60	4	13
72	Comparison of the correlation of photoelasticity and digital imaging to characterize the load transfer of implant-supported restorations. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 276-84	4	13
71	Effect of different investments and mold temperatures on titanium mechanical properties. <i>Journal of Prosthodontic Research</i> , 2012 , 56, 58-64	4.3	13
70	Abrasion wear resistance of different artificial teeth opposed to metal and composite antagonists. <i>Journal of Applied Oral Science</i> , 2009 , 17, 451-6	3.3	13
69	Evaluation of the adaptation interface of one-piece implant-supported superstructures obtained in Ni-Cr-Ti and Pd-Ag alloys. <i>Brazilian Dental Journal</i> , 2003 , 14, 197-202	1.9	13
68	Comparative study of two commercially pure titanium casting methods. <i>Journal of Applied Oral Science</i> , 2010 , 18, 487-92	3.3	12
67	Three-dimensional finite element analysis of endodontically treated teeth with weakened radicular walls restored with different protocols. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 383-9	4	11
66	Prosthetic misfit of implant-supported prosthesis obtained by an alternative section method. <i>Journal of Advanced Prosthodontics</i> , 2012 , 4, 89-92	2.2	11
65	The effect of coating patterns with spinel-based investment on the castability and porosity of titanium cast into three phosphate-bonded investments. <i>Journal of Prosthodontics</i> , 2010 , 19, 517-22	3.9	11

64	Device for recording the path of insertion for removable partial dentures. <i>Journal of Prosthetic Dentistry</i> , 2000 , 84, 136-8	4	11
63	Microleakage at Different Implant-Abutment Connections Under Unloaded and Loaded Conditions. <i>Implant Dentistry</i> , 2017 , 26, 388-392	2.4	9
62	Biomechanical behavior of titanium and zirconia frameworks for implant-supported full-arch fixed dental prosthesis. <i>Clinical Implant Dentistry and Related Research</i> , 2017 , 19, 860-866	3.9	9
61	A Three-Dimensional Finite Element Analysis of the Stress Distribution Generated by Splinted and Nonsplinted Protheses in the Rehabilitation of Various Bony Ridges with Regular or Short Morse Taper Implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017 , 32, 372-376	2.8	9
60	Influence of the casting processing route on the corrosion behavior of dental alloys. <i>Materials Science and Engineering C</i> , 2014 , 45, 519-23	8.3	9
59	Torque loss under mechanical cycling of long-span zirconia and titanium-cemented and screw-retained implant-supported CAD/CAM frameworks. <i>Clinical Oral Implants Research</i> , 2014 , 25, 1395-402	4.8	9
58	Wear resistance of a pressable low-fusing ceramic opposed by dental alloys. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014 , 32, 46-51	4.1	9
57	Effect of cyclic loading on the vertical microgap of long-span zirconia frameworks supported by 4 or 6 implants. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 828-33	4	9
56	An alternative section method for casting and posterior laser welding of metallic frameworks for an implant-supported prosthesis. <i>Journal of Prosthodontics</i> , 2009 , 18, 230-4	3.9	9
55	Tensile bond strength of cast commercially pure titanium and cast gold-alloy posts and cores cemented with two luting agents. <i>Journal of Prosthetic Dentistry</i> , 2008 , 99, 141-7	4	9
54	Comparison of retentive systems for composites used as alternatives to porcelain in fixed partial dentures. <i>Journal of Prosthetic Dentistry</i> , 2003 , 89, 572-8	4	9
53	Evaluation of the castability of a Co-Cr-Mo-W alloy varying the investing technique. <i>Brazilian Dental Journal</i> , 2005 , 16, 50-5	1.9	9
52	Abutments with reduced diameter for both cement and screw retentions: analysis of failure modes and misfit of abutment-crown-connections after cyclic loading. <i>Clinical Oral Implants Research</i> , 2017 , 28, 432-436	4.8	8
51	Genome analysis and clinical implications of the bacterial communities in early biofilm formation on dental implants restored with titanium or zirconia abutments. <i>Biofouling</i> , 2018 , 34, 173-182	3.3	8
50	Torque loss of different abutment sizes before and after cyclic loading. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015 , 30, 1256-61	2.8	8
49	Photoelastic stress analysis of different designs of cement-retained fixed partial dentures on Morse taper oral implants. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 674-8	1.2	8
48	Retention force of T-bar clasps for titanium and cobalt-chromium removable partial dentures. <i>Brazilian Dental Journal</i> , 2008 , 19, 209-13	1.9	8
47	Photoelastic comparison of as-cast and laser-welded implant frameworks. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 652-9	4	7

46	The use of a mandibular repositioning device for obstructive sleep apnea. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 1023-9	3.5	7
45	Effect of phosphate-bonded investments on titanium reaction layer and crown fit. <i>Brazilian Oral Research</i> , 2010 , 24, 147-52	2.6	7
44	Effect of fluoride-containing solutions on the surface of cast commercially pure titanium. <i>Brazilian Dental Journal</i> , 2009 , 20, 201-4	1.9	7
43	Fracture Strength of Weakened Anterior Teeth Associated to Different Reconstructive Techniques. <i>Brazilian Dental Journal</i> , 2016 , 27, 556-561	1.9	7
42	Influence of Cyclic Fatigue in Water on Screw Torque Loss of Long-Span One-Piece Implant-Supported Zirconia Frameworks. <i>Journal of Prosthodontics</i> , 2017 , 26, 315-320	3.9	6
41	Wear resistance and compression strength of ceramics tested in fluoride environments. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 65, 609-615	4.1	6
40	Reliability of FEA on the Results of Mechanical Properties of Materials. <i>Brazilian Dental Journal</i> , 2015 , 26, 667-70	1.9	6
39	Effect of fluoride sodium mouthwash solutions on cpTI: evaluation of physicochemical properties. <i>Brazilian Dental Journal</i> , 2012 , 23, 496-501	1.9	6
38	Strain transfer behavior of different planning options for mandibular single-molar replacement. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 250-256	4	5
37	Impact of temperature and time storage on the microbial detection of oral samples by Checkerboard DNA-DNA hybridization method. <i>Archives of Oral Biology</i> , 2014 , 59, 12-21	2.8	5
36	Fracture loads and failure modes of customized and non-customized zirconia abutments. <i>Dental Materials</i> , 2018 , 34, e197-e204	5.7	4
35	Physical properties of conventional and monolithic yttria-zirconia materials after low-temperature degradation. <i>Ceramics International</i> , 2019 , 45, 21038-21043	5.1	4
34	Influence of Different Implants on the Biomechanical Behavior of a Tooth-Implant Fixed Partial Dentures: A Three-Dimensional Finite Element Analysis. <i>Journal of Oral Implantology</i> , 2020 , 46, 27-34	1.2	4
33	Effect of acetyl resin retentive arms on the retentive force of circumferential clasps: an in vitro study. <i>Journal of Prosthodontic Research</i> , 2012 , 56, 216-21	4.3	4
32	Effect of whitening toothpaste on titanium and titanium alloy surfaces. <i>Brazilian Oral Research</i> , 2012 , 26, 498-504	2.6	4
31	Screw loosening of different UCLA-type abutments after mechanical cycling. <i>Brazilian Journal of Oral Sciences</i> , 2013 , 12, 228-232	1.0	4
30	Tensile bond strength of cast commercially pure titanium dowel and cores cemented with three luting agents. <i>Journal of Prosthodontic Research</i> , 2010 , 54, 164-7	4.3	4
29	Effect of laser welding on the titanium composite tensile bond strength. <i>Brazilian Dental Journal</i> , 2009 , 20, 403-9	1.9	4

28	Fabrication of an acrylic resin device used to increase the size of toothbrush handles. <i>Journal of Prosthetic Dentistry</i> , 1998 , 79, 361-2	4	4
27	A clinical evaluation of materials for interocclusal registration in centric relation. <i>Brazilian Dental Journal</i> , 2000 , 11, 41-7	1.9	4
26	A Digital Image Correlation Analysis of Strain Generated by 3-Unit Implant-Supported Fixed Dental Prosthesis: An In Vitro Study. <i>Implant Dentistry</i> , 2017 , 26, 567-573	2.4	3
25	Influence of Manufacturing Methods of Implant-Supported Crowns on External and Internal Marginal Fit: A Micro-CT Analysis. <i>BioMed Research International</i> , 2018 , 2018, 5049605	3	3
24	Abutment rotational freedom evaluation of external hexagon single-implant restorations after mechanical cycling. <i>Clinical Implant Dentistry and Related Research</i> , 2013 , 15, 927-33	3.9	3
23	In Vitro Fit and Cementation Resistance of Provisional Crowns for Single Implant-Supported Restorations. <i>Brazilian Dental Journal</i> , 2015 , 26, 468-73	1.9	3
22	Correlation between vertical misfits and stresses over implants from castable frameworks made of different alloys. <i>Journal of Craniofacial Surgery</i> , 2014 , 25, 2062-5	1.2	3
21	Improvement to the marginal coping fit of commercially pure titanium cast in phosphate-bonded investment by using a simple pattern coating technique. <i>Journal of Prosthetic Dentistry</i> , 2012 , 108, 51-7	4	3
20	Effect of laser welding on the titanium ceramic tensile bond strength. <i>Journal of Applied Oral Science</i> , 2011 , 19, 301-5	3.3	3
19	Comparative study of chemical and mechanical retentive systems for bonding of indirect composite resin to commercially pure titanium. <i>Brazilian Dental Journal</i> , 2008 , 19, 134-8	1.9	3
18	Influence of the final temperature of investment heating on the tensile strength and Vickers hardness of CP Ti and Ti-6Al-4V alloy. <i>Journal of Applied Oral Science</i> , 2007 , 15, 44-8	3.3	3
17	Internal adaptation of cast titanium crowns. <i>Journal of Applied Oral Science</i> , 2007 , 15, 247-52	3.3	3
16	Clinical evaluation of interocclusal recording materials in bilateral free end cases. <i>Brazilian Dental Journal</i> , 2005 , 16, 140-4	1.9	3
15	A 3-year longitudinal prospective study assessing microbial profile and clinical outcomes of single-unit cement-retained implant restorations: Zirconia versus titanium abutments. <i>Clinical Implant Dentistry and Related Research</i> , 2020 , 22, 301-310	3.9	2
14	Stress Over Implants of One-Piece Cast Frameworks Made With Different Materials. <i>Journal of Craniofacial Surgery</i> , 2016 , 27, 238-41	1.2	2
13	Importance of a distal proximal contact on load transfer by implant-supported single adjacent crowns in posterior region of the mandible: a photoelastic study. <i>Journal of Applied Oral Science</i> , 2013 , 21, 397-402	3.3	2
12	Internal and Marginal Fit and Fracture Strength of Narrow Diameter Dental Implant-Abutment Assembly. <i>Brazilian Dental Journal</i> , 2020 , 31, 127-134	1.9	2
11	Effect of different grinding protocols on surface characteristics and fatigue behavior of yttria-stabilized zirconia polycrystalline: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 486.41-486.2e8	4	2

10	Effects of surface treatments on mechanical behavior of sintered and pre-sintered yttria-stabilized zirconia and reliability of crowns and abutments processed by CAD/CAM. <i>International Journal of Oral and Maxillofacial Implants</i> , 2019 , 34, 907-919	2.8	1
9	Photoelastic analysis of stresses transmitted by universal cast to long abutment on implant-supported single restorations under static occlusal loads. <i>Journal of Craniofacial Surgery</i> , 2012 , 23, 2019-23	1.2	1
8	Tensile Strength of Resin Cements Used with Base Metals in a Simulating Passive Cementation Technique for Implant-Supported Protheses. <i>Brazilian Dental Journal</i> , 2016 , 27, 739-743	1.9	1
7	A completely digital workflow for an interim implant-supported crown: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 377-382	4	1
6	Microbial communities of titanium versus zirconia abutments on implant-supported restorations: Biodiversity composition and its impact on clinical parameters over a 3-year longitudinal prospective study. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 197-207	3.9	1
5	Custom Morse taper zirconia abutments: Influence on marginal fit and torque loss before and after thermomechanical cycling. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018 , 78, 241-245 ^{4.1}	4.1	1
4	Avalia da fundibilidade de uma liga de cobalto-cromo. <i>Revista De Odontologia Da Universidade De Sao Paulo</i> , 1999 , 13, 119-125		
3	Avalia da resistcia da uni metal-resina usando sistemas de reten mecnico e qumico. <i>Revista De Odontologia Da Universidade De Sao Paulo</i> , 1999 , 13, 349-355		
2	Electromyographic evaluation of the adductor pollicis muscle of elderly patients carriers of removable partial prosthesis when using acrylic devices adapted to the handle of toothbrush. <i>Electromyography and Clinical Neurophysiology</i> , 2003 , 43, 113-9		
1	An alternative and simplified technique for the impression of completely edentulous ridges. <i>General Dentistry</i> , 2008 , 56, 158-9	1.2	