## Ling Cao

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9197884/publications.pdf

Version: 2024-02-01

840776 752698 22 451 11 20 citations h-index g-index papers 22 22 22 692 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	CNSâ€infiltrating CD4 <sup>+</sup> T lymphocytes contribute to murine spinal nerve transectionâ€induced neuropathic pain. European Journal of Immunology, 2008, 38, 448-458.	2.9	190
2	Critical role of microglial CD40 in the maintenance of mechanical hypersensitivity in a murine model of neuropathic pain. European Journal of Immunology, 2009, 39, 3562-3569.	2.9	30
3	Characterizing the demographics of chronic pain patients in the state of Maine using the Maine all payer claims database. BMC Public Health, 2018, 18, 810.	2.9	30
4	Induction of interleukin- $\hat{\Pi}^2$ by interleukin-4 in lipopolysaccharide-treated mixed glial cultures: microglial-dependent effects. Journal of Neurochemistry, 2007, 102, 408-419.	3.9	26
5	Calcitonin gene-related peptide contributes to peripheral nerve injury-induced mechanical hypersensitivity through CCL5 and p38 pathways. Journal of Neuroimmunology, 2016, 297, 68-75.	2.3	23
6	Anti-nociceptive Role of CXCL1 in a Murine Model of Peripheral Nerve Injury-induced Neuropathic Pain. Neuroscience, 2018, 372, 225-236.	2.3	23
7	Murine Immunodeficiency Virus-Induced Peripheral Neuropathy and the Associated Cytokine Responses. Journal of Immunology, 2012, 189, 3724-3733.	0.8	22
8	Involvement of calcitonin gene-related peptide and CCL2 production in CD40-mediated behavioral hypersensitivity in a model of neuropathic pain. Neuron Glia Biology, 2011, 7, 117-128.	1.6	18
9	Long-term morphine delivery via slow release morphine pellets or osmotic pumps: Plasma concentration, analgesia, and naloxone-precipitated withdrawal. Life Sciences, 2017, 185, 1-7.	4.3	18
10	Critical role of microglial CD40 in neuropathic pain. FASEB Journal, 2008, 22, 383-383.	0.5	17
11	Differential Lumbar Spinal Cord Responses among Wild Type, CD4 Knockout, and CD40 Knockout Mice in Spinal Nerve L5 Transection-Induced Neuropathic Pain. Molecular Pain, 2012, 8, 1744-8069-8-88.	2.1	14
12	Morphine increases hippocampal viral load and suppresses frontal lobe CCL5 expression in the LP-BM5 AIDS model. Journal of Neuroimmunology, 2014, 269, 44-51.	2.3	8
13	Contribution of CD137L to Sensory Hypersensitivity in a Murine Model of Neuropathic Pain. ENeuro, 2018, 5, ENEURO.0218-18.2018.	1.9	8
14	Morphine-potentiated cognitive deficits correlate to suppressed hippocampal iNOS RNA expression and an absent type 1 interferon response in LP-BM5 murine AIDS. Journal of Neuroimmunology, 2018, 319, 117-129.	2.3	6
15	Effectiveness of Educating Health Care Professionals in Managing Chronic Pain Patients Through a Supervised Student Inter-professional Pain Clinic. Medical Science Educator, 2021, 31, 479-488.	1.5	5
16	Effects of HIV gp120 on Neuroinflammation in Immunodeficient vs. Immunocompetent States. Journal of NeuroImmune Pharmacology, 2021, 16, 437-453.	4.1	4
17	Involvement of microglial CD40 in murine retrovirus-induced peripheral neuropathy. Journal of Neuroimmunology, 2013, 261, 37-43.	2.3	3
18	Microglial content-dependent inhibitory effects of calcitonin gene-related peptide (CGRP) on murine retroviral infection of glial cells. Journal of Neuroimmunology, 2015, 279, 64-70.	2.3	3

#	Article	IF	CITATION
19	Preparation of Primary Mixed Glial Cultures from Adult Mouse Spinal Cord Tissue. Journal of Visualized Experiments, 2016, , .	0.3	2
20	Effects of Morphine on Gp120-induced Neuroinflammation Under Immunocompetent Vs. Immunodeficient Conditions. Journal of NeuroImmune Pharmacology, 2022, , 1.	4.1	1
21	Host Resistance Model to an Intracellular Pathogen. Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al ], 2006, 27, Unit18.10.	1.1	O
22	Evaluation of Using the Sphygmomanometer Test to Assess Pain Sensitivity in Chronic Pain Patients vs Normal Controls. Pain Medicine, 2020, 21, 2903-2912.	1.9	0