Evan S Deneris

List of Publications by Citations

Source: https://exaly.com/author-pdf/9197921/evan-s-deneris-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers7,461
citations40
h-index71
g-index71
ext. papers8,145
ext. citations10
avg, IF5.45
L-index

#	Paper	IF	Citations
67	Distribution of alpha 2, alpha 3, alpha 4, and beta 2 neuronal nicotinic receptor subunit mRNAs in the central nervous system: a hybridization histochemical study in the rat. <i>Journal of Comparative Neurology</i> , 1989 , 284, 314-35	3.4	943
66	Cloning of a novel glutamate receptor subunit, GluR5: expression in the nervous system during development. <i>Neuron</i> , 1990 , 5, 583-95	13.9	569
65	Members of a nicotinic acetylcholine receptor gene family are expressed in different regions of the mammalian central nervous system. <i>Cell</i> , 1987 , 48, 965-73	56.2	372
64	Pet-1 ETS gene plays a critical role in 5-HT neuron development and is required for normal anxiety-like and aggressive behavior. <i>Neuron</i> , 2003 , 37, 233-47	13.9	371
63	A transient placental source of serotonin for the fetal forebrain. <i>Nature</i> , 2011 , 472, 347-50	50.4	369
62	Primary structure and expression of beta 2: a novel subunit of neuronal nicotinic acetylcholine receptors. <i>Neuron</i> , 1988 , 1, 45-54	13.9	292
61	The functional diversity of the neuronal nicotinic acetylcholine receptors is increased by a novel subunit: beta 4. <i>Neuron</i> , 1989 , 3, 487-96	13.9	276
60	MicroRNA 135 is essential for chronic stress resiliency, antidepressant efficacy, and intact serotonergic activity. <i>Neuron</i> , 2014 , 83, 344-360	13.9	270
59	Pharmacological and functional diversity of neuronal nicotinic acetylcholine receptors. <i>Trends in Pharmacological Sciences</i> , 1991 , 12, 34-40	13.2	267
58	Defects in breathing and thermoregulation in mice with near-complete absence of central serotonin neurons. <i>Journal of Neuroscience</i> , 2008 , 28, 2495-505	6.6	252
57	The ETS domain factor Pet-1 is an early and precise marker of central serotonin neurons and interacts with a conserved element in serotonergic genes. <i>Journal of Neuroscience</i> , 1999 , 19, 10348-56	6.6	244
56	Lmx1b is essential for the development of serotonergic neurons. <i>Nature Neuroscience</i> , 2003 , 6, 933-8	25.5	212
55	Redefining the serotonergic system by genetic lineage. <i>Nature Neuroscience</i> , 2008 , 11, 417-9	25.5	195
54	A genetic approach to access serotonin neurons for in vivo and in vitro studies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16472-7	11.5	169
53	Lmx1b is required for maintenance of central serotonergic neurons and mice lacking central serotonergic system exhibit normal locomotor activity. <i>Journal of Neuroscience</i> , 2006 , 26, 12781-8	6.6	165
52	Pet-1 is required across different stages of life to regulate serotonergic function. <i>Nature Neuroscience</i> , 2010 , 13, 1190-8	25.5	132
51	Maintenance of postmitotic neuronal cell identity. <i>Nature Neuroscience</i> , 2014 , 17, 899-907	25.5	117

50	Mice lacking central serotonergic neurons show enhanced inflammatory pain and an impaired analgesic response to antidepressant drugs. <i>Journal of Neuroscience</i> , 2007 , 27, 6045-53	6.6	115
49	Convergence of the insulin and serotonin programs in the pancreatic Etell. <i>Diabetes</i> , 2011 , 60, 3208-16	0.9	109
48	Medullary serotonin neurons and central CO2 chemoreception. <i>Respiratory Physiology and Neurobiology</i> , 2009 , 168, 49-58	2.8	106
47	Substitution of 5-HT1A receptor signaling by a light-activated G protein-coupled receptor. <i>Journal of Biological Chemistry</i> , 2010 , 285, 30825-36	5.4	101
46	HDAC6 regulates glucocorticoid receptor signaling in serotonin pathways with critical impact on stress resilience. <i>Journal of Neuroscience</i> , 2012 , 32, 4400-16	6.6	99
45	Distinct transcriptomes define rostral and caudal serotonin neurons. <i>Journal of Neuroscience</i> , 2010 , 30, 670-84	6.6	92
44	Serotonergic transcriptional programming determines maternal behavior and offspring survival. <i>Nature Neuroscience</i> , 2008 , 11, 1001-3	25.5	86
43	Serotonergic transcriptional networks and potential importance to mental health. <i>Nature Neuroscience</i> , 2012 , 15, 519-27	25.5	84
42	Arrest of 5HT neuron differentiation delays respiratory maturation and impairs neonatal homeostatic responses to environmental challenges. <i>Respiratory Physiology and Neurobiology</i> , 2007 , 159, 85-101	2.8	82
41	The unusual response of serotonergic neurons after CNS Injury: lack of axonal dieback and enhanced sprouting within the inhibitory environment of the glial scar. <i>Journal of Neuroscience</i> , 2011 , 31, 5605-16	6.6	79
40	Vertebrate cone opsins enable sustained and highly sensitive rapid control of Gi/o signaling in anxiety circuitry. <i>Neuron</i> , 2014 , 81, 1263-1273	13.9	66
39	Transcriptional analysis of acetylcholine receptor alpha 3 gene promoter motifs that bind Sp1 and AP2. <i>Journal of Biological Chemistry</i> , 1995 , 270, 8514-20	5.4	62
38	Making and breaking serotonin neurons and autism. <i>International Journal of Developmental Neuroscience</i> , 2005 , 23, 277-85	2.7	61
37	Postnatal growth defects in mice with constitutive depletion of central serotonin. <i>ACS Chemical Neuroscience</i> , 2013 , 4, 171-81	5.7	60
36	Gq/5-HT2c receptor signals activate a local GABAergic inhibitory feedback circuit to modulate serotonergic firing and anxiety in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 6479-84	11.5	56
35	The presynaptic component of the serotonergic system is required for clozapined efficacy. <i>Neuropsychopharmacology</i> , 2011 , 36, 638-51	8.7	55
34	A differentially autoregulated Pet-1 enhancer region is a critical target of the transcriptional cascade that governs serotonin neuron development. <i>Journal of Neuroscience</i> , 2005 , 25, 2628-36	6.6	52
33	In vitro biosynthesis of isoprene from mevalonate utilizing a rat liver cytosolic fraction. <i>Biochemical and Biophysical Research Communications</i> , 1984 , 123, 691-6	3.4	52

32	Pet-1, a novel ETS domain factor that can activate neuronal nAchR gene transcription 1998, 34, 151-16	3	45
31	A brain-wide functional map of the serotonergic responses to acute stress and fluoxetine. <i>Nature Communications</i> , 2019 , 10, 350	17.4	44
30	Serotonin neuron development: shaping molecular and structural identities. <i>Wiley Interdisciplinary Reviews: Developmental Biology</i> , 2018 , 7, e301	5.9	44
29	GIJ'o-coupled receptor signaling restricts pancreatic Etell expansion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2888-93	11.5	44
28	Differential regulation of levels of nicotinic receptor subunit transcripts in adult sympathetic neurons after axotomy. <i>Journal of Neurobiology</i> , 1998 , 34, 164-78		44
27	Serotonergic neurons migrate radially through the neuroepithelium by dynamin-mediated somal translocation. <i>Journal of Neuroscience</i> , 2010 , 30, 420-30	6.6	39
26	Adult Brain Serotonin Deficiency Causes Hyperactivity, Circadian Disruption, and Elimination of Siestas. <i>Journal of Neuroscience</i> , 2016 , 36, 9828-42	6.6	38
25	Shared long-range regulatory elements coordinate expression of a gene cluster encoding nicotinic receptor heteromeric subtypes. <i>Molecular and Cellular Biology</i> , 2006 , 26, 5636-49	4.8	38
24	beta43d An enhancer displaying neural-restricted activity is located in the 3duntranslated exon of the rat nicotinic acetylcholine receptor beta4 gene. <i>Journal of Neuroscience</i> , 1997 , 17, 2273-83	6.6	37
23	Paradoxical increase in survival of newborn neurons in the dentate gyrus of mice with constitutive depletion of serotonin. <i>European Journal of Neuroscience</i> , 2013 , 38, 2650-8	3.5	35
22	Developmental cell death is enhanced in the cerebral cortex of mice lacking the brain vesicular monoamine transporter. <i>Journal of Neuroscience</i> , 2007 , 27, 1315-24	6.6	35
21	Pet-1 Switches Transcriptional Targets Postnatally to Regulate Maturation of Serotonin Neuron Excitability. <i>Journal of Neuroscience</i> , 2016 , 36, 1758-74	6.6	34
20	Engrailed is required in maturing serotonin neurons to regulate the cytoarchitecture and survival of the dorsal raphe nucleus. <i>Journal of Neuroscience</i> , 2012 , 32, 7832-42	6.6	34
19	Bradycardia in serotonin-deficient Pet-1-/- mice: influence of respiratory dysfunction and hyperthermia over the first 2 postnatal weeks. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 298, R1333-42	3.2	32
18	Molecular genetics of mouse serotonin neurons across the lifespan. <i>Neuroscience</i> , 2011 , 197, 17-27	3.9	30
17	A subpopulation of serotonergic neurons that do not express the 5-HT1A autoreceptor. <i>ACS Chemical Neuroscience</i> , 2013 , 4, 89-95	5.7	26
16	Serotonergic transcription of human FEV reveals direct GATA factor interactions and fate of Pet-1-deficient serotonin neuron precursors. <i>Journal of Neuroscience</i> , 2008 , 28, 12748-58	6.6	26
15	Nicotinic acetylcholine receptor subunit proteins alpha7 and beta4 decrease in the superior cervical ganglion after axotomy. <i>Journal of Neurobiology</i> , 2001 , 46, 178-92		26

LIST OF PUBLICATIONS

14	Elements between the protein-coding regions of the adjacent A and B acetylcholine receptor genes direct neuron-specific expression in the central nervous system 1997 , 32, 311-324		24
13	Regulation of transcription in the neuronal nicotinic receptor subunit gene cluster by a neuron-selective enhancer and ETS domain factors. <i>Journal of Biological Chemistry</i> , 2000 , 275, 28962-70	5 ⋅4	20
12	Regulatory Mechanisms Controlling Maturation of Serotonin Neuron Identity and Function. <i>Frontiers in Cellular Neuroscience</i> , 2017 , 11, 215	6.1	17
11	Regional distribution and cellular localization of the ETS-domain transcription factor, FEV, mRNA in the human postmortem brain. <i>Synapse</i> , 2005 , 57, 223-8	2.4	17
10	Lmx1b is required at multiple stages to build expansive serotonergic axon architectures. <i>ELife</i> , 2019 , 8,	8.9	17
9	Pet-1 Controls Tetrahydrobiopterin Pathway and Slc22a3 Transporter Genes in Serotonin Neurons. <i>ACS Chemical Neuroscience</i> , 2015 , 6, 1198-205	5.7	15
8	The ETS oncogene family transcription factor FEV identifies serotonin-producing cells in normal and neoplastic small intestine. <i>Endocrine-Related Cancer</i> , 2010 , 17, 283-91	5.7	13
7	Pet-1 deficiency alters the circadian clock and its temporal organization of behavior. <i>PLoS ONE</i> , 2014 , 9, e97412	3.7	12
6	Structure and function of neuronal nicotinic acetylcholine receptors deduced from cDNA clones. <i>Progress in Brain Research</i> , 1989 , 79, 27-33	2.9	12
5	Preservation of Essential Odor-Guided Behaviors and Odor-Based Reversal Learning after Targeting Adult Brain Serotonin Synthesis. <i>ENeuro</i> , 2016 , 3,	3.9	11
4	Retinal neuron activity of ETS domain-binding sites in a nicotinic acetylcholine receptor gene cluster enhancer. <i>Journal of Biological Chemistry</i> , 2002 , 277, 6511-9	5.4	10
3	Transcriptional control of serotonin-modulated behavior and physiology. Neuropsychopharmacology, 2011 , 36, 361-2	8.7	7
2	Author response: Lmx1b is required at multiple stages to build expansive serotonergic axon architectures 2019 ,		2
1	An adult-stage transcriptional program for survival of serotonergic connectivity <i>Cell Reports</i> , 2022 , 39, 110711	10.6	1