

Syed A M Tofail

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9198074/syed-a-m-tofail-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

3,584
citations

31
h-index

54
g-index

161
ext. papers

4,537
ext. citations

6.1
avg. IF

5.8
L-index

#	Paper	IF	Citations
154	A Self-Powered Piezo-Bioelectric Device Regulates Tendon Repair-Associated Signaling Pathways through Modulation of Mechanosensitive Ion Channels (Adv. Mater. 40/2021). <i>Advanced Materials</i> , 2021 , 33, 2170315	24	
153	Piezoelectricity of the Transmembrane Protein ba3 Cytochrome c Oxidase. <i>Advanced Functional Materials</i> , 2021 , 31, 2100884	15.6	1
152	A practical approach for standardization of converse piezoelectric constants obtained from piezoresponse force microscopy. <i>Journal of Applied Physics</i> , 2021 , 129, 185104	2.5	1
151	Molecular engineering of piezoelectricity in collagen-mimicking peptide assemblies. <i>Nature Communications</i> , 2021 , 12, 2634	17.4	11
150	Pathway Complexity in Supramolecular Porphyrin Self-Assembly at an Immiscible Liquid-Liquid Interface. <i>Journal of the American Chemical Society</i> , 2021 , 143, 9060-9069	16.4	8
149	Photo-responsive functional gold nanocapsules for inactivation of community-acquired, highly virulent, multidrug-resistant MRSA. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 846-856	7.3	8
148	Nanoconfined water governs polarization-related properties of self-assembled peptide nanotubes. <i>Nano Select</i> , 2021 , 2, 817-829	3.1	6
147	A Self-Powered Piezo-Bioelectric Device Regulates Tendon Repair-Associated Signaling Pathways through Modulation of Mechanosensitive Ion Channels. <i>Advanced Materials</i> , 2021 , 33, e2008788	24	7
146	A Piezoelectric Ionic Cocrystal of Glycine and Sulfamic Acid. <i>Crystal Growth and Design</i> , 2021 , 21, 5818-5827	3.3	3
145	Predictive Modeling of Ceramic Materials 2021 , 475-480		
144	The Effects of a Varied Gold Shell Thickness on Iron Oxide Nanoparticle Cores in Magnetic Manipulation, T and T MRI Contrasting, and Magnetic Hyperthermia. <i>Nanomaterials</i> , 2020 , 10,	5.4	4
143	The effect of water molecules on elastic and piezoelectric properties of diphenylalanine microtubes. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1474-1477	2.3	4
142	MIR imaging bundles of ordered silver halide polycrystalline fibres for thermal transmission and imaging. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 142, 245-253	4.1	2
141	Amorphous interface oxide formed due to high amount of Sm doping (500 mol%) stabilizes finer size anatase and lowers indirect band gap. <i>Applied Surface Science</i> , 2020 , 529, 146967	6.7	0
140	Spectral drifts in surface textured FeO-Au, core-shell nanoparticles enhance spectra-selective photothermal heating and scatter imaging. <i>Nanoscale</i> , 2020 , 12, 12632-12638	7.7	5
139	Determination of thermal and thermomechanical properties of biodegradable PLA blends: for additive manufacturing process. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 142, 715-722	4.1	4
138	Piezoresponse force microscopy and electron backscattering diffraction of 90° ferroelectric twins in BaTiO ₃ positive temperature co-efficient thermistors. <i>Ferroelectrics</i> , 2020 , 559, 109-119	0.6	1

137	Investigation of reconstructed three-dimensional active infrared thermography of buried defects: multiphysics finite elements modelling investigation with initial experimental validation. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 142, 473-481	4.1	
136	MRI Guided Magneto-chemotherapy with High-Magnetic-Moment Iron Oxide Nanoparticles for Cancer Theranostics.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 2305-2313	4.1	14
135	Nanoscale topography, surface charge variation and defect correlation in 28nm thick functional alumina films. <i>Applied Surface Science</i> , 2020 , 528, 146950	6.7	
134	Piezoelectricity in the Intervertebral disc. <i>Journal of Biomechanics</i> , 2020 , 102, 109622	2.9	5
133	Comprehensive approach of hybrid nanoplatforms in drug delivery and theranostics to combat cancer. <i>Drug Discovery Today</i> , 2020 , 25, 1245-1252	8.8	13
132	Implementation of artificial intelligence and non-contact infrared thermography for prediction and personalized automatic identification of different stages of cellulite. <i>EPMA Journal</i> , 2020 , 11, 17-29	8.8	5
131	Bevel angle study of flexible hollow needle insertion into biological mimetic soft-gel: Simulation and experimental validation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 111, 103896	4.1	8
130	Diphenylalanine-Derivative Peptide Assemblies with Increased Aromaticity Exhibit Metal-like Rigidity and High Piezoelectricity. <i>ACS Nano</i> , 2020 , 14, 7025-7037	16.7	18
129	Accelerated charge transfer in water-layered peptide assemblies. <i>Energy and Environmental Science</i> , 2020 , 13, 96-101	35.4	21
128	Electric field DC conductivity dependency of polyimide films. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1440-1445	2.3	3
127	Quantitative Polarization-Resolved Second-Harmonic-Generation Microscopy of Glycine Microneedles. <i>Advanced Materials</i> , 2020 , 32, e2002873	24	3
126	Piezoelectricity in the proteinogenic amino acid L-leucine: A novel piezoactive bioelectret. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1465-1468	2.3	1
125	Surface Texturing Design to Enhance Echogenicity of Biopsy Needles During Endoscopic Ultrasound Imaging. <i>Ultrasound in Medicine and Biology</i> , 2020 , 46, 2453-2463	3.5	
124	Tunable Mechanical and Optoelectronic Properties of Organic Cocrystals by Unexpected Stacking Transformation from H- to J- and X-Aggregation. <i>ACS Nano</i> , 2020 , 14, 10704-10715	16.7	18
123	Polarisation changes in guided infrared thermography using silver halide poly-crystalline mid-infrared fibre bundle. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 142, 1115-1122	4.1	0
122	Free standing tapes of donor doped BaTiO3 for multilayer positive temperature coefficient thermistors. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1650-1655	2.3	
121	Piezo and pyroelectricity in spark plasma sintered potassium sodium niobate (KNN) ceramics. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1428-1432	2.3	1
120	Atomistic-Benchmarking towards a protocol development for rapid quantitative metrology of piezoelectric biomolecular materials. <i>Applied Materials Today</i> , 2020 , 21, 100818	6.6	8

119	Electrets and related phenomena. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1377-1378		
118	Free standing tapes of donor doped BaTiO ₃ for multilayer positive temperature coefficient thermistors. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1650-1655	2.3	
117	Characterisation and Manipulation of Polarisation Response in Plasmonic and Magneto-Plasmonic Nanostructures and Metamaterials. <i>Symmetry</i> , 2020 , 12, 1365	2.7	3
116	Racemic Amino Acid Piezoelectric Transducer. <i>Physical Review Letters</i> , 2019 , 122, 047701	7.4	27
115	Bioinspired Stable and Photoluminescent Assemblies for Power Generation. <i>Advanced Materials</i> , 2019 , 31, e1807481	24	41
114	Rheological Issues in Carbon-Based Inks for Additive Manufacturing. <i>Micromachines</i> , 2019 , 10,	3.3	16
113	Boron Nitride Nanotube Addition Enhances the Crystallinity and Cytocompatibility of PVDF-TrFE. <i>Frontiers in Chemistry</i> , 2019 , 7, 364	5	10
112	Progress in Remotely Triggered Hybrid Nanostructures for Next-Generation Brain Cancer Theranostics. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 2669-2687	5.5	25
111	Organic piezoelectric materials: milestones and potential. <i>NPG Asia Materials</i> , 2019 , 11,	10.3	57
110	Physically stimulated nanotheranostics for next generation cancer therapy: Focus on magnetic and light stimulations. <i>Applied Physics Reviews</i> , 2019 , 6, 041306	17.3	31
109	Thermal effects of mobile phones on human auricle region. <i>Journal of Thermal Biology</i> , 2019 , 79, 56-68	2.9	7
108	Pyroelectricity in globular protein lysozyme films. <i>Journal of Applied Physics</i> , 2018 , 123, 124701	2.5	8
107	Static magnetic susceptibility of radiopaque NiTiPt and NiTiEr. <i>Journal of Magnetism and Magnetic Materials</i> , 2018 , 452, 451-457	2.8	4
106	Converse piezoelectricity and ferroelectricity in crystals of lysozyme protein revealed by piezoresponse force microscopy. <i>Ferroelectrics</i> , 2018 , 525, 135-145	0.6	5
105	Additive manufacturing: scientific and technological challenges, market uptake and opportunities. <i>Materials Today</i> , 2018 , 21, 22-37	21.8	726
104	Longitudinal Piezoelectricity in Orthorhombic Amino Acid Crystal Films. <i>Crystal Growth and Design</i> , 2018 , 18, 4844-4848	3.5	16
103	. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 803-807	2.3	8
102	Deconstructing collagen piezoelectricity using alanine-hydroxyproline-glycine building blocks. <i>Nanoscale</i> , 2018 , 10, 9653-9663	7.7	20

101	Label-free multimodal coherent anti-Stokes Raman scattering analysis of microparticles in unconstrained microfluidics. <i>Applied Optics</i> , 2018 , 57, E32-E36	1.7	1
100	Image-Based Tracking of Anticancer Drug-Loaded Nanoengineered Polyelectrolyte Capsules in Cellular Environments Using a Fast Benchtop Mid-Infrared (MIR) Microscope. <i>ACS Omega</i> , 2018 , 3, 6143-6150	3.9	2
99	Control of piezoelectricity in amino acids by supramolecular packing. <i>Nature Materials</i> , 2018 , 17, 180-186	7	118
98	Silica modification of titania nanoparticles enhances photocatalytic production of reactive oxygen species without increasing toxicity potential .. <i>RSC Advances</i> , 2018 , 8, 40369-40377	3.7	6
97	APTES Duality and Nanopore Seed Regulation in Homogeneous and Nanoscale-Controlled Reduction of Ag Shell on SiO ₂ Microparticle for Quantifiable Single Particle SERS. <i>ACS Omega</i> , 2018 , 3, 13028-13035	3.9	4
96	In Situ, Real-Time Infrared (IR) Imaging for Metrology in Advanced Manufacturing. <i>Advanced Engineering Materials</i> , 2018 , 20, 1800061	3.5	9
95	Functional TiO ₂ nanocoral architecture for light-activated cancer chemotherapy. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 1461-1470	7.3	21
94	Effect of different stages of deformation on the microstructure evolution of Ti-rich NiTi shape memory alloy. <i>Materials Characterization</i> , 2017 , 125, 51-66	3.9	24
93	Viscoelastic braided stent: Finite element modelling and validation of crimping behaviour. <i>Materials and Design</i> , 2017 , 121, 143-153	8.1	22
92	Piezoelectricity in screen-printed hydroxyapatite thick films. <i>Ferroelectrics</i> , 2017 , 509, 99-104	0.6	4
91	Nanoparticles in biomedical applications. <i>Advances in Physics: X</i> , 2017 , 2, 54-88	5.1	135
90	The direct piezoelectric effect in the globular protein lysozyme. <i>Applied Physics Letters</i> , 2017 , 111, 142904	3.4	23
89	Looped ends versus open ends braided stent: A comparison of the mechanical behaviour using analytical and numerical methods. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 75, 581-591	4.1	14
88	Effective Cancer Theranostics with Polymer Encapsulated Superparamagnetic Nanoparticles: Combined Effects of Magnetic Hyperthermia and Controlled Drug Release. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 1332-1340	5.5	41
87	Spatial-domain filter enhanced subtraction microscopy and application to mid-IR imaging. <i>Optics Express</i> , 2017 , 25, 13145-13152	3.3	5
86	Piezoelectric Tensor of Collagen Fibrils Determined at the Nanoscale. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 929-935	5.5	42
85	Superparamagnetic Gadolinium Ferrite Nanoparticles with Controllable Curie Temperature □ Cancer Theranostics for MR-Imaging-Guided Magneto-Chemotherapy. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 4586-4597	2.3	35
84	Superparamagnetic iron oxide nanocargoes for combined cancer thermotherapy and MRI applications. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 21331-9	3.6	47

83	Physiological Role of Piezoelectricity in Biological Building Blocks 2016 , 237-251		5
82	Detection of Protein Adsorption on Hydroxyapatite Using Electromagnetic Sensors 2016 , 269-278		2
81	Intracoronary Application of TiO ₂ -Coated Cardiovascular Stents 2016 , 279-296		1
80	Washable, Photosterilisable Antimicrobial Textiles 2016 , 317-332		
79	Antimicrobial Air Filters 2016 , 349-364		
78	Interaction of Bone Proteins and Cells with Electrostatic Domains on Hydroxyapatite Films 2016 , 405-416		
77	Label Free Infrared Nanoscopy: Impact on Biology and Medical Devices 2016 , 451-471		
76	Electro-bio-chemical Investigation by Integrated Hybrid Nanoscopes 2016 , 529-542		1
75	Electrically Mediated Interactions at the Materials/Biology Interface 2016 , 1-18		1
74	A Tractable Method for Measuring Nanomaterial Risk Using Bayesian Networks. <i>Nanoscale Research Letters</i> , 2016 , 11, 503	5	26
73	Theoretical Optimization of Pore Size and Chemistry in SIFSIX-3-M Hybrid Ultramicroporous Materials. <i>Crystal Growth and Design</i> , 2016 , 16, 3890-3897	3.5	29
72	Radiopaque Shape Memory Alloys: NiTiEr with Stable Superelasticity. <i>Shape Memory and Superelasticity</i> , 2016 , 2, 196-203	2.8	4
71	Engineered nanomaterials: risk perception, regulation and insurance. <i>Journal of Risk Research</i> , 2016 , 19, 444-460	4.2	10
70	Study of the microstructure evolution of heat treated Ti-rich NiTi shape memory alloy. <i>Materials Characterization</i> , 2016 , 112, 11-19	3.9	13
69	Far-Field Subdiffraction Imaging of Semiconductors Using Nonlinear Transient Absorption Differential Microscopy. <i>ACS Photonics</i> , 2016 , 3, 478-485	6.3	16
68	Mapping electron-beam-injected trapped charge with scattering scanning near-field optical microscopy. <i>Optics Letters</i> , 2016 , 41, 1046-9	3	5
67	The effect of annealing on the mechanical properties and microstructural evolution of Ti-rich NiTi shape memory alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 662, 564-577	5.3	28
66	Electrically Polarized Biomaterials. <i>Advanced Materials</i> , 2016 , 28, 5470-84	24	44

65	Multimodal Superparamagnetic Nanoparticles with Unusually Enhanced Specific Absorption Rate for Synergetic Cancer Therapeutics and Magnetic Resonance Imaging. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 14656-64	9.5	61
64	Low Temperature Poling and Piezoelectric Behaviour in Calcium Phosphates 2016 , 135-147		
63	Ferroelectricity in Synthetic Biomaterials: Hydroxyapatite and Polypeptides 2016 , 149-166		
62	Multi-modal MR imaging and magnetic hyperthermia study of Gd doped Fe ₃ O ₄ nanoparticles for integrative cancer therapy. <i>RSC Advances</i> , 2016 , 6, 94967-94975	3.7	35
61	High-resolution quantitative determination of dielectric function by using scattering scanning near-field optical microscopy. <i>Scientific Reports</i> , 2015 , 5, 11876	4.9	21
60	Substrate topography: A valuable in vitro tool, but a clinical red herring for in vivo tenogenesis. <i>Acta Biomaterialia</i> , 2015 , 27, 3-12	10.8	52
59	Effects of Polydopamine Functionalization on Boron Nitride Nanotube Dispersion and Cytocompatibility. <i>Bioconjugate Chemistry</i> , 2015 , 26, 2025-37	6.3	32
58	Data on in vitro and in vivo cell orientation on substrates with different topographies. <i>Data in Brief</i> , 2015 , 5, 379-82	1.2	2
57	Impact and effectiveness of risk mitigation strategies on the insurability of nanomaterial production: evidences from industrial case studies. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2015 , 7, 839-55	9.2	18
56	Nanosystems: the use of nanoalloys, metallic, bimetallic, and magnetic nanoparticles in biomedical applications. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 27981-95	3.6	136
55	Empowering citizens in international governance of nanotechnologies. <i>Journal of Nanoparticle Research</i> , 2015 , 17, 215	2.3	7
54	Anticipatory Ethics and Governance (AEG): Towards a Future Care Orientation Around Nanotechnology. <i>NanoEthics</i> , 2015 , 9, 123-136	1	13
53	Hollow-fiber flow field-flow fractionation and multi-angle light scattering investigation of the size, shape and metal-release of silver nanoparticles in aqueous medium for nano-risk assessment. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 106, 92-9	3.5	24
52	First principles simulations of elastic properties of radiopaque NiTiPt. <i>Journal of Alloys and Compounds</i> , 2015 , 630, 54-59	5.7	11
51	Label free detection of specific protein binding using a microwave sensor. <i>Analyst, The</i> , 2014 , 139, 5335-8		4
50	Piezoelectricity in Poled Hydroxyapatite Ceramics. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 2867-2872	3.8	55
49	Multiple approach to test nano TiO ₂ photo-activity. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014 , 292, 26-33	4.7	12
48	Reassigning the most stable surface of hydroxyapatite to the water resistant hydroxyl terminated (010) surface. <i>Surface Science</i> , 2014 , 623, 55-63	1.8	17

47	Hydroxyapatite surface charge investigated by scanning probe microscopy 2014 ,		1
46	Biocidal effect and durability of nano-TiO ₂ coated textiles to combat hospital acquired infections. <i>RSC Advances</i> , 2014 , 4, 19945	3.7	26
45	Photoactivated titania-based nanomaterials for potential application as cardiovascular stent coatings. <i>Biocybernetics and Biomedical Engineering</i> , 2014 , 34, 189-197	5.7	10
44	Surface charge and carbon contamination on an electron-beam-irradiated hydroxyapatite thin film investigated by photoluminescence and phase imaging in atomic force microscopy. <i>Microscopy and Microanalysis</i> , 2014 , 20, 586-95	0.5	8
43	Pyroelectricity in Biological Materials and Biomaterials: A Five Decades Long Journey. <i>Ferroelectrics</i> , 2014 , 472, 11-18	0.6	4
42	Multilayered polyelectrolyte microcapsules: interaction with the enzyme cytochrome C oxidase. <i>PLoS ONE</i> , 2014 , 9, e112192	3.7	6
41	Surface potential patterning of hydroxyapatite films by focused electron beam: Influence of the electron energy. <i>Applied Surface Science</i> , 2013 , 269, 184-187	6.7	4
40	Ferroelectric polarization in nanocrystalline hydroxyapatite thin films on silicon. <i>Scientific Reports</i> , 2013 , 3, 2215	4.9	88
39	The insurability of nanomaterial production risk. <i>Nature Nanotechnology</i> , 2013 , 8, 222-4	28.7	32
38	High resolution imaging with differential infrared absorption micro-spectroscopy. <i>Optics Express</i> , 2013 , 21, 25632-42	3.3	14
37	On the preparation and characterization of thin NiTi shape memory alloy wires for MEMS. <i>Frattura Ed Integrita Strutturale</i> , 2013 , 7, 7-12	0.9	2
36	X-ray analyses of thermally grown and reactively sputtered tantalum oxide films on NiTi alloy. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2012 , 284, 49-52	1.2	5
35	Experimental study on dieless drawing of Nickel-Titanium alloy. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 8, 8-20	4.1	11
34	Directly created electrostatic micro-domains on hydroxyapatite: probing with a Kelvin Force probe and a protein. <i>Journal of Materials Science: Materials in Medicine</i> , 2012 , 23, 47-50	4.5	8
33	Unravelling the specific site preference in doping of calcium hydroxyapatite with strontium from ab initio investigations and Rietveld analyses. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 3435-43	3.6	35
32	The impact of heat treatment on interactions of contact-poled biphasic calcium phosphates with proteins and cells. <i>Acta Biomaterialia</i> , 2012 , 8, 3468-77	10.8	8
31	Bioactive silica-based drug delivery systems containing doxorubicin hydrochloride: in vitro studies. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 93, 249-59	6	32
30	A framework for far-field infrared absorption microscopy beyond the diffraction limit. <i>Optics Express</i> , 2012 , 20, 29694-704	3.3	21

29	THIN NiTi WIRES WITH REDUCED THERMAL HYSTERESIS FOR SHAPE MEMORY ACTUATORS. <i>Functional Materials Letters</i> , 2012 , 05, 1250009	1.2	7
28	High temperature induced pyroelectricity in screen-printed Hydroxyapatite thick films 2011 ,		2
27	Pyroelectric, piezoelectric, and photoeffects in hydroxyapatite thin films on silicon. <i>Applied Physics Letters</i> , 2011 , 98, 123703	3.4	58
26	A facile aqueous sol-gel method for high surface area nanocrystalline CeO ₂ . <i>RSC Advances</i> , 2011 , 1, 17943-7	3.7	70
25	Charge specific protein placement at submicrometer and nanometer scale by direct modification of surface potential by electron beam. <i>Langmuir</i> , 2011 , 27, 14968-74	4	18
24	Direct creation of microdomains with positive and negative surface potential on hydroxyapatite coatings. <i>Applied Physics Letters</i> , 2011 , 98, 113701	3.4	12
23	Production of Nitinol Wire from Elemental Nickel and Titanium Powders Through Spark Plasma Sintering and Extrusion. <i>Journal of Materials Engineering and Performance</i> , 2011 , 20, 757-761	1.6	8
22	Improved aging performance of vapor phase deposited hydrophobic self-assembled monolayers. <i>Applied Surface Science</i> , 2011 , 257, 4331-4338	6.7	16
21	In situ photoexcitation of silver-doped titania nanopowders for activity against bacteria and yeasts. <i>Journal of Colloid and Interface Science</i> , 2011 , 362, 50-7	9.3	41
20	Processing of Small Scale Nitinol Billets by Induction Heated Nonconventional Isothermal Extrusion (IHNCIE). <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2011 , 133,	1.8	5
19	The Role of Texturing and Densification on Optical Transmittance of Hydroxyapatite Ceramics. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3773-3777	3.8	19
18	The atomic level structure of the TiO(2)-NiTi interface. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 9742-50	3.6	18
17	Direct and ultrasonic measurements of macroscopic piezoelectricity in sintered hydroxyapatite. <i>Journal of Applied Physics</i> , 2009 , 105, 064103	2.5	55
16	Competitive Sorption of Antimony with Zinc, Nickel, and Aluminum in a Seaweed Based Fixed-bed Sorption Column. <i>Clean - Soil, Air, Water</i> , 2009 , 37, 712-719	1.6	18
15	A novel study of hexavalent chromium detoxification by selected seaweed species using SEM-EDX and XPS analysis. <i>Chemical Engineering Journal</i> , 2009 , 148, 425-433	14.7	73
14	Effect of Annealing on Improved Hydrophobicity of Vapor Phase Deposited Self-Assembled Monolayers. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 14934-14942	3.8	16
13	Effect of annealing on hydrophobic stability of plasma deposited fluoropolymer coatings. <i>Polymer Degradation and Stability</i> , 2008 , 93, 2119-2126	4.7	19
12	Structure and stability of hydroxyapatite: Density functional calculation and Rietveld analysis. <i>Physical Review B</i> , 2005 , 71,	3.3	118

11	Structural Order and Dielectric Behaviour of Hydroxyapatite. <i>Ferroelectrics</i> , 2005 , 319, 117-123	0.6	59
10	Electrochemical nucleation of gold nanoparticles in a polymer film at a liquid-liquid interface. <i>Langmuir</i> , 2005 , 21, 1001-8	4	36
9	Characterisation of nanosize thin films of electrografted N-vinylcarbazole copolymers (P[NVCz β -VBSA] and P[NVCz β -3-MeTh]) onto carbon fibre. <i>Applied Surface Science</i> , 2005 , 243, 183-198	6.7	12
8	Nanoscale characterization of carbazole-indole copolymers modified carbon fiber surfaces. <i>Journal of Nanoscience and Nanotechnology</i> , 2005 , 5, 1677-82	1.3	8
7	Spectroscopic and topographic characterization of the effect of monomer feed ratio in electrocopolymerization of N-vinylcarbazole-co-3-methylthiophene on carbon fiber. <i>Journal of Materials Science</i> , 2004 , 39, 2945-2950	4.3	4
6	Morphological and spectroscopic analyses of poly[N-vinylcarbazole-co-vinylbenzenesulfonic acid] copolymer electrografted on carbon fiber: the effect of current density. <i>Applied Surface Science</i> , 2004 , 229, 13-18	6.7	10
5	Surface characterisation of electrografted random poly[carbazole-co-3-methylthiophene] copolymers on carbon fiber: XPS, AFM and Raman spectroscopy. <i>Applied Surface Science</i> , 2004 , 222, 148-165	6.7	47
4	Influence of Nanoporosity and Roughness on the Thickness-Dependent Coercivity of Iron Nanonetworks. <i>Monatshefte Für Chemie</i> , 2002 , 133, 859-872	1.4	4
3	Thickness and pore size dependence of coercivity for nanonetwork of iron produced by template synthesis. <i>Journal of Applied Physics</i> , 2002 , 91, 7998	2.5	9
2	Patterned nanostructured arrays for high-density magnetic recording. <i>Applied Organometallic Chemistry</i> , 2001 , 15, 373-382	3.1	20
1	Modulating vectored non-covalent interactions for layered assembly with engineerable properties. <i>Bio-Design and Manufacturing</i> , 1	4.7	0