

Nobuyoshi Hiraoka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9199506/publications.pdf>

Version: 2024-02-01

67
papers

5,883
citations

136950
32
h-index

102487
66
g-index

68
all docs

68
docs citations

68
times ranked

9851
citing authors

#	ARTICLE	IF	CITATIONS
1	Neoadjuvant therapy alters the collagen architecture of pancreatic cancer tissue via Ephrin-A5. British Journal of Cancer, 2022, 126, 628-639.	6.4	11
2	Molecular Signature of Tumor-Associated High Endothelial Venules That Can Predict Breast Cancer Survival. Cancer Immunology Research, 2022, 10, 468-481.	3.4	14
3	Hepatoid carcinoma and related entities of the extrahepatic bile duct: A clinicopathological study of four cases. Pathology International, 2022, 72, 332-342.	1.3	4
4	Multicenter phase II trial of trastuzumab deruxtecan for HER2-positive unresectable or recurrent biliary tract cancer: HERB trial. Future Oncology, 2022, 18, 2351-2360.	2.4	22
5	On-tissue polysulfide visualization by surface-enhanced Raman spectroscopy benefits patients with ovarian cancer to predict post-operative chemosensitivity. Redox Biology, 2021, 41, 101926.	9.0	20
6	Abstract 2699: Transcriptome analysis identifies molecular markers of tumor-associated high endothelial venules that predict breast cancer survival. , 2021, , .		0
7	Association between the expression of core 3 synthase and survival outcomes of patients with cholangiocarcinoma. Oncology Letters, 2021, 22, 760.	1.8	3
8	Novel insights into immunohistochemical analysis for diagnosing serous neoplasm of the pancreas: aquaporin 1, stereocilin, and transmembrane protein 255B. Histopathology, 2021, 79, 872-879.	2.9	2
9	A yolk sac tumor of the pancreas and derived xenograft model effectively responded to VIP chemotherapy. Pancreatology, 2020, 20, 551-557.	1.1	7
10	IAP inhibitor, Embelin increases VCAM-1 levels on the endothelium, producing lymphocytic infiltration and antitumor immunity. Oncoimmunology, 2020, 9, 1838812.	4.6	10
11	Genomic characterization of malignant progression in neoplastic pancreatic cysts. Nature Communications, 2020, 11, 4085.	12.8	77
12	Details of human epidermal growth factor receptor 2 status in 454 cases of biliary tract cancer. Human Pathology, 2020, 105, 9-19.	2.0	15
13	CD20 ⁺ tumor-infiltrating immune cells and CD204 ⁺ M2 macrophages are associated with prognosis in thymic carcinoma. Cancer Science, 2020, 111, 1921-1932.	3.9	28
14	Expression of classical human leukocyte antigen class I antigens, HLA ^A and HLA ^C , is adversely prognostic in pancreatic cancer patients. Cancer Science, 2020, 111, 3057-3070.	3.9	32
15	Clinicopathological significance of core 3 O-glycan synthetic enzyme, Î21,3-N-acetylglucosaminyltransferase 6 in pancreatic ductal adenocarcinoma. PLoS ONE, 2020, 15, e0242851.	2.5	11
16	Tissue amino acid profiles are characteristic of tumor type, malignant phenotype, and tumor progression in pancreatic tumors. Scientific Reports, 2019, 9, 9816.	3.3	16
17	Local Administration of G1TR Agonistic Antibody Induces a Stronger Antitumor Immunity than Systemic Delivery. Scientific Reports, 2019, 9, 5562.	3.3	16
18	Feasibility and utility of a panel testing for 114 cancer-associated genes in a clinical setting: A hospital-based study. Cancer Science, 2019, 110, 1480-1490.	3.9	238

#	ARTICLE	IF	CITATIONS
19	Reduction of intrapancreatic neural density in cancer tissue predicts poorer outcome in pancreatic ductal carcinoma. <i>Cancer Science</i> , 2019, 110, 1491-1502.	3.9	28
20	H3K27me3 deficiency defines a subset of dedifferentiated chondrosarcomas with characteristic clinicopathological features. <i>Modern Pathology</i> , 2019, 32, 435-445.	5.5	32
21	Reliable evaluation of tumor-infiltrating lymphocytes in pancreatic cancer tissue biopsies. <i>Oncotarget</i> , 2019, 10, 1149-1159.	1.8	10
22	Gold-nanofiber surface-enhanced Raman spectroscopy visualizes hypotaurine as a robust anti-oxidant consumed in cancer survival. <i>Nature Communications</i> , 2018, 9, 1561.	12.8	74
23	Epigenetic landscape influences the liver cancer genome architecture. <i>Nature Communications</i> , 2018, 9, 1643.	12.8	39
24	Tumor-associated CD204 ⁺ M2 macrophages are unfavorable prognostic indicators in uterine cervical adenocarcinoma. <i>Cancer Science</i> , 2018, 109, 863-870.	3.9	61
25	Clarifying the Distinction Between Malignant Peripheral Nerve Sheath Tumor and Dedifferentiated Liposarcoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 656-664.	3.7	37
26	Prognostic factors for patients with early-stage uterine serous carcinoma without adjuvant therapy. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e34.	2.2	22
27	Superficially serrated adenoma: a proposal for a novel subtype of colorectal serrated lesion. <i>Modern Pathology</i> , 2018, 31, 1588-1598.	5.5	21
28	Infrequent mismatch repair protein loss in gallbladder cancer patients in Japan. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 109-112.	2.8	2
29	WNT Pathway Gene Mutations Are Associated With the Presence of Dysplasia in Colorectal Sessile Serrated Adenoma/Polyps. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1188-1197.	3.7	61
30	Mismatch repair deficiency commonly precedes adenoma formation in Lynch Syndrome-Associated colorectal tumorigenesis. <i>Modern Pathology</i> , 2017, 30, 1144-1151.	5.5	56
31	Comprehensive characterization of RSP0 fusions in colorectal traditional serrated adenomas. <i>Histopathology</i> , 2017, 71, 601-609.	2.9	35
32	Plasma membrane expression of ZNF185 is a prognostic factor in pancreatic ductal carcinoma. <i>Oncology Letters</i> , 2017, 14, 3633-3640.	1.8	4
33	Immunohistochemistry for trimethylated H3K27 in the diagnosis of malignant peripheral nerve sheath tumours. <i>Histopathology</i> , 2017, 70, 385-393.	2.9	51
34	Tertiary Lymphoid Organs in Cancer Tissues. <i>Frontiers in Immunology</i> , 2016, 7, 244.	4.8	74
35	Determination of Amino Acids in Human Pancreas Tissue Sections Using Liquid Chromatography Tandem Mass Spectrometry. <i>Chromatography</i> , 2016, 37, 125-132.	1.7	3
36	Frequent PTPRK-RSPO3 fusions and RNF43 mutations in colorectal traditional serrated adenoma. <i>Journal of Pathology</i> , 2016, 239, 133-138.	4.5	99

#	ARTICLE	IF	CITATIONS
37	A case of adenocarcinoma with enteroblastic differentiation of the ampulla of Vater. <i>Pathology International</i> , 2016, 66, 230-235.	1.3	9
38	Whole-genome mutational landscape and characterization of noncoding and structural mutations in liver cancer. <i>Nature Genetics</i> , 2016, 48, 500-509.	21.4	596
39	Macroscopic features predict outcome in patients with pancreatic ductal adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 621-634.	2.8	11
40	Evaluation of the degree of pancreatic fatty infiltration by area-based assessment of CT images: comparison with histopathology-based and CT attenuation index-based assessments. <i>Japanese Journal of Radiology</i> , 2016, 34, 667-676.	2.4	17
41	A significant subgroup of resectable gallbladder cancer patients has an HER2 positive status. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 431-439.	2.8	33
42	Clinical significance of tumor-infiltrating immune cells focusing on <sc>BTLA</sc> and <sc>Cblt</sc> in patients with gallbladder cancer. <i>Cancer Science</i> , 2015, 106, 1750-1760.	3.9	51
43	Genomic spectra of biliary tract cancer. <i>Nature Genetics</i> , 2015, 47, 1003-1010.	21.4	907
44	A Novel Multivariate Index for Pancreatic Cancer Detection Based On the Plasma Free Amino Acid Profile. <i>PLoS ONE</i> , 2015, 10, e0132223.	2.5	86
45	Association of Pancreatic Fatty Infiltration With Pancreatic Ductal Adenocarcinoma. <i>Clinical and Translational Gastroenterology</i> , 2014, 5, e53.	2.5	126
46	Intraductal dissemination of papillary adenocarcinoma of the ampulla of <sc>V</sc>ater in the pancreatic duct. <i>Pathology International</i> , 2014, 64, 39-44.	1.3	5
47	Periductal Induction of High Endothelial Venule-Like Vessels in Type 1 Autoimmune Pancreatitis. <i>Pancreas</i> , 2013, 42, 53-59.	1.1	20
48	Bile duct carcinoma involving the common channel associated with pancreaticobiliary maljunction shows an extension pattern similar to ductal carcinoma of the pancreas. <i>Pathology International</i> , 2013, 63, 415-418.	1.3	4
49	Pancreatic Intraglandular Metastasis Predicts Poorer Outcome in Postoperative Patients With Pancreatic Ductal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1030-1038.	3.7	6
50	Arginase II Expressed in Cancer-Associated Fibroblasts Indicates Tissue Hypoxia and Predicts Poor Outcome in Patients with Pancreatic Cancer. <i>PLoS ONE</i> , 2013, 8, e55146.	2.5	117
51	Invasive Ductal Carcinoma Developing in Pancreas With Severe Fatty Infiltration. <i>Pancreas</i> , 2012, 41, 1137-1139.	1.1	3
52	CXCL17 and ICAM2 Are Associated With a Potential Anti-Tumor Immune Response in Early Intraepithelial Stages of Human Pancreatic Carcinogenesis. <i>Gastroenterology</i> , 2011, 140, 310-321.e4.	1.3	144
53	A novel strategy for evasion of NK cell immunity by tumours expressing core2 O-glycans. <i>EMBO Journal</i> , 2011, 30, 3173-3185.	7.8	161
54	Intrapancreatic Nerve Invasion as a Predictor for Recurrence After Pancreaticoduodenectomy in Patients With Invasive Ductal Carcinoma of the Pancreas. <i>Pancreas</i> , 2011, 40, 464-468.	1.1	45

#	ARTICLE	IF	CITATIONS
55	Pancreatic Ducts as an Important Route of Tumor Extension for Acinar Cell Carcinoma of the Pancreas. American Journal of Surgical Pathology, 2010, 34, 1025-1036.	3.7	39
56	Tumor-infiltrating lymphocytes and hepatocellular carcinoma: molecular biology. International Journal of Clinical Oncology, 2010, 15, 544-551.	2.2	54
57	Serous cystic neoplasm in an intrapancreatic accessory spleen. Pathology International, 2010, 60, 681-684.	1.3	3
58	Adenylate cyclase-associated protein 1 overexpressed in pancreatic cancers is involved in cancer cell motility. Laboratory Investigation, 2009, 89, 425-432.	3.7	70
59	Proteomic profiling reveals the prognostic value of adenomatous polyposis coli-end-binding protein 1 in hepatocellular carcinoma. Hepatology, 2008, 48, 1851-1863.	7.3	85
60	Minimally Invasive Intraductal Papillary-mucinous Carcinoma of the Pancreas: Clinicopathologic Study of 104 Intraductal Papillary-mucinous Neoplasms. American Journal of Surgical Pathology, 2008, 32, 243-255.	3.7	87
61	FOXP3+ Regulatory T Cells Affect the Development and Progression of Hepatocarcinogenesis. Clinical Cancer Research, 2007, 13, 902-911.	7.0	385
62	Solidâ€“pseudopapillary neoplasms of the pancreas in men and women: do they differ?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 448, 561-569.	2.8	47
63	Prevalence of FOXP3+ Regulatory T Cells Increases During the Progression of Pancreatic Ductal Adenocarcinoma and Its Premalignant Lesions. Clinical Cancer Research, 2006, 12, 5423-5434.	7.0	709
64	N-acetylglucosamine-6-O-sulfotransferases 1 and 2 cooperatively control lymphocyte homing through L-selectin ligand biosynthesis in high endothelial venules. Nature Immunology, 2005, 6, 1096-1104.	14.5	170
65	Novel Sulfated Lymphocyte Homing Receptors and Their Control by a Core1 Extension Î²1,3-N-Acetylglucosaminyltransferase. Cell, 2001, 105, 957-969.	28.9	318
66	C-Type Lectins and Sialyl Lewis X Oligosaccharides. Journal of Cell Biology, 1999, 147, 467-470.	5.2	114
67	A Novel, High Endothelial Venuleâ€“Specific Sulfotransferase Expresses 6-Sulfo Sialyl Lewisx, an L-Selectin Ligand Displayed by CD34. Immunity, 1999, 11, 79-89.	14.3	226