

Nobuyoshi Hiraoka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9199506/publications.pdf>

Version: 2024-02-01

67
papers

5,883
citations

136885

32
h-index

102432

66
g-index

68
all docs

68
docs citations

68
times ranked

9851
citing authors

#	ARTICLE	IF	CITATIONS
1	Neoadjuvant therapy alters the collagen architecture of pancreatic cancer tissue via Ephrin-A5. <i>British Journal of Cancer</i> , 2022, 126, 628-639.	2.9	11
2	Molecular Signature of Tumor-Associated High Endothelial Venules That Can Predict Breast Cancer Survival. <i>Cancer Immunology Research</i> , 2022, 10, 468-481.	1.6	14
3	Hepatoid carcinoma and related entities of the extrahepatic bile duct: A clinicopathological study of four cases. <i>Pathology International</i> , 2022, 72, 332-342.	0.6	4
4	Multicenter phase II trial of trastuzumab deruxtecan for HER2-positive unresectable or recurrent biliary tract cancer: HERB trial. <i>Future Oncology</i> , 2022, 18, 2351-2360.	1.1	22
5	On-tissue polysulfide visualization by surface-enhanced Raman spectroscopy benefits patients with ovarian cancer to predict post-operative chemosensitivity. <i>Redox Biology</i> , 2021, 41, 101926.	3.9	20
6	Abstract 2699: Transcriptome analysis identifies molecular markers of tumor-associated high endothelial venules that predict breast cancer survival. , 2021, , .		0
7	Association between the expression of core 3 synthase and survival outcomes of patients with cholangiocarcinoma. <i>Oncology Letters</i> , 2021, 22, 760.	0.8	3
8	Novel insights into immunohistochemical analysis for diagnosing serous neoplasm of the pancreas: aquaporin 1, stereocilin, and transmembrane protein 255B. <i>Histopathology</i> , 2021, 79, 872-879.	1.6	2
9	A yolk sac tumor of the pancreas and derived xenograft model effectively responded to VIP chemotherapy. <i>Pancreatology</i> , 2020, 20, 551-557.	0.5	7
10	IAP inhibitor, Embelin increases VCAM-1 levels on the endothelium, producing lymphocytic infiltration and antitumor immunity. <i>Oncolmmunology</i> , 2020, 9, 1838812.	2.1	10
11	Genomic characterization of malignant progression in neoplastic pancreatic cysts. <i>Nature Communications</i> , 2020, 11, 4085.	5.8	77
12	Details of human epidermal growth factor receptor 2 status in 454 cases of biliary tract cancer. <i>Human Pathology</i> , 2020, 105, 9-19.	1.1	15
13	CD20 ⁺ tumor-infiltrating immune cells and CD204 ⁺ M2 macrophages are associated with prognosis in thymic carcinoma. <i>Cancer Science</i> , 2020, 111, 1921-1932.	1.7	28
14	Expression of classical human leukocyte antigen class I antigens, HLA ^A and HLA ^C , is adversely prognostic in pancreatic cancer patients. <i>Cancer Science</i> , 2020, 111, 3057-3070.	1.7	32
15	Clinicopathological significance of core 3 O-glycan synthetic enzyme, Î21,3-N-acetylglucosaminyltransferase 6 in pancreatic ductal adenocarcinoma. <i>PLoS ONE</i> , 2020, 15, e0242851.	1.1	11
16	Tissue amino acid profiles are characteristic of tumor type, malignant phenotype, and tumor progression in pancreatic tumors. <i>Scientific Reports</i> , 2019, 9, 9816.	1.6	16
17	Local Administration of GITR Agonistic Antibody Induces a Stronger Antitumor Immunity than Systemic Delivery. <i>Scientific Reports</i> , 2019, 9, 5562.	1.6	16
18	Feasibility and utility of a panel testing for 114 cancer-associated genes in a clinical setting: A hospital-based study. <i>Cancer Science</i> , 2019, 110, 1480-1490.	1.7	238

#	ARTICLE	IF	CITATIONS
19	Reduction of intrapancreatic neural density in cancer tissue predicts poorer outcome in pancreatic ductal carcinoma. <i>Cancer Science</i> , 2019, 110, 1491-1502.	1.7	28
20	H3K27me3 deficiency defines a subset of dedifferentiated chondrosarcomas with characteristic clinicopathological features. <i>Modern Pathology</i> , 2019, 32, 435-445.	2.9	32
21	Reliable evaluation of tumor-infiltrating lymphocytes in pancreatic cancer tissue biopsies. <i>Oncotarget</i> , 2019, 10, 1149-1159.	0.8	10
22	Gold-nanofiber surface-enhanced Raman spectroscopy visualizes hypotaurine as a robust anti-oxidant consumed in cancer survival. <i>Nature Communications</i> , 2018, 9, 1561.	5.8	74
23	Epigenetic landscape influences the liver cancer genome architecture. <i>Nature Communications</i> , 2018, 9, 1643.	5.8	39
24	Tumor-associated CD204 ⁺ M2 macrophages are unfavorable prognostic indicators in uterine cervical adenocarcinoma. <i>Cancer Science</i> , 2018, 109, 863-870.	1.7	61
25	Clarifying the Distinction Between Malignant Peripheral Nerve Sheath Tumor and Dedifferentiated Liposarcoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 656-664.	2.1	37
26	Prognostic factors for patients with early-stage uterine serous carcinoma without adjuvant therapy. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e34.	1.0	22
27	Superficially serrated adenoma: a proposal for a novel subtype of colorectal serrated lesion. <i>Modern Pathology</i> , 2018, 31, 1588-1598.	2.9	21
28	Infrequent mismatch repair protein loss in gallbladder cancer patients in Japan. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 109-112.	1.4	2
29	WNT Pathway Gene Mutations Are Associated With the Presence of Dysplasia in Colorectal Sessile Serrated Adenoma/Polyps. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1188-1197.	2.1	61
30	Mismatch repair deficiency commonly precedes adenoma formation in Lynch Syndrome-Associated colorectal tumorigenesis. <i>Modern Pathology</i> , 2017, 30, 1144-1151.	2.9	56
31	Comprehensive characterization of RSPO3 fusions in colorectal traditional serrated adenomas. <i>Histopathology</i> , 2017, 71, 601-609.	1.6	35
32	Plasma membrane expression of ZNF185 is a prognostic factor in pancreatic ductal carcinoma. <i>Oncology Letters</i> , 2017, 14, 3633-3640.	0.8	4
33	Immunohistochemistry for trimethylated H3K27 in the diagnosis of malignant peripheral nerve sheath tumours. <i>Histopathology</i> , 2017, 70, 385-393.	1.6	51
34	Tertiary Lymphoid Organs in Cancer Tissues. <i>Frontiers in Immunology</i> , 2016, 7, 244.	2.2	74
35	Determination of Amino Acids in Human Pancreas Tissue Sections Using Liquid Chromatography Tandem Mass Spectrometry. <i>Chromatography</i> , 2016, 37, 125-132.	0.8	3
36	Frequent PTPRK-RSPO3 fusions and RNF43 mutations in colorectal traditional serrated adenoma. <i>Journal of Pathology</i> , 2016, 239, 133-138.	2.1	99

#	ARTICLE	IF	CITATIONS
37	A case of adenocarcinoma with enteroblastic differentiation of the ampulla of Vater. <i>Pathology International</i> , 2016, 66, 230-235.	0.6	9
38	Whole-genome mutational landscape and characterization of noncoding and structural mutations in liver cancer. <i>Nature Genetics</i> , 2016, 48, 500-509.	9.4	596
39	Macroscopic features predict outcome in patients with pancreatic ductal adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 621-634.	1.4	11
40	Evaluation of the degree of pancreatic fatty infiltration by area-based assessment of CT images: comparison with histopathology-based and CT attenuation index-based assessments. <i>Japanese Journal of Radiology</i> , 2016, 34, 667-676.	1.0	17
41	A significant subgroup of resectable gallbladder cancer patients has an HER2 positive status. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 431-439.	1.4	33
42	Clinical significance of tumor-infiltrating immune cells focusing on <i>BTLA</i> and <i>Cblb</i> in patients with gallbladder cancer. <i>Cancer Science</i> , 2015, 106, 1750-1760.	1.7	51
43	Genomic spectra of biliary tract cancer. <i>Nature Genetics</i> , 2015, 47, 1003-1010.	9.4	907
44	A Novel Multivariate Index for Pancreatic Cancer Detection Based On the Plasma Free Amino Acid Profile. <i>PLoS ONE</i> , 2015, 10, e0132223.	1.1	86
45	Association of Pancreatic Fatty Infiltration With Pancreatic Ductal Adenocarcinoma. <i>Clinical and Translational Gastroenterology</i> , 2014, 5, e53.	1.3	126
46	Intraductal dissemination of papillary adenocarcinoma of the ampulla of Vater in the pancreatic duct. <i>Pathology International</i> , 2014, 64, 39-44.	0.6	5
47	Periductal Induction of High Endothelial Venule-Like Vessels in Type 1 Autoimmune Pancreatitis. <i>Pancreas</i> , 2013, 42, 53-59.	0.5	20
48	Bile duct carcinoma involving the common channel associated with pancreaticobiliary maljunction shows an extension pattern similar to ductal carcinoma of the pancreas. <i>Pathology International</i> , 2013, 63, 415-418.	0.6	4
49	Pancreatic Intraglandular Metastasis Predicts Poorer Outcome in Postoperative Patients With Pancreatic Ductal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1030-1038.	2.1	6
50	Arginase II Expressed in Cancer-Associated Fibroblasts Indicates Tissue Hypoxia and Predicts Poor Outcome in Patients with Pancreatic Cancer. <i>PLoS ONE</i> , 2013, 8, e55146.	1.1	117
51	Invasive Ductal Carcinoma Developing in Pancreas With Severe Fatty Infiltration. <i>Pancreas</i> , 2012, 41, 1137-1139.	0.5	3
52	CXCL17 and ICAM2 Are Associated With a Potential Anti-Tumor Immune Response in Early Intraepithelial Stages of Human Pancreatic Carcinogenesis. <i>Gastroenterology</i> , 2011, 140, 310-321.e4.	0.6	144
53	A novel strategy for evasion of NK cell immunity by tumours expressing core2 O-glycans. <i>EMBO Journal</i> , 2011, 30, 3173-3185.	3.5	161
54	Intrapancreatic Nerve Invasion as a Predictor for Recurrence After Pancreaticoduodenectomy in Patients With Invasive Ductal Carcinoma of the Pancreas. <i>Pancreas</i> , 2011, 40, 464-468.	0.5	45

#	ARTICLE	IF	CITATIONS
55	Pancreatic Ducts as an Important Route of Tumor Extension for Acinar Cell Carcinoma of the Pancreas. <i>American Journal of Surgical Pathology</i> , 2010, 34, 1025-1036.	2.1	39
56	Tumor-infiltrating lymphocytes and hepatocellular carcinoma: molecular biology. <i>International Journal of Clinical Oncology</i> , 2010, 15, 544-551.	1.0	54
57	Serous cystic neoplasm in an intrapancreatic accessory spleen. <i>Pathology International</i> , 2010, 60, 681-684.	0.6	3
58	Adenylate cyclase-associated protein 1 overexpressed in pancreatic cancers is involved in cancer cell motility. <i>Laboratory Investigation</i> , 2009, 89, 425-432.	1.7	70
59	Proteomic profiling reveals the prognostic value of adenomatous polyposis coli-end-binding protein 1 in hepatocellular carcinoma. <i>Hepatology</i> , 2008, 48, 1851-1863.	3.6	85
60	Minimally Invasive Intraductal Papillary-mucinous Carcinoma of the Pancreas: Clinicopathologic Study of 104 Intraductal Papillary-mucinous Neoplasms. <i>American Journal of Surgical Pathology</i> , 2008, 32, 243-255.	2.1	87
61	FOXP3+ Regulatory T Cells Affect the Development and Progression of Hepatocarcinogenesis. <i>Clinical Cancer Research</i> , 2007, 13, 902-911.	3.2	385
62	Solidâ€“pseudopapillary neoplasms of the pancreas in men and women: do they differ?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 448, 561-569.	1.4	47
63	Prevalence of FOXP3+ Regulatory T Cells Increases During the Progression of Pancreatic Ductal Adenocarcinoma and Its Premalignant Lesions. <i>Clinical Cancer Research</i> , 2006, 12, 5423-5434.	3.2	709
64	N-acetylglucosamine-6-O-sulfotransferases 1 and 2 cooperatively control lymphocyte homing through L-selectin ligand biosynthesis in high endothelial venules. <i>Nature Immunology</i> , 2005, 6, 1096-1104.	7.0	170
65	Novel Sulfated Lymphocyte Homing Receptors and Their Control by a Core1 Extension Î²1,3-N-Acetylglucosaminyltransferase. <i>Cell</i> , 2001, 105, 957-969.	13.5	318
66	C-Type Lectins and Sialyl Lewis X Oligosaccharides. <i>Journal of Cell Biology</i> , 1999, 147, 467-470.	2.3	114
67	A Novel, High Endothelial Venuleâ€“Specific Sulfotransferase Expresses 6-Sulfo Sialyl Lewisx, an L-Selectin Ligand Displayed by CD34. <i>Immunity</i> , 1999, 11, 79-89.	6.6	226