

Hao-Wu Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9200197/publications.pdf>

Version: 2024-02-01

140
papers

8,842
citations

50170

46
h-index

43802

91
g-index

147
all docs

147
docs citations

147
times ranked

9740
citing authors

#	ARTICLE	IF	CITATIONS
1	Diboron compound-based organic light-emitting diodes with high efficiency and reduced efficiency roll-off. <i>Nature Photonics</i> , 2018, 12, 235-240.	15.6	669
2	Near-infrared organic light-emitting diodes with very high external quantum efficiency and radiance. <i>Nature Photonics</i> , 2017, 11, 63-68.	15.6	494
3	Highly Efficient Organic Blue Electrophosphorescent Devices Based on 3,6-Bis(triphenylsilyl)carbazole as the Host Material. <i>Advanced Materials</i> , 2006, 18, 1216-1220.	11.1	460
4	Efficient and Uniform Planar η -Type Perovskite Solar Cells by Simple Sequential Vacuum Deposition. <i>Advanced Materials</i> , 2014, 26, 6647-6652.	11.1	433
5	A New Molecular Design Based on Thermally Activated Delayed Fluorescence for Highly Efficient Organic Light Emitting Diodes. <i>Journal of the American Chemical Society</i> , 2016, 138, 628-634.	6.6	365
6	New Molecular Design Concurrently Providing Superior Pure Blue, Thermally Activated Delayed Fluorescence and Optical Out-Coupling Efficiencies. <i>Journal of the American Chemical Society</i> , 2017, 139, 10948-10951.	6.6	361
7	All-vacuum-Deposited Stoichiometrically Balanced Inorganic Cesium Lead Halide Perovskite Solar Cells with Stabilized Efficiency Exceeding 11%. <i>Advanced Materials</i> , 2017, 29, 1605290.	11.1	321
8	Vacuum-Deposited Small-Molecule Organic Solar Cells with High Power Conversion Efficiencies by Judicious Molecular Design and Device Optimization. <i>Journal of the American Chemical Society</i> , 2012, 134, 13616-13623.	6.6	260
9	Optical properties of organometal halide perovskite thin films and general device structure design rules for perovskite single and tandem solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9152-9159.	5.2	240
10	A Low-Energy-Gap Organic Dye for High-Performance Small-Molecule Organic Solar Cells. <i>Journal of the American Chemical Society</i> , 2011, 133, 15822-15825.	6.6	230
11	Organic Dyes Containing Coplanar Diphenyl-Substituted Dithienosilole Core for Efficient Dye-Sensitized Solar Cells. <i>Journal of Organic Chemistry</i> , 2010, 75, 4778-4785.	1.7	198
12	A donor-acceptor molecule for vacuum-processed organic solar cells with a power conversion efficiency of 6.4%. <i>Chemical Communications</i> , 2012, 48, 1857-1859.	2.2	155
13	Examining microcavity organic light-emitting devices having two metal mirrors. <i>Applied Physics Letters</i> , 2005, 87, 021101.	1.5	153
14	Perovskite Photovoltaics for Dim-Light Applications. <i>Advanced Functional Materials</i> , 2015, 25, 7064-7070.	7.8	153
15	Anisotropic optical properties and molecular orientation in vacuum-deposited ter(9,9-diarylfluorene)s thin films using spectroscopic ellipsometry. <i>Journal of Applied Physics</i> , 2004, 95, 881-886.	1.1	151
16	Efficient All-vacuum Deposited Perovskite Solar Cells by Controlling Reagent Partial Pressure in High Vacuum. <i>Advanced Materials</i> , 2016, 28, 7013-7019.	11.1	143
17	Highly Efficient Visible-Blind Organic Ultraviolet Photodetectors. <i>Advanced Materials</i> , 2005, 17, 2489-2493.	11.1	126
18	Triphenylsilyl- and Trityl-Substituted Carbazole-Based Host Materials for Blue Electrophosphorescence. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 567-574.	4.0	112

#	ARTICLE	IF	CITATIONS
19	Two-step thermal annealing improves the morphology of spin-coated films for highly efficient perovskite hybrid photovoltaics. <i>Nanoscale</i> , 2014, 6, 10281-10288.	2.8	105
20	Efficient delayed fluorescence via triplet-triplet annihilation for deep-blue electroluminescence. <i>Chemical Communications</i> , 2014, 50, 6869-6871.	2.2	104
21	Enhancing color gamut of white OLED displays by using microcavity green pixels. <i>Organic Electronics</i> , 2010, 11, 247-254.	1.4	103
22	Os(II) Based Green to Red Phosphors: A Great Prospect for Solution-Processed, Highly Efficient Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2012, 22, 3491-3499.	7.8	96
23	Microcavity-Embedded, Colour-Tuneable, Transparent Organic Solar Cells. <i>Advanced Materials</i> , 2014, 26, 1129-1134.	11.1	95
24	BODIPY dyes with π^2 -conjugation and their applications for high-efficiency inverted small molecule solar cells. <i>Chemical Communications</i> , 2012, 48, 8913.	2.2	94
25	Device Engineering for Highly Efficient Top-Illuminated Organic Solar Cells with Microcavity Structures. <i>Advanced Materials</i> , 2012, 24, 2269-2272.	11.1	88
26	A Method for Reducing the Singlet-Triplet Energy Gaps of TADF Materials for Improving the Blue OLED Efficiency. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 27026-27034.	4.0	87
27	Carbon Nanodot Additives Realize High-Performance Air-Stable p-i-n Perovskite Solar Cells Providing Efficiencies of up to 20.2%. <i>Advanced Energy Materials</i> , 2018, 8, 1802323.	10.2	86
28	Molecular Design of Highly Efficient Thermally Activated Delayed Fluorescence Hosts for Blue Phosphorescent and Fluorescent Organic Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2017, 29, 1527-1537.	3.2	85
29	Perovskite Quantum Dots with Near Unity Solution and Neat-Film Photoluminescent Quantum Yield by Novel Spray Synthesis. <i>Advanced Materials</i> , 2018, 30, 1705532.	11.1	84
30	Transparent and Flexible Inorganic Perovskite Photonic Artificial Synapses with Dual-Mode Operation. <i>Advanced Functional Materials</i> , 2021, 31, 2008259.	7.8	83
31	Superior upconversion fluorescence dopants for highly efficient deep-blue electroluminescent devices. <i>Chemical Science</i> , 2016, 7, 4044-4051.	3.7	76
32	Perovskite Quantum Dot Lasing in a Gap-Plasmon Nanocavity with Ultralow Threshold. <i>ACS Nano</i> , 2020, 14, 11670-11676.	7.3	71
33	Continuous blade coating for multi-layer large-area organic light-emitting diode and solar cell. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	70
34	New A-A-D-A-A-Type Electron Donors for Small Molecule Organic Solar Cells. <i>Organic Letters</i> , 2011, 13, 4962-4965.	2.4	68
35	A solution-processed molybdenum oxide treated silver nanowire network: a highly conductive transparent conducting electrode with superior mechanical and hole injection properties. <i>Nanoscale</i> , 2015, 7, 4572-4579.	2.8	68
36	Influences of molecular orientations on stimulated emission characteristics of oligofluorene films. <i>Organic Electronics</i> , 2007, 8, 189-197.	1.4	55

#	ARTICLE	IF	CITATIONS
37	All-small-molecule efficient white organic light-emitting diodes by multi-layer blade coating. <i>Organic Electronics</i> , 2012, 13, 914-918.	1.4	55
38	New Molecular Donors with Dithienopyrrole as the Electron-Donating Group for Efficient Small-Molecule Organic Solar Cells. <i>Chemistry of Materials</i> , 2014, 26, 4361-4367.	3.2	54
39	Pressure Welding of Silver Nanowires Networks at Room Temperature as Transparent Electrodes for Efficient Organic Light-Emitting Diodes. <i>Small</i> , 2018, 14, e1800541.	5.2	54
40	A thermally activated delayed blue fluorescent emitter with reversible externally tunable emission. <i>Journal of Materials Chemistry C</i> , 2016, 4, 900-904.	2.7	52
41	Band Tunable Microcavity Perovskite Artificial Human Photoreceptors. <i>Advanced Materials</i> , 2019, 31, e1900231.	11.1	52
42	High-efficiency polymer solar cells by blade coating in chlorine-free solvents. <i>Organic Electronics</i> , 2014, 15, 893-903.	1.4	51
43	Performance Characterization of Dye-Sensitized Photovoltaics under Indoor Lighting. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 1824-1830.	2.1	51
44	Spiroconjugation-enhanced intermolecular charge transport. <i>Applied Physics Letters</i> , 2005, 87, 052103.	1.5	49
45	Bifacial Perovskite Solar Cells Featuring Semitransparent Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32635-32642.	4.0	49
46	Thermally activated delayed fluorescence emitters with a m,m-di-tert-butyl-carbazolyl benzoylpyridine core achieving extremely high blue electroluminescence efficiencies. <i>Journal of Materials Chemistry C</i> , 2017, 5, 2919-2926.	2.7	48
47	A bipolar host containing carbazole/dibenzothiophene for efficient solution-processed blue and white phosphorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6835.	2.7	47
48	A new donor-acceptor molecule with uniaxial anisotropy for efficient vacuum-deposited organic solar cells. <i>Chemical Communications</i> , 2011, 47, 7872.	2.2	46
49	Defect Passivation by Amide-Based Hole-Transporting Interfacial Layer Enhanced Perovskite Grain Growth for Efficient $\text{CH}_3\text{NH}_3\text{PbBr}_3$ Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 40050-40061.	4.0	46
50	Panchromatic heterojunction solar cells for Pb-free all-inorganic antimony based perovskite. <i>Chemical Engineering Journal</i> , 2021, 419, 129424.	6.6	46
51	Solution-processed hexaazatriphenylene hexacarbonitrile as a universal hole-injection layer for organic light-emitting diodes. <i>Organic Electronics</i> , 2013, 14, 1204-1210.	1.4	44
52	Intense terahertz emission from a-plane InN surface. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	43
53	Solid-state light-emitting electrochemical cells employing phosphor-sensitized fluorescence. <i>Journal of Materials Chemistry</i> , 2010, 20, 5521.	6.7	43
54	Pyridine-Carbonitrile-Carbazole-Based Delayed Fluorescence Materials with Highly Congested Structures and Excellent OLED Performance. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 21042-21048.	4.0	40

#	ARTICLE	IF	CITATIONS
55	High-Quality Conformal Homogeneous All-Vacuum Deposited CsPbCl ₃ Thin Films and Their UV Photodiode Applications. ACS Applied Materials & Interfaces, 2019, 11, 47054-47062.	4.0	40
56	Pyridine-based electron transporting materials for highly efficient organic solar cells. Journal of Materials Chemistry A, 2013, 1, 1770-1777.	5.2	39
57	Efficient inverted quasi-bilayer organic solar cells fabricated by using non-halogenated solvent processes. Journal of Materials Chemistry A, 2014, 2, 13398-13406.	5.2	39
58	Insight into Evolution, Processing and Performance of Multi-length-scale Structures in Planar Heterojunction Perovskite Solar Cells. Scientific Reports, 2015, 5, 13657.	1.6	37
59	Unmodified small-molecule organic light-emitting diodes by blade coating. Organic Electronics, 2012, 13, 2149-2155.	1.4	35
60	Highly efficient bifacial transparent organic solar cells with power conversion efficiency greater than 3% and transparency of 50%. Organic Electronics, 2012, 13, 1722-1728.	1.4	35
61	Direct evidence of 8:9 commensurate heterojunction formed between InN and AlN on c plane. Applied Physics Letters, 2005, 87, 241916.	1.5	34
62	Benzochalcogenodiazole-Based Donor-Acceptor Acceptor Molecular Donors for Organic Solar Cells. ChemSusChem, 2014, 7, 457-465.	3.6	34
63	Boosting thin-film perovskite solar cell efficiency through vacuum-deposited sub-nanometer small-molecule electron interfacial layers. Nano Energy, 2017, 38, 66-71.	8.2	34
64	Structure-Performance Correlations of Organic Dyes with an Electron-Deficient Diphenylquinoxaline Moiety for Dye-Sensitized Solar Cells. Chemistry - A European Journal, 2014, 20, 10052-10064.	1.7	33
65	An effective bilayer cathode buffer for highly efficient small molecule organic solar cells. Organic Electronics, 2012, 13, 1925-1929.	1.4	32
66	Slow Organic-to-Inorganic Sub-Lattice Thermalization in Methylammonium Lead Halide Perovskites Observed by Ultrafast Photoluminescence. Advanced Energy Materials, 2016, 6, 1600422.	10.2	32
67	Highly efficient organic solar cells using a solution-processed active layer with a small molecule donor and pristine fullerene. Journal of Materials Chemistry A, 2014, 2, 3709-3714.	5.2	31
68	Top Illuminated Hysteresis-Free Perovskite Solar Cells Incorporating Microcavity Structures on Metal Electrodes: A Combined Experimental and Theoretical Approach. ACS Applied Materials & Interfaces, 2018, 10, 17973-17984.	4.0	31
69	Efficient solution-processed green and white phosphorescence organic light-emitting diodes based on bipolar host materials. Organic Electronics, 2015, 17, 1-8.	1.4	30
70	Efficient Cesium Lead Halide Perovskite Solar Cells through Alternative Thousand-Layer Rapid Deposition. Advanced Functional Materials, 2019, 29, 1905163.	7.8	30
71	Utilizing surface plasmon polariton mediated energy transfer for tunable double-emitting organic light-emitting devices. Organic Electronics, 2010, 11, 397-406.	1.4	29
72	Highly efficient inverted rapid-drying blade-coated organic solar cells. Organic Electronics, 2012, 13, 705-709.	1.4	29

#	ARTICLE	IF	CITATIONS
73	Photovoltaic performance of novel push-pull-Bodipy dyes in solution-processed BHJ-solar cells. <i>New Journal of Chemistry</i> , 2014, 38, 1701-1710.	1.4	29
74	Vacuum-deposited perovskite photovoltaics for highly efficient environmental light energy harvesting. <i>Journal of Materials Chemistry A</i> , 2019, 7, 3612-3617.	5.2	29
75	Charge Carrier Dynamics of Vapor-Deposited Small-Molecule/Fullerene Organic Solar Cells. <i>Journal of the American Chemical Society</i> , 2013, 135, 8790-8793.	6.6	27
76	Vacuum-Deposited Organometallic Halide Perovskite Light-Emitting Devices. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 40516-40522.	4.0	26
77	Origins of device performance in dicarboxyterpyridine Ru(ii) dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 14190.	1.3	24
78	Performance enhancement of metal nanowire-based transparent electrodes by electrically driven nanoscale nucleation of metal oxides. <i>Nanoscale</i> , 2015, 7, 12698-12705.	2.8	24
79	Binary halide, ternary perovskite-like, and perovskite-derivative nanostructures: hot injection synthesis and optical and photocatalytic properties. <i>Nanoscale</i> , 2017, 9, 3747-3751.	2.8	24
80	Triphenylamine dibenzofulvene-derived dopant-free hole transporting layer induces micrometer-sized perovskite grains for highly efficient near 20% for perovskite solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 49-59.	4.4	24
81	Enhancing Quantum Yield in Strained MoS ₂ Bilayers by Morphology-Controlled Plasmonic Nanostructures toward Superior Photodetectors. <i>Chemistry of Materials</i> , 2020, 32, 2242-2252.	3.2	24
82	Morphology, molecular stacking, dynamics and device performance correlations of vacuum-deposited small-molecule organic solar cells. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 8852-8864.	1.3	23
83	Forming a Metal-Free Oxidatively Coupled Agent, Bicarbazole, as a Defect Passivation for HTM and an Interfacial Layer in a Perovskite Solar Cell Exhibits Nearly 20% Efficiency. <i>Chemistry of Materials</i> , 2020, 32, 127-138.	3.2	22
84	A type organic donors employing coplanar heterocyclic cores for efficient small molecule organic solar cells. <i>Organic Electronics</i> , 2016, 28, 229-238.	1.4	21
85	Orthogonally weaved silver nanowire networks for very efficient organic optoelectronic devices. <i>Organic Electronics</i> , 2017, 43, 15-20.	1.4	20
86	Perovskite Photosensors Integrated with Silver Resonant-Cavity Color Filters Display Color Perception Beyond That of the Human Eye. <i>Advanced Functional Materials</i> , 2020, 30, 2002503.	7.8	19
87	Blade coating of Tris(8-hydroxyquinolino)aluminum as the electron-transport layer for all-solution blue fluorescent organic light-emitting diodes. <i>Organic Electronics</i> , 2016, 29, 99-106.	1.4	18
88	Highly Uniform All-Vacuum-Deposited Inorganic Perovskite Artificial Synapses for Reservoir Computing. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000196.	3.3	18
89	Synergistic improvements in the performance and stability of inverted planar MAPbI ₃ -based perovskite solar cells incorporating benzylammonium halide salt additives. <i>Materials Chemistry Frontiers</i> , 2021, 5, 3378-3387.	3.2	18
90	Small Molecules with Controllable Molecular Weights Passivate Surface Defects in Air-Stable Perovskite Solar Cells. <i>Advanced Electronic Materials</i> , 2021, 7, 2000870.	2.6	18

#	ARTICLE	IF	CITATIONS
91	Vacuum-free lamination of low work function cathode for efficient solution-processed organic light-emitting diodes. <i>Organic Electronics</i> , 2012, 13, 388-393.	1.4	17
92	Design of Os ^{II} -based Sensitizers for Dye-Sensitized Solar Cells: Influence of Heterocyclic Ancillaries. <i>ChemSusChem</i> , 2013, 6, 1366-1375.	3.6	17
93	Single-emission-layer white organic light-emitting devices: Chromaticity and colour-rendering consideration. <i>Organic Electronics</i> , 2014, 15, 517-523.	1.4	17
94	Photovoltaic Performance Enhancement of Perovskite Solar Cells Using Polyimide and Polyamic Acid as Additives. <i>Journal of Physical Chemistry C</i> , 2019, 123, 23826-23833.	1.5	17
95	CH ₃ NH ₃ PbI ₂ Co ₂ Br ₃ Cl ₂ Perovskite Quantum Dots for Wide-Color Backlighting. <i>ACS Applied Nano Materials</i> , 2021, 4, 717-728.	2.4	17
96	All-Vacuum-Deposited Perovskite X-ray Detector with a Record-High Self-Powered Sensitivity of 1.2 C Gy ⁻¹ cm ⁻³ . <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 19795-19805.	4.0	17
97	Room-Temperature Fabricated Multilevel Nonvolatile Lead-Free Cesium Halide Memristors for Reconfigurable In-Memory Computing. <i>ACS Nano</i> , 2022, 16, 12979-12990.	7.3	16
98	Characterizing coherence lengths of organic light-emitting devices using Newton's rings apparatus. <i>Organic Electronics</i> , 2010, 11, 439-444.	1.4	15
99	General application of blade coating to small-molecule hosts for organic light-emitting diode. <i>Synthetic Metals</i> , 2014, 196, 99-109.	2.1	15
100	Vacuum-deposited interconnection layers for tandem solar cells. <i>Organic Electronics</i> , 2014, 15, 1828-1835.	1.4	15
101	Very Robust Spray-Synthesized CsPbI ₃ Quantum Emitters with Ultrahigh Room-Temperature Cavity-Free Brightness and Self-Healing Ability. <i>ACS Nano</i> , 2021, 15, 11358-11368.	7.3	15
102	Spontaneous formation of light-trapping nano-structures for top-illumination organic solar cells. <i>Nanoscale</i> , 2014, 6, 2316.	2.8	14
103	Very high hole drift mobility in neat and doped molecular thin films for normal and inverted perovskite solar cells. <i>Nano Energy</i> , 2017, 41, 681-686.	8.2	14
104	Thermal and angular dependence of next-generation photovoltaics under indoor lighting. <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 111-121.	4.4	13
105	Multi-Channel Pumped Ultrasonic Spray-Coating for High-Throughput and Scalable Mixed Halide Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2021, 8, 2001509.	1.9	13
106	Experimental and theoretical studies of lattice dynamics of Mg-doped InN. <i>Applied Physics Letters</i> , 2007, 91, 111917.	1.5	12
107	Tuning stimulated emission of organic thin films by molecular reorientation. <i>Applied Physics Letters</i> , 2005, 87, 071910.	1.5	11
108	Interface and thickness tuning for blade coated small-molecule organic light-emitting diodes with high power efficiency. <i>Journal of Applied Physics</i> , 2013, 114, 123101.	1.1	11

#	ARTICLE	IF	CITATIONS
109	Geometrical Isomerism of Ru ^{II} Dye-Sensitized Solar Cell Sensitizers and Effects on Photophysical Properties and Device Performances. <i>ChemPhysChem</i> , 2014, 15, 1207-1215.	1.0	11
110	Cofacial Versus Coplanar Arrangement in Centrosymmetric Packing Dimers of Dipolar Small Molecules: Structural Effects on the Crystallization Behaviors and Optoelectronic Characteristics. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 18266-18276.	4.0	11
111	Recent Progress on Advanced Optical Structures for Emerging Photovoltaics and Photodetectors. <i>Advanced Energy and Sustainability Research</i> , 2020, 1, 2000035.	2.8	11
112	Organic Lead Halide Nanocrystals Providing an Ultra-Wide Color Gamut with Almost-Unity Photoluminescence Quantum Yield. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 25202-25213.	4.0	11
113	Photophysical studies on D ^A dye-sensitized solar cells: Effects of π -bridge and hexyloxy side chains in donor moieties. <i>Organic Electronics</i> , 2013, 14, 1037-1044.	1.4	10
114	Boron Carbon Oxynitride as a Novel Metal-Free Photocatalyst. <i>Nanoscale Research Letters</i> , 2021, 16, 176.	3.1	10
115	Novel oxygen sensor based on terfluorene thin-film and its enhanced sensitivity by stimulated emission. <i>Journal of Materials Chemistry</i> , 2012, 22, 13446.	6.7	9
116	SIMS and Raman studies of Mg-doped InN. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008, 5, 1648-1651.	0.8	7
117	Continuously tunable organic solid-state DFB laser utilizing molecular reorientation in molecular glasses. <i>Organic Electronics</i> , 2013, 14, 2540-2545.	1.4	7
118	Multilayer rapid-drying blade coating for organic solar cells by low boiling point solvents. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 062301.	0.8	7
119	Tunable chromaticity stability in solution-processed organic light emitting devices. <i>Organic Electronics</i> , 2015, 20, 36-42.	1.4	7
120	Commercially available jeffamine additives for p^{n} perovskite solar cells. <i>Nanotechnology</i> , 2020, 31, 274002.	1.3	7
121	Quantum Dots: Perovskite Quantum Dots with Near Unity Solution and Neat-Film Photoluminescent Quantum Yield by Novel Spray Synthesis (<i>Adv. Mater.</i> 7/2018). <i>Advanced Materials</i> , 2018, 30, 1870048.	11.1	6
122	Perovskite Photoreceptors: Band Tunable Microcavity Perovskite Artificial Human Photoreceptors (<i>Adv. Mater.</i> 24/2019). <i>Advanced Materials</i> , 2019, 31, 1970170.	11.1	6
123	Tunable organic solid-state DFB laser utilizing molecular reorientation. , 2007, , .		5
124	ITO-free inverted polymer solar cell on metal substrate with top-illumination. <i>Synthetic Metals</i> , 2014, 187, 172-177.	2.1	4
125	Perovskite Solar Cells: Carbon Nanodot Additives Realize High-Performance Air-Stable p^{n} Perovskite Solar Cells Providing Efficiencies of up to 20.2% (<i>Adv. Energy Mater.</i> 34/2018). <i>Advanced Energy Materials</i> , 2018, 8, 1870147.	10.2	3
126	Packing-Shape Effects of Optical Properties in Amplified Spontaneous Emission through Dynamics of Orbital-Orbit Polarization Interaction in Hybrid Perovskite Quantum Dots Based on Self-Assembly. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11894-11901.	2.1	3

#	ARTICLE	IF	CITATIONS
127	Organic Solar Cells: Microcavity-Embedded, Colour-Tuneable, Transparent Organic Solar Cells (Adv.) Tj ETQq1 1 0.784314 rgBT /Overl	11.1	2
128	Multi-photon properties in various condensed phases of dendritic chromophores derived from carbazole and indenoquinoxaline units: Synthesis and characterization. Dyes and Pigments, 2019, 168, 140-150.	2.0	2
129	11.4: Highly Efficient Blue Organic Electrophosphorescent Devices Based on 3,6-Bis(triphenylsilyl)Carbazole as the Host Material. Digest of Technical Papers SID International Symposium, 2006, 37, 139.	0.1	1
130	Electromagnetic Modeling of OLEDs and its Applications to High-cd/A OLEDs. , 2006, , .		1
131	Organic Light-Emitting Diodes: Os(II) Based Green to Red Phosphors: A Great Prospect for Solution-Processed, Highly Efficient Organic Light-Emitting Diodes (Adv. Funct. Mater. 16/2012). Advanced Functional Materials, 2012, 22, 3318-3318.	7.8	1
132	Microcavity Structures: Device Engineering for Highly Efficient Top-Illuminated Organic Solar Cells with Microcavity Structures (Adv. Mater. 17/2012). Advanced Materials, 2012, 24, 2268-2268.	11.1	1
133	Solution-processed organic light-emitting diodes with a power efficacy exceeding 100lm/W using multiple light extraction approaches. Solid-State Electronics, 2015, 105, 58-62.	0.8	1
134	Vacuum Fabrication: Efficient Cesium Lead Halide Perovskite Solar Cells through Alternative Thousand-layer Rapid Deposition (Adv. Funct. Mater. 44/2019). Advanced Functional Materials, 2019, 29, 1970303.	7.8	1
135	Ultrasonic Spray-Coatings: Multi-Channel Pumped Ultrasonic Spray-Coating for High-Throughput and Scalable Mixed Halide Perovskite Solar Cells (Adv. Mater. Interfaces 5/2021). Advanced Materials Interfaces, 2021, 8, 2170023.	1.9	1
136	Highly efficient blue phosphorescent OLEDs using large bandgap host materials. , 2006, 6192, 301.		0
137	Optical processes of organic emitters in optical microcavity. Proceedings of SPIE, 2007, , .	0.8	0
138	Low-threshold deep-blue organic thin-film distributed feedback laser. , 2007, , .		0
139	Unusual photoluminescence properties of vertically aligned InN nanorods grown by plasma-assisted molecular-beam epitaxy. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 2465-2468.	0.8	0
140	A high efficiency UV-VIS organic photodetector by an invertedPTB7: PC71BM bulk heterojunction structure. , 2015, , .		0