

Laura Q Rogers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9200222/publications.pdf>

Version: 2024-02-01

65
papers

2,685
citations

212478

28
h-index

214428

50
g-index

69
all docs

69
docs citations

69
times ranked

3214
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting MultiPLE behavior Interventions that eEffectively Improve (AMPLIFI) cancer survivor health: program project protocols for remote lifestyle intervention and assessment in 3 inter-related randomized controlled trials among survivors of obesity-related cancers. BMC Cancer, 2022, 22, 471.	1.1	6
2	Determining patient needs to enhance exercise program implementation and uptake in rural settings for women after a cancer diagnosis. Supportive Care in Cancer, 2021, 29, 4641-4649.	1.0	8
3	Design and Rationale for the Deep South Interactive Voice Response Systemâ€œSupported Active Lifestyle Study: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e29245.	0.5	5
4	Exercise load monitoring: integrated approaches to advance the individualisation of exercise oncology. BMJ Open Sport and Exercise Medicine, 2021, 7, e001134.	1.4	4
5	Rationale and Methods for a Randomized Controlled Trial of a Dyadic, Web-Based, Weight Loss Intervention among Cancer Survivors and Partners: The DUET Study. Nutrients, 2021, 13, 3472.	1.7	11
6	Promoting Physical Activity in Rural Settings: Effectiveness and Potential Strategies. Translational Journal of the American College of Sports Medicine, 2021, 6, .	0.3	5
7	Features That Middle-aged and Older Cancer Survivors Want in Web-Based Healthy Lifestyle Interventions: Qualitative Descriptive Study. JMIR Cancer, 2021, 7, e26226.	0.9	5
8	Developing a virtual assessment protocol for the AMPLIFI Randomized Controlled Trial due to COVID-19: From assessing participants' preference to preparing the team. Contemporary Clinical Trials, 2021, 111, 106604.	0.8	2
9	Feasibility of Implementing Physical Activity Behavior Change Counseling in an Existing Cancer-Exercise Program. International Journal of Environmental Research and Public Health, 2021, 18, 12705.	1.2	3
10	Input from multiple stakeholder levels prioritizes targets for improving implementation of an exercise intervention for rural women cancer survivors. Implementation Science Communications, 2020, 1, 97.	0.8	10
11	Epigenetic stratification of head and neck cancer survivors reveals differences in lycopene levels, alcohol consumption, and methylation of immune regulatory genes. Clinical Epigenetics, 2020, 12, 138.	1.8	10
12	Supporting Cancer Survivors in Making Healthful Lifestyle Changes. Oncology Issues, 2020, 35, 24-30.	0.0	0
13	Beyond efficacy: a qualitative organizational perspective on key implementation science constructs important to physical activity intervention translation to rural community cancer care sites. Journal of Cancer Survivorship, 2019, 13, 537-546.	1.5	23
14	Inverse association between changes in energetic cost of walking and vertical accelerations in non-metastatic breast cancer survivors. European Journal of Applied Physiology, 2019, 119, 2457-2464.	1.2	8
15	Head and neck cancer survivorsâ€™ preferences for and evaluations of a post-treatment dietary intervention. Nutrition Journal, 2019, 18, 57.	1.5	6
16	Gut microbiota diversity is associated with cardiorespiratory fitness in post-â€œprimary treatment breast cancer survivors. Experimental Physiology, 2019, 104, 529-539.	0.9	14
17	Potential Therapeutic Utility of Hypoxicâ€œExercise Training Among Obese Breast Cancer Survivors with Limited Mobility: Pilot/Feasibility Study. FASEB Journal, 2019, 33, 841.5.	0.2	0
18	Higher carbohydrate intake is associated with increased risk of all-â€œcause and disease-â€œspecific mortality in head and neck cancer patients: results from a prospective cohort study. International Journal of Cancer, 2018, 143, 1105-1113.	2.3	19

#	ARTICLE	IF	CITATIONS
19	Changes in Body Mass Index and Physical Activity Predict Changes in Vitality During a Weight Loss Trial in Breast Cancer Survivors. <i>Annals of Behavioral Medicine</i> , 2018, 52, 999-1009.	1.7	9
20	Effects of BEAT Cancer randomized physical activity trial on subjective memory impairments in breast cancer survivors. <i>Psycho-Oncology</i> , 2018, 27, 687-690.	1.0	8
21	Ease of walking associates with greater free-living physical activity and reduced depressive symptomology in breast cancer survivors: pilot randomized trial. <i>Supportive Care in Cancer</i> , 2018, 26, 1675-1683.	1.0	9
22	Physical Activity and Related Psychosocial Outcomes From a Pilot Randomized Trial of an Interactive Voice Response System—Supported Intervention in the Deep South. <i>Health Education and Behavior</i> , 2018, 45, 957-966.	1.3	6
23	Acceptability of a Mobile Phone App for Measuring Time Use in Breast Cancer Survivors (Life in a Day): Mixed-Methods Study. <i>JMIR Cancer</i> , 2018, 4, e9.	0.9	13
24	Gut microbiota composition associated with alterations in cardiorespiratory fitness and psychosocial outcomes among breast cancer survivors. <i>Supportive Care in Cancer</i> , 2017, 25, 1563-1570.	1.0	59
25	Physical Activity and Sleep Quality in Breast Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2009-2015.	0.2	67
26	Social Cognitive Constructs Did Not Mediate the BEAT Cancer Intervention Effects on Objective Physical Activity Behavior Based on Multivariable Path Analysis. <i>Annals of Behavioral Medicine</i> , 2017, 51, 321-326.	1.7	17
27	Effects of a multicomponent physical activity behavior change intervention on fatigue, anxiety, and depressive symptomatology in breast cancer survivors: randomized trial. <i>Psycho-Oncology</i> , 2017, 26, 1901-1906.	1.0	75
28	Lower rate-pressure product during submaximal walking: a link to fatigue improvement following a physical activity intervention among breast cancer survivors. <i>Journal of Cancer Survivorship</i> , 2016, 10, 927-934.	1.5	17
29	Pancreatic cancer survivors'™ preferences, barriers, and facilitators related to physical activity and diet interventions. <i>Journal of Cancer Survivorship</i> , 2016, 10, 981-989.	1.5	28
30	Is "high-intensity"™ a bad word?. <i>Journal of Physiotherapy</i> , 2016, 62, 175.	0.7	3
31	Effects of a multicomponent physical activity behavior change intervention on breast cancer survivor health status outcomes in a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 283-291.	1.1	27
32	Exploring effects of presurgical weight loss among women with stage 0-II breast cancer: protocol for a randomised controlled feasibility trial. <i>BMJ Open</i> , 2016, 6, e012320.	0.8	8
33	Practical clinical interventions for diet, physical activity, and weight control in cancer survivors. <i>Ca-A Cancer Journal for Clinicians</i> , 2015, 65, 167-189.	157.7	191
34	Effects of the BEAT Cancer physical activity behavior change intervention on physical activity, aerobic fitness, and quality of life in breast cancer survivors: a multicenter randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2015, 149, 109-119.	1.1	135
35	Inflammation and psychosocial factors mediate exercise effects on sleep quality in breast cancer survivors: pilot randomized controlled trial. <i>Psycho-Oncology</i> , 2015, 24, 302-310.	1.0	45
36	Exercise barriers self-efficacy: development and validation of a subscale for individuals with cancer-related lymphedema. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 37.	1.0	9

#	ARTICLE	IF	CITATIONS
37	Refining Measurement of Social Cognitive Theory Factors Associated with Exercise Adherence in Head and Neck Cancer Patients. <i>Journal of Psychosocial Oncology</i> , 2015, 33, 467-487.	0.6	19
38	Meeting Physical Activity Guidelines in Rural Breast Cancer Survivors. <i>American Journal of Health Behavior</i> , 2014, 38, 890-899.	0.6	26
39	Biobehavioral Factors Mediate Exercise Effects on Fatigue in Breast Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1077-1088.	0.2	62
40	Pilot, randomized trial of resistance exercise during radiation therapy for head and neck cancer. <i>Head and Neck</i> , 2013, 35, 1178-1188.	0.9	69
41	Effects of a Physical Activity Behavior Change Intervention on Inflammation and Related Health Outcomes in Breast Cancer Survivors. <i>Integrative Cancer Therapies</i> , 2013, 12, 323-335.	0.8	106
42	Better exercise adherence after treatment for cancer (BEAT Cancer) study: Rationale, design, and methods. <i>Contemporary Clinical Trials</i> , 2012, 33, 124-137.	0.8	56
43	Reduced Barriers Mediated Physical Activity Maintenance Among Breast Cancer Survivors. <i>Journal of Sport and Exercise Psychology</i> , 2011, 33, 235-254.	0.7	68
44	Physical activity type and intensity among rural breast cancer survivors: patterns and associations with fatigue and depressive symptoms. <i>Journal of Cancer Survivorship</i> , 2011, 5, 54-61.	1.5	65
45	Lessons Learned in the Trenches. <i>Cancer Nursing</i> , 2010, 33, E10-E17.	0.7	17
46	Physical Activity and Fatigue in Breast Cancer and Multiple Sclerosis: Psychosocial Mechanisms. <i>Psychosomatic Medicine</i> , 2010, 72, 88-96.	1.3	47
47	Objective monitoring of physical activity after a cancer diagnosis: challenges and opportunities for enhancing cancer control. <i>Physical Therapy Reviews</i> , 2010, 15, 224-237.	0.3	17
48	Physical Activity and Health Outcomes Three Months After Completing a Physical Activity Behavior Change Intervention: Persistent and Delayed Effects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1410-1418.	1.1	106
49	Exercise preferences among patients with head and neck cancer: Prevalence and associations with quality of life, symptom severity, depression, and rural residence. <i>Head and Neck</i> , 2009, 31, 994-1005.	0.9	45
50	Factors associated with quality of life in outpatients with head and neck cancer 6 months after diagnosis. <i>Head and Neck</i> , 2009, 31, 1207-1214.	0.9	22
51	Rural breast cancer survivors: exercise preferences and their determinants. <i>Psycho-Oncology</i> , 2009, 18, 412-421.	1.0	106
52	Exercise Preference Patterns, Resources, and Environment Among Rural Breast Cancer Survivors. <i>Journal of Rural Health</i> , 2009, 25, 388-391.	1.6	31
53	A Randomized Trial to Increase Physical Activity in Breast Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 935-946.	0.2	188
54	Physical activity correlates and barriers in head and neck cancer patients. <i>Supportive Care in Cancer</i> , 2008, 16, 19-27.	1.0	90

#	ARTICLE	IF	CITATIONS
55	Factors associated with fatigue, sleep, and cognitive function among patients with head and neck cancer. <i>Head and Neck</i> , 2008, 30, 1310-1317.	0.9	45
56	Lifestyle behaviors, obesity, and perceived health among men with and without a diagnosis of prostate cancer: A population-based, cross-sectional study. <i>BMC Public Health</i> , 2008, 8, 23.	1.2	26
57	Correlates of Physical Activity Self-efficacy Among Breast Cancer Survivors. <i>American Journal of Health Behavior</i> , 2008, 32, .	0.6	55
58	Factors Associated With Exercise Counseling and Program Preferences Among Breast Cancer Survivors. <i>Journal of Physical Activity and Health</i> , 2008, 5, 688-705.	1.0	55
59	Correlates of physical activity self-efficacy among breast cancer survivors. <i>American Journal of Health Behavior</i> , 2008, 32, 594-603.	0.6	47
60	Racial differences in physical activity associations among primary care patients. <i>Ethnicity and Disease</i> , 2007, 17, 629-35.	1.0	9
61	Exercise barrier and task self-efficacy in breast cancer patients during treatment. <i>Supportive Care in Cancer</i> , 2006, 14, 84-90.	1.0	77
62	Physical activity and quality of life in head and neck cancer survivors. <i>Supportive Care in Cancer</i> , 2006, 14, 1012-1019.	1.0	123
63	Social Cognitive Theory and Physical Activity During Breast Cancer Treatment. <i>Oncology Nursing Forum</i> , 2005, 32, 807-815.	0.5	110
64	Exploring Social Cognitive Theory Constructs for Promoting Exercise Among Breast Cancer Patients. <i>Cancer Nursing</i> , 2004, 27, 462-473.	0.7	82
65	Teaching Resident Physicians to Provide Exercise Counseling. <i>Academic Medicine</i> , 2002, 77, 841-844.	0.8	47