

Wojciech Swieszkowski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9200313/publications.pdf>

Version: 2024-02-01

179
papers

6,686
citations

66343

42
h-index

79698

73
g-index

197
all docs

197
docs citations

197
times ranked

9280
citing authors

#	ARTICLE	IF	CITATIONS
1	Drug delivery systems and materials for wound healing applications. <i>Advanced Drug Delivery Reviews</i> , 2018, 127, 138-166.	13.7	512
2	Microfluidic-enhanced 3D bioprinting of aligned myoblast-laden hydrogels leads to functionally organized myofibers in vitro and in vivo. <i>Biomaterials</i> , 2017, 131, 98-110.	11.4	252
3	Biomechanical properties of native and tissue engineered heart valve constructs. <i>Journal of Biomechanics</i> , 2014, 47, 1949-1963.	2.1	216
4	3D bioprinting of BM-MSCs-loaded ECM biomimetic hydrogels for in vitro neocartilage formation. <i>Biofabrication</i> , 2016, 8, 035002.	7.1	211
5	Highly porous titanium scaffolds for orthopaedic applications. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010, 95B, 53-61.	3.4	208
6	3D Bioprinting in Skeletal Muscle Tissue Engineering. <i>Small</i> , 2019, 15, e1805530.	10.0	192
7	Repair and regeneration of osteochondral defects in the articular joints. <i>New Biotechnology</i> , 2007, 24, 489-495.	2.7	190
8	Laser and Electron Beam Additive Manufacturing Methods of Fabricating Titanium Bone Implants. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 657.	2.5	180
9	A Multifunctional Polymeric Periodontal Membrane with Osteogenic and Antibacterial Characteristics. <i>Advanced Functional Materials</i> , 2018, 28, 1703437.	14.9	152
10	Microstructure and mechanical properties investigation of CP titanium processed by selective laser melting (SLM). <i>Journal of Materials Processing Technology</i> , 2017, 241, 13-23.	6.3	141
11	Electrospun bio-composite P(LLA-CL)/collagen I/collagen III scaffolds for nerve tissue engineering. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012, 100B, 1093-1102.	3.4	126
12	Gelatin methacrylate scaffold for bone tissue engineering: The influence of polymer concentration. <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 201-209.	4.0	122
13	3D bioprinting of hydrogel constructs with cell and material gradients for the regeneration of full-thickness chondral defect using a microfluidic printing head. <i>Biofabrication</i> , 2019, 11, 044101.	7.1	120
14	Extrusion and Microfluidic-Based Bioprinting to Fabricate Biomimetic Tissues and Organs. <i>Advanced Materials Technologies</i> , 2020, 5, 1901044.	5.8	110
15	An elastic material for cartilage replacement in an arthritic shoulder joint. <i>Biomaterials</i> , 2006, 27, 1534-1541.	11.4	90
16	Influencing chondrogenic differentiation of human mesenchymal stromal cells in scaffolds displaying a structural gradient in pore size. <i>Acta Biomaterialia</i> , 2016, 36, 210-219.	8.3	88
17	PLA short sub-micron fiber reinforcement of 3D bioprinted alginate constructs for cartilage regeneration. <i>Biofabrication</i> , 2017, 9, 044105.	7.1	88
18	Tendon Tissue Engineering: Effects of Mechanical and Biochemical Stimulation on Stem Cell Alignment on Cell-Laden Hydrogel Yarns. <i>Advanced Healthcare Materials</i> , 2019, 8, e1801218.	7.6	84

#	ARTICLE	IF	CITATIONS
19	Naturally derived proteins and glycosaminoglycan scaffolds for tissue engineering applications. <i>Materials Science and Engineering C</i> , 2017, 78, 1277-1299.	7.3	82
20	3D bioprinted hydrogel model incorporating β -tricalcium phosphate for calcified cartilage tissue engineering. <i>Biofabrication</i> , 2019, 11, 035016.	7.1	82
21	Highly ordered and tunable polyHIPEs by using microfluidics. <i>Journal of Materials Chemistry B</i> , 2014, 2, 2290.	5.8	80
22	Interaction of Schwann cells with laminin encapsulated PLCL core-shell nanofibers for nerve tissue engineering. <i>European Polymer Journal</i> , 2014, 50, 30-38.	5.4	76
23	Co-axial wet-spinning in 3D bioprinting: state of the art and future perspective of microfluidic integration. <i>Biofabrication</i> , 2019, 11, 012001.	7.1	75
24	Post Processing and Biological Evaluation of the Titanium Scaffolds for Bone Tissue Engineering. <i>Materials</i> , 2016, 9, 197.	2.9	73
25	3D Printing of Functionally Graded Porous Materials Using On-Demand Reconfigurable Microfluidics. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 7620-7625.	13.8	73
26	The influence of chemical polishing of titanium scaffolds on their mechanical strength and in-vitro cell response. <i>Materials Science and Engineering C</i> , 2019, 95, 428-439.	7.3	73
27	Bone ingrowth simulation for a concept glenoid component design. <i>Journal of Biomechanics</i> , 2005, 38, 1023-1033.	2.1	70
28	Correlation between porous texture and cell seeding efficiency of gas foaming and microfluidic foaming scaffolds. <i>Materials Science and Engineering C</i> , 2016, 62, 668-677.	7.3	70
29	Mechanical and Biochemical Stimulation of 3D Multilayered Scaffolds for Tendon Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 2953-2964.	5.2	66
30	Synthesis of porous hierarchical geopolymer monoliths by ice-templating. <i>Microporous and Mesoporous Materials</i> , 2015, 215, 206-214.	4.4	65
31	Three-dimensional printing of chemically crosslinked gelatin hydrogels for adipose tissue engineering. <i>Biofabrication</i> , 2020, 12, 025001.	7.1	64
32	The anatomic features of the radial head and their implication for prosthesis design. <i>Clinical Biomechanics</i> , 2001, 16, 880-887.	1.2	58
33	Hydrogel-Based Fiber Biofabrication Techniques for Skeletal Muscle Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2022, 8, 379-405.	5.2	57
34	Microfluidic Foaming: A Powerful Tool for Tailoring the Morphological and Permeability Properties of Sponge-like Biopolymeric Scaffolds. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 23660-23671.	8.0	55
35	How important are scaffolds and their surface properties in regenerative medicine. <i>Applied Surface Science</i> , 2016, 388, 762-774.	6.1	51
36	Highly biocompatible, nanocrystalline hydroxyapatite synthesized in a solvothermal process driven by high energy density microwave radiation. <i>International Journal of Nanomedicine</i> , 2013, 8, 653.	6.7	49

#	ARTICLE	IF	CITATIONS
37	Nanobead-on-string composites for tendon tissue engineering. <i>Journal of Materials Chemistry B</i> , 2018, 6, 3116-3127.	5.8	49
38	In vivo and in vitro study of a novel nanohydroxyapatite sonocoated scaffolds for enhanced bone regeneration. <i>Materials Science and Engineering C</i> , 2019, 99, 669-684.	7.3	49
39	Influence of internal pore architecture on biological and mechanical properties of three-dimensional fiber deposited scaffolds for bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 991-1001.	4.0	46
40	Three-dimensional printed polycaprolactone-based scaffolds provide an advantageous environment for osteogenic differentiation of human adipose-derived stem cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, e473-e485.	2.7	46
41	Enhancing X-ray Attenuation of 3D Printed Gelatin Methacrylate (GelMA) Hydrogels Utilizing Gold Nanoparticles for Bone Tissue Engineering Applications. <i>Polymers</i> , 2019, 11, 367.	4.5	46
42	Tripolyphosphate-Crosslinked Chitosan/Gelatin Biocomposite Ink for 3D Printing of Uniaxial Scaffolds. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 400.	4.1	46
43	The Influence of Selective Laser Melting (SLM) Process Parameters on In-Vitro Cell Response. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1619.	4.1	45
44	Characterization and influence of hydroxyapatite nanopowders on living cells. <i>Beilstein Journal of Nanotechnology</i> , 2018, 9, 3079-3094.	2.8	44
45	New approach to amorphization of alloys with low glass forming ability via selective laser melting. <i>Journal of Alloys and Compounds</i> , 2019, 771, 769-776.	5.5	43
46	Multimaterial bioprinting and combination of processing techniques towards the fabrication of biomimetic tissues and organs. <i>Biofabrication</i> , 2021, 13, 042002.	7.1	42
47	Morphology assessment of chemically modified cryostructured poly(vinyl alcohol) hydrogel. <i>European Polymer Journal</i> , 2007, 43, 2035-2040.	5.4	39
48	Influence of biodegradable polymer coatings on corrosion, cytocompatibility and cell functionality of Mg-2.0Zn-0.98Mn magnesium alloy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 144, 284-292.	5.0	39
49	In vitro degradation of ZM21 magnesium alloy in simulated body fluids. <i>Materials Science and Engineering C</i> , 2016, 65, 59-69.	7.3	39
50	3D Printing of Thermoresponsive Polyisocyanide (PIC) Hydrogels as Bioink and Fugitive Material for Tissue Engineering. <i>Polymers</i> , 2018, 10, 555.	4.5	38
51	Detection of Circulating Tumor Cells Using Membrane-Based SERS Platform: A New Diagnostic Approach for "Liquid Biopsy". <i>Nanomaterials</i> , 2019, 9, 366.	4.1	38
52	Surface Modification of 3D Printed Polycaprolactone Constructs via a Solvent Treatment: Impact on Physical and Osteogenic Properties. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 318-328.	5.2	38
53	The effect of diameter of fibre on formation of hydrogen bonds and mechanical properties of 3D-printed PCL. <i>Materials Science and Engineering C</i> , 2020, 114, 111072.	7.3	37
54	Translational stiffness of the replaced shoulder joint. <i>Journal of Biomechanics</i> , 2003, 36, 1897-1907.	2.1	36

#	ARTICLE	IF	CITATIONS
55	The effect of melt electrospun writing fiber orientation onto cellular organization and mechanical properties for application in Anterior Cruciate Ligament tissue engineering. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 104, 103631.	3.1	35
56	Fibrous Systems as Potential Solutions for Tendon and Ligament Repair, Healing, and Regeneration. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001305.	7.6	35
57	Micro CT-based multiscale elasticity of double-porous (pre-cracked) hydroxyapatite granules for regenerative medicine. <i>Journal of Biomechanics</i> , 2012, 45, 1068-1075.	2.1	32
58	Electric Field Assisted Microfluidic Platform for Generation of Tailorable Porous Microbeads as Cell Carriers for Tissue Engineering. <i>Advanced Functional Materials</i> , 2018, 28, 1800874.	14.9	32
59	Modeling of the degradation kinetics of biodegradable scaffolds: The effects of the environmental conditions. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	31
60	Patterned hydrophobic and hydrophilic surfaces of ultra-smooth nanocrystalline diamond layers. <i>Applied Surface Science</i> , 2016, 390, 526-530.	6.1	30
61	Biofabricating murine and human myoâ€ substitutes for rapid volumetric muscle loss restoration. <i>EMBO Molecular Medicine</i> , 2021, 13, e12778.	6.9	29
62	Reverse engineering of free-form surfaces. <i>Journal of Materials Processing Technology</i> , 1998, 76, 128-132.	6.3	28
63	Nanoengineered biocomposite tricomponent polymer based matrices for bone tissue engineering. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2016, 65, 807-815.	3.4	27
64	Structure and physico-mechanical properties of low temperature plasma treated electrospun nanofibrous scaffolds examined with atomic force microscopy. <i>Micron</i> , 2018, 107, 79-84.	2.2	27
65	Consistent quasistatic and acoustic elasticity determination of polyâ€ lactideâ€ based rapidâ€ prototyped tissue engineering scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 138-144.	4.0	26
66	Development of Ce-doped TiO2 activated by X-ray irradiation for alternative cancer treatment. <i>Ceramics International</i> , 2017, 43, 12675-12683.	4.8	26
67	Alignment and bioactive molecule enrichment of bio-composite scaffolds towards peripheral nerve tissue engineering. <i>Journal of Materials Chemistry B</i> , 2019, 7, 4509-4519.	5.8	25
68	Tumor Extracellular Matrix Stiffness Promptly Modulates the Phenotype and Gene Expression of Infiltrating T Lymphocytes. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5862.	4.1	25
69	Alginate-based tissue-specific bioinks for multi-material 3D-bioprinting of pancreatic islets and blood vessels: A step towards vascularized pancreas grafts. <i>Bioprinting</i> , 2021, 24, e00163.	5.8	25
70	Radial head prosthesis with a mobile head. <i>Journal of Shoulder and Elbow Surgery</i> , 2004, 13, 78-85.	2.6	24
71	Mechanical and in vitro evaluations of composite PLDLLA/TCP scaffolds for bone engineering. <i>Virtual and Physical Prototyping</i> , 2008, 3, 193-197.	10.4	24
72	<p>Mechano-signalling, induced by fullerene C<sub>60</sub> nanofilms, arrests the cell cycle in the G2/M phase and decreases proliferation of liver cancer cells</p>. <i>International Journal of Nanomedicine</i> , 2019, Volume 14, 6197-6215.	6.7	24

#	ARTICLE	IF	CITATIONS
73	Quantitative imaging of electrospun fibers by PeakForce Quantitative NanoMechanics atomic force microscopy using etched scanning probes. <i>Micron</i> , 2015, 72, 1-7.	2.2	23
74	Cholesteryl Ester Liquid Crystal Nanofibers for Tissue Engineering Applications. , 2020, 2, 1067-1073.		23
75	Comparison of Dental Stone Models and Their 3D Printed Acrylic Replicas for the Accuracy and Mechanical Properties. <i>Materials</i> , 2020, 13, 4066.	2.9	23
76	Irradiation with 365 nm and 405 nm wavelength shows differences in DNA damage of swine pancreatic islets. <i>PLoS ONE</i> , 2020, 15, e0235052.	2.5	23
77	The influence of carbon-encapsulated iron nanoparticles on elastic modulus of living human mesenchymal stem cells examined by atomic force microscopy. <i>Micron</i> , 2018, 108, 41-48.	2.2	21
78	Formation of calcium phosphate coatings within polycaprolactone scaffolds by simple, alkaline phosphatase based method. <i>Materials Science and Engineering C</i> , 2019, 96, 319-328.	7.3	21
79	The effect of introduction of filament shift on degradation behaviour of PLGA- and PLCL-based scaffolds fabricated via additive manufacturing. <i>Polymer Degradation and Stability</i> , 2020, 171, 109030.	5.8	21
80	Incorporation of polymeric microparticles into collagen-hydroxyapatite scaffolds for the delivery of a pro-osteogenic peptide for bone tissue engineering. <i>APL Materials</i> , 2015, 3, .	5.1	20
81	Porous Titanium Scaffolds for Biomedical Applications: Corrosion Resistance and Structure Investigation. <i>Materials Science Forum</i> , 0, 674, 41-46.	0.3	19
82	Computer aided design of architecture of degradable tissue engineering scaffolds. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 1623-1632.	1.6	19
83	Translational Application of Microfluidics and Bioprinting for Stem Cell-Based Cartilage Repair. <i>Stem Cells International</i> , 2018, 2018, 1-14.	2.5	19
84	Engineering biological gradients. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2019, 17, 228080001982902.	1.6	19
85	Drug-Releasing Antibacterial Coating Made from Nano-Hydroxyapatite Using the Sonocoating Method. <i>Nanomaterials</i> , 2021, 11, 1690.	4.1	19
86	The combined antibacterial and anticancer properties of nano Ce-containing Mg-phosphate ceramic. <i>Life Sciences</i> , 2020, 257, 117999.	4.3	18
87	Hydroxyapatite Nanopowder Synthesis with a Programmed Resorption Rate. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-9.	2.7	17
88	Influence of macromolecular structure of novel 2- and 4-armed polylactides on their physicochemical properties and in vitro degradation process. <i>Journal of Polymer Research</i> , 2016, 23, 1.	2.4	17
89	Microstructure and nanomechanical properties of single stalks from diatom <i>Didymosphenia geminata</i> and their change due to adsorption of selected metal ions. <i>Journal of Phycology</i> , 2017, 53, 880-888.	2.3	17
90	Multifunctional composite combining chitosan microspheres for drug delivery embedded in shape memory polyester-urethane matrix. <i>Composites Science and Technology</i> , 2021, 201, 108481.	7.8	17

#	ARTICLE	IF	CITATIONS
91	In vitro and in vivo assessment of a 3D printable gelatin methacrylate hydrogel for bone regeneration applications. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022, 110, 2133-2145.	3.4	17
92	Radiation-induced effects in gamma-irradiated PLLA and PCL at ambient and dry ice temperatures. <i>Journal of Applied Polymer Science</i> , 2011, 122, 375-383.	2.6	16
93	Tailored degradation of biocompatible poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/calcium silicate/poly(lactide-co-glycolide) ternary composites: An in vitro study. <i>Materials Science and Engineering C</i> , 2013, 33, 4352-4360.	7.3	16
94	Biodegradable fiducial markers for X-ray imaging – soft tissue integration and biocompatibility. <i>Journal of Materials Chemistry B</i> , 2016, 4, 5700-5712.	5.8	16
95	Electrolyte alginate/poly-L-lysine membranes for connective tissue development. <i>Materials Letters</i> , 2016, 184, 104-107.	2.6	16
96	Chemical Polishing of Additively Manufactured, Porous, Nickel-Titanium Skeletal Fixation Plates. <i>3D Printing and Additive Manufacturing</i> , 2022, 9, 269-277.	2.9	16
97	Methods for fabricating oxygen releasing biomaterials. <i>Journal of Drug Targeting</i> , 2022, 30, 188-199.	4.4	16
98	Biological characterization of woven fabric using two- and three-dimensional cell cultures. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 882-893.	4.0	15
99	Characterization and Optimization of the Seeding Process of Adipose Stem Cells on the Polycaprolactone Scaffolds. <i>Stem Cells International</i> , 2019, 2019, 1-17.	2.5	15
100	3D Diatom-Designed and Selective Laser Melting (SLM) Manufactured Metallic Structures. <i>Scientific Reports</i> , 2019, 9, 19777.	3.3	15
101	Biological properties of a novel β -Ti alloy with a low young's modulus subjected to cold rolling. <i>Applied Surface Science</i> , 2020, 511, 145523.	6.1	15
102	The influence of crystallinity on radiation stability of UHMWPE. <i>Radiation Physics and Chemistry</i> , 2013, 84, 151-156.	2.8	14
103	A bioactive hybrid three-dimensional tissue-engineering construct for cartilage repair. <i>Journal of Biomaterials Applications</i> , 2016, 30, 873-885.	2.4	14
104	Microscopic Methods for Characterization of Selected Surface Properties of Biodegradable, Nanofibrous Tissue Engineering Scaffolds. <i>Materials Science Forum</i> , 0, 890, 213-216.	0.3	14
105	The Effect of Anti-aging Peptides on Mechanical and Biological Properties of HaCaT Keratinocytes. <i>International Journal of Peptide Research and Therapeutics</i> , 2018, 24, 577-587.	1.9	14
106	Multi-scale characterization and biological evaluation of composite surface layers produced under glow discharge conditions on NiTi shape memory alloy for potential cardiological application. <i>Micron</i> , 2018, 114, 14-22.	2.2	14
107	Mechanical properties of hybrid triphasic scaffolds for osteochondral tissue engineering. <i>Materials Letters</i> , 2020, 261, 126893.	2.6	14
108	Bioactive Nanofiber-Based Conduits in a Peripheral Nerve Gap Management – An Animal Model Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5588.	4.1	14

#	ARTICLE	IF	CITATIONS
109	Comparison of bacterial adhesion and cellular proliferation on newly developed three-dimensional scaffolds manufactured by rapid prototyping technology. <i>Journal of Biomedical Materials Research - Part A</i> , 2011, 98A, 303-311.	4.0	13
110	Internal nanocrystalline structure and stiffness alterations of electrospun polycaprolactone-based mats after six months of in vitro degradation. An atomic force microscopy assay. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 101, 103437.	3.1	13
111	A flexible immunosensor based on the electrochemically rGO with Au SAM using half-antibody for collagen type I sensing. <i>Applied Surface Science Advances</i> , 2022, 9, 100258.	6.8	13
112	Surface characterization and cytocompatibility evaluation of silanized magnesium alloy AZ91 for biomedical applications. <i>Science and Technology of Advanced Materials</i> , 2012, 13, 064214.	6.1	12
113	Influence of SaOS-2 cells on corrosion behavior of cast Mg-2.0Zn0.98Mn magnesium alloy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 150, 288-296.	5.0	12
114	Micro and nanoscale characterization of poly(DL-lactic-co-glycolic acid) films subjected to the L929 cells and the cyclic mechanical load. <i>Micron</i> , 2018, 115, 64-72.	2.2	12
115	Engineering Human-Scale Artificial Bone Grafts for Treating Critical-Size Bone Defects. <i>ACS Applied Bio Materials</i> , 2019, 2, 5077-5092.	4.6	12
116	3D-Printed Drug Delivery Systems: The Effects of Drug Incorporation Methods on Their Release and Antibacterial Efficiency. <i>Materials</i> , 2020, 13, 3364.	2.9	12
117	Naturally prefabricated 3D chitinous skeletal scaffold of marine demosponge origin, biomineralized ex vivo as a functional biomaterial. <i>Carbohydrate Polymers</i> , 2022, 275, 118750.	10.2	12
118	Insight into characteristic features of cartilage growth plate as a physiological template for bone formation. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 357-366.	4.0	11
119	Investigation of mechanical properties of porous composite scaffolds with tailorable degradation kinetics after <i>in vitro</i> degradation using digital image correlation. <i>Polymer Composites</i> , 2017, 38, 2402-2410.	4.6	11
120	Tuning the Wettability of a Thin Polymer Film by Gradually Changing the Geometry of Nanoscale Pore Edges. <i>Langmuir</i> , 2019, 35, 5987-5996.	3.5	11
121	Processing of (Co)Poly(2-oxazoline)s by Electrospinning and Extrusion from Melt and the Postprocessing Properties of the (Co)Polymers. <i>Polymers</i> , 2020, 12, 295.	4.5	11
122	Investigation into morphological and electromechanical surface properties of reduced-graphene-oxide-loaded composite fibers for bone tissue engineering applications: A comprehensive nanoscale study using atomic force microscopy approach. <i>Micron</i> , 2021, 146, 103072.	2.2	11
123	Tackling Current Biomedical Challenges With Frontier Biofabrication and Organ-On-A-Chip Technologies. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 732130.	4.1	11
124	Heat Treatment of NiTi Alloys Fabricated Using Laser Powder Bed Fusion (LPBF) from Elementally Blended Powders. <i>Materials</i> , 2022, 15, 3304.	2.9	11
125	Preparation of a Ceramic Matrix Composite Made of Hydroxyapatite Nanoparticles and Polylactic Acid by Consolidation of Composite Granules. <i>Nanomaterials</i> , 2020, 10, 1060.	4.1	10
126	Microfluidics in biofabrication. <i>Biofabrication</i> , 2020, 12, 030201.	7.1	10

#	ARTICLE	IF	CITATIONS
127	In situ alloying of NiTi: Influence of laser powder bed fusion (LPBF) scanning strategy on chemical composition. <i>Materials Today Communications</i> , 2022, 30, 103007.	1.9	10
128	Characterization of Three-Dimensional Printed Composite Scaffolds Prepared with Different Fabrication Methods. <i>Archives of Metallurgy and Materials</i> , 2016, 61, 645-650.	0.6	9
129	The dispersion of viscoelastic properties of fascicle bundles within the tendon results from the presence of interfascicular matrix and flow of body fluids. <i>Materials Science and Engineering C</i> , 2021, 130, 112435.	7.3	9
130	Identification and geometrical modelling of complex shape surfaces using coordinate measuring machine and CAD/CAM systems. <i>Journal of Materials Processing Technology</i> , 1998, 76, 49-55.	6.3	8
131	Effect of the design parameters on the in vitro wear performance of total shoulder arthroplasties. <i>Materials Science and Engineering C</i> , 2011, 31, 313-319.	7.3	8
132	Preparation and enhanced mechanical properties of hydroxyapatite hybrid hydrogels via novel photocatalytic polymerization. <i>Journal of Polymer Research</i> , 2017, 24, 1.	2.4	8
133	Effect of hydroxyapatite nanoparticles addition on structure properties of poly(ϵ -lactide-co-glycolide) After gamma sterilization. <i>Polymer Composites</i> , 2018, 39, 1023-1031.	4.6	8
134	Comparison of adipose stem cells sources from various locations of rat body for their application for seeding on polymer scaffolds. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2019, 30, 376-397.	3.5	8
135	X-ray physics-based CT-to-composition conversion applied to a tissue engineering scaffold, enabling multiscale simulation of its elastic behavior. <i>Materials Science and Engineering C</i> , 2019, 95, 389-396.	7.3	8
136	Scaffold vascularization method using an adipose-derived stem cell (ASC)-seeded scaffold prefabricated with a flow-through pedicle. <i>Stem Cell Research and Therapy</i> , 2020, 11, 34.	5.5	8
137	Morphology and Chemical Purity of Water Suspension of Graphene Oxide FLAKES Aged for 14 Months in Ambient Conditions. A Preliminary Study. <i>Materials</i> , 2021, 14, 4108.	2.9	8
138	Repurposing biodegradable tissue engineering scaffolds for localized chemotherapeutic delivery. <i>Journal of Biomedical Materials Research - Part A</i> , 2020, 108, 1144-1158.	4.0	8
139	Fracture safety of double-porous hydroxyapatite biomaterials. <i>Bioinspired, Biomimetic and Nanobiomaterials</i> , 2016, 5, 24-36.	0.9	7
140	Determining the effectiveness of vitamin C in skin care by atomic force microscope. <i>Microscopy Research and Technique</i> , 2019, 82, 1430-1437.	2.2	7
141	Coupling Additive Manufacturing with Hot Melt Extrusion Technologies to Validate a Ventilator-Associated Pneumonia Mouse Model. <i>Pharmaceutics</i> , 2021, 13, 772.	4.5	7
142	Water-vapor induced self-assembly of islands/honeycomb structure by secondary phase separation in polystyrene solution with bimodal molecular weight distribution. <i>Scientific Reports</i> , 2021, 11, 13299.	3.3	7
143	Technical Application Series. DESIGN OF A WEAR SIMULATOR FOR IN VITRO SHOULDER PROSTHESES TESTING. <i>Experimental Techniques</i> , 2004, 28, 45-48.	1.5	6
144	Simple methods influencing on properties of electrospun fibrous mats. <i>Journal of Applied Polymer Science</i> , 2012, 125, 4261-4266.	2.6	6

#	ARTICLE	IF	CITATIONS
145	Tissue Regeneration: A Multifunctional Polymeric Periodontal Membrane with Osteogenic and Antibacterial Characteristics (Adv. Funct. Mater. 3/2018). Advanced Functional Materials, 2018, 28, 1870021.	14.9	6
146	Solventless Conducting Paste Based on Graphene Nanoplatelets for Printing of Flexible, Standalone Routes in Room Temperature. Nanomaterials, 2018, 8, 829.	4.1	6
147	Impact of the Balloon Inflation Time and Pattern on the Coronary Stent Expansion. Journal of Interventional Cardiology, 2019, 2019, 1-10.	1.2	6
148	3D Printing of Functionally Graded Porous Materials Using On-Demand Reconfigurable Microfluidics. Angewandte Chemie, 2019, 131, 7702-7707.	2.0	6
149	Biocompatibility of a novel heat-treated and ceramic-coated magnesium alloy (Mg-1.2Zn-0.5Ca-0.5Mn) for resorbable skeletal fixation devices. MRS Communications, 2020, 10, 467-474.	1.8	6
150	Effect of laser functionalization of titanium on bioactivity and biological response. Applied Surface Science, 2020, 525, 146492.	6.1	6
151	Impedimetric and Plasmonic Sensing of Collagen I Using a Half-Antibody-Supported, Au-Modified, Self-Assembled Monolayer System. Biosensors, 2021, 11, 227.	4.7	6
152	In silico model of bevacizumab sustained release from intravitreal administrated PLGA drug-loaded microspheres. Materials Letters, 2022, 307, 131080.	2.6	6
153	Studies on enzymatic degradation of multifunctional composite consisting of chitosan microspheres and shape memory polyurethane matrix. Polymer Degradation and Stability, 2020, 182, 109392.	5.8	5
154	Multiscale analysis of viscoelastic properties, topography and internal structure of a biodegradable thermo-responsive shape memory polyurethane. Polymer, 2020, 191, 122273.	3.8	5
155	Biodegradable ceramic matrix composites made from nanocrystalline hydroxyapatite and silk fibers via crymilling and uniaxial pressing. Materials Letters, 2021, 293, 129672.	2.6	5
156	Novel design for an additively manufactured nozzle to produce tubular scaffolds via fused filament fabrication. Additive Manufacturing, 2022, 49, 102467.	3.0	5
157	Biological and Corrosion Evaluation of In Situ Alloyed NiTi Fabricated through Laser Powder Bed Fusion (LPBF). International Journal of Molecular Sciences, 2021, 22, 13209.	4.1	5
158	Energy Harvesting: Electric Field Assisted Microfluidic Platform for Generation of Tailorable Porous Microbeads as Cell Carriers for Tissue Engineering (Adv. Funct. Mater. 20/2018). Advanced Functional Materials, 2018, 28, 1870133.	14.9	4
159	A two-compartment bone tumor model to investigate interactions between healthy and tumor cells. Biomedical Materials (Bristol), 2020, 15, 035007.	3.3	4
160	Adhesive properties of graphene oxide and its modification with RGD peptide towards L929 cells. Materials Today Communications, 2021, 26, 102056.	1.9	4
161	The role of solvent solubility parameters in the formation of intermittent low and high molecular weight polystyrene rich structures in a thin film resulting from water vapor induced phase separation. Materials Letters, 2022, 321, 132390.	2.6	4
162	In vivo wear of polyethylene glenoid components in total shoulder arthroplasty. E-Polymers, 2005, 5, .	3.0	3

#	ARTICLE	IF	CITATIONS
163	Degradation of Engineering Materials – Implications to Regenerative Medicine. Macromolecular Symposia, 2007, 253, 1-9.	0.7	3
164	Discussion: Fracture safety of double-porous hydroxyapatite biomaterials. Bioinspired, Biomimetic and Nanobiomaterials, 2016, 5, 176-177.	0.9	3
165	Unrecoverable bi-products of drilling titanium alloy and tantalum metal implants: a pilot study. HIP International, 2018, 28, 531-534.	1.7	3
166	From Matrix Vesicles to Miniature Rocks: Evolution of Calcium Deposits in Calf Costochondral Junctions. Cartilage, 2021, 13, 326S-335S.	2.7	3
167	Photocurable Biopolymers for Coaxial Bioprinting. Methods in Molecular Biology, 2021, 2147, 45-54.	0.9	3
168	Biodegradable Fiducial Markers for Bimodal Near-Infrared Fluorescence- and X-ray-Based Imaging. ACS Biomaterials Science and Engineering, 2022, 8, 859-870.	5.2	3
169	Plasma Modification of Carbon Coating Produced by RF CVD on Oxidized NiTi Shape Memory Alloy under Glow-Discharge Conditions. Materials, 2021, 14, 4842.	2.9	2
170	Simulation of the shrinkage of dental polymeric composites. E-Polymers, 2005, 5, .	3.0	1
171	Aligned Cell-Loaded Yarns: Tendon Tissue Engineering: Effects of Mechanical and Biochemical Stimulation on Stem Cell Alignment on Cell-Loaded Hydrogel Yarns (Adv. Healthcare Mater. 7/2019). Advanced Healthcare Materials, 2019, 8, 1970025.	7.6	1
172	High-resolution microscopy assisted mechanical modeling of ultrafine electrospun network. Polymer, 2021, 230, 124050.	3.8	1
173	Modified Histopathological Protocol for Poly-ε-Caprolactone Scaffolds Preserving Their Trabecular, Honeycomb-like Structure. Materials, 2022, 15, 1732.	2.9	1
174	Numerical Modeling in the Design and Evaluation of Scaffolds for Orthopaedics Applications. Methods in Molecular Biology, 2012, 868, 155-182.	0.9	0
175	Biomaterials for Cartilage Reconstruction and Repair. , 2008, , 659-678.		0
176	Microsensor for Cell Force Measurement. Sensor Letters, 2010, 8, 736-743.	0.4	0
177	From Micro-CT to Multiscale Mechanics of Double-Porous Hydroxyapatite Granules for Regenerative Medicine. , 2012, , .		0
178	Consistent Quasi-Static and Ultrasonic Elasticity Determination of PLLA-based Rapid-Prototyped Tissue Engineering Scaffolds. , 2012, , .		0
179	Improvement of Cytocompatibility of Magnesium Alloy ZM21 by Surface Modification. , 2014, , 375-380.		0