

Hisashi Matsuda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9200348/publications.pdf>

Version: 2024-02-01

460
papers

24,401
citations

5569

82
h-index

24232

110
g-index

579
all docs

579
docs citations

579
times ranked

14996
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemical Structures of Phenylbutanoids From Rhizomes of <i>Zingiber cassumunar</i> . Natural Product Communications, 2022, 17, 1934578X2210778.	0.2	0
2	Analysis of Active Compounds Using Target Protein Cofilin-Cucurbitacins in Cytotoxic Plant <i>Bryonia cretica</i> . Toxins, 2022, 14, 212.	1.5	3
3	Estrogenic and antiandrogenic activities of methoxyflavans isolated from the fruit of <i>Mauritia Flexuosa</i> (Moriche Palm). Journal of Food Biochemistry, 2021, 45, e13583.	1.2	2
4	Inhibitory effects of cynaropicrin and related sesquiterpene lactones from leaves of artichoke (<i>Cynara scolymus</i> L.) on induction of iNOS in RAW264.7 cells and its high-affinity proteins. Journal of Natural Medicines, 2021, 75, 381-392.	1.1	10
5	Detection of New 3,4-Dimethylpyrrole Derivatives upon the Incubation of Exogenous Amines with Extract of Onion (<i>Allium cepa</i>) and Crude Alliinase from Garlic (<i>A. sativum</i>). Heterocycles, 2021, 102, 2168.	0.4	2
6	A review of antidiabetic active thiosugar sulfoniums, salacinol and neokotalanol, from plants of the genus <i>Salacia</i> . Journal of Natural Medicines, 2021, 75, 449-466.	1.1	16
7	Construction of sulfur-containing compounds with anti-cancer stem cell activity using thioacrolein derived from garlic based on nature-inspired scaffolds. Organic and Biomolecular Chemistry, 2021, 20, 196-207.	1.5	4
8	BBB-permeable aporphine-type alkaloids in <i>Nelumbo nucifera</i> flowers with accelerative effects on neurite outgrowth in PC-12 cells. Journal of Natural Medicines, 2020, 74, 212-218.	1.1	16
9	Antihypertensive constituents in <i>Sanoshashinto</i> . Journal of Natural Medicines, 2020, 74, 421-433.	1.1	12
10	Anti-inflammatory effect of isopimarane diterpenoids from <i>Kaempferia galanga</i> . Phytotherapy Research, 2020, 34, 612-623.	2.8	18
11	Structures of Cyclic Organosulfur Compounds From Garlic (<i>Allium sativum</i> L.) Leaves. Frontiers in Chemistry, 2020, 8, 282.	1.8	12
12	Effects of <i>Sanoshashinto</i> on left ventricular hypertrophy and gut microbiota in spontaneously hypertensive rats. Journal of Natural Medicines, 2020, 74, 482-486.	1.1	13
13	Accelerative effects of carbazole-type alkaloids from <i>Murraya koenigii</i> on neurite outgrowth and their derivative TM s in vivo study for spatial memory. Journal of Natural Medicines, 2020, 74, 448-455.	1.1	8
14	Biofunctional Effects of Thiohemiaminal-Type Dimeric Sesquiterpene Alkaloids from <i>Nuphar</i> Plants. Chemical and Pharmaceutical Bulletin, 2019, 67, 666-674.	0.6	5
15	A Review of Biologically Active Natural Products from a Desert Plant <i>Cistanche tubulosa</i> . Chemical and Pharmaceutical Bulletin, 2019, 67, 675-689.	0.6	39
16	Cyclic sulfur metabolites from <i>Allium schoenoprasum</i> var. <i>foliosum</i> . Phytochemistry Letters, 2019, 29, 125-128.	0.6	5
17	Inhibition of melanin production by anthracenone dimer glycosides isolated from <i>Cassia auriculata</i> seeds. Journal of Natural Medicines, 2019, 73, 439-449.	1.1	8
18	Anti-proliferative effect of auriculataoside A on B16 melanoma 4A5 cells by suppression of Cdc42-Rac1-RhoA signaling protein levels. Journal of Natural Medicines, 2019, 73, 450-455.	1.1	3

#	ARTICLE	IF	CITATIONS
19	Cyclic sulfur-containing compounds from <i>Allium fistulosum</i> "Kujou". <i>Journal of Natural Medicines</i> , 2019, 73, 397-403.	1.1	16
20	Degranulation inhibitors from the arils of <i>Myristica fragrans</i> in antigen-stimulated rat basophilic leukemia cells. <i>Journal of Natural Medicines</i> , 2018, 72, 464-473.	1.1	15
21	New diterpenes from <i>Nigella damascena</i> seeds and their antiviral activities against herpes simplex virus type-1. <i>Journal of Natural Medicines</i> , 2018, 72, 439-447.	1.1	11
22	Rare Sulfur-Containing Compounds, Kujounins A ₁ and A ₂ and Allium Sulfoxide A ₁ , from <i>Allium fistulosum</i> "Kujou". <i>Organic Letters</i> , 2018, 20, 28-31.	2.4	25
23	Cytotoxicity of sesquiterpene alkaloids from <i>Nuphar</i> plants toward sensitive and drug-resistant cell lines. <i>Food and Function</i> , 2018, 9, 6279-6286.	2.1	12
24	Anti-invasive Activity of <i>Lawsonia inermis</i> Branch and Its Potential Target Protein. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.	0.2	1
25	Protective Effects of Compounds in <i>Bombax ceiba</i> flower on Benzo[a]pyrene-Induced Cytotoxicity. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.2	0
26	Oleanane-type Triterpenes with Highly-Substituted Oxygen Functional Groups from the Flower Buds of <i>Camellia sinensis</i> and Their Inhibitory Effects against NO Production and HSV-1. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.2	3
27	Euphosantianane A-D: Antiproliferative Premyrinane Diterpenoids from the Endemic Egyptian Plant <i>Euphorbia Sanctae-Catharinae</i> . <i>Molecules</i> , 2018, 23, 2221.	1.7	20
28	Comparison of lawsone contents among <i>Lawsonia inermis</i> plant parts and neurite outgrowth accelerators from branches. <i>Journal of Natural Medicines</i> , 2018, 72, 890-896.	1.1	19
29	Antiinflammation constituents from <i>Curcuma zedoaroides</i> . <i>Phytotherapy Research</i> , 2018, 32, 2312-2320.	2.8	10
30	Neolignan and megastigmane glucosides from the aerial parts of <i>Isodon japonicus</i> with cell protective effects on BaP-induced cytotoxicity. <i>Phytochemistry</i> , 2017, 137, 101-108.	1.4	21
31	Stimulators of acylated ghrelin secretion from <i>Moringa oleifera</i> leaves. <i>Phytochemistry Letters</i> , 2017, 21, 1-5.	0.6	4
32	Antimutagenic activity of ent-kaurane diterpenoids from the aerial parts of <i>Isodon japonicus</i> . <i>Tetrahedron Letters</i> , 2017, 58, 3574-3578.	0.7	17
33	Oxazonigelladine and dolabellane-type diterpene constituents from <i>Nigella damascena</i> seeds. <i>Tetrahedron</i> , 2017, 73, 7054-7060.	1.0	8
34	Triterpenes with Anti-invasive Activity from <i>Sclerotia</i> of <i>Inonotus obliquus</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.2	2
35	Chemical Structure of an Acylated Oleanane-type Triterpene Oligoglycoside and Anti-inflammatory Constituents from the Flower Buds of <i>Camellia sinensis</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.2	1
36	A Review of Anti-inflammatory Terpenoids from the Incense Gum Resins Frankincense and Myrrh. <i>Journal of Oleo Science</i> , 2017, 66, 805-814.	0.6	39

#	ARTICLE	IF	CITATIONS
37	Structure of a Coumaric Acid Analogue with a Monoterpene Moiety from the Flowers of <i>Osmanthus fragrans</i> var. <i>aurantiacus</i> and Evaluation of Cinnamic Acid Analogues as Nitric Oxide Production and Degranulation Inhibitors. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.2	5
38	Caffeic Acid Derivatives from <i>Bacopa monniera</i> Plants as Inhibitors of Pancreatic Lipase Activity and their Structural Requirements. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.2	1
39	Preface to this special issue "Biologically active natural products from microorganisms and plants". <i>Journal of Natural Medicines</i> , 2016, 70, 301-301.	1.1	0
40	β -Lactam alkaloids from the flower buds of daylily. <i>Journal of Natural Medicines</i> , 2016, 70, 376-383.	1.1	20
41	Chemical structures of constituents from the whole plant of <i>Bacopa monniera</i> . <i>Journal of Natural Medicines</i> , 2016, 70, 404-411.	1.1	17
42	Structures of Aromatic Glycosides from the Seeds of <i>Cassia auriculata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 970-974.	0.6	7
43	Degranulation Inhibitors from Medicinal Plants in Antigen-Stimulated Rat Basophilic Leukemia (RBL-2H3) Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 96-103.	0.6	35
44	New biofunctional effects of the flower buds of <i>Camellia sinensis</i> and its bioactive acylated oleanane-type triterpene oligoglycosides. <i>Journal of Natural Medicines</i> , 2016, 70, 689-701.	1.1	30
45	Acylated oleanane-type triterpene saponins from the flowers of <i>Bellis perennis</i> show anti-proliferative activities against human digestive tract carcinoma cell lines. <i>Journal of Natural Medicines</i> , 2016, 70, 435-451.	1.1	11
46	New potent accelerator of neurite outgrowth from <i>Lawsonia inermis</i> flower under non-fasting condition. <i>Journal of Natural Medicines</i> , 2016, 70, 384-390.	1.1	9
47	Enhancement of energy production by black ginger extract containing polymethoxy flavonoids in myocytes through improving glucose, lactic acid and lipid metabolism. <i>Journal of Natural Medicines</i> , 2016, 70, 163-172.	1.1	33
48	Oleanane-type triterpene saponins with collagen synthesis-promoting activity from the flowers of <i>Bellis perennis</i> . <i>Phytochemistry</i> , 2015, 116, 203-212.	1.4	20
49	Chemical structures of constituents from the flowers of <i>Osmanthus fragrans</i> var. <i>aurantiacus</i> . <i>Journal of Natural Medicines</i> , 2015, 69, 135-141.	1.1	22
50	Chemical structures of constituents from the seeds of <i>Cassia auriculata</i> . <i>Tetrahedron</i> , 2015, 71, 6727-6732.	1.0	4
51	Dipeptidyl peptidase-IV inhibitory activity of dimeric dihydrochalcone glycosides from flowers of <i>Helichrysum arenarium</i> . <i>Journal of Natural Medicines</i> , 2015, 69, 494-506.	1.1	39
52	Rare hydroperoxyl guaianolide sesquiterpenes from <i>Pulicaria undulata</i> . <i>Phytochemistry Letters</i> , 2015, 12, 177-181.	0.6	19
53	Inhibitors of melanogenesis in B16 melanoma 4A5 cells from flower buds of <i>Lawsonia inermis</i> (Henna). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 2702-2706.	1.0	19
54	Anti-inflammatory sesquiterpenes from the medicinal herb <i>Tanacetum sinaicum</i> . <i>RSC Advances</i> , 2015, 5, 44895-44901.	1.7	19

#	ARTICLE	IF	CITATIONS
55	Constituents of flowers of Paeoniaceae plants, <i>Paeonia suffruticosa</i> and <i>Paeonia lactiflora</i> . <i>Phytochemistry Letters</i> , 2015, 12, 98-104.	0.6	20
56	Acylated oleanane-type triterpene oligoglycosides from the flower buds of <i>Camellia sinensis</i> var. <i>assamica</i> . <i>Tetrahedron</i> , 2015, 71, 846-851.	1.0	19
57	Structure of diarylheptanoids with antiallergic activity from the rhizomes of <i>Curcuma comosa</i> . <i>Journal of Natural Medicines</i> , 2015, 69, 142-147.	1.1	17
58	Adipogenic effects of piperlonguminine in 3T3-L1 cells and plasma concentrations of several amide constituents from <i>Piper chaba</i> extracts after treatment of mice. <i>Journal of Natural Medicines</i> , 2014, 68, 74-82.	1.1	9
59	Structures of acylated sucroses from the flower buds of <i>Prunus mume</i> . <i>Journal of Natural Medicines</i> , 2014, 68, 481-487.	1.1	14
60	Chemical constituents and their antibacterial and antifungal activity from the Egyptian herbal medicine <i>Chiliadenus montanus</i> . <i>Phytochemistry</i> , 2014, 103, 154-161.	1.4	22
61	Lignan Dicarboxylates and Terpenoids from the Flower Buds of <i>Cananga odorata</i> and Their Inhibitory Effects on Melanogenesis. <i>Journal of Natural Products</i> , 2014, 77, 990-999.	1.5	30
62	Dimeric pyrrolidinoindoline-type alkaloids with melanogenesis inhibitory activity in flower buds of <i>Chimonanthus praecox</i> . <i>Journal of Natural Medicines</i> , 2014, 68, 539-549.	1.1	24
63	Structure of constituents isolated from the flower buds of <i>Cananga odorata</i> and their inhibitory effects on aldose reductase. <i>Journal of Natural Medicines</i> , 2014, 68, 709-716.	1.1	10
64	A Rare Glutamine Derivative from the Flower Buds of Daylily. <i>Organic Letters</i> , 2014, 16, 3076-3078.	2.4	30
65	Search for New Type of PPAR α Agonist-Like Anti-diabetic Compounds from Medicinal Plants. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 884-891.	0.6	24
66	Chemical Structures and Hepatoprotective Effects of Constituents from <i>Cassia auriculata</i> Leaves. <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 1026-1031.	0.6	23
67	Adipogenic effects of retrofractamide A derivatives in 3T3-L1 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 4813-4816.	1.0	6
68	Structures of acylated sucroses and an acylated flavonol glycoside and inhibitory effects of constituents on aldose reductase from the flower buds of <i>Prunus mume</i> . <i>Journal of Natural Medicines</i> , 2013, 67, 799-806.	1.1	26
69	Diarylheptanoids with inhibitory effects on melanogenesis from the rhizomes of <i>Curcuma comosa</i> in B16 melanoma cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 5178-5181.	1.0	29
70	Purple rice extract and its constituents suppress endoplasmic reticulum stress-induced retinal damage in vitro and in vivo. <i>Life Sciences</i> , 2013, 92, 17-25.	2.0	12
71	Hydrangeamines A and B, novel polyketide-type pseudoalkaloid-coupled secoiridoid glycosides from the flowers of <i>Hydrangea macrophylla</i> var. <i>thunbergii</i> . <i>Tetrahedron Letters</i> , 2013, 54, 32-34.	0.7	14
72	Alkaloids from Sri Lankan curry-leaf (<i>Murraya koenigii</i>) display melanogenesis inhibitory activity: Structures of karapinchamines A and B. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 1043-1049.	1.4	44

#	ARTICLE	IF	CITATIONS
73	Acylated dolabellane-type diterpenes from <i>Nigella sativa</i> seeds with triglyceride metabolism-promoting activity in high glucose-pretreated HepG2 cells. <i>Phytochemistry Letters</i> , 2013, 6, 198-204.	0.6	23
74	Acylated sucroses and acylated quinic acids analogs from the flower buds of <i>Prunus mume</i> and their inhibitory effect on melanogenesis. <i>Phytochemistry</i> , 2013, 92, 128-136.	1.4	43
75	Alkaloid constituents from flower buds and leaves of sacred lotus (<i>Nelumbo nucifera</i> , Nymphaeaceae) with melanogenesis inhibitory activity in B16 melanoma cells. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 779-787.	1.4	86
76	Medicinal Flowers. XXXVIII. Structures of Acylated Sucroses and Inhibitory Effects of Constituents on Aldose Reductase from the Flower Buds of <i>Prunus mume</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2013, 61, 445-451.	0.6	21
77	Inhibitory Effects on Aldose Reductase from the Flowers of <i>Hydrangea macrophylla</i> var. <i>thunbergii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2013, 61, 655-661.	0.6	22
78	Simultaneous Determination of Isoflavones, Saponins and Flavones in Flos <i>Puerariae</i> by Ultra Performance Liquid Chromatography Coupled with Quadrupole Time-of-Flight Mass Spectrometry. <i>Chemical and Pharmaceutical Bulletin</i> , 2013, 61, 941-951.	0.6	25
79	Changes in Ceramides and Glucosylceramides in Mouse Skin and Human Epidermal Equivalents by Rice-Derived Glucosylceramide. <i>Journal of Medicinal Food</i> , 2012, 15, 1064-1072.	0.8	27
80	Sesquiterpenes from an Egyptian Herbal Medicine, <i>Pulicaria undulate</i> , with Inhibitory Effects on Nitric Oxide Production in RAW264.7 Macrophage Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 363-370.	0.6	34
81	Medicinal Flowers. XXXIII. Anti-hyperlipidemic and Anti-hyperglycemic Effects of Chakasaponins III and Structure of Chakasaponin IV from Flower Buds of Chinese Tea Plant (<i>Camellia</i>). <i>Journal of Natural Products</i> , 2012, 75, 1425-1430.	1.5	39
82	Triterpene Saponins with Inhibitory Effects on Melanogenesis from the Flower Buds of Chinese <i>Camellia japonica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 752-758.	0.6	27
83	Medicinal Flowers. XXXV. Nor-oleanane-type and acylated oleanane-type triterpene saponins from the flower buds of Chinese <i>Camellia japonica</i> and their inhibitory effects on	0.6	33
84	Melanogenesis Inhibitory and Fibroblast Proliferation Accelerating Effects of Noroleanane- and Oleanane-Type Triterpene Oligoglycosides from the Flower Buds of <i>Camellia japonica</i> . <i>Journal of Natural Products</i> , 2012, 75, 1425-1430.	1.5	39
85	Suppressive effects of coumarins from <i>Mammea siamensis</i> on inducible nitric oxide synthase expression in RAW264.7 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 4968-4977.	1.4	28
86	Anti-hyperlipidemic constituents from the bark of <i>Shorea roxburghii</i> . <i>Journal of Natural Medicines</i> , 2012, 66, 516-524.	1.1	36
87	Antidiabetogenic oligostilbenoids and 3-ethyl-4-phenyl-3,4-dihydroisocoumarins from the bark of <i>Shorea roxburghii</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 832-840.	1.4	44
88	Flavonol glycosides with lipid accumulation inhibitory activity from <i>Sedum sarmentosum</i> . <i>Phytochemistry Letters</i> , 2012, 5, 53-58.	0.6	16
89	Promoting the effect of chemical constituents from the flowers of <i>Poa cynosuroides</i> on adipogenesis in 3T3-L1 cells. <i>Journal of Natural Medicines</i> , 2012, 66, 39-48.	1.1	17
90	Suppressive effects of methoxyflavonoids isolated from <i>Kaempferia parviflora</i> on inducible nitric oxide synthase (iNOS) expression in RAW 264.7 cells. <i>Journal of Ethnopharmacology</i> , 2011, 136, 488-495.	2.0	76

#	ARTICLE	IF	CITATIONS
91	Chemical Structures and Hepatoprotective Effects of Constituents from the Leaves of <i>Salacia chinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1020-1028.	0.6	24
92	Mate Tea (<i>Ilex paraguariensis</i>) Promotes Satiety and Body Weight Lowering in Mice: Involvement of Glucagon-Like Peptide-1. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 1849-1855.	0.6	58
93	Invasion Inhibitors of Human Fibrosarcoma HT 1080 Cells from the Rhizomes of <i>Zingiber cassumunar</i>; Structures of Phenylbutanoids, Cassumunols. <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 365-370.	0.6	23
94	Medicinal Flowers. XXXII. Structures of Oleanane-Type Triterpene Saponins, Perennisosides VIII, IX, X, XI, and XII, from the Flowers of <i>Bellis perennis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 889-895.	0.6	21
95	Protective and ameliorative effects of matã© (<i>Ilex paraguariensis</i>) on metabolic syndrome in TSOD mice. <i>Phytomedicine</i> , 2011, 19, 88-97.	2.3	42
96	Anti-obesity effects of the methanolic extract and chakasaponins from the flower buds of <i>Camellia sinensis</i> in mice. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 6033-6041.	1.4	40
97	New terpenoids, olibanumols Dã€“G, from traditional Egyptian medicine olibanum, the gum-resin of <i>Boswellia carterii</i> . <i>Journal of Natural Medicines</i> , 2011, 65, 129-134.	1.1	32
98	Effect of Cinnamoyl and Flavonol Glucosides Derived from Cherry Blossom Flowers on the Production of Advanced Glycation End Products (<sc>AGEs</sc>) and AGEã€“induced Fibroblast Apoptosis. <i>Phytotherapy Research</i> , 2011, 25, 1328-1335.	2.8	27
99	Structural requirements of flavonoids for the adipogenesis of 3T3-L1 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2835-2841.	1.4	36
100	Four New Ursane-Type Triterpenes, Olibanumols K, L, M, and N, from Traditional Egyptian Medicine Olibanum, the Gum-Resin of <i>Boswellia carterii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1541-1544.	0.6	22
101	New Cyanoglycosides, Hydracyanosides D, E, and F, from the Leaves of <i>Hydrangea macrophylla</i> . <i>Heterocycles</i> , 2010, 81, 909.	0.4	11
102	Structures of Novel Norstilbene Dimer, Longusone A, and Three New Stilbene Dimers, Longusols A, B, and C, with Antiallergic and Radical Scavenging Activities from Egyptian Natural Medicine <i>Cyperus longus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1379-1385.	0.6	44
103	Medicinal Flowers. XXXI. Acylated Oleanane-Type Triterpene Saponins, Sasanquasaponins I-V, with Antiallergic Activity from the Flower Buds of <i>Camellia sasanqua</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1617-1621.	0.6	44
104	Brazilian Natural Medicines. IV. New Noroleanane-Type Triterpene and Ecdysterone-Type Sterol Glycosides and Melanogenesis Inhibitors from the Roots of <i>Pfaffia glomerata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 690-695.	0.6	39
105	Cucurbitane-Type Triterpenes with Anti-proliferative Effects on U937 Cells from an Egyptian Natural Medicine, <i>Bryonia cretica</i> : Structures of New Triterpene Glycosides, Bryoniaosides A and B. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 747-751.	0.6	26
106	Medicinal Flowers. Part 29. Acylated Oleananeã€“Type Triterpene Bisdesmosides: Perennisosaponins G, H, I, J, K, L, and M with Pancreatic Lipase Inhibitory Activity from the Flowers of <i>Bellis perennis</i>. <i>Helvetica Chimica Acta</i> , 2010, 93, 573-586.	1.0	26
107	Melanogenesis inhibitors from the desert plant <i>Anastatica hierochuntica</i> in B16 melanoma cells. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2337-2345.	1.4	80
108	Acylated phenylethanoid oligoglycosides with hepatoprotective activity from the desert plant <i>Cistanche tubulosa</i> 1. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 1882-1890.	1.4	87

#	ARTICLE	IF	CITATIONS
109	Cucurbitacin E as a new inhibitor of cofilin phosphorylation in human leukemia U937 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2994-2997.	1.0	55
110	Activation of TRPV1 and TRPA1 by Black Pepper Components. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 1068-1072.	0.6	104
111	Hydrangeic acid from the processed leaves of <i>Hydrangea macrophylla</i> var. <i>thunbergii</i> as a new type of anti-diabetic compound. <i>European Journal of Pharmacology</i> , 2009, 606, 255-261.	1.7	53
112	Acylated Flavonol Bisdesmosides, Sinocrassosides A ₃ and B ₃ , with Aminopeptidase N Inhibitory Activity from <i>Sinocrassula indica</i> . <i>Chemistry and Biodiversity</i> , 2009, 6, 411-420.	1.0	11
113	Acylated Oleanane-Type Triterpene Saponins with Acceleration of Gastrointestinal Transit and Inhibitory Effect on Pancreatic Lipase from Flower Buds of Chinese Tea Plant (<i>Camellia</i>). <i>Tetrahedron Letters</i> , 2009, 50, 4639-4642.	0.7	15
114	Novel megastigmanes with lipid accumulation inhibitory and lipid metabolism-promoting activities in HepG2 cells from <i>Sedum sarmentosum</i> . <i>Tetrahedron</i> , 2009, 65, 4142-4148.	1.0	26
115	Sesquiterpenes from <i>Curcuma comosa</i> . <i>Journal of Natural Medicines</i> , 2009, 63, 102-104.	1.1	31
116	Acetoxybenzhydrols as highly active and stable analogues of 1 ^S -1 ^S -acetoxychavicol, a potent antiallergic principal from <i>Alpinia galanga</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 2944-2946.	1.0	16
117	Absolute stereostructures of inoterpenes A-F from sclerotia of <i>Inonotus obliquus</i> . <i>Tetrahedron</i> , 2009, 65, 2443-2450.	1.0	48
118	The absolute stereostructures of cyanogenic glycosides, hydracyanosides A, B, and C, from the leaves and stems of <i>Hydrangea macrophylla</i> . <i>Tetrahedron Letters</i> , 2009, 50, 4639-4642.	0.7	15
119	Oleanane-type triterpene oligoglycosides with pancreatic lipase inhibitory activity from the pericarps of <i>Sapindus rarak</i> . <i>Phytochemistry</i> , 2009, 70, 1166-1172.	1.4	60
120	Melanogenesis inhibitors from the rhizomes of <i>Alpinia officinarum</i> in B16 melanoma cells. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 6048-6053.	1.4	87
121	Hepatoprotective amide constituents from the fruit of <i>Piper chaba</i> : Structural requirements, mode of action, and new amides. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 7313-7323.	1.4	78
122	Apoptosis-Inducing Effects of Sterols from the Dried Powder of Cultured Mycelium of <i>Cordyceps sinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 411-414.	0.6	36
123	Medicinal Flowers. XXV. Structures of Floratheasaponin J and Chakanoside II from Japanese Tea Flower, Flower Buds of <i>Camellia sinensis</i> . <i>Heterocycles</i> , 2009, 78, 1023.	0.4	21
124	Bioactive Constituents from Chinese Natural Medicines. XXXIII. Inhibitors from the Seeds of <i>Psoralea corylifolia</i> on Production of Nitric Oxide in Lipopolysaccharide-Activated Macrophages. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 147-149.	0.6	54
125	Structures of New Flavonoids and Benzofuran-Type Stilbene and Degranulation Inhibitors of Rat Basophilic Leukemia Cells from the Brazilian Herbal Medicine <i>Cissus sicyoides</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1089-1095.	0.6	40
126	Chemical Constituents from Seeds of <i>Panax ginseng</i> : Structure of New Dammarane-Type Triterpene Ketone, Panaxadione, and HPLC Comparisons of Seeds and Flesh. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 283-287.	0.6	35

#	ARTICLE	IF	CITATIONS
127	Structures of Acetylated Oleanane-Type Triterpene Saponins, Rarasaponins IV, V, and VI, and Anti-hyperlipidemic Constituents from the Pericarps of <i>Sapindus rarak</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 198-203.	0.6	29
128	Brazilian Natural Medicines. III. Structures of Triterpene Oligoglycosides and Lipase Inhibitors from Mate, Leaves of <i>Ilex paraguariensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 257-261.	0.6	44
129	Medicinal Flowers. XXVI. Structures of Acylated Oleanane-Type Triterpene Oligoglycosides, Yuchasaponins A, B, C, and D, from the Flower Buds of <i>Camellia oleifera</i> ; Gastroprotective, Aldose Reductase Inhibitory, and Radical Scavenging Effects. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 269-275.	0.6	44
130	Antidiabetogenic Constituents from the Thai Traditional Medicine <i>Cotylelobium melanoxylon</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 487-494.	0.6	43
131	Medicinal Flowers. XXX. Eight New Glycosides, Everlastosides F-M, from the Flowers of <i>Helichrysum arenarium</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 853-859.	0.6	33
132	Absolute Stereostructures of Olibanumols A, B, C, H, I, and J from Olibanum, Gum-Resin of <i>Boswellia carterii</i> , and Inhibitors of Nitric Oxide Production in Lipopolysaccharide-Activated Mouse Peritoneal Macrophages. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 957-964.	0.6	50
133	Structures of New Phenylbutanoids and Nitric Oxide Production Inhibitors from the Rhizomes of <i>Zingiber cassumunar</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1267-1272.	0.6	33
134	A New Amide, Piperchabamide F, and Two New Phenylpropanoid Glycosides, Piperchabaosides A and B, from the Fruit of <i>Piper chaba</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1292-1295.	0.6	21
135	Medicinal Flowers. XXVII. New Flavanone and Chalcone Glycosides, Arenariumosides I, II, III, and IV, and Tumor Necrosis Factor- α Inhibitors from Everlasting, Flowers of <i>Helichrysum arenarium</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 361-367.	0.6	37
136	Medicinal Flowers. XXVIII. Structures of Five New Glycosides, Everlastosides A, B, C, D, and E, from the Flowers of <i>Helichrysum arenarium</i> . <i>Heterocycles</i> , 2009, 78, 1235.	0.4	21
137	Syntheses and Evaluation as Glycosidase Inhibitor of 1,5-Dideoxy-1,5-imino-D-glucitol Analogs of Salacinol, a Potent β -Glucosidase Inhibitor Isolated from Ayurvedic Medicine, <i>Salacia reticulata</i> . <i>Heterocycles</i> , 2009, 79, 1093.	0.4	10
138	Steroidal saponins and pseudoalkaloid oligoglycoside from Brazilian natural medicine, <i>Fruta do lobo</i> (fruit of <i>Solanum lycocarpum</i>). <i>Phytochemistry</i> , 2008, 69, 1565-1572.	1.4	32
139	Protective effects of amide constituents from the fruit of <i>Piper chaba</i> on d-galactosamine/TNF- α -induced cell death in mouse hepatocytes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2038-2042.	1.0	79
140	The absolute stereostructures of three rare D:B-friedobaccharane skeleton triterpenes from the leaves of <i>Salacia chinensis</i> . <i>Tetrahedron</i> , 2008, 64, 7347-7352.	1.0	15
141	Effects of amide constituents from pepper on adipogenesis in 3T3-L1 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3272-3277.	1.0	29
142	Inhibitory effects of thunberginols A and B isolated from <i>Hydrangeae Dulcis Folium</i> on mRNA expression of cytokines and on activation of activator protein-1 in RBL-2H3 cells. <i>Phytomedicine</i> , 2008, 15, 177-184.	2.3	25
143	Perennisosides VII, Acylated Triterpene Saponins with Antihyperlipidemic Activities from the Flowers of <i>Bellis perennis</i> . <i>Journal of Natural Products</i> , 2008, 71, 828-835.	1.5	42
144	Structures of New Sesquiterpenes from <i>Curcuma comosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1710-1716.	0.6	19

#	ARTICLE	IF	CITATIONS
145	Synthesis of 3-Substituted Isocoumarins and Their Inhibitory Effects on Degranulation of RBL-2H3 Cells Induced by Antigen. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1264-1269.	0.6	55
146	Medicinal Flowers. XXII. Structures of Chakasaponins V and VI, Chakanoside I, and Chakaflavonoside A from Flower Buds of Chinese Tea Plant (<i>Camellia sinensis</i>). <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1297-1303.	0.6	44
147	Bioactive Constituents from Chinese Natural Medicines. XXXII. Aminopeptidase N and Aldose Reductase Inhibitors from <i>Sinocrassula indica</i> : Structures of Sinocrassosides B4, B5, C1, and D1-D3. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1438-1444.	0.6	29
148	Structures of New Monoterpenes from Thai Herbal Medicine <i>Curcuma comosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1604-1606.	0.6	16
149	Medicinal Flowers. XXIV. Chemical Structures and Hepatoprotective Effects of Constituents from Flowers of <i>Hedychium coronarium</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1704-1709.	0.6	37
150	Bioactive Constituents from Chinese Natural Medicines. XXVIII. Chemical Structures of Acyclic Alcohol Glycosides from the Roots of <i>Rhodiola crenulata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 536-540.	0.6	62
151	Medicinal Flowers. XXI. Structures of Perennisaponins A, B, C, D, E, and F, Acylated Oleanane-Type Triterpene Oligoglycosides, from the Flowers of <i>Bellis perennis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 559-568.	0.6	36
152	New Triterpene Constituents, Foliasalacins A, B, C, and D, from the Leaves of <i>Salacia chinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 915-920.	0.6	19
153	Medicinal Foodstuffs. XXXIV. Structures of New Prenylchalcones and Prenylflavanones with TNF- α and Aminopeptidase N Inhibitory Activities from <i>Boesenbergia rotunda</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 956-962.	0.6	52
154	Absolute Structures of New Megastigmane Glycosides, Foliasalaciosides E1, E2, E3, F, G, H, and I from the Leaves of <i>Salacia chinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 547-553.	0.6	23
155	Bioactive Constituents from Chinese Natural Medicines. XXIX. Monoterpene and Monoterpene Glycosides from the Roots of <i>Rhodiola sachalinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 612-615.	0.6	13
156	Medicinal Foodstuffs. XXXIII. Gastroprotective Principles from <i>Boesenbergia rotunda</i> (Zingiberaceae) - Absolute Stereostructures of Diels-Alder Type Addition Prenylchalcones. <i>Heterocycles</i> , 2008, 75, 1639.	0.4	20
157	Megastigmane Glycosides from the Leaves of <i>Salacia chinensis</i> . <i>Heterocycles</i> , 2008, 75, 131.	0.4	24
158	Reinvestigation of Absolute Stereostructure of (-)-Rosiridol: Structures of Monoterpene Glycosides, Rosiridin, Rosiridosides A, B, and C, from <i>Rhodiola sachalinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 695-700.	0.6	20
159	Bioactive Constituents from Chinese Natural Medicines. XXXI. Hepatoprotective Principles from <i>Sinocrassula indica</i> : Structures of Sinocrassosides A8, A9, A10, A11, and A12. <i>Heterocycles</i> , 2008, 75, 1983.	0.4	16
160	Salaprianol and Ponkoranol with Thiosugar Sulfonium Sulfate Structure from <i>Salacia prinooides</i> and α -Glucosidase Inhibitory Activity of Ponkoranol and Kotalanol Desulfate. <i>Heterocycles</i> , 2008, 75, 1397.	0.4	74
161	New Phenolic Glycosides from the Leaves of <i>Salacia chinensis</i> . <i>Heterocycles</i> , 2008, 75, 1435.	0.4	16
162	New Flavanone Oligoglycosides, Theaflavanosides I, II, III, and IV, with Hepatoprotective Activity from the Seeds of Tea Plant (<i>Camellia sinensis</i>). <i>Heterocycles</i> , 2007, 71, 1193.	0.4	25

#	ARTICLE	IF	CITATIONS
163	Megastigmanes and Their Glucosides from the Whole Plant of <i>Sedum sarmentosum</i> 1. <i>Journal of Natural Products</i> , 2007, 70, 575-583.	1.5	53
164	Bioactive Saponins and Glycosides. XXVII. Structures of New Cucurbitane-Type Triterpene Glycosides and Antiallergic Constituents from <i>Citrullus colocynthis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 428-434.	0.6	59
165	Bioactive Constituents from Chinese Natural Medicines. XXII. Absolute Structures of New Megastigmane Glycosides, Sedumosides E1, E2, E3, F1, F2, and G, from <i>Sedum sarmentosum</i> (Crassulaceae). <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 435-441.	0.6	51
166	Bioactive Saponins and Glycosides. XXV. Acylated Oleanane-Type Triterpene Saponins from the Seeds of Tea Plant (<i>Camellia sinensis</i>). <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 57-63.	0.6	52
167	Medicinal Flowers. XVI. New Dammarane-Type Triterpene Tetraglycosides and Gastroprotective Principles from Flower Buds of <i>Panax ginseng</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1034-1038.	0.6	55
168	Bioactive Constituents from Chinese Natural Medicines. XX. Inhibitors of Antigen-Induced Degranulation in RBL-2H3 Cells from the Seeds of <i>Psoralea corylifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 106-110.	0.6	54
169	Medicinal Flowers. XVII. New Dammarane-Type Triterpene Glycosides from Flower Buds of American Ginseng, <i>Panax quinquefolium</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1342-1348.	0.6	68
170	Bioactive Constituents from Chinese Natural Medicines. XXVI. Chemical Structures and Hepatoprotective Effects of Constituents from Roots of <i>Rhodiola sachalinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1505-1511.	0.6	71
171	Bioactive Saponins and Glycosides. XXVIII. New Triterpene Saponins, Foliate saponins I, II, III, IV, and V, from Tencha (the Leaves of <i>Camellia sinensis</i>). <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 293-298.	0.6	61
172	<i>Borassus flabellifer</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 308-316.	0.6	117
173	Medicinal Flowers. XI. Structures of New Dammarane-Type Triterpene Diglycosides with Hydroperoxide Group from Flower Buds of <i>Panax ginseng</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 571-576.	0.6	68
174	Activity from Flower Buds of Chinese Tea Plant (<i>Camellia sinensis</i>). <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 598-605.	0.6	69
175	Medicinal Flowers. XV. The Structures of Noroleanane- and Oleanane-Type Triterpene Oligoglycosides with Gastroprotective and Platelet Aggregation Activities from Flower Buds of <i>Camellia japonica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 606-612.	0.6	55
176	Inhibitory Effects of Thunberginols A, B, and F on Degranulations and Releases of TNF- α and IL-4 in RBL-2H3 Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 388-392.	0.6	46
177	Bioactive Constituents from Chinese Natural Medicines. XXIII. Absolute Structures of New Megastigmane Glycosides, Sedumosides A4, A5, A6, H, and I, and Hepatoprotective Megastigmanes from <i>Sedum sarmentosum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1185-1191.	0.6	52
178	Bioactive Constituents from Chinese Natural Medicines. XXIV. Hypoglycemic Effects of <i>Sinocrassula indica</i> in Sugar-Loaded Rats and Genetically Diabetic KK-Ay Mice and Structures of New Acylated Flavonol Glycosides, <i>Sinocrassosides</i> A1, A2, B1, and B2. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1308-1315.	0.6	31
179	Structures of Steroidal Alkaloid Oligoglycosides, Robeneosides A and B, and Antidiabetogenic Constituents from the Brazilian Medicinal Plant <i>Solanum lycocarpum</i> . <i>Journal of Natural Products</i> , 2007, 70, 210-214.	1.5	82
180	Bioactive Saponins and Glycosides. Part 29. <i>Helvetica Chimica Acta</i> , 2007, 90, 2342-2348.	1.0	47

#	ARTICLE	IF	CITATIONS
181	Rotenoids and flavonoids with anti-invasion of HT1080, anti-proliferation of U937, and differentiation-inducing activity in HL-60 from <i>Erycibe expansa</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 1539-1546.	1.4	58
182	Biological evaluation of de-O-sulfonated analogs of salacinol, the role of sulfate anion in the side chain on the β -glucosidase inhibitory activity. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 3926-3937.	1.4	66
183	Potent anti-obese principle from <i>Rosa canina</i> : Structural requirements and mode of action of trans-tiliroside. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 3059-3064.	1.0	81
184	New type of anti-diabetic compounds from the processed leaves of <i>Hydrangea macrophylla</i> var. <i>thunbergii</i> (<i>Hydrangeae Dulcis Folium</i>). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 4972-4976.	1.0	106
185	Effects of allyl isothiocyanate from horseradish on several experimental gastric lesions in rats. <i>European Journal of Pharmacology</i> , 2007, 561, 172-181.	1.7	34
186	Structures of New Cucurbitane-Type Triterpenes and Glycosides, Karavilagenins D and E, and Karavilosides VI, VII, VIII, IX, X, and XI, from the Fruit of <i>Momordica charantia</i> . <i>Heterocycles</i> , 2007, 71, 331.	0.4	39
187	Structures of Dammarane-Type Triterpene Triglycosides from the Flower Buds of <i>Panax ginseng</i> . <i>Heterocycles</i> , 2007, 71, 577.	0.4	37
188	Bioactive Constituents from Chinese Natural Medicines. XXV. New Flavonol Bisdesmosides, Sarmenosides I, II, III, and IV, with Hepatoprotective Activity from <i>Sedum sarmentosum</i> (Crassulaceae). <i>Heterocycles</i> , 2007, 71, 1565.	0.4	37
189	Triterpene Saponins with Gastroprotective Effects from Tea Seed (the Seeds of <i>Camellia sinensis</i>) 1. <i>Journal of Natural Products</i> , 2006, 69, 185-190.	1.5	101
190	Glucosyloxybenzyl 2-Isobutylmalates from the Tubers of <i>Gymnadenia conopsea</i> 1. <i>Journal of Natural Products</i> , 2006, 69, 881-886.	1.5	47
191	Luteolin, a flavonoid, inhibits AP-1 activation by basophils. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 1-7.	1.0	72
192	Structures of New Flavonoids, Erycibenins D, E, and F, and NO Production Inhibitors from <i>Erycibe expansa</i> Originating in Thailand. <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 1530-1534.	0.6	48
193	Structures of New Cucurbitane-Type Triterpenes and Glycosides, Karavilagenins and Karavilosides, from the Dried Fruit of <i>Momordica charantia</i> L. in Sri Lanka. <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 1545-1550.	0.6	69
194	Bioactive Constituents from Chinese Natural Medicines. XVII. Constituents with Radical Scavenging Effect and New Glucosyloxybenzyl 2-Isobutylmalates from <i>Gymnadenia conopsea</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 506-513.	0.6	52
195	Monoterpene Constituents from <i>Cistanche tubulosa</i> -Chemical Structures of Kankanosides A-E and Kankanol-. <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 669-675.	0.6	58
196	Phenylethanoid oligoglycosides and acylated oligosugars with vasorelaxant activity from <i>Cistanche tubulosa</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 7468-7475.	1.4	89
197	Nuphar alkaloids with immediately apoptosis-inducing activity from <i>Nuphar pumilum</i> and their structural requirements for the activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 1567-1573.	1.0	51
198	Inhibitors from the rhizomes of <i>Alpinia officinarum</i> on production of nitric oxide in lipopolysaccharide-activated macrophages and the structural requirements of diarylheptanoids for the activity. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 138-142.	1.4	111

#	ARTICLE	IF	CITATIONS
199	Inhibitory effects of coumarin and acetylene constituents from the roots of <i>Angelica furcijuga</i> on d-galactosamine/lipopolysaccharide-induced liver injury in mice and on nitric oxide production in lipopolysaccharide-activated mouse peritoneal macrophages. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 456-463.	1.4	56
200	Synthesis and biological evaluation of deoxy salacinols, the role of polar substituents in the side chain on the β -glucosidase inhibitory activity. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 500-509.	1.4	57
201	Pseudoguaiane-type sesquiterpenes and inhibitors on nitric oxide production from <i>Dichrocephala integrifolia</i> . <i>Tetrahedron</i> , 2006, 62, 6435-6442.	1.0	26
202	Bioactive Saponins and Glycosides. XXVI. New Triterpene Saponins, Theasaponins E10, E11, E12, E13, and G2, from the Seeds of Tea Plant (<i>Camellia sinensis</i>). <i>Heterocycles</i> , 2006, 68, 1139.	0.4	26
203	Inhibitors of Nitric Oxide Production from the Flowers of <i>Angelica furcijuga</i> : Structures of Hyuganosides IV and V. <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 387-392.	0.6	30
204	Bioactive Constituents from Chinese Natural Medicines. XV. Inhibitory Effect on Aldose Reductase and Structures of Saussureosides A and B from <i>Saussurea medusa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1416-1422.	0.6	73
205	Bioactive Saponins and Glycosides. XXIII. Triterpene Saponins with Gastroprotective Effect from the Seeds of <i>Camellia sinensis</i> -Theasaponins E3, E4, E5, E6, and E7-. <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1559-1564.	0.6	69
206	Inhibitors of Nitric Oxide Production from the Rhizomes of <i>Alpinia galanga</i> : Structures of New 8-9' Linked Neolignans and Sesquieolignan. <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 625-630.	0.6	55
207	1 β -S-1 β -Acetoxychavicol acetate as a new type inhibitor of interferon- γ production in lipopolysaccharide-activated mouse peritoneal macrophages. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 3289-3294.	1.4	37
208	Structure-activity relationships of 1 β -S-1 β -acetoxychavicol acetate for inhibitory effect on NO production in lipopolysaccharide-activated mouse peritoneal macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 1949-1953.	1.0	51
209	Floratheasaponins A-C, Acylated Oleanane-Type Triterpene Oligoglycosides with Anti-hyperlipidemic Activities from Flowers of the Tea Plant (<i>Camellia sinensis</i>)1. <i>Journal of Natural Products</i> , 2005, 68, 1360-1365.	1.5	115
210	New Amides and Gastroprotective Constituents from the Fruit of <i>Piper chaba</i> . <i>Planta Medica</i> , 2004, 70, 152-159.	0.7	93
211	Antiallergic Phenanthrenes and Stilbenes from the Tubers of <i>Gymnadenia conopsea</i> . <i>Planta Medica</i> , 2004, 70, 847-855.	0.7	96
212	New Isoflavones and Pterocarpene with Hepatoprotective Activity from the Stems of <i>Erycibe expansa</i> . <i>Planta Medica</i> , 2004, 70, 1201-1209.	0.7	54
213	Absolute stereostructures of polypodane- and octanordammarane-type triterpenes with nitric oxide production inhibitory activity from guggul-gum resins. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 3037-3046.	1.4	65
214	Anti-allergic activity of stilbenes from Korean rhubarb (<i>Rheum undulatum</i> L.): structure requirements for inhibition of antigen-induced degranulation and their effects on the release of TNF- α and IL-4 in RBL-2H3 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 4871-4876.	1.4	84
215	Anti-allergic principles from Thai zedoary: structural requirements of curcuminoids for inhibition of degranulation and effect on the release of TNF- α and IL-4 in RBL-2H3 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 5891-5898.	1.4	122
216	Carnosic acid, a new class of lipid absorption inhibitor from sage. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 1943-1946.	1.0	192

#	ARTICLE	IF	CITATIONS
217	Structures of New Sesquiterpenes and Hepatoprotective Constituents from the Egyptian Herbal Medicine <i>Cyperus longus</i> . <i>Journal of Natural Products</i> , 2004, 67, 569-576.	1.5	105
218	New Crinine-Type Alkaloids with Inhibitory Effect on Induction of Inducible Nitric Oxide Synthase from <i>Crinum yemense</i> . <i>Journal of Natural Products</i> , 2004, 67, 1119-1124.	1.5	164
219	Novel Dolabellane-Type Diterpene Alkaloids with Lipid Metabolism Promoting Activities from the Seeds of <i>Nigella sativa</i> . <i>Organic Letters</i> , 2004, 6, 869-872.	2.4	81
220	Structures of New β -Carboline-Type Alkaloids with Antiallergic Effects from <i>Stellaria dichotoma</i> 1,2. <i>Journal of Natural Products</i> , 2004, 67, 1464-1469.	1.5	76
221	Absolute Stereostructures of Polypodane-Type Triterpenes, Myrrhanol A and Myrrhanone A, from Guggul-Gum Resin (the Resin of <i>Balsamodendron mukul</i>). <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1200-1203.	0.6	30
222	Bioactive Constituents from Chinese Natural Medicines. XIV. New Glycosides of β -Carboline-Type Alkaloid, Neolignan, and Phenylpropanoid from <i>Stellaria dichotoma</i> L. var. <i>lanceolata</i> and Their Antiallergic Activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1194-1199.	0.6	44
223	Structures of New Aromatic Glycosides from a Japanese Folk Medicine, the Roots of <i>Angelica furcijuga</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1387-1390.	0.6	20
224	Nigellamines A3, A4, A5, and C, New Dolabellane-Type Diterpene Alkaloids, with Lipid Metabolism-Promoting Activities from the Egyptian Medicinal Food Black Cumin. <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 494-497.	0.6	74
225	Absolute Stereostructures of Acylated Khellactone-Type Coumarins from <i>Angelica furcijuga</i> . <i>Heterocycles</i> , 2004, 63, 2211.	0.4	11
226	Potent anti-metastatic activity of dimeric sesquiterpene thioalkaloids from the rhizome of <i>Nuphar pumilum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 4445-4449.	1.0	52
227	Gastroprotective effects of phenylpropanoids from the rhizomes of <i>Alpinia galanga</i> in rats: structural requirements and mode of action. <i>European Journal of Pharmacology</i> , 2003, 471, 59-67.	1.7	99
228	Structural requirements of flavonoids for inhibition of protein glycation and radical scavenging activities. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 5317-5323.	1.4	226
229	Anti-Hyperlipidemic sesquiterpenes and new sesquiterpene glycosides from the leaves of artichoke (<i>Cynara scolymus</i> L.): structure requirement and mode of action. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 223-228.	1.0	140
230	Protective effects of steroid saponins from <i>Paris polyphylla</i> var. <i>yunnanensis</i> on ethanol- or indomethacin-induced gastric mucosal lesions in rats: structural requirement for activity and mode of action. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 1101-1106.	1.0	95
231	Anastatins A and B, new skeletal flavonoids with hepatoprotective activities from the desert plant <i>Anastatica hierochuntica</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 1045-1049.	1.0	77
232	Antiallergic principles from <i>Alpinia galanga</i> : structural requirements of phenylpropanoids for inhibition of degranulation and release of TNF- α and IL-4 in RBL-2H3 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 3197-3202.	1.0	110
233	Effects of sesquiterpenes and amino acid-sesquiterpene conjugates from the roots of <i>Saussurea lappa</i> on inducible nitric oxide synthase and heat shock protein in lipopolysaccharide-activated macrophages. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 709-715.	1.4	82
234	Structural Requirements of Flavonoids for Nitric Oxide Production Inhibitory Activity and Mechanism of Action. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 1995-2000.	1.4	163

#	ARTICLE	IF	CITATIONS
235	Structures of New Dammarane-Type Triterpene Saponins from the Flower Buds of <i>Panax notoginseng</i> and Hepatoprotective Effects of Principal Ginseng Saponins. <i>Journal of Natural Products</i> , 2003, 66, 922-927.	1.5	158
236	Structures of New Friedelane-Type Triterpenes and Eudesmane-Type Sesquiterpene and Aldose Reductase Inhibitors from <i>Salacia chinensis</i> . <i>Journal of Natural Products</i> , 2003, 66, 1191-1196.	1.5	100
237	Structures of New Cyclic Diarylheptanoids and Inhibitors of Nitric Oxide Production from Japanese Folk Medicine <i>Acer nikoense</i> . <i>Journal of Natural Products</i> , 2003, 66, 86-91.	1.5	70
238	Absolute Stereostructures of New Arborinane-Type Triterpenoids and Inhibitors of Nitric Oxide Production from <i>Rubiayunnanensis</i> . <i>Journal of Natural Products</i> , 2003, 66, 638-645.	1.5	41
239	Relationship between adjuvant activity and amphipathic structure of soyasaponins. <i>Vaccine</i> , 2003, 21, 2145-2151.	1.7	79
240	Structures of New Friedelane- and Norfriedelane-Type Triterpenes and Polyacylated Eudesmane-Type Sesquiterpene from <i>Salacia chinensis</i> LINN. (<i>S. prinoidea</i> DC., Hippocrateaceae) and Radical Scavenging Activities of Principal Constituents. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 1051-1055.	0.6	46
241	(7R,8S) and (7S,8R) 8-5' Linked Neolignans from Egyptian Herbal Medicine <i>Anastatica hierochuntica</i> and Inhibitory Activities of Lignans on Nitric Oxide Production. <i>Heterocycles</i> , 2003, 60, 1787.	0.4	38
242	Protective Effects of Polygodial on Gastric Mucosal Lesions Induced by Necrotizing Agents in Rats and the Possible Mechanisms of Action. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 651-657.	0.6	30
243	Medicinal Flowers. VIII. Radical Scavenging Constituents from the Flowers of <i>Prunus mume</i> : Structure of Prunose III.. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 440-443.	0.6	50
244	Medicinal Foodstuffs. XXXI. Structures of New Aromatic Constituents and Inhibitors of Degranulation in RBL-2H3 Cells from a Japanese Folk Medicine, the Stem Bark of <i>Acer nikoense</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 62-67.	0.6	73
245	Bioactive Constituents from Chinese Natural Medicines. XI. Inhibitors on NO Production and Degranulation in RBL-2H3 from <i>Rubia yunnanensis</i> : Structures of Rubianosides II, III, and IV, Rubianol-g, and Rubianthraquinone. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 654-662.	0.6	68
246	Essential Structural Factors for the α -Glucosidase Inhibitory Activity of Salacinol; Role of the Substituents on the Side Chain. , 2003, , 251.		0
247	INHIBITORY MECHANISM OF COSTUNOLIDE, A SESQUITERPENE LACTONE ISOLATED FROM <i>LAURUS NOBILIS</i> , ON BLOOD-ETHANOL ELEVATION IN RATS: INVOLVEMENT OF INHIBITION OF GASTRIC EMPTYING AND INCREASE IN GASTRIC JUICE SECRETION. <i>Alcohol and Alcoholism</i> , 2002, 37, 121-127.	0.9	31
248	Antidiabetogenic constituents from several natural medicines. <i>Pure and Applied Chemistry</i> , 2002, 74, 1301-1308.	0.9	101
249	Medicinal Foodstuffs. XXIX. Potent Protective Effects of Sesquiterpenes and Curcumin from Zedoariae Rhizoma on Liver Injury Induced by D-Galactosamine/Lipopolysaccharide or Tumor Necrosis Factor- α .. <i>Biological and Pharmaceutical Bulletin</i> , 2002, 25, 627-631.	0.6	112
250	Hepatoprotective and Antioxidative Properties of <i>Salacia reticulata</i> : Preventive Effects of Phenolic Constituents on CCl ₄ -Induced Liver Injury in Mice.. <i>Biological and Pharmaceutical Bulletin</i> , 2002, 25, 72-76.	0.6	111
251	New Farnesane-Type Sesquiterpenes, Hedychiols A and B 8,9-Diacetate, and Inhibitors of Degranulation in RBL-2H3 Cells from the Rhizome of <i>Hedychium coronarium</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2002, 50, 1045-1049.	0.6	70
252	Constituents with Radical Scavenging Effect from <i>Opuntia dillenii</i> : Structures of New α -Pyrones and Flavonol Glycoside.. <i>Chemical and Pharmaceutical Bulletin</i> , 2002, 50, 1507-1510.	0.6	41

#	ARTICLE	IF	CITATIONS
253	Bioactive Constituents of Chinese Natural Medicines. VII. Inhibitors of Degranulation in RBL-2H3 Cells and Absolute Stereostructures of Three New Diarylheptanoid Glycosides from the Bark of <i>Myrica rubra</i> . Chemical and Pharmaceutical Bulletin, 2002, 50, 208-215.	0.6	91
254	Antidiabetic Principles of Natural Medicines. V. Aldose Reductase Inhibitors from <i>Myrcia multiflora</i> DC. (2): Structures of Myrciacitrins III, IV, and V.. Chemical and Pharmaceutical Bulletin, 2002, 50, 429-431.	0.6	62
255	Medicinal Flowers. VI. Absolute Stereostructures of Two New Flavanone Glycosides and a Phenylbutanoid Glycoside from the Flowers of <i>Chrysanthemum indicum</i> L.: Their Inhibitory Activities for Rat Lens Aldose Reductase.. Chemical and Pharmaceutical Bulletin, 2002, 50, 972-975.	0.6	140
256	Structural Requirements of Flavonoids and Related Compounds for Aldose Reductase Inhibitory Activity.. Chemical and Pharmaceutical Bulletin, 2002, 50, 788-795.	0.6	191
257	<i>Salacia reticulata</i> and Its Polyphenolic Constituents with Lipase Inhibitory and Lipolytic Activities Have Mild Antiobesity Effects in Rats. Journal of Nutrition, 2002, 132, 1819-1824.	1.3	182
258	Absolute Stereostructures of Three New Sesquiterpenes from the Fruit of <i>Alpinia oxyphylla</i> with Inhibitory Effects on Nitric Oxide Production and Degranulation in RBL-2H3 Cells. Journal of Natural Products, 2002, 65, 1468-1474.	1.5	96
259	New Flavonol Oligoglycosides and Polyacylated Sucroses with Inhibitory Effects on Aldose Reductase and Platelet Aggregation from the Flowers of <i>Prunus mume</i> L. Journal of Natural Products, 2002, 65, 1151-1155.	1.5	63
260	Characterization of New Sweet Triterpene Saponins from <i>Albizia myriophylla</i> . Journal of Natural Products, 2002, 65, 1638-1642.	1.5	53
261	Structures and Radical Scavenging Activities of Novel Norstilbene Dimer, Longusone A, and New Stilbene Dimers, Longusols A, B, and C, from Egyptian Herbal Medicine <i>Cyperus longus</i> . Heterocycles, 2002, 57, 1983.	0.4	29
262	Protective effects of polygodial and related compounds on ethanol-induced gastric mucosal lesions in rats: structural requirements and mode of action. Bioorganic and Medicinal Chemistry Letters, 2002, 12, 477-482.	1.0	58
263	Hepatoprotective principles from the flowers of <i>Tilia argentea</i> (Linden): structure requirements of tiliroside and mechanisms of action. Bioorganic and Medicinal Chemistry, 2002, 10, 707-712.	1.4	112
264	Labdane-type Diterpenes with Inhibitory Effects on Increase in Vascular Permeability and Nitric Oxide Production from <i>Hedychium coronarium</i> . Bioorganic and Medicinal Chemistry, 2002, 10, 2527-2534.	1.4	91
265	Aeruginoguanidines 98-A to 98-C: cytotoxic unusual peptides from the cyanobacterium <i>Microcystis aeruginosa</i> . Tetrahedron, 2002, 58, 7645-7652.	1.0	25
266	Absolute Stereostructure of Potent β -Glucosidase Inhibitor, Salacinol, with Unique Thiosugar Sulfonium Sulfate Inner Salt Structure from <i>Salacia reticulata</i> . Bioorganic and Medicinal Chemistry, 2002, 10, 1547-1554.	1.4	206
267	Inhibitors of nitric oxide production from the bark of <i>Myrica rubra</i> : structures of new biphenyl type diarylheptanoid glycosides and taraxerane type triterpene. Bioorganic and Medicinal Chemistry, 2002, 10, 4005-4012.	1.4	84
268	Antiinflammatory Principles and Three New Labdane-Type Diterpenes, Hedychilactones A, B, and C, from the Rhizome of <i>Hedychium coronarium</i> Koeng. Heterocycles, 2002, 56, 45.	0.4	43
269	Medicinal Foodstuffs. XXVI. Inhibitors of Aldose Reductase and New Triterpene and Its Oligoglycoside, Centellasapogenol A and Centellasaponin A, from <i>Centella asiatica</i> (Gotu Kola). Heterocycles, 2001, 55, 1499.	0.4	46
270	Medicinal Foodstuffs. XXV. Hepatoprotective Principle and Structures of Ionone Glucoside, Phenethyl Glycoside, and Flavonol Oligoglycosides from Young Seedpods of Garden Peas, <i>Pisum sativum</i> L.. Chemical and Pharmaceutical Bulletin, 2001, 49, 1003-1008.	0.6	36

#	ARTICLE	IF	CITATIONS
271	Bioactive Saponins and Glycosides. XIX. Notoginseng (3): Immunological Adjuvant Activity of Notoginsenosides and Related Saponins: Structures of Notoginsenosides-L, -M, and -N from the Roots of <i>Panax notoginseng</i> (BURK.) F. H. CHEN.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 1452-1456.	0.6	63
272	Synthesis of a Nitrogen Analogue of Salacinol and Its .ALPHA.-Glucosidase Inhibitory Activity.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 1503-1505.	0.6	40
273	Medicinal Foodstuffs. XXI. Structures of New Cucurbitane-Type Triterpene Glycosides, Goyaglycosides-a, -b, -c, -d, -e, -f, -g, and -h, and New Oleanane-Type Triterpene Saponins, Goyasaponins I, II, and III, from the Fresh Fruit of Japanese <i>Momordica charantia</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 54-63.	0.6	139
274	Bioactive Constituents of Chinese Natural Medicines. VI. Moutan Cortex. (2): Structures and Radical Scavenging Effects of Suffruticosides A, B, C, D, and E and Galloyl-oxypaeoniflorin. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 69-72.	0.6	61
275	Effects of Constituents from the Bark of <i>Magnolia obovata</i> on Nitric Oxide Production in Lipopolysaccharide-Activated Macrophages.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 716-720.	0.6	100
276	Medicinal Foodstuffs. XXII. Structures of Oleanane-Type Triterpene Oligoglycosides, Pisumsaponins I and II, and Kaurane-Type Diterpene Oligoglycosides, Pisumosides A and B, from Green Peas, the Immature Seeds of <i>Pisum sativum</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 73-77.	0.6	26
277	Medicinal Flowers. III. Marigold. (1): Hypoglycemic, Gastric Emptying Inhibitory, and Gastroprotective Principles and New Oleanane-Type Triterpene Oligoglycosides, Calendasaponins A, B, C, and D, from Egyptian <i>Calendula officinalis</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 863-870.	0.6	121
278	Medicinal Foodstuffs. XXVIII. Inhibitors of Nitric Oxide Production and New Sesquiterpenes, Zedoarofuran, 4-Epicurcumenol, Neocurcumenol, Gajutsulactones A and B, and Zedoarolides A and B, from <i>Zedoariae Rhizoma</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 1558-1566.	0.6	86
279	Javaberine A, New TNF- α and Nitric Oxide Production Inhibitor, from the Roots of <i>Talinum paniculatum</i> . <i>Heterocycles</i> , 2001, 55, 2043.	0.4	33
280	Medicinal Foodstuffs. XXVII. Saponin Constituents of Gotu Kola (2): Structures of New Ursane- and Oleanane-Type Triterpene Oligoglycosides, Centellasaponins B, C, and D, from <i>Centella asiatica</i> Cultivated in Sri Lanka.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 1368-1371.	0.6	110
281	Medicinal Foodstuffs. XXIV. Chemical Constituents of the Processed Leaves of <i>Apocynum venetum</i> L.: Absolute Stereostructures of Apocynosides I and II.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 845-848.	0.6	41
282	Chemical Constituents of Two Oriental Orchids, <i>Calanthe discolor</i> and <i>C. liukiuensis</i> : Precursor Indole Glycoside of Tryptanthrin and Indirubin. <i>Heterocycles</i> , 2001, 54, 957.	0.4	20
283	New triterpenes, myrrhanol A and myrrhanone A, from guggul-gum resins, and their potent anti-inflammatory effect on adjuvant-induced air-pouch granuloma of mice. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 985-989.	1.0	86
284	Phytoestrogens from the roots of <i>Polygonum cuspidatum</i> (polygonaceae): structure-Requirement of hydroxyanthraquinones for estrogenic activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 1839-1842.	1.0	148
285	Absolute stereostructures of novel norcadinane- and trinoreudesmane-type sesquiterpenes with nitric oxide production inhibitory activity from <i>Alpinia oxyphylla</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 2217-2220.	1.0	59
286	Antioxidant constituents from rhubarb: structural requirements of stilbenes for the activity and structures of two new anthraquinone glucosides. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 41-50.	1.4	159
287	Hepatoprotective constituents from <i>Zedoariae Rhizoma</i> : absolute stereostructures of three new carabrane-type sesquiterpenes, curcumenolactones A, B, and C. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 909-916.	1.4	94
288	Dimeric sesquiterpene thioalkaloids with potent immunosuppressive activity from the rhizome of <i>Nuphar pumilum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 1031-1035.	1.4	33

#	ARTICLE	IF	CITATIONS
289	Structures of withanosides I, II, III, IV, V, VI, and VII, new withanolide glycosides, from the roots of Indian <i>Withania somnifera</i> Dunal. and inhibitory activity for tachyphylaxis to clonidine in isolated guinea-pig ileum. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 1499-1507.	1.4	175
290	Inhibitors from Rhubarb on Lipopolysaccharide-Induced Nitric Oxide Production in Macrophages: Structural Requirements of Stilbenes for the Activity. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 1887-1893.	1.4	71
291	Absolute stereostructure of carabrane-type sesquiterpene and vasorelaxant-active sesquiterpenes from <i>Zedoariae Rhizoma</i> . <i>Tetrahedron</i> , 2001, 57, 8443-8453.	1.0	56
292	Inhibitors of Nitric Oxide Production and New Sesquiterpenes, 4-epi-Curcumenol, Neocurcumenol, Gajutsulactones A and B, and Zedoarolides A and B from <i>Zedoariae Rhizoma</i> . <i>Heterocycles</i> , 2001, 55, 841.	0.4	26
293	New Noroleanane-Type Triterpene Saponins with Gastroprotective Effect and Platelet Aggregation Activity from the Flowers of <i>Camellia japonica</i> : Revised Structures of Camellenodiol and Camelledionol. <i>Heterocycles</i> , 2001, 55, 1653.	0.4	33
294	Medicinal Foodstuffs. XVIII. Phytoestrogens from the Aerial Part of <i>Petroselinum crispum</i> MILL. (PARSLEY) and Structures of 6 ^{''} -Acetylapiin and a New Monoterpene Glycoside, Petroside.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1039-1044.	0.6	60
295	Bioactive Saponins and Glycosides. XVI. Nortriterpene Oligoglycosides with Gastroprotective Activity from the Fresh Leaves of <i>Euptelea polyandra</i> SIEB. et Zucc. (1). Structures of Eupteleasaponins I, II, III, IV, V, and V Acetate.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1045-1050.	0.6	12
296	Bioactive Constituents of Chinese Natural Medicines. V. Radical Scavenging Effect of Moutan Cortex. (1). Absolute Stereostructures of Two Monoterpenes, Paeonisuffrone and Paeonisuffral.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1327-1331.	0.6	37
297	Medicinal Foodstuffs. XX. Vasorelaxant Active Constituents from the Roots of <i>Angelica furcijuga</i> KITAGAWA: Structures of Hyuganins A, B, C, and D.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1429-1435.	0.6	42
298	Medicinal Foodstuffs. XIX. Absolute Stereostructures of Canavalioides, a New Ent-Kaurane-Type Diterpene Glycoside, and Gladiatosides A1,A2,A3,B1,B2,B3,C1, and C2, New Acylated Flavonol Glycosides, from Sword Bean, the Seeds of <i>Canavalia gladiata</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1673-1680.	0.6	31
299	Bioactive Saponins and Glycosides. XVII. Inhibitory Effect on Gastric Emptying and Accelerating Effect on Gastrointestinal Transit of Tea Saponins: Structures of Assamsaponins F,G,H,I, and J from the Seeds and Leaves of the Tea Plant.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1720-1725.	0.6	67
300	Medicinal Flowers. II. Inhibitors of Nitric Oxide Production and Absolute Stereostructures of Five New Germacrane-Type Sesquiterpenes, Kikkanols D, D Monoacetate, E, F, and F Monoacetate from the Flowers of <i>Chrysanthemum indicum</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 651-656.	0.6	95
301	Medicinal Foodstuffs. XVII. Fenugreek Seed. (3). Structures of New Furostanol-Type Steroid Saponins, Trigoneosides Xa, Xb, Xlb, Xlla, Xllb, and Xllla, from the Seeds of Egyptian <i>Trigonella foenum-graecum</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 994-1000.	0.6	84
302	Absolute Stereostructures and Syntheses of Saussureamines A, B, C, D and E, Amino Acidâ€“Sesquiterpene Conjugates with Gastroprotective Effect, from the Roots of <i>Saussurea lappa</i> . <i>Tetrahedron</i> , 2000, 56, 7763-7777.	1.0	95
303	Effects of stilbene constituents from rhubarb on nitric oxide production in lipopolysaccharide-activated macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 323-327.	1.0	132
304	Alcohol absorption inhibitors from bay leaf (<i>Laurus nobilis</i>): structure-requirements of sesquiterpenes for the activity. <i>Bioorganic and Medicinal Chemistry</i> , 2000, 8, 2071-2077.	1.4	52
305	Enhancement by escins Ib and IIb of Mg ²⁺ absorption from digestive tract in mice: role of nitric oxide. <i>European Journal of Pharmacology</i> , 2000, 387, 337-342.	1.7	9
306	Antidiabetogenic activity of oleanolic acid glycosides from medicinal foodstuffs. <i>BioFactors</i> , 2000, 13, 231-237.	2.6	66

#	ARTICLE	IF	CITATIONS
307	Acceleration of gastrointestinal transit by momordin Ic in mice: possible involvement of 5-hydroxytryptamine, 5-HT ₂ receptors and prostaglandins. <i>European Journal of Pharmacology</i> , 2000, 392, 71-77.	1.7	19
308	Possible involvement of dopamine and dopamine ₂ receptors in the inhibitions of gastric emptying by escin Ib in mice. <i>Life Sciences</i> , 2000, 67, 2921-2927.	2.0	21
309	Inhibitory effects of sesquiterpenes from bay leaf on nitric oxide production in lipopolysaccharide-activated macrophages: Structure requirement and role of heat shock protein induction. <i>Life Sciences</i> , 2000, 66, 2151-2157.	2.0	112
310	Possible involvement of 5-HT and 5-HT ₂ receptors in acceleration of gastrointestinal transit by escin Ib in mice. <i>Life Sciences</i> , 2000, 66, 2233-2238.	2.0	34
311	Antihyperglycemic Effects of Gymnemic Acid IV, a Compound Derived from <i>Gymnema sylvestre</i> Leaves in Streptozotocin-Diabetic Mice. <i>Journal of Asian Natural Products Research</i> , 2000, 2, 321-327.	0.7	132
312	Adjuvant and Haemolytic Activities of 47 Saponins Derived from Medicinal and Food Plants. <i>Biological Chemistry</i> , 2000, 381, 67-74.	1.2	205
313	Aeruginosins, protease inhibitors from the cyanobacterium <i>Microcystis aeruginosa</i> . <i>Tetrahedron</i> , 1999, 55, 10971-10988.	1.0	138
314	Structure-related enhancing activity of escins Ia, Ib, IIa and IIb on magnesium absorption in mice. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 2473-2478.	1.0	8
315	Preventive effect of sesquiterpenes from bay leaf on blood ethanol elevation in ethanol-loaded rat: Structure requirement and suppression of gastric emptying. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 2647-2652.	1.0	39
316	Effects of sesquiterpenes and triterpenes from the rhizome of <i>Alisma orientale</i> on nitric oxide production in lipopolysaccharide-activated macrophages: Absolute stereostructures of alismaketones-B 23-acetate and -C 23-acetate. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 3081-3086.	1.0	89
317	Structure-Related Inhibitory Activity of Oleanolic Acid Glycosides on Gastric Emptying in Mice. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 323-327.	1.4	38
318	Effects of oleanolic acid glycosides on gastrointestinal transit and ileus in mice. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 1201-1205.	1.4	39
319	Structure-Requirements of isocoumarins, phthalides, and stilbenes from <i>hydrangeae dulcis folium</i> for inhibitory activity on histamine release from rat peritoneal mast cells. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 1445-1450.	1.4	142
320	Effects of escins Ia, Ib, IIa, and IIb from horse chestnuts on gastrointestinal transit and ileus in mice. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 1737-1741.	1.4	29
321	Effects of escins Ia, Ib, IIa, and IIb from horse chestnuts on gastric emptying in mice. <i>European Journal of Pharmacology</i> , 1999, 368, 237-243.	1.7	33
322	Gastroprotections of escins Ia, Ib, IIa, and IIb on ethanol-induced gastric mucosal lesions in rats. <i>European Journal of Pharmacology</i> , 1999, 373, 63-70.	1.7	45
323	Roles of capsaicin-sensitive sensory nerves, endogenous nitric oxide, sulfhydryls, and prostaglandins in gastroprotection by momordin Ic, an oleanolic acid oligoglycoside, on ethanol-induced gastric mucosal lesions in rats. <i>Life Sciences</i> , 1999, 65, PL27-PL32.	2.0	103
324	Roles of endogenous prostaglandins and nitric oxide in inhibitions of gastric emptying and accelerations of gastrointestinal transit by escins Ia, Ib, IIa, and IIb in mice. <i>Life Sciences</i> , 1999, 66, PL41-PL46.	2.0	19

#	ARTICLE	IF	CITATIONS
325	Bioactive triterpene glycosides from several medicinal foodstuffs. <i>Studies in Plant Science</i> , 1999, 6, 19-35.	0.5	3
326	Dihydroisocoumarin Constituents from the Leaves of <i>Hydrangea macrophylla</i> var. <i>thunbergii</i> . (2): Absolute Stereostructures of Hydrangenol, Thunberginol I, and Phyllodulcin Glycosides and Isomerization Reaction at the 3-Positions of Phyllodulcin and Its Glycosides.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 383-387.	0.6	29
327	Effects of Phyllodulcin, Hydrangenol, and Their 8-O-Glucosides, and Thunberginols A and F from <i>Hydrangea macrophylla</i> SERINGE var. <i>thunbergii</i> MAKINO on Passive Cutaneous Anaphylaxis Reaction in Rats.. <i>Biological and Pharmaceutical Bulletin</i> , 1999, 22, 870-872.	0.6	39
328	The Role of Thunberginol A, an Isocoumarin Constituent of <i>Hydrangeae Dulcis Folium</i> , on the Signal Transmission Pathway for Rat Mast Cell Degranulation.. <i>Biological and Pharmaceutical Bulletin</i> , 1999, 22, 925-931.	0.6	7
329	Medicinal Foodstuffs. XVI. Sugar Beet. (3). Absolute Stereostructures of Betavulgarosides II and IV, Hypoglycemic Saponins Having a Unique Substituent, from the Roots of <i>Beta vulgaris</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1717-1724.	0.6	32
330	Antidiabetic Principles of Natural Medicines. IV. Aldose Reductase and .ALPHA.-Glucosidase Inhibitors from the Roots of <i>Salacia oblonga</i> WALL. (Celastraceae). Structure of a New Friedelane-Type Triterpene, Kotalagenin 16-Acetate.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1725-1729.	0.6	127
331	Bioactive Saponins and Glycosides. XIV. Structure Elucidation and Immunological Adjuvant Activity of Novel Protojubilogenin Type Triterpene Bisdesmosides, Protojubilosides A, B, and B1, from the Seeds of <i>Zizyphus jujuba</i> var. <i>spinosa</i> (Zizyphi Spinosi Semen).. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1744-1748.	0.6	59
332	Chemical Constituents from the Leaves of <i>Hydrangea macrophylla</i> var. <i>thunbergii</i> . (III). Absolute Stereostructures of Hydramacosides A and B, Secoiridoid Glucoside Complexes with Inhibitory Activity on Histamine Release.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1753-1758.	0.6	13
333	Bioactive Saponins and Glycosides. XV. Saponin Constituents with Gastroprotective Effect from the Seeds of Tea Plant, <i>Camellia sinensis</i> L. var. <i>assamica</i> PIERRE, Cultivated in Sri Lanka. Structures of Assamsaponins A, B, C, D, and E.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1759-1764.	0.6	74
334	Medicinal Flowers. I. Aldose Reductase Inhibitors and Three New Eudesmane-Type Sesquiterpenes, Kikkanols A, B, and C, from the Flowers of <i>Chrysanthemum indicum</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 340-345.	0.6	101
335	Studies on <i>Alismatis Rhizoma</i> . III. Stereostructures of New Protostane-Type Triterpenes, Alisols H, I, J-23-Acetate, K-23-Acetate, L-23-Acetate, M-23-Acetate, and N-23-Acetate, from the Dried Rhizome of <i>Alisma orientale</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 524-528.	0.6	31
336	Absolute Stereostructures of 3S-Phyllodulcin, 3R- and 3S-Phyllodulcin Glycosides, and 3R- and 3S-Thunberginol H Glycosides from the Leaves of <i>Hydrangea macrophylla</i> SERINGE var. <i>thunbergii</i> MAKINO. <i>Heterocycles</i> , 1999, 50, 411.	0.4	24
337	Occurrence of 4-O-Methyl-D-glucosamine in Squid Mucin. <i>Fisheries Science</i> , 1999, 65, 325-326.	0.7	0
338	Mode of action of escins Ia and IIa and E, Z-senegin II on glucose absorption in gastrointestinal tract. <i>Biorganic and Medicinal Chemistry</i> , 1998, 6, 1019-1023.	1.4	41
339	Micropeptides 88-A to 88-F, chymotrypsin inhibitors from the cyanobacterium <i>Microcystis aeruginosa</i> (NIES-88). <i>Tetrahedron</i> , 1998, 54, 5545-5556.	1.0	39
340	Four new microginins, linear peptides from the cyanobacterium <i>Microcystis aeruginosa</i> . <i>Tetrahedron</i> , 1998, 54, 13475-13484.	1.0	42
341	From the dinoflagellate <i>Alexandrium hiranoi</i> . <i>Phytochemistry</i> , 1998, 48, 85-88.	1.4	41
342	Botryoxanthin B and $\hat{1}$ -botryoxanthin A from the green microalga <i>Botryococcus braunii</i> Kawaguchi-1. <i>Phytochemistry</i> , 1998, 47, 1111-1115.	1.4	28

#	ARTICLE	IF	CITATIONS
343	Immunomodulatory activity of thunberginol a and related compounds isolated from hydrangeae dulcis folium on splenocyte proliferation activated by mitogens. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 215-220.	1.0	76
344	Inhibitory effect and action mechanism of sesquiterpenes from zedoariae rhizoma on d-galactosamine / lipopolysaccharide-induced liver injury. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 339-344.	1.0	169
345	Hepatoprotective and nitric oxide production inhibitory activities of coumarin and polyacetylene constituents from the roots of <i>Angelica furcijuga</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 2191-2196.	1.0	75
346	Hepatoprotective, superoxide scavenging, and antioxidative activities of aromatic constituents from the bark of <i>Betula platyphylla</i> var. <i>japonica</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 2939-2944.	1.0	78
347	Protective effects of oleanolic acid oligoglycosides on ethanol- or indomethacin-induced gastric mucosal lesions in rats. <i>Life Sciences</i> , 1998, 63, PL245-PL250.	2.0	52
348	Development of Bioactive Functions in Hydrangeae Dulcis Folium. VII. Immunomodulatory Activities of Thunberginol A and Related Compounds on Lymphocyte Proliferation.. <i>Biological and Pharmaceutical Bulletin</i> , 1998, 21, 809-813.	0.6	32
349	Medicinal Foodstuffs. XIII. Saponin Constituents with Adjuvant Activity from Hyacinth Bean, the Seeds of <i>Dolichos lablab</i> L. (2): Structures of Lablabosides D, E, and F. <i>Heterocycles</i> , 1998, 48, 703.	0.4	23
350	Medicinal Foodstuffs. XV. Sugar Beet. (2): Structures of Betavulgarosides V, VI, VII, VIII, IX, and X from the Roots and Leaves of Sugar Beet (<i>Beta vulgaris</i> L., <i>Chenopodiaceae</i>).. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 1758-1763.	0.6	36
351	Medicinal Foodstuffs. XII. Saponin Constituents with Adjuvant Activity from Hyacinth Bean, the Seeds of <i>Dolichos lablab</i> L. (1): Structures of Lablabosides A, B, and C.. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 812-816.	0.6	34
352	Studies on <i>Kochiae Fructus</i> . V. Antipruritic Effects of Oleanolic Acid Glycosides and the Structure-Requirement.. <i>Biological and Pharmaceutical Bulletin</i> , 1998, 21, 1231-1233.	0.6	18
353	Medicinal Foodstuffs. XIV. On the Bioactive Constituents of <i>Moroheiya</i> . (2): New Fatty Acids, Corchorifatty Acids A, B, C, D, E, and F, from the Leaves of <i>Corchorus olitorius</i> L. (<i>Tiliaceae</i>): Structures and Inhibitory Effect on NO Production in Mouse Peritoneal Macrophages.. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 1008-1014.	0.6	64
354	Antidiabetic Principles of Natural Medicines. II. Aldose Reductase and .ALPHA.-Glucosidase Inhibitors from Brazilian Natural Medicine, the Leaves of <i>Myrcia multiflora</i> DC. (<i>Myrtaceae</i>): Structures of Myrciacitrins I and II and Myrciaphenones A and B.. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 113-119.	0.6	128
355	Absolute Stereostructures of Carabrane-Type Sesquiterpenes, Curcumenone, 4S-Dihydrocurcumenone, and Curcarabranols A and B: Vasorelaxant Activity of Zedoary Sesquiterpenes.. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 1186-1188.	0.6	26
356	Antidiabetic Principles of Natural Medicines. III. Structure-Related Inhibitory Activity and Action Mode of Oleanolic Acid Glycosides on Hypoglycemic Activity.. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 1399-1403.	0.6	104
357	Bioactive Saponins and Glycosides. XII. Horse Chestnut. (2): Structures of Escins IIIb, IV, V, and VI and Isoescins Ia, Ib, and V, Acylated Polyhydroxyoleanene Triterpene Oligoglycosides, from the Seeds of Horse Chestnut Tree (<i>Aesculus hippocastanum</i> L., <i>Hippocastanaceae</i>).. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 1764-1769.	0.6	68
358	Bioactive Saponins and Glycosides. XI. Structures of New Dammarane-Type Triterpene Oligoglycosides, Quinquenosides I, II, III IV, and V, from American Ginseng, the Roots of <i>Panax quinquefolium</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 647-654.	0.6	62
359	Kotalanol, a Potent α -Glucosidase Inhibitor with Thiosugar Sulfonium Sulfate Structure, from Antidiabetic Ayurvedic Medicine <i>Salacia reticulata</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 1339-1340.	0.6	240
360	Novel Indole S,O-Bisdesmoside, Calanthoside, the Precursor Glycoside of Tryptanthrin, Indirubin, and Isatin, with Increasing Skin Blood Flow Promoting Effects, from Two <i>Calanthe</i> Species (<i>Orchidaceae</i>).. <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 886-888.	0.6	78

#	ARTICLE	IF	CITATIONS
361	Medicinal Foodstuffs. VIII. Fenugreek Seed.(2) : Structures of Six New Furostanol Saponins, Trigoneosides IVa, Va, Vb, VI, VIIb, and VIIIb, from the Seeds of Indian <i>Trigonella foenum-graecum</i> L.. <i>Heterocycles</i> , 1998, 47, 397.	0.4	45
362	Corchorosides A, B, C, D, and E, New Cardiotonic Oligoglycosides from the Seed of <i>Corchorus olitorius</i> L. (Moroheiya). <i>Heterocycles</i> , 1998, 48, 869.	0.4	14
363	Absolute Stereostructures of Spinacosides C and D with a Novel Acetal Type Substituent from <i>Spinacia oleracea</i> (Spinach) and <i>Basella rubra</i> (Indian Spinach). <i>Heterocycles</i> , 1998, 49, 93.	0.4	11
364	Bioactive Saponins and Glycosides. IX. Notoginseng (2): Structures of Five New Dammarane-Type Triterpene Oligoglycosides, Notoginsenosides-E, -G, -H, -I, and -J, and a Novel Acetylenic Fatty Acid Glycoside, Notoginsenic Acid .BETA.-Sophoroside, from the Dried Root of <i>Panax notoginseng</i> (BURK.) F. H. CHEN.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1056-1062.	0.6	61
365	Medicinal Foodstuffs. V. Moroheiya. (1): Absolute Stereostructures of Corchoionosides A, B, and C, Histamine Release Inhibitors from the Leaves of Vietnamese <i>Corchorus olitorius</i> L. (Tiliaceae).. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 464-469.	0.6	144
366	Absolute Stereostructures of Betavulgarosides III and IV, Inhibitors of Glucose Absorption, from the Roots of <i>Beta vulgaris</i> L.(Sugar Beet).. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 561-563.	0.6	22
367	Inhibitory Mechanisms of Oleanolic Acid 3-O-Monodesmosides on Glucose Absorption in Rats.. <i>Biological and Pharmaceutical Bulletin</i> , 1997, 20, 717-719.	0.6	28
368	Bioactive Saponins and Glycosides. VIII. Notoginseng (1): New Dammarane-Type Triterpene Oligoglycosides, Notoginsenosides-A, -B, -C, and -D, from the Dried Root of <i>Panax notoginseng</i> (BURK.) F. H. CHEN.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1039-1045.	0.6	107
369	Studies on <i>Kochia fructus</i> . II. On the Saponin Constituents from the Fruit of Chinese <i>Kochia scoparia</i> (Chenopodiaceae): Chemical Structures of Kochianosides I, II, III, and IV.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1052-1055.	0.6	36
370	Bioactive Saponins and Glycosides. X. On the Constituents of <i>Zizyphi spinosa</i> Semen, the Seeds of <i>Zizyphus jujuba</i> MILL. var. <i>spinosa</i> HU (1): Structures and Histamine Release-Inhibitory Effect of Jujubosides A1 and C and Acetyljujuboside B.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1186-1192.	0.6	64
371	Bioactive Constituents of Chinese Natural Medicines. IV. <i>Rhodiola radix</i> . (2).: On the Histamine Release Inhibitors from the Underground Part of <i>Rhodiola sacra</i> (PRAIN ex HAMET) S. H. Fu (Crassulaceae): Chemical Structures of Rhodiocyanoside D and Sacranosides A and B.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1498-1503.	0.6	63
372	Medicinal Foodstuffs. IX. The Inhibitors of Glucose Absorption from the Leaves of <i>Cymnema sylvestre</i> R. BR. (Asclepiadaceae): Structures of Gymnemosides a and b.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1671-1676.	0.6	77
373	Medicinal Foodstuffs. X. Structures of New Triterpene Glycosides, Gymnemosides-c, -d, -e, and -f, from the Leaves of <i>Gymnema sylvestre</i> R. BR.: Influence of <i>Gymnema</i> Glycosides on Glucose Uptake in Rat Small Intestinal Fragments.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 2034-2038.	0.6	50
374	Regioselective Oxidation of the Hydroxyl Group in Polyhydroxylated Triterpenes by the Indirect Anodic Oxidation Method.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 570-572.	0.6	7
375	Absolute Stereostructures of Alismalactone 23-Acetate and Alismaketone-A 23-Acetate, New seco-Protostane and Protostane-Type Triterpenes with Vasorelaxant Effects from Chinese <i>Alismatis rhizoma</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 756-758.	0.6	22
376	Medicinal Foodstuffs. IV. Fenugreek Seed. (1): Structures of Trigoneosides Ia, Ib, IIa, IIb, IIIa, and IIIb, New Furostanol Saponins from the Seeds of Indian <i>Trigonella foenum-graecum</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 81-87.	0.6	133
377	Medicinal Foodstuffs. VI. Histamine Release Inhibitors from Kidney Bean, the Seeds of <i>Phaseolus vulgaris</i> L.: Chemical Structures of Sandosaponins A and B.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 877-882.	0.6	36
378	Effects of Escins Ia, Ib, IIa, and IIb from Horse Chestnut, the Seeds of <i>Aesculus hippocastanum</i> L., on Acute Inflammation in Animals.. <i>Biological and Pharmaceutical Bulletin</i> , 1997, 20, 1092-1095.	0.6	113

#	ARTICLE	IF	CITATIONS
379	Medicinal Foodstuffs. VII. On the Saponin Constituents with Glucose and Alcohol Absorption-Inhibitory Activity from a Food Garnish "Tonburi", the Fruit of Japanese <i>Kochia scoparia</i> (L.) SCHRAD.: Structures of Scopariosides A, B, and C.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1300-1305.	0.6	61
380	Micropeptins 478-A and -B, Plasmin Inhibitors from the Cyanobacterium <i>Microcystis aeruginosa</i> . <i>Journal of Natural Products</i> , 1997, 60, 184-187.	1.5	48
381	Kawaguchipeptin B, an Antibacterial Cyclic Undecapeptide from the Cyanobacterium <i>Microcystis aeruginosa</i> . <i>Journal of Natural Products</i> , 1997, 60, 724-726.	1.5	96
382	Aeruginosins 205A and -B, Serine Protease Inhibitory Glycopeptides from the Cyanobacterium <i>Oscillatoria agardhii</i> (NIES-205). <i>Journal of Organic Chemistry</i> , 1997, 62, 1810-1813.	1.7	75
383	Nostopeptins A and B, Elastase Inhibitors from the Cyanobacterium <i>Nostoc minutum</i> . <i>Journal of Natural Products</i> , 1997, 60, 158-161.	1.5	69
384	Anabaenopeptins E and F, Two New Cyclic Peptides from the Cyanobacterium <i>Oscillatoria agardhii</i> (NIES-204). <i>Journal of Natural Products</i> , 1997, 60, 139-141.	1.5	55
385	Salacinol, potent antidiabetic principle with unique thiosugar sulfonium sulfate structure from the Ayurvedic traditional medicine <i>Salacia reticulata</i> in Sri Lanka and India. <i>Tetrahedron Letters</i> , 1997, 38, 8367-8370.	0.7	256
386	Antiinflammatory effects of escins Ia, Ib, IIa, and IIb from horse chestnut, the seeds of <i>Aesculus hippocastanum</i> L.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 1611-1616.	1.0	39
387	New hepatoprotective saponins, bupleurosides III, VI, IX, and XIII, from Chinese <i>Bupleuri Radix</i> : Structure-requirements for the cytoprotective activity in primary cultured rat hepatocytes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 2193-2198.	1.0	53
388	Circinamide, a novel papain inhibitor from the cyanobacterium <i>Anabaena circinalis</i> (NIES-41). <i>Tetrahedron</i> , 1997, 53, 5747-5754.	1.0	11
389	Microginins 299-A and -B, leucine aminopeptidase inhibitors from the cyanobacterium <i>Microcystis aeruginosa</i> (NIES-299). <i>Tetrahedron</i> , 1997, 53, 10281-10288.	1.0	39
390	Braunixanthins 1 and 2, new carotenoids from the green microalga <i>Botryococcus braunii</i> . <i>Tetrahedron</i> , 1997, 53, 11307-11316.	1.0	40
391	Micropeptin 103, a Chymotrypsin Inhibitor from the Cyanobacterium <i>Microcystis viridis</i> (NIES-103). <i>Tetrahedron Letters</i> , 1997, 38, 3035-3038.	0.7	35
392	Scorzonerosides A, B, and C, novel triterpene oligoglycosides with hepatoprotective effect from Chinese <i>Bupleuri Radix</i> , the roots of <i>Bupleurum scorzonerifolium</i> Willd. <i>Tetrahedron Letters</i> , 1997, 38, 7395-7398.	0.7	41
393	A cyclic peptide, anabaenopeptin B, from the cyanobacterium <i>Oscillatoria agardhii</i> . <i>Phytochemistry</i> , 1997, 44, 449-452.	1.4	48
394	Microviridins, elastase inhibitors from the cyanobacterium <i>Nostoc minutum</i> (NIES-26). <i>Phytochemistry</i> , 1997, 45, 1197-1202.	1.4	66
395	Crude Drugs from Aquatic Plants. VI. On the Alkaloid Constituents of Chinese <i>Nupharis Rhizoma</i> , the Dried Rhizoma of <i>Nuphar pumilum</i> (TIMM.) DC. (Nymphaeaceae): Structures and Rearrangement Reaction of Thiohemiaminal Type <i>Nuphar</i> Alkaloids. <i>Heterocycles</i> , 1997, 45, 1815.	0.4	19
396	Crude Drugs from Aquatic Plants. VII. Four New Thiaspirane Sulfoxide Type <i>Nuphar</i> Alkaloids, <i>Nupharpumilamines</i> A, B, C, and D, from Chinese <i>Nupharis Rhizoma</i> , the Rhizoma of <i>Nuphar pumilum</i> (TIMM.) DC. (Nymphaeaceae). <i>Heterocycles</i> , 1997, 46, 301.	0.4	13

#	ARTICLE	IF	CITATIONS
397	Radiosumin, a Trypsin Inhibitor from the Blue-Green Alga <i>Plectonema radiosum</i> . <i>Journal of Organic Chemistry</i> , 1996, 61, 8648-8650.	1.7	20
398	Bioactive Saponins and Glycosides. III. Horse Chestnut. (1): The Structures, Inhibitory Effects on Ethanol Absorption, and Hypoglycemic Activity of Escins Ia, Ib, IIa, IIb, and IIIa from the Seeds of <i>Aesculus hippocastanum</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1454-1464.	0.6	111
399	New bioactive monoterpene glycosides from <i>paeoniae radix</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1279-1281.	0.6	50
400	Bioactive Constituents of Chinese Natural Medicines. II. <i>Rhodiola Radix</i> . (1). Chemical Structures and Antiallergic Activity of Rhodiocyanosides A and B from the Underground Part of <i>Rhodiola quadrifida</i> (PALL.) FISCH. et MEY. (Crassulaceae).. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 2086-2091.	0.6	84
401	Medicinal Foodstuffs. III. Sugar Beet. (1): Hypoglycemic Oleanolic Acid Oligoglycosides, Betavulgarosides I,II,III, and IV, from the Root of <i>Beta vulgaris</i> L.(Chenopodiaceae).. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1212-1217.	0.6	101
402	Bioactive Saponins and Glycosides. II. <i>Senegae Radix</i> . (2): Chemical Structures, Hypoglycemic Activity, and Ethanol Absorption-Inhibitory Effect of E-Senegasaponin c, Z-Senegasaponin c, and Z-Senegins II, III, and IV.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1305-1313.	0.6	63
403	Development of Bioactive Functions in <i>Hydrangeae Dulcis Folium</i> . V. On the Antiallergic and Antimicrobial Principles of <i>Hydrangeae Dulcis Folium</i> . (2). Thunberginols C, D, and E, Thunberginol G 3'-O-Glucoside, (-)-Hydrangenol 4'-O-Glucoside, and (+)-Hydrangenol 4'-O-Glucoside.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1440-1447.	0.6	52
404	Bioactive Saponins and Glycosides. IV. Four Methyl-Migrated 16,17-seco-Dammarane Triterpene Glycosides from Chinese Natural Medicine, <i>Hoveniae Semen Seu Fructus</i> , the Seeds and Fruit of <i>Hovenia dulcis</i> THUNB.: Absolute Stereostructures and Inhibitory Activity on Histamine Release of Hovenidulciosides A1, A2, B1, and B2.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1736-1743.	0.6	49
405	Bioactive Saponins and Glycosides. VI. Elatosides A and B, Potent Inhibitors of Ethanol Absorption, from the Bark of <i>Aralia elata</i> SEEM. (Araliaceae): The Structure-Requirement in Oleanolic Acid Glucuronide-Saponins for the Inhibitory Activity.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1915-1922.	0.6	45
406	Bioactive Saponins and Glycosides. VII. On the Hypoglycemic Principles from the Root Cortex of <i>Aralia elata</i> SEEM.: Structure Related Hypoglycemic Activity of Oleanolic Acid Oligoglycoside.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1923-1927.	0.6	63
407	Medicinal Foodstuffs. II. On the Bioactive Constituents of the Tuber of <i>Sagittaria trifolia</i> L. (Kuwai), Tj ETQq1 1 0.784314 rgBT /Overlook Arabinothalictoside.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 492-499.	0.6	37
408	Bioactive Saponins and Glycosides. V. Acylated Polyhydroxyolean-12-ene Triterpene Oligoglycosides, Camelliasaponins A1, A2, B1, B2, C1, and C2, from the Seeds of <i>Camellia japonica</i> L.: Structures and Inhibitory Activity on Alcohol Absorption.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1899-1907.	0.6	74
409	Potent Immunosuppressive Principles, Dimeric Sesquiterpene Thioalkaloids, Isolated from <i>Nupharis Rhizoma</i> , the Rhizoma of <i>Nuphar pumilum</i> (Nymphaeaceae): Structure-Requirement of Nuphar-Alkaloid for Immunosuppressive Activity.. <i>Biological and Pharmaceutical Bulletin</i> , 1996, 19, 1241-1243.	0.6	33
410	Development of Bioactive Functions in <i>Hydrangeae Dulcis Folium</i> . VI. Syntheses of Thunberginols A and F and Their 3'-Deoxy-Derivatives Using Regiospecific Lactonization of Stilbene Carboxylic Acid: Structures and Inhibitory Activity on Histamine Release of Hydramacrophyllols A and B.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1890-1898.	0.6	43
411	New Hypoglycemic Constituents in "Gymnemic Acid" from <i>Gymnema sylvestree</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 469-471.	0.6	63
412	Bioactive Constituents of Chinese Natural Medicines. I. New Sesquiterpene Ketones with Vasorelaxant Effect from Chinese Moxa, the Processed Leaves of <i>Artemisia argyi</i> LEVL. et VANT.: Moxartenone and Moxartenolid.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1656-1662.	0.6	59
413	Agardhipeptins A and B, two new cyclic hepta- and octapeptide, from the cyanobacterium <i>Oscillatoria agardhii</i> (NIES-204). <i>Tetrahedron</i> , 1996, 52, 13129-13136.	1.0	32
414	Aeruginosins 102-A and B, new thrombin inhibitors from the cyanobacterium <i>Microcystis viridis</i> (NIES-102). <i>Tetrahedron</i> , 1996, 52, 14501-14506.	1.0	74

#	ARTICLE	IF	CITATIONS
415	Microviridins D-F, serine protease inhibitors from the cyanobacterium <i>Oscillatoria agardhii</i> (NIES-204). <i>Tetrahedron</i> , 1996, 52, 8159-8168.	1.0	76
416	Kawaguchipeptin A, a novel cyclic undecapeptide from cyanobacterium <i>Microcystis aeruginosa</i> (NIES-88). <i>Tetrahedron</i> , 1996, 52, 9025-9030.	1.0	43
417	Botryoxanthin A, a member of a new class of carotenoids from the green microalga <i>Botryococcus braunii</i> Berkeley. <i>Tetrahedron Letters</i> , 1996, 37, 1065-1068.	0.7	42
418	The absolute stereochemistry of micropeptin 90. <i>Tetrahedron Letters</i> , 1996, 37, 9225-9226.	0.7	12
419	Rhodiocyanosides A and B, new antiallergic cyanoglycosides from chinese natural medicine "Si Lie Hong Jing Tian", the underground part of <i>Rhodiola quadrifida</i> (Pall.) Fisch. et Mey.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 1245-1247.	0.6	39
420	Medicinal Foodstuffs. I. Hypoglycemic Constituents from a Garnish Foodstuff "Taranome," the Young Shoot of <i>Aralia elata</i> SEEM.: Elatosides G, H, I, J, and K.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 1878-1882.	0.6	75
421	Bioactive Saponins and Glycosides. I. <i>Senegae Radix</i> . (1): E-Senegasaponins a and b and Z-Senegasaponins a and b, Their Inhibitory Effect on Alcohol Absorption and Hypoglycemic Activity.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 2115-2122.	0.6	64
422	E-Senegasaponins A and B, Z-Senegasaponins A and B, Z-Senegins II and III, New Type Inhibitors of Ethanol Absorption in Rats from <i>Senegae Radix</i> , the Roots of <i>Polygala senega</i> L. var <i>Latifolia</i> TORREY et GRAY.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 350-352.	0.6	47
423	Absolute stereostructures of hovenidulciosides A1 and A2, bioactive novel triterpene glycosides from <i>hoveniae semen seu fructus</i> , the seeds and fruit of <i>hovenia dulcis</i> THUNB.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 532-534.	0.6	32
424	New microviridins, elastase inhibitors from the blue-green alga <i>Microcystis aeruginosa</i> . <i>Tetrahedron</i> , 1995, 51, 10679-10686.	1.0	78
425	Aeruginosins 98-A and B, trypsin inhibitors from the blue-green alga <i>Microcystis aeruginosa</i> (NIES-98). <i>Tetrahedron Letters</i> , 1995, 36, 2785-2788.	0.7	134
426	Micropeptin 90, a plasmin and trypsin inhibitor from the blue-green alga <i>Microcystis aeruginosa</i> (NIES-90). <i>Tetrahedron Letters</i> , 1995, 36, 3535-3538.	0.7	58
427	Oscillapeptin, an Elastase and Chymotrypsin Inhibitor from the Cyanobacterium <i>Oscillatoria agardhii</i> (NIES-204). <i>Tetrahedron Letters</i> , 1995, 36, 5235-5238.	0.7	52
428	Betavulgarosides I, II, III, IV, and V, Hypoglycemic Glucuronide Saponins from the Roots and Leaves of <i>Beta vulgaris</i> L. (Sugar Beet). <i>Heterocycles</i> , 1995, 41, 1621.	0.4	47
429	Aeruginosin 298-A, a thrombin and trypsin inhibitor from the blue-green alga <i>Microcystis aeruginosa</i> (NIES-298). <i>Tetrahedron Letters</i> , 1994, 35, 3129-3132.	0.7	133
430	Stomachic Principles in Ginger. III. An Anti-ulcer Principle, 6-Gingesulfonic Acid, and Three Monoacyldigalactosylglycerols, Gingerglycolipids A, B, and C, from <i>Zingiberis Rhizoma</i> Originating in Taiwan.. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 1226-1230.	0.6	108
431	Elatoside E, a New Hypoglycemic Principle from the Root Cortex of <i>Aralia elata</i> SEEM.: Structure-Related Hypoglycemic Activity of Oleanolic Acid Glycosides.. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 1354-1356.	0.6	77
432	Escins-Ia, Ib, IIa, IIb, and IIIa, Bioactive Triterpene Oligoglycosides from the Seeds of <i>Aesculus hippocastanum</i> L.: Their Inhibitory Effects on Ethanol Absorption and Hypoglycemic Activity on Glucose Tolerance Test.. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 1357-1359.	0.6	84

#	ARTICLE	IF	CITATIONS
433	Crude Drugs from Aquatic Plants. IV. On the Constituents of Alismatis Rhizoma. (2). Stereostructures of Bioactive Sesquiterpenes, Alismol, Alismoxide, Orientalols A, B, and C, from Chinese Alismatis Rhizoma.. Chemical and Pharmaceutical Bulletin, 1994, 42, 1813-1816.	0.6	34
434	Crude Drugs from Aquatic Plants. V. On the Constituents of Alismatis Rhizoma. (3). Stereostructures of Water-Soluble Bioactive Sesquiterpenes, Sulfoorientalols a,b,c, and d, from Chinese Alismatis Rhizoma.. Chemical and Pharmaceutical Bulletin, 1994, 42, 2430-2435.	0.6	26
435	Camelliasaponins B1, B2, C1, and C2, New Type Inhibitors of Ethanol Absorption in Rats from the Seeds of Camellia japonica L... Chemical and Pharmaceutical Bulletin, 1994, 42, 742-744.	0.6	64
436	Absolute Stereostructures of Hydramacrosides A and B, New Bioactive Secoiridoid Glucoside Complexes from the Leaves of Hydrangea macrophylla SERINGE var. thunbergii MAKINO.. Chemical and Pharmaceutical Bulletin, 1994, 42, 1691-1693.	0.6	35
437	Development of Bioactive Functions in Hydrangeae Dulcis Folium. III. On the Antiallergic and Antimicrobial Principles of Hydrangeae Dulcis Folium. (1). Thunberginols A, B, and F.. Chemical and Pharmaceutical Bulletin, 1994, 42, 2225-2230.	0.6	109
438	Microginin, an angiotensin-converting enzyme inhibitor from the blue-green alga Microcystis aeruginosa. Tetrahedron Letters, 1993, 34, 501-504.	0.7	167
439	Micropeptins A and B, plasmin and trypsin inhibitors from the blue-green alga Microcystis aeruginosa. Tetrahedron Letters, 1993, 34, 8131-8134.	0.7	101
440	Sulfoorientalols a, b, c, and d, four new biologically active sesquiterpenes, from alismatis rhizoma.. Chemical and Pharmaceutical Bulletin, 1993, 41, 1194-1196.	0.6	28
441	Absolute Stereostructures of Trifoliones A, B, C, and D, New Biologically Active Diterpenes from the Tuber of Sagittaria trifolia L.. Chemical and Pharmaceutical Bulletin, 1993, 41, 1677-1679.	0.6	19
442	Elatosides A and B, potent inhibitors of ethanol absorption in rats from the bark of Aralia elata SEEM.: The structure-activity relationships of oleanolic acid oligoglycosides.. Chemical and Pharmaceutical Bulletin, 1993, 41, 2069-2071.	0.6	53
443	Thunberginols C, D, and E, new antiallergic and antimicrobial dihydroisocoumarins, and thunberginol C 3'-O-glucoside and (-)-hydrangenol 4'-O-glucoside, new dihydroisocoumarin glycosides, from Hydrangeae Dulcis Folium.. Chemical and Pharmaceutical Bulletin, 1992, 40, 3352-3354.	0.6	68
444	Anticholinergic action of Swertia japonica and an active constituent. Journal of Ethnopharmacology, 1991, 33, 31-35.	2.0	61
445	Oscillariolide, a novel macrolide from a blue-green alga Oscillatoria sp.. Tetrahedron Letters, 1991, 32, 2391-2394.	0.7	52
446	Antianoxic action and active constituents of Atractylodis Lanceae Rhizoma.. Chemical and Pharmaceutical Bulletin, 1990, 38, 2033-2034.	0.6	11
447	The effect of alismol isolated from alismatis rhizoma on experimental hypertensive models in rats. Phytotherapy Research, 1989, 3, 57-60.	2.8	13
448	Active components of ginger exhibiting anti-serotonergic action. Phytotherapy Research, 1989, 3, 70-71.	2.8	58
449	Effect of alismol isolated from Alismatis Rhizoma on working heart perfusion in rat. Phytotherapy Research, 1989, 3, 72-74.	2.8	6
450	Vascular dilatory action of Artemisia capillaris bud extracts and their active constituent. Journal of Ethnopharmacology, 1989, 26, 129-136.	2.0	22

#	ARTICLE	IF	CITATIONS
451	The effect of scoparone, a coumarin derivative isolated from the chinese crude drug Artemisiae capillaris Flos, on the heart.. Chemical and Pharmaceutical Bulletin, 1989, 37, 1297-1299.	0.6	26
452	Vascular dilatory action of the chinese crude drug. II. Effects of scoparone on calcium mobilization.. Chemical and Pharmaceutical Bulletin, 1989, 37, 485-489.	0.6	12
453	The vasorelaxant effect of evocarpine in isolated aortic strips: mode of action. European Journal of Pharmacology, 1988, 155, 139-143.	1.7	12
454	Effect of alismol on adrenergic mechanism in isolated rabbit ear artery.. The Japanese Journal of Pharmacology, 1988, 46, 331-335.	1.2	7
455	The effect of crude drugs on experimental hypercholesteremia: Mode of action of (-)-epigallocatechin gallate in tea leaves.. Chemical and Pharmaceutical Bulletin, 1988, 36, 227-233.	0.6	87
456	Effect of Alismol on Adrenergic Mechanism in Isolated Rabbit Ear Artery. The Japanese Journal of Pharmacology, 1988, 46, 331-335.	1.2	0
457	Effects of alismol isolated from Alismatis Rhizoma on calcium-induced contraction in the rabbit thoracic aorta. Life Sciences, 1987, 41, 1845-1852.	2.0	23
458	The active principle of alismatis rhizoma which inhibits contractile responses in aorta.. Chemical and Pharmaceutical Bulletin, 1986, 34, 4422-4424.	0.6	18
459	Biologically Active Plinciples of Crude Drugs. Pharmacological Evaluation of Artemisiae capillaris FLOS. (1). Yakugaku Zasshi, 1982, 102, 285-291.	0.0	18
460	Effect of Crude Drugs on Experimental Liver Damages. II. Effect of New Sesquiterpenoid"Furanogermenone". Yakugaku Zasshi, 1982, 102, 272-277.	0.0	5