

Patricia Gaspar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9200598/publications.pdf>

Version: 2024-02-01

123
papers

12,902
citations

26610

56
h-index

24232

110
g-index

135
all docs

135
docs citations

135
times ranked

10013
citing authors

#	ARTICLE	IF	CITATIONS
1	Aggressive behavior and altered amounts of brain serotonin and norepinephrine in mice lacking MAOA. <i>Science</i> , 1995, 268, 1763-1766.	6.0	1,188
2	The developmental role of serotonin: news from mouse molecular genetics. <i>Nature Reviews Neuroscience</i> , 2003, 4, 1002-1012.	4.9	1,130
3	Dopaminergic innervation of the cerebral cortex: unexpected differences between rodents and primates. <i>Trends in Neurosciences</i> , 1991, 14, 21-27.	4.2	524
4	Catecholamine innervation of the human cerebral cortex as revealed by comparative immunohistochemistry of tyrosine hydroxylase and dopamine-beta-hydroxylase. <i>Journal of Comparative Neurology</i> , 1989, 279, 249-271.	0.9	503
5	Lack of Barrels in the Somatosensory Cortex of Monoamine Oxidase A-deficient Mice: Role of a Serotonin Excess during the Critical Period. <i>Neuron</i> , 1996, 16, 297-307.	3.8	493
6	Transient Uptake and Storage of Serotonin in Developing Thalamic Neurons. <i>Neuron</i> , 1996, 17, 823-835.	3.8	318
7	D1 and D2 Receptor Gene Expression in the Rat Frontal Cortex: Cellular Localization in Different Classes of Efferent Neurons. <i>European Journal of Neuroscience</i> , 1995, 7, 1050-1063.	1.2	305
8	Development and critical period plasticity of the barrel cortex. <i>European Journal of Neuroscience</i> , 2012, 35, 1540-1553.	1.2	275
9	Excessive Activation of Serotonin (5-HT) 1B Receptors Disrupts the Formation of Sensory Maps in Monoamine Oxidase A and 5-HT Transporter Knock-Out Mice. <i>Journal of Neuroscience</i> , 2001, 21, 884-896.	1.7	258
10	Dementia in idiopathic Parkinson's disease. <i>Acta Neuropathologica</i> , 1984, 64, 43-52.	3.9	253
11	Regional and laminar distribution of the dopamine and serotonin innervation in the macaque cerebral cortex: A radioautographic study. <i>Journal of Comparative Neurology</i> , 1988, 273, 99-119.	0.9	250
12	Paranodin, a Glycoprotein of Neuronal Paranodal Membranes. <i>Neuron</i> , 1997, 19, 319-331.	3.8	231
13	New perspectives on the neurodevelopmental effects of SSRIs. <i>Trends in Pharmacological Sciences</i> , 2010, 31, 60-65.	4.0	227
14	Localization of VGLUT3, the vesicular glutamate transporter type 3, in the rat brain. <i>Neuroscience</i> , 2004, 123, 983-1002.	1.1	225
15	Conditional anterograde tracing reveals distinct targeting of individual serotonin cell groups (B5-B9) to the forebrain and brainstem. <i>Brain Structure and Function</i> , 2016, 221, 535-561.	1.2	225
16	Alterations of dopaminergic and noradrenergic innervations in motor cortex in parkinson's disease. <i>Annals of Neurology</i> , 1991, 30, 365-374.	2.8	224
17	Transient developmental expression of monoamine transporters in the rodent forebrain. <i>Journal of Comparative Neurology</i> , 1998, 401, 506-524.	0.9	196
18	Refinement of Thalamocortical Arbors and Emergence of Barrel Domains in the Primary Somatosensory Cortex: A Study of Normal and Monoamine Oxidase A Knock-Out Mice. <i>Journal of Neuroscience</i> , 2002, 22, 8541-8552.	1.7	175

#	ARTICLE	IF	CITATIONS
19	Topography and collateralization of the dopaminergic projections to motor and lateral prefrontal cortex in owl monkeys. <i>Journal of Comparative Neurology</i> , 1992, 325, 1-21.	0.9	168
20	Excess of Serotonin (5-HT) Alters the Segregation of Ipsilateral and Contralateral Retinal Projections in Monoamine Oxidase A Knock-Out Mice: Possible Role of 5-HT Uptake in Retinal Ganglion Cells During Development. <i>Journal of Neuroscience</i> , 1999, 19, 7007-7024.	1.7	166
21	Plasma Membrane Transporters of Serotonin, Dopamine, and Norepinephrine Mediate Serotonin Accumulation in Atypical Locations in the Developing Brain of Monoamine Oxidase A Knock-Outs. <i>Journal of Neuroscience</i> , 1998, 18, 6914-6927.	1.7	158
22	Probing the diversity of serotonin neurons. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012, 367, 2382-2394.	1.8	156
23	Catecholaminergic innervation of the septal area in man: Immunocytochemical study using TH and DBH antibodies. <i>Journal of Comparative Neurology</i> , 1985, 241, 12-33.	0.9	155
24	cAMP oscillations and retinal activity are permissive for ephrin signaling during the establishment of the retinotopic map. <i>Nature Neuroscience</i> , 2007, 10, 340-347.	7.1	151
25	Transient expression of tyrosine hydroxylase immunoreactivity in some neurons of the rat neocortex during postnatal development. <i>Developmental Brain Research</i> , 1985, 23, 141-144.	2.1	148
26	Branching and nucleokinesis defects in migrating interneurons derived from doublecortin knockout mice. <i>Human Molecular Genetics</i> , 2006, 15, 1387-1400.	1.4	145
27	Transient Neuronal Populations Are Required to Guide Callosal Axons: A Role for Semaphorin 3C. <i>PLoS Biology</i> , 2009, 7, e1000230.	2.6	141
28	Effects of monoamine oxidase A inhibition on barrel formation in the mouse somatosensory cortex: Determination of a sensitive developmental period. , 1998, 393, 169-184.		128
29	A Genetically Defined Morphologically and Functionally Unique Subset of 5-HT Neurons in the Mouse Raphe Nuclei. <i>Journal of Neuroscience</i> , 2011, 31, 2756-2768.	1.7	128
30	Serotonin transporter transgenic (SERT ^{cre}) mouse line reveals developmental targets of serotonin specific reuptake inhibitors (SSRIs). <i>Neuropharmacology</i> , 2008, 55, 994-1005.	2.0	126
31	Tyrosine hydroxylase-immunoreactive neurons in the human cerebral cortex: a novel catecholaminergic group?. <i>Neuroscience Letters</i> , 1987, 80, 257-262.	1.0	115
32	Activity-Dependent Presynaptic Effect of Serotonin 1B Receptors on the Somatosensory Thalamocortical Transmission in Neonatal Mice. <i>Journal of Neuroscience</i> , 2002, 22, 886-900.	1.7	111
33	Subpopulations of cortical GABAergic interneurons differ by their expression of D1 and D2 dopamine receptor subtypes. <i>Molecular Brain Research</i> , 1998, 58, 231-236.	2.5	105
34	Early-life stress impairs postnatal oligodendrogenesis and adult emotional behaviour through activity-dependent mechanisms. <i>Molecular Psychiatry</i> , 2020, 25, 1159-1174.	4.1	104
35	Transient developmental expression of monoamine transporters in the rodent forebrain. <i>Journal of Comparative Neurology</i> , 1998, 401, 506-24.	0.9	101
36	Changing distribution of monoaminergic markers in the developing human cerebral cortex with special emphasis on the serotonin transporter. <i>The Anatomical Record</i> , 2002, 267, 87-93.	2.3	97

#	ARTICLE	IF	CITATIONS
37	Serotonin receptor activation enhances neurite outgrowth of thalamic neurones in rodents. <i>Neuroscience Letters</i> , 1999, 269, 87-90.	1.0	92
38	Tyrosine hydroxylase and methionine-enkephalin in the human mesencephalon. <i>Journal of the Neurological Sciences</i> , 1983, 58, 247-267.	0.3	87
39	Developmental expression of monoamine oxidases A and B in the central and peripheral nervous systems of the mouse. <i>Journal of Comparative Neurology</i> , 2002, 442, 331-347.	0.9	84
40	Development of raphe serotonin neurons from specification to guidance. <i>European Journal of Neuroscience</i> , 2011, 34, 1553-1562.	1.2	84
41	Investigating anxiety and depressive-like phenotypes in genetic mouse models of serotonin depletion. <i>Neuropharmacology</i> , 2012, 62, 144-154.	2.0	81
42	Neurotransmitter Release at the Thalamocortical Synapse Instructs Barrel Formation But Not Axon Patterning in the Somatosensory Cortex. <i>Journal of Neuroscience</i> , 2012, 32, 6183-6196.	1.7	79
43	Multiscale single-cell analysis reveals unique phenotypes of raphe 5-HT neurons projecting to the forebrain. <i>Brain Structure and Function</i> , 2016, 221, 4007-4025.	1.2	79
44	Somatostatin 28 and neuropeptide Y innervation in the septal area and related cortical and subcortical structures of the human brain. Distribution, relationships and evidence for differential coexistence. <i>Neuroscience</i> , 1987, 22, 49-73.	1.1	78
45	Constitutive and Acquired Serotonin Deficiency Alters Memory and Hippocampal Synaptic Plasticity. <i>Neuropsychopharmacology</i> , 2017, 42, 512-523.	2.8	78
46	Cross Talk between Tetanus Neurotoxin-insensitive Vesicle-associated Membrane Protein-mediated Transport and L1-mediated Adhesion. <i>Molecular Biology of the Cell</i> , 2003, 14, 4207-4220.	0.9	75
47	Subpopulations of somatostatin 28-immunoreactive neurons display different vulnerability in senile dementia of the Alzheimer type. <i>Brain Research</i> , 1989, 490, 1-13.	1.1	74
48	Serotonin neuron development: shaping molecular and structural identities. <i>Wiley Interdisciplinary Reviews: Developmental Biology</i> , 2018, 7, e301.	5.9	74
49	Severe Serotonin Depletion after Conditional Deletion of the Vesicular Monoamine Transporter 2 Gene in Serotonin Neurons: Neural and Behavioral Consequences. <i>Neuropsychopharmacology</i> , 2011, 36, 2538-2550.	2.8	71
50	Postnatal Growth Defects in Mice with Constitutive Depletion of Central Serotonin. <i>ACS Chemical Neuroscience</i> , 2013, 4, 171-181.	1.7	71
51	Transient tyrosine hydroxylase-like immunoreactive neurons contain somatostatin and substance P in the developing amygdala and bed nucleus of the stria terminalis of the rat. <i>Developmental Brain Research</i> , 1988, 42, 45-58.	2.1	69
52	Refining the Role of 5-HT in Postnatal Development of Brain Circuits. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 139.	1.8	69
53	Serotonergic sprouting in primate MTP-induced hemiparkinsonism. <i>Experimental Brain Research</i> , 1993, 96, 100-106.	0.7	68
54	Adenylate Cyclase 1 as a Key Actor in the Refinement of Retinal Projection Maps. <i>Journal of Neuroscience</i> , 2003, 23, 2228-2238.	1.7	66

#	ARTICLE	IF	CITATIONS
55	POST MORTEM STABILITY AND STORAGE IN THE COLD OF BRAIN ENZYMES. <i>Journal of Neurochemistry</i> , 1979, 32, 449-454.	2.1	65
56	Sparing of the dopaminergic neurons containing Calbindin-D28k and of the dopaminergic mesocortical projections in weaver mutant mice. <i>Neuroscience</i> , 1994, 61, 293-305.	1.1	65
57	Centrin4p, a Novel Mammalian Centrin Specifically Expressed in Ciliated Cells. <i>Molecular Biology of the Cell</i> , 2003, 14, 1818-1834.	0.9	65
58	Requirement of Adenylate Cyclase 1 for the Ephrin-A5-Dependent Retraction of Exuberant Retinal Axons. <i>Journal of Neuroscience</i> , 2006, 26, 862-872.	1.7	63
59	Transcription Factor Foxd1 Is Required for the Specification of the Temporal Retina in Mammals. <i>Journal of Neuroscience</i> , 2011, 31, 5673-5681.	1.7	55
60	SSRIs target prefrontal toÂraphe circuits during development modulating synaptic connectivity and emotional behavior. <i>Molecular Psychiatry</i> , 2019, 24, 726-745.	4.1	54
61	Major dopamine innervation of the cortical motor areas in the Cynomolgus monkey. A radioautographic study with comparative assessment of serotonergic afferents. <i>Neuroscience Letters</i> , 1986, 72, 121-127.	1.0	52
62	Lack of 5-HT1B receptor and of serotonin transporter have different effects on the segregation of retinal axons in the lateral geniculate nucleus compared to the superior colliculus. <i>Neuroscience</i> , 2002, 111, 597-610.	1.1	52
63	Dissociating Barrel Development and Lesion-Induced Plasticity in the Mouse Somatosensory Cortex. <i>Journal of Neuroscience</i> , 2005, 25, 706-710.	1.7	52
64	Further indication that distinct dopaminergic subsets project to the rat cerebral cortex: lack of colocalization with neurotensin in the superficial dopaminergic fields of the anterior cingulate, motor, retrosplenial and visual cortices. <i>Brain Research</i> , 1991, 547, 55-61.	1.1	51
65	Insights into the complex influence of 5-HT signaling on thalamocortical axonal system development. <i>European Journal of Neuroscience</i> , 2012, 35, 1563-1572.	1.2	51
66	Biochemical neuropathology of Parkinson's disease. <i>Advances in Neurology</i> , 1984, 40, 189-98.	0.8	51
67	Chemoanatomic compartments in the human bed nucleus of the stria terminalis. <i>Neuroscience</i> , 1989, 32, 181-194.	1.1	50
68	Activity dependent mechanisms of visual map formation - From retinal waves to molecular regulators. <i>Seminars in Cell and Developmental Biology</i> , 2014, 35, 136-146.	2.3	50
69	Regional Distribution of Neurotransmitter Synthesizing Enzymes in the Basal Ganglia of Human Brain. <i>Journal of Neurochemistry</i> , 1980, 34, 278-283.	2.1	48
70	Effects of genetic depletion of monoamines on somatosensory cortical development. <i>Neuroscience</i> , 2002, 115, 753-764.	1.1	48
71	Tetanus neurotoxin-insensitive vesicle-associated membrane protein localizes to a presynaptic membrane compartment in selected terminal subsets of the rat brain. <i>Neuroscience</i> , 2003, 122, 59-75.	1.1	48
72	Structural Requirement of TAG-1 for Retinal Ganglion Cell Axons and Myelin in the Mouse Optic Nerve. <i>Journal of Neuroscience</i> , 2008, 28, 7624-7636.	1.7	48

#	ARTICLE	IF	CITATIONS
73	Neurotensin innervation of the human cerebral cortex: lack of colocalization with catecholamines. <i>Brain Research</i> , 1990, 530, 181-195.	1.1	47
74	Expression of Cux-1 and Cux-2 in the developing somatosensory cortex of normal and barrel-defective mice. <i>The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology</i> , 2006, 288A, 158-165.	2.0	47
75	Interactions between TrkB Signaling and Serotonin Excess in the Developing Murine Somatosensory Cortex: A Role in Tangential and Radial Organization of Thalamocortical Axons. <i>Journal of Neuroscience</i> , 2002, 22, 4987-5000.	1.7	45
76	Developmental Cell Death Is Enhanced in the Cerebral Cortex of Mice Lacking the Brain Vesicular Monoamine Transporter. <i>Journal of Neuroscience</i> , 2007, 27, 1315-1324.	1.7	43
77	Nocodazole-Induced Changes in Microtubule Dynamics Impair the Morphology and Directionality of Migrating Medial Ganglionic Eminence Cells. <i>Developmental Neuroscience</i> , 2008, 30, 132-143.	1.0	41
78	Sensory Map Transfer to the Neocortex Relies on Pretarget Ordering of Thalamic Axons. <i>Current Biology</i> , 2013, 23, 810-816.	1.8	41
79	Protracted expression of serotonin transporter and altered thalamocortical projections in the barrelfield of hypothyroid rats. <i>European Journal of Neuroscience</i> , 2001, 14, 1968-1980.	1.2	40
80	Role of the calcium modulated cyclases in the development of the retinal projections. <i>European Journal of Neuroscience</i> , 2006, 24, 3401-3414.	1.2	39
81	Genetic Models of Serotonin (5-HT) Depletion: What do They Tell Us About the Developmental Role of 5-HT?. <i>Anatomical Record</i> , 2011, 294, 1615-1623.	0.8	39
82	Early postnatal changes of the dopaminergic mesencephalic neurons in the weaver mutant mouse. <i>Developmental Brain Research</i> , 1995, 89, 115-119.	2.1	38
83	Spatiotemporal localization of the calcium-stimulated adenylate cyclases, AC1 and AC8, during mouse brain development. <i>Journal of Comparative Neurology</i> , 2005, 486, 281-294.	0.9	38
84	Paradoxical increase in survival of newborn neurons in the dentate gyrus of mice with constitutive depletion of serotonin. <i>European Journal of Neuroscience</i> , 2013, 38, 2650-2658.	1.2	38
85	Developmental expression pattern of monoamine oxidases in sensory organs and neural crest derivatives. <i>Journal of Comparative Neurology</i> , 2003, 464, 392-403.	0.9	34
86	Transitory uptake of serotonin in the developing sensory pathways of the common marmoset. <i>Journal of Comparative Neurology</i> , 2006, 499, 677-689.	0.9	34
87	Routes to cAMP: shaping neuronal connectivity with distinct adenylate cyclases. <i>European Journal of Neuroscience</i> , 2014, 39, 1742-1751.	1.2	34
88	Edinger-Westphal peptidergic neurons enable maternal preparatory nesting. <i>Neuron</i> , 2022, 110, 1385-1399.e8.	3.8	34
89	Postnatal sequential development of dopaminergic and enkephalinergic perineuronal formations in the lateral septal nucleus of the rat correlated with local neuronal maturation. <i>Anatomy and Embryology</i> , 1987, 176, 463-475.	1.5	32
90	Abnormal trafficking and subcellular localization of an N-terminally truncated serotonin transporter protein. <i>European Journal of Neuroscience</i> , 2001, 13, 1349-1362.	1.2	32

#	ARTICLE	IF	CITATIONS
91	Development of hypothalamic serotonergic neurons requires Fgf signalling via the ETS-domain transcription factor Etv5b. <i>Development (Cambridge)</i> , 2013, 140, 372-384.	1.2	31
92	Dopamine and methionine-enkephalin in human brain. <i>Neuroscience Letters</i> , 1982, 33, 191-196.	1.0	28
93	A Subpopulation of Serotonergic Neurons That Do Not Express the 5-HT1A Autoreceptor. <i>ACS Chemical Neuroscience</i> , 2013, 4, 89-95.	1.7	28
94	Necdin shapes serotonergic development and SERT activity modulating breathing in a mouse model for Prader-Willi syndrome. <i>ELife</i> , 2017, 6, .	2.8	27
95	How the Barrel Cortex Became a Working Model for Developmental Plasticity: A Historical Perspective. <i>Journal of Neuroscience</i> , 2020, 40, 6460-6473.	1.7	26
96	Calbindin D-28K in the dopaminergic mesocortical projection of a monkey (<i>Aotus trivirgatus</i>). <i>Brain Research</i> , 1993, 603, 166-172.	1.1	25
97	Specific Connectivity and Unique Molecular Identity of MET Receptor Tyrosine Kinase Expressing Serotonergic Neurons in the Caudal Dorsal Raphe Nuclei. <i>ACS Chemical Neuroscience</i> , 2017, 8, 1053-1064.	1.7	24
98	A mutant with bilateral whisker to barrel inputs unveils somatosensory mapping rules in the cerebral cortex. <i>ELife</i> , 2017, 6, .	2.8	24
99	L-Histidine Decarboxylase in the Human Brain: Properties and Localization. <i>Journal of Neurochemistry</i> , 1980, 35, 400-406.	2.1	23
100	Fate map of serotonin transporter-expressing cells in developing mouse heart. <i>Genesis</i> , 2007, 45, 689-695.	0.8	23
101	Cadherin-13 Deficiency Increases Dorsal Raphe 5-HT Neuron Density and Prefrontal Cortex Innervation in the Mouse Brain. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 307.	1.8	21
102	Vezeatin Is Essential for Dendritic Spine Morphogenesis and Functional Synaptic Maturation. <i>Journal of Neuroscience</i> , 2012, 32, 9007-9022.	1.7	20
103	EphrinA5 Signaling Is Required for the Distinctive Targeting of Raphe Serotonin Neurons in the Forebrain. <i>ENeuro</i> , 2017, 4, ENEURO.0327-16.2017.	0.9	19
104	Colocalization of Neurotensin in the Mesocortical Dopaminergic System.. <i>Annals of the New York Academy of Sciences</i> , 1992, 668, 307-310.	1.8	15
105	ROR α Coordinates Thalamic and Cortical Maturation to Instruct Barrel Cortex Development. <i>Cerebral Cortex</i> , 2018, 28, 3994-4007.	1.6	15
106	RIM1/2 in retinal ganglion cells are required for the refinement of ipsilateral axons and eye-specific segregation. <i>Scientific Reports</i> , 2017, 7, 3236.	1.6	13
107	Implication of 5-HT7 receptor in prefrontal circuit assembly and detrimental emotional effects of SSRIs during development. <i>Neuropsychopharmacology</i> , 2020, 45, 2267-2277.	2.8	11
108	Serotonergic Neurons in Vertebrate and Invertebrate Model Organisms (Rodents, Zebrafish,) Tj ETQq0 0 0 rgBT /Overlock 10 Jf 50 62 Tc		

#	ARTICLE	IF	CITATIONS
109	Modeling Activity and Target-Dependent Developmental Cell Death of Mouse Retinal Ganglion Cells <i>Ex Vivo</i> . <i>PLoS ONE</i> , 2012, 7, e311105.	1.1	8
110	Serotonin limits generation of chromaffin cells during adrenal organ development. <i>Nature Communications</i> , 2022, 13, .	5.8	8
111	Des modèles génétiques pour comprendre le rôle de la sérotonine au cours du développement. <i>Société De Biologie Journal</i> , 2004, 198, 18-21.	0.3	7
112	The Na^+/Cl^- -Dependent Transporter, <i>Rxt1</i> , Is Primarily Localized Within Nerve Endings of Cortical Origin in the Rat Striatum. <i>Journal of Neurochemistry</i> , 2002, 73, 623-632.	2.1	6
113	Constraints on somatosensory map development: mutants lead the way. <i>Current Opinion in Neurobiology</i> , 2018, 53, 43-49.	2.0	6
114	From B1 to B9: a guide through hindbrain serotonin neurons with additional views from multidimensional characterization. <i>Handbook of Behavioral Neuroscience</i> , 2020, 31, 23-40.	0.7	6
115	Dorsal raphe serotonin neurotransmission is required for the expression of nursing behavior and for pup survival. <i>Scientific Reports</i> , 2021, 11, 6004.	1.6	6
116	Serotonin neurons in a dish. <i>Nature Biotechnology</i> , 2016, 34, 41-42.	9.4	5
117	Ontogeny of <i>Rxt1</i> , a vesicular Na^+/Cl^- -dependent transporter, in the rat. <i>Neuroscience</i> , 2000, 96, 627-637.	1.1	3
118	Lack of adenylate cyclase 1 (AC1): Consequences on corticospinal tract development and on locomotor recovery after spinal cord injury. <i>Brain Research</i> , 2014, 1549, 1-10.	1.1	3
119	Presynaptic Mechanisms Controlling Axon Terminal Remodeling in the Thalamocortical and Retinogeniculate Systems. , 2006, , 183-207.		3
120	Branching and nucleokinesis defects in migrating interneurons derived from doublecortin knockout mice. <i>Human Molecular Genetics</i> , 2006, 15, 2183-2183.	1.4	2
121	The Birth of the Barrels. <i>Developmental Cell</i> , 2013, 27, 3-4.	3.1	1
122	Midbrain Peptidergic Neurons Enable Maternal Nesting. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
123	Effet d'une lésion localisée de la rétine sur le développement des projections rétino-géniculées. <i>Frontiers in Neuroscience</i> , 0, 3, .	1.4	0