

Edmund John Railton Kelleher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9201512/edmund-john-railton-kelleher-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

3,185
citations

25
h-index

56
g-index

78
ext. papers

3,657
ext. citations

3.8
avg, IF

5.18
L-index

#	Paper	IF	Citations
61	Near-infrared nanospectroscopy using a low-noise supercontinuum source. <i>APL Photonics</i> , 2021 , 6, 066106	10.6	11
60	MHz-repetition-rate, sub-mW, multi-octave THz wave generation in HMQ-TMS. <i>Optics Express</i> , 2020 , 28, 9631-9641	3.3	7
59	A general ink formulation of 2D crystals for wafer-scale inkjet printing. <i>Science Advances</i> , 2020 , 6, eaba5029	42.9	43
58	High-power few-cycle THz generation at MHz repetition rates in an organic crystal. <i>APL Photonics</i> , 2020 , 5, 106103	5.2	9
57	Attenuation of THz Beams: A How to Tutorial. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2019 , 40, 878-904	2.2	12
56	Visible Raman-Shifted Fiber Lasers for Biophotonic Applications. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018 , 24, 1-8	3.8	21
55	Broadband nonlinear optical response of monolayer MoSe ₂ under ultrafast excitation. <i>Applied Physics Letters</i> , 2018 , 112, 031108	3.4	21
54	Characterization of the second- and third-order nonlinear optical susceptibilities of monolayer MoS ₂ using multiphoton microscopy. <i>2D Materials</i> , 2017 , 4, 011006	5.9	102
53	Black phosphorus ink formulation for inkjet printing of optoelectronics and photonics. <i>Nature Communications</i> , 2017 , 8, 278	17.4	225
52	Genetic algorithm-based control of birefringent filtering for self-tuning, self-pulsing fiber lasers. <i>Optics Letters</i> , 2017 , 42, 2952-2955	3	17
51	Dark solitons in laser radiation build-up dynamics. <i>Physical Review E</i> , 2016 , 93, 032221	2.4	18
50	Theory of edge-state optical absorption in two-dimensional transition metal dichalcogenide flakes. <i>Physical Review B</i> , 2016 , 94,	3.3	31
49	Modulation Instability and Phase-Shifted Fermi-Pasta-Ulam Recurrence. <i>Scientific Reports</i> , 2016 , 6, 28516	4.9	77
48	Broadband Nonlinear Photoresponse of Monolayer MoSe ₂ 2016 ,		1
47	Pulse Bunching in the Soliton Rain Regime of an Ultralong Fiber Laser Mediated by Forward Brillouin Scattering 2016 ,		1
46	Surfactant-aided exfoliation of molybdenum disulfide for ultrafast pulse generation through edge-state saturable absorption. <i>Physica Status Solidi (B): Basic Research</i> , 2016 , 253, 911-917	1.3	24
45	Towards 'smart lasers': self-optimisation of an ultrafast pulse source using a genetic algorithm. <i>Scientific Reports</i> , 2016 , 6, 37616	4.9	61

44	Highly efficient mid-infrared difference-frequency generation using synchronously pulsed fiber lasers. <i>Optics Letters</i> , 2016 , 41, 2446-9	3	18
43	Stable Gain-Switched Thulium Fiber Laser With 140-nm Tuning Range. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 1340-1343	2.2	13
42	Few-layer MoS ₂ saturable absorbers for short-pulse laser technology: current status and future perspectives [Invited]. <i>Photonics Research</i> , 2015 , 3, A30	6	163
41	Fiber-integrated frequency-doubling of a picosecond Raman laser to 560 nm. <i>Optics Express</i> , 2015 , 23, 15728-33	3.3	11
40	Wideband saturable absorption in few-layer molybdenum diselenide (MoSe ₂) for Q-switching Yb-, Er- and Tm-doped fiber lasers. <i>Optics Express</i> , 2015 , 23, 20051-61	3.3	222
39	Duration-tunable picosecond source at 560 nm with watt-level average power. <i>Optics Letters</i> , 2015 , 40, 3085-8	3	15
38	2D Saturable Absorbers for Fibre Lasers. <i>Applied Sciences (Switzerland)</i> , 2015 , 5, 1440-1456	2.6	149
37	Solution processed MoS ₂ -PVA composite for sub-bandgap mode-locking of a wideband tunable ultrafast Er: fiber laser. <i>Nano Research</i> , 2015 , 8, 1522-1534	10	210
36	Fiber grating compression of giant-chirped nanosecond pulses from an ultra-long nanotube mode-locked fiber laser. <i>Optics Letters</i> , 2015 , 40, 387-90	3	18
35	Double-wall carbon nanotubes for wide-band, ultrafast pulse generation. <i>ACS Nano</i> , 2014 , 8, 4836-47	16.7	54
34	Ultrafast fibre laser sources: Examples of recent developments. <i>Optical Fiber Technology</i> , 2014 , 20, 666-677		15
33	Fiber-integrated 780 nm source for visible parametric generation. <i>Optics Express</i> , 2014 , 22, 29726-32	3.3	3
32	Tunable Q-switched fiber laser based on saturable edge-state absorption in few-layer molybdenum disulfide (MoS ₂). <i>Optics Express</i> , 2014 , 22, 31113-22	3.3	279
31	Scalar Nanosecond Pulse Generation in a Nanotube Mode-Locked Environmentally Stable Fiber Laser. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1672-1675	2.2	18
30	Q-switched Fiber Laser with MoS ₂ Saturable Absorber 2014 ,		19
29	Chirped pulse formation dynamics in ultra-long mode-locked fiber lasers. <i>Optics Letters</i> , 2014 , 39, 1398-401		18
28	Stimulated Brillouin scattering of visible light in small-core photonic crystal fibers. <i>Optics Letters</i> , 2014 , 39, 2330-3	3	18
27	CW-pumped short pulsed 1.12 μ m Raman laser using carbon nanotubes. <i>Laser Physics Letters</i> , 2013 , 10, 015101	1.5	17

26	Simultaneous scalar and cross-phase modulation instabilities in highly birefringent photonic crystal fiber. <i>Optics Express</i> , 2013 , 21, 8437-43	3.3	28
25	Widely tunable polarization maintaining photonic crystal fiber based parametric wavelength conversion. <i>Optics Express</i> , 2013 , 21, 15826-33	3.3	11
24	Mid-infrared Raman-soliton continuum pumped by a nanotube-mode-locked sub-picosecond Tm-doped MOPFA. <i>Optics Express</i> , 2013 , 21, 23261-71	3.3	64
23	Characterization of nonlinear saturation and mode-locking potential of ionically-doped colored glass filter for short-pulse fiber lasers. <i>Optics Express</i> , 2013 , 21, 12562-9	3.3	3
22	Stable Gain-Guided Soliton Propagation in a Polarized Yb-Doped Mode-Locked Fiber Laser. <i>IEEE Photonics Journal</i> , 2012 , 4, 1058-1064	1.8	4
21	Pump wave coherence, modulation instability and their effect on continuous-wave supercontinua. <i>Optical Fiber Technology</i> , 2012 , 18, 268-282	2.4	5
20	Role of pump coherence in the evolution of continuous-wave supercontinuum generation initiated by modulation instability. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2012 , 29, 502	1.7	26
19	Harmonic and single pulse operation of a Raman laser using graphene. <i>Laser Physics Letters</i> , 2012 , 9, 223-228	1.5	26
18	Synchronously pumped photonic crystal fiber-based optical parametric oscillator. <i>Optics Letters</i> , 2012 , 37, 3156-8	3	11
17	Fission of solitons in continuous-wave supercontinuum. <i>Optics Letters</i> , 2012 , 37, 5217-9	3	11
16	Tm-doped fiber laser mode-locked by graphene-polymer composite. <i>Optics Express</i> , 2012 , 20, 25077-84	3.3	233
15	Mode-locking by nanotubes of a Raman laser based on a highly doped GeO ₂ fiber 2012 ,		2
14	Amplification of picosecond pulses and gigahertz signals in bismuth-doped fiber amplifiers. <i>Optics Letters</i> , 2011 , 36, 1446-8	3	8
13	Picosecond bismuth-doped fiber MOPFA for frequency conversion. <i>Optics Letters</i> , 2011 , 36, 3792-4	3	10
12	Passive synchronization of all-fiber lasers through a common saturable absorber. <i>Optics Letters</i> , 2011 , 36, 3984-6	3	52
11	Ultrafast Raman laser mode-locked by nanotubes. <i>Optics Letters</i> , 2011 , 36, 3996-8	3	52
10	Vector solitons in a laser passively mode-locked by single-wall carbon nanotubes. <i>Optics Communications</i> , 2011 , 284, 2007-2011	2	27
9	Using the E22 transition of carbon nanotubes for fiber laser mode-locking. <i>Laser Physics Letters</i> , 2011 , 8, 144-149	1.5	69

8	Nanosecond Pulse Generation in Lumped Normally Dispersive All-Fiber Mode-Locked Laser. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 1379-1381	2.2	6
7	Narrow Linewidth Bismuth-Doped All-Fiber Ring Laser. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 793-795		5
6	Nonlinear coupling of relative intensity noise from pump to a fiber ring laser mode-locked with carbon nanotubes. <i>Optics Express</i> , 2010 , 18, 16663-70	3.3	12
5	Observation of timing jitter reduction induced by spectral filtering in a fiber laser mode locked with a carbon nanotube-based saturable absorber. <i>Optics Letters</i> , 2010 , 35, 2320-2	3	24
4	A stable, wideband tunable, near transform-limited, graphene-mode-locked, ultrafast laser. <i>Nano Research</i> , 2010 , 3, 653-660	10	295
3	Bismuth fiber integrated laser mode-locked by carbon nanotubes. <i>Laser Physics Letters</i> , 2010 , 7, 790-794	1.5	66
2	Nanosecond-pulse fiber lasers mode-locked with nanotubes. <i>Applied Physics Letters</i> , 2009 , 95, 111108	3.4	115
1	Generation and direct measurement of giant chirp in a passively mode-locked laser. <i>Optics Letters</i> , 2009 , 34, 3526-8	3	76