

# Bernd LÃ¶we

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9201918/publications.pdf>

Version: 2024-02-01

230  
papers

47,409  
citations

22153

59  
h-index

2078

204  
g-index

271  
all docs

271  
docs citations

271  
times ranked

40267  
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors of somatic symptom burden in healthcare professionals during the COVID-19 pandemic: an 8-week follow-up study. <i>Journal of Mental Health</i> , 2023, 32, 1111-1121.	1.9	4
2	Early Psychological Interventions for Somatic Symptom Disorder and Functional Somatic Syndromes: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2022, 84, 325-338.	2.0	11
3	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	3.8	3
4	Somatic symptom disorder: a scoping review on the empirical evidence of a new diagnosis. <i>Psychological Medicine</i> , 2022, 52, 632-648.	4.5	44
5	The longitudinal association of symptom-related and psychological factors with health-related quality of life in patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2022, 153, 110707.	2.6	5
6	Persistent SOMATIC symptoms ACROSS diseases – from risk factors to modification: scientific framework and overarching protocol of the interdisciplinary SOMACROSS research unit (RU 5211). <i>BMJ Open</i> , 2022, 12, e057596.	1.9	33
7	Editorial: Outbreak Investigation: Mental Health in the Times of Coronavirus (COVID-19). <i>Frontiers in Psychiatry</i> , 2022, 13, 854388.	2.6	3
8	“Belly Only Pregnancy” content on social media and in internet blogs: a qualitative analysis on its definition and potential risks and benefits. <i>Eating and Weight Disorders</i> , 2022, 27, 2435-2445.	2.5	4
9	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in female outpatients with anorexia nervosa (ANTOP study): 5-year follow-up of a randomised controlled trial in Germany. <i>Lancet Psychiatry</i> , 2022, 9, 280-290.	7.4	8
10	In-Session-Reflective-Functioning in Anorexia Nervosa: An Analysis of Psychotherapeutic Sessions of the ANTOP Study. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	4
11	Update of the standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2022, 312, 310-314.	4.1	28
12	Persistence of gastrointestinal symptoms in irritable bowel syndrome and ulcerative colitis: study protocol for a three-arm randomised controlled trial (SOMA.GUT-RCT). <i>BMJ Open</i> , 2022, 12, e059529.	1.9	2
13	Interdisciplinary and cross-sectoral perioperative care model in cardiac surgery: implementation in the setting of minimally invasive heart valve surgery (INCREASE) study protocol for a randomized controlled trial. <i>Trials</i> , 2022, 23, .	1.6	7
14	GPs’ views on the use of depression screening and GP-targeted feedback: a qualitative study. <i>Quality of Life Research</i> , 2021, 30, 3279-3286.	3.1	5
15	Patient involvement in developing a patient-targeted feedback intervention after depression screening in primary care within the randomized controlled trial GET.FEEDBACK.GP. <i>Health Expectations</i> , 2021, 24, 95-112.	2.6	17
16	Depression Partially Mediates the Association of Adverse Childhood Experiences with Pain Intensity in Patients with Chronic Pelvic Pain Syndrome: Results from a Cross-Sectional Patient Survey. <i>Pain Medicine</i> , 2021, 22, 1174-1184.	1.9	9
17	Suicide and suicidality in somatic symptom and related disorders: A systematic review. <i>Journal of Psychosomatic Research</i> , 2021, 140, 110290.	2.6	21
18	Facilitators and barriers in anorexia nervosa treatment initiation: a qualitative study on the perspectives of patients, carers and professionals. <i>Journal of Eating Disorders</i> , 2021, 9, 28.	2.7	16

#	ARTICLE	IF	CITATIONS
19	The European Training Network ETUDE (Encompassing Training in fUnctional Disorders across) Tj ETQq1 1 0.784314 rgBT /Overlock 10 researchers. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110345.	2.6	15
20	Helpful explanatory models for somatoform symptoms (HERMES): study protocol of a randomised mixed-methods pilot trial. <i>BMJ Open</i> , 2021, 11, e044244.	1.9	3
21	ICD-10-Coding of Medically Unexplained Physical Symptoms and Somatoform Disordersâ€”A Survey With German GPs. <i>Frontiers in Medicine</i> , 2021, 8, 598810.	2.6	0
22	Application and validation of the bodily distress syndrome checklist in a psychosomatic outpatient sample. <i>General Hospital Psychiatry</i> , 2021, 69, 104-110.	2.4	3
23	Diagnostic and treatment barriers to persistent somatic symptoms in primary care â€” representative survey with physicians. <i>BMC Family Practice</i> , 2021, 22, 60.	2.9	9
24	Investigating patients' views on screening for depression in cardiac practice: A qualitative interview study. <i>Journal of Psychosomatic Research</i> , 2021, 144, 110419.	2.6	2
25	How do care providers evaluate collaboration? - qualitative process evaluation of a cluster-randomized controlled trial of collaborative and stepped care for patients with mental disorders. <i>BMC Psychiatry</i> , 2021, 21, 296.	2.6	3
26	Efficacy of a Brief, Peer-Delivered Self-management Intervention for Patients With Rare Chronic Diseases. <i>JAMA Psychiatry</i> , 2021, 78, 607.	11.0	8
27	Acceptance and commitment therapy meets peer-support. Development of a supportive self-care intervention for patients with rare diseases: a multistage development process. <i>BMJ Open</i> , 2021, 11, e042856.	1.9	3
28	The efficacy of automated feedback after internet-based depression screening: Study protocol of the German, three-armed, randomised controlled trial DISCOVER. <i>Internet Interventions</i> , 2021, 25, 100435.	2.7	4
29	Persistence rate of DSM-5 somatic symptom disorder: 4-year follow-up in patients from a psychosomatic outpatient clinic. <i>Comprehensive Psychiatry</i> , 2021, 110, 152265.	3.1	14
30	Clinical effectiveness of patient-oriented depression feedback in primary care: The empirical method of the GET.FEEDBACK.GP multicenter randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2021, 110, 106562.	1.8	1
31	Supportive care needs of patients with rare chronic diseases: multi-method, cross-sectional study. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 44.	2.7	28
32	Excessiveness in Symptom-Related Thoughts, Feelings, and Behaviors: An Investigation of Somatic Symptom Disorders in the General Population. <i>Psychosomatic Medicine</i> , 2021, 83, 164-170.	2.0	13
33	The development and psychometric evaluation of FABIANA-checklist: a scale to assess factors influencing treatment initiation in anorexia nervosa. <i>Journal of Eating Disorders</i> , 2021, 9, 144.	2.7	2
34	Physiotherapy and combined cognitive-behavioural therapy for patients with chronic pelvic pain syndrome: results of a non-randomised controlled feasibility trial. <i>BMJ Open</i> , 2021, 11, e053421.	1.9	4
35	Myofascial Findings and Psychopathological Factors in Patients with Chronic Pelvic Pain Syndrome. <i>Pain Medicine</i> , 2020, 21, e34-e44.	1.9	12
36	Development of the Metabolic Syndrome: Study Design and Baseline Data of the Lufthansa Prevention Study (LUPS), A Prospective Observational Cohort Survey. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 777-787.	1.2	2

#	ARTICLE	IF	CITATIONS
37	Detecting DSM-5 somatic symptom disorder: criterion validity of the Patient Health Questionnaire-15 (PHQ-15) and the Somatic Symptom Scale-8 (SSS-8) in combination with the Somatic Symptom Disorder B Criteria Scale (SSD-12). <i>Psychological Medicine</i> , 2020, 50, 324-333.	4.5	74
38	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	8.8	67
39	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	4.5	175
40	Rationale and Design of the Hamburg City Health Study. <i>European Journal of Epidemiology</i> , 2020, 35, 169-181.	5.7	85
41	Causal attributions for somatic symptom disorder. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109910.	2.6	5
42	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	2.6	33
43	Psychotherapists' perspective on the treatment of patients with somatic symptom disorders. <i>Journal of Psychosomatic Research</i> , 2020, 138, 110228.	2.6	8
44	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110256.	2.6	19
45	Open-label placebos for menopausal hot flushes: a randomized controlled trial. <i>Scientific Reports</i> , 2020, 10, 20090.	3.3	28
46	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035973.	1.9	10
47	Development of the generic, multidimensional Treatment Expectation Questionnaire (TEX-Q) through systematic literature review, expert surveys and qualitative interviews. <i>BMJ Open</i> , 2020, 10, e036169.	1.9	34
48	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020, 10, e036021.	1.9	15
49	Complementing Conceptual Models of Persistent Somatic Symptoms With Mathematical Formalization. <i>Psychosomatic Medicine</i> , 2020, 82, 527-528.	2.0	0
50	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	7.4	242
51	Functional somatic disorders: discussion paper for a new common classification for research and clinical use. <i>BMC Medicine</i> , 2020, 18, 34.	5.5	122
52	Psychotherapists' perspectives on collaboration and stepped care in outpatient psychotherapy: A qualitative study. <i>PLoS ONE</i> , 2020, 15, e0228748.	2.5	8
53	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	5.0	113
54	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020, 265, 395-401.	4.1	253

#	ARTICLE	IF	CITATIONS
55	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2520-2537.	1.5	366
56	Stepped, Collaborative, Coordinated Care for Somatic Symptom and Related Disorders (Sofu-Net). <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2020, 228, 119-129.	1.0	3
57	The importance of body image disturbances for the outcome of outpatient psychotherapy in patients with anorexia nervosa: Results of the ANTOP study. <i>European Eating Disorders Review</i> , 2019, 27, 49-58.	4.1	33
58	Non-concealed placebo treatment for menopausal hot flushes: Study protocol of a randomized-controlled trial. <i>Trials</i> , 2019, 20, 508.	1.6	6
59	Cognitive Behaviour Therapy Complemented with Emotion Regulation Training for Patients with Persistent Physical Symptoms: A Randomised Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 287-299.	8.8	35
60	Facilitators and barriers in anorexia nervosa treatment initiation (FABIANA): study protocol for a mixed-methods and multicentre study. <i>BJPsych Open</i> , 2019, 5, e92.	0.7	6
61	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 154-164.	8.8	26
62	General practitioners' views on the diagnostic innovations in DSM-5 somatic symptom disorder - A focus group study. <i>Journal of Psychosomatic Research</i> , 2019, 123, 109734.	2.6	10
63	Universal prevention in eating disorders: A systematic narrative review of recent studies. <i>Mental Health and Prevention</i> , 2019, 14, 200162.	1.3	10
64	Sudden Gains in Cognitive Behavioural Therapy and Focal Psychodynamic Therapy for Anorexia Nervosa: Findings from the ANTOP Study. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 241-243.	8.8	5
65	Somatic and psychosocial determinants of symptom severity and quality of life in male and female patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2019, 120, 1-7.	2.6	28
66	Depression and anxiety in patients with different rare chronic diseases: A cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0211343.	2.5	55
67	Perceived burden in dealing with different rare diseases: a qualitative focus group study. <i>BMJ Open</i> , 2019, 9, e033353.	1.9	46
68	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. <i>BMJ Open</i> , 2019, 9, e032408.	1.9	11
69	Management of comorbid mental and somatic disorders in stepped care approaches in primary care: a systematic review. <i>Family Practice</i> , 2019, 36, 38-52.	1.9	10
70	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. <i>Behavioral Medicine</i> , 2019, 45, 231-239.	1.9	5
71	Reviving the Clinician Scientist: A Best Practice Model. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 114-115.	8.8	9
72	Somatic symptom disorder in the general population: Associations with medical status and health care utilization using the SSD-12. <i>General Hospital Psychiatry</i> , 2019, 56, 36-41.	2.4	33

#	ARTICLE	IF	CITATIONS
73	Severity of somatic symptoms in outpatients with anorexia and bulimia nervosa. <i>European Eating Disorders Review</i> , 2019, 27, 195-204.	4.1	14
74	The role of self-esteem in the treatment of patients with anorexia nervosa – A systematic review and meta-analysis. <i>International Journal of Eating Disorders</i> , 2019, 52, 101-116.	4.0	24
75	Physiotherapy management of patients with chronic pelvic pain (CPP): A systematic review. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 516-532.	1.3	30
76	Validity of the Somatic Symptom Disorder – B Criteria Scale (SSD-12) in primary care. <i>Family Practice</i> , 2018, 35, 342-347.	1.9	27
77	Somatoform disorder in primary care: the influence of comorbidity with anxiety and depression on health care utilization. <i>Journal of Evaluation in Clinical Practice</i> , 2018, 24, 892-900.	1.8	15
78	Persistent Physical Symptoms as Perceptual Dysregulation: A Neuropsychobehavioral Model and Its Clinical Implications. <i>Psychosomatic Medicine</i> , 2018, 80, 422-431.	2.0	180
79	Functional Somatic Symptoms Across Cultures: Perceptual and Health Care Issues. <i>Psychosomatic Medicine</i> , 2018, 80, 412-415.	2.0	20
80	Predicting suicidal ideation in primary care: An approach to identify easily assessable key variables. <i>General Hospital Psychiatry</i> , 2018, 51, 106-111.	2.4	23
81	Duration of untreated illness in patients with somatoform disorders. <i>Journal of Psychosomatic Research</i> , 2018, 107, 1-6.	2.6	38
82	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	2.8	53
83	The change process in adult anorexia nervosa inpatient treatment: a path model. <i>Eating and Weight Disorders</i> , 2018, 23, 313-320.	2.5	2
84	Anxiety and self-care behaviour in patients with chronic systolic heart failure: A multivariate model. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 170-177.	0.9	52
85	The psychenet public health intervention for anorexia nervosa: a pre- and post-evaluation study in a female patient sample. <i>Primary Health Care Research and Development</i> , 2018, 19, 42-52.	1.2	18
86	Illness beliefs about depression among patients seeking depression care and patients seeking cardiac care: an exploratory analysis using a mixed method design. <i>BMC Psychiatry</i> , 2018, 18, 366.	2.6	7
87	Public stigma towards individuals with somatic symptom disorders – Survey results from Germany. <i>Journal of Psychosomatic Research</i> , 2018, 115, 71-75.	2.6	10
88	Diagnosis of somatoform disorders in primary care: diagnostic agreement, predictors, and comparisons with depression and anxiety. <i>BMC Psychiatry</i> , 2018, 18, 361.	2.6	14
89	Health Care for Persistent Somatic Symptoms Across Europe: A Qualitative Evaluation of the EURONET-SOMA Expert Discussion. <i>Frontiers in Psychiatry</i> , 2018, 9, 646.	2.6	18
90	Public Beliefs About Somatic Symptom Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 616.	2.6	7

#	ARTICLE	IF	CITATIONS
91	Assessment of perceived mental health-related stigma: The Stigma-9 Questionnaire (STIG-9). <i>Psychiatry Research</i> , 2018, 270, 822-830.	3.3	12
92	Contingency Contracts for Weight Gain of Patients with Anorexia Nervosa in Inpatient Therapy: Practice Styles of Specialized Centers. <i>Journal of Clinical Medicine</i> , 2018, 7, 215.	2.4	2
93	General Population Norms for the Functional Assessment of Chronic Illness Therapy (FACIT)-Fatigue Scale. <i>Value in Health</i> , 2018, 21, 1313-1321.	0.3	81
94	Suicidal ideation in patients with coronary heart disease and hypertension: Baseline results from the DEPSCREEN-INFO clinical trial. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 754-764.	2.7	16
95	Coding of medically unexplained symptoms and somatoform disorders by general practitioners – an exploratory focus group study. <i>BMC Family Practice</i> , 2018, 19, 129.	2.9	19
96	Predictors of pain, urinary symptoms and quality of life in patients with chronic pelvic pain syndrome (CPPS): A prospective 12-month follow-up study. <i>Journal of Psychosomatic Research</i> , 2018, 112, 99-106.	2.6	24
97	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 151.	2.6	34
98	Combined Cognitive-Behavioural and Physiotherapeutic Therapy for Patients with Chronic Pelvic Pain Syndrome (COMBI-CPPS): study protocol for a controlled feasibility trial. <i>Trials</i> , 2018, 19, 20.	1.6	15
99	Comparing the diagnostic concepts of ICD-10 somatoform disorders and DSM-5 somatic symptom disorders in patients from a psychosomatic outpatient clinic. <i>Journal of Psychosomatic Research</i> , 2018, 113, 74-80.	2.6	35
100	Validity and sensitivity to change of the Somatic Symptom Disorder – B Criteria Scale (SSD-12) in a clinical population. <i>General Hospital Psychiatry</i> , 2018, 55, 20-26.	2.4	15
101	Cost-effectiveness Analysis of a Stepped, Collaborative and Coordinated Health Care Network for Patients with Somatoform Disorders (Sofu-Net). <i>Journal of Mental Health Policy and Economics</i> , 2018, 21, 59-69.	0.6	1
102	Depression screening with patient-targeted feedback in cardiology: DEPSCREEN-INFO randomised clinical trial. <i>British Journal of Psychiatry</i> , 2017, 210, 132-139.	2.8	27
103	Emotional Expression Predicts Treatment Outcome in Focal Psychodynamic and Cognitive Behavioural Therapy for Anorexia Nervosa: Findings from the ANTOP Study. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 108-110.	8.8	15
104	A European research network to improve diagnosis, treatment and care for patients with persistent somatic symptoms: Work report of the EURONET-SOMA conference series. <i>Journal of Psychosomatic Research</i> , 2017, 97, 136-138.	2.6	22
105	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. <i>American Journal of Epidemiology</i> , 2017, 185, 954-964.	3.4	45
106	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017, 79, 1016-1024.	2.0	25
107	The Somatic Symptom Disorder - B Criteria Scale (SSD-12): Factorial structure, validity and population-based norms. <i>Journal of Psychosomatic Research</i> , 2017, 97, 9-17.	2.6	60
108	Development of a Japanese version of the Somatic Symptom Scale-8: Psychometric validity and internal consistency. <i>General Hospital Psychiatry</i> , 2017, 45, 7-11.	2.4	37

#	ARTICLE	IF	CITATIONS
109	Diagnostic barriers for somatic symptom disorders in primary care: study protocol for a mixed methods study in Germany. <i>BMJ Open</i> , 2017, 7, e014157.	1.9	10
110	Authors' reply. <i>British Journal of Psychiatry</i> , 2017, 210, 437-438.	2.8	0
111	Monitoring somatic symptoms in patients with mental disorders: Sensitivity to change and minimal clinically important difference of the Somatic Symptom Scale " 8 (SSS-8). <i>General Hospital Psychiatry</i> , 2017, 48, 51-55.	2.4	13
112	Core Outcome Domains for Clinical Trials on Somatic Symptom Disorder, Bodily Distress Disorder, and Functional Somatic Syndromes: European Network on Somatic Symptom Disorders Recommendations. <i>Psychosomatic Medicine</i> , 2017, 79, 1008-1015.	2.0	82
113	Language-related differential item functioning between English and German PROMIS Depression items is negligible. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	14
114	Depression screening with patient-targeted feedback in cardiology: The cost-effectiveness of DEPSCREEN-INFO. <i>PLoS ONE</i> , 2017, 12, e0181021.	2.5	7
115	Psychometric analysis of the Generalized Anxiety Disorder scale (GAD-7) in primary care using modern item response theory. <i>PLoS ONE</i> , 2017, 12, e0182162.	2.5	119
116	Efficacy of a prevention program for eating disorders in schools: a cluster-randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 293.	2.6	16
117	A comparison of bivariate, multivariate random-effects, and Poisson correlated gamma frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , 2017, 59, 1317-1338.	1.0	4
118	Mental disorders in patients with chronic pelvic pain syndrome (CPPS). <i>Journal of Psychosomatic Research</i> , 2017, 98, 19-26.	2.6	35
119	A bottom-up approach to assess verbal therapeutic techniques. Development of the Psychodynamic Interventions List (PIL). <i>PLoS ONE</i> , 2017, 12, e0182949.	2.5	8
120	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. <i>Journal of Medical Internet Research</i> , 2017, 19, e206.	4.3	31
121	The Implications of Psychological Symptoms for Length of Sick Leave. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2017, 114, 291-297.	0.9	8
122	Base Rates of Depressive Symptoms in Patients with Coronary Heart Disease: An Individual Symptom Analysis. <i>PLoS ONE</i> , 2016, 11, e0156167.	2.5	11
123	Correlates of health related quality of life in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2016, 49, 630-634.	4.0	26
124	The Intersession Process in Psychotherapy for Anorexia Nervosa: Characteristics and Relation to Outcome. <i>Journal of Clinical Psychology</i> , 2016, 72, 861-879.	1.9	13
125	The Development of Irritable Bowel Syndrome: A Prospective Community-Based Cohort Study. <i>American Journal of Gastroenterology</i> , 2016, 111, 1320-1329.	0.4	30
126	Association of hypertension with depression and generalized anxiety symptoms in a large population-based sample of older adults. <i>Journal of Hypertension</i> , 2016, 34, 1711-1720.	0.5	68



#	ARTICLE	IF	CITATIONS
127	The relationship of body image with symptoms of depression and anxiety in patients with anorexia nervosa during outpatient psychotherapy: Results of the ANTOP study.. <i>Psychotherapy</i> , 2016, 53, 141-151.	1.2	41
128	Predictors of outcomes in outpatients with anorexia nervosa – Results from the ANTOP study. <i>Psychiatry Research</i> , 2016, 244, 45-50.	3.3	55
129	The overlap of somatic, anxious and depressive syndromes: A population-based analysis. <i>Journal of Psychosomatic Research</i> , 2016, 90, 51-56.	2.6	59
130	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 218-228.	8.8	124
131	Development and Validation of the Somatic Symptom Disorder – B Criteria Scale (SSD-12). <i>Psychosomatic Medicine</i> , 2016, 78, 5-12.	2.0	150
132	Post-infectious irritable bowel syndrome (PI-IBS) after infection with Shiga-toxin-producing <i>Escherichia coli</i> (STEC) O104:H4: A cohort study with prospective follow-up. <i>United European Gastroenterology Journal</i> , 2016, 4, 121-131.	3.8	33
133	The challenge of diagnosing non-specific, functional, and somatoform disorders: A systematic review of barriers to diagnosis in primary care. <i>Journal of Psychosomatic Research</i> , 2016, 80, 1-10.	2.6	126
134	Acute Ebola virus disease patient treatment and health-related quality of life in health care professionals: A controlled study. <i>Journal of Psychosomatic Research</i> , 2016, 83, 69-74.	2.6	39
135	Primary biliary – cirrhosis – Time to replace a misnomer. <i>Hepatology</i> , 2015, 61, 1091-1091.	7.3	2
136	Self-Compassion as a Resource in the Self-Stigma Process of Overweight and Obese Individuals. <i>Obesity Facts</i> , 2015, 8, 293-301.	3.4	57
137	Cost-Utility Analyses of Cognitive-Behavioural Therapy of Depression: A Systematic Review. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 6-21.	8.8	33
138	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. <i>Internet Interventions</i> , 2015, 2, 48-59.	2.7	149
139	Illness perceptions in patients with somatoform disorders: Examining the role of comorbidity. <i>Journal of Health Psychology</i> , 2015, 20, 1166-1174.	2.3	5
140	Preventing eating disorders with an interactive gender-adapted intervention program in schools: Study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 21.	2.6	8
141	Aggregating factors of the change process in the treatment of anorexia nervosa. <i>Eating Behaviors</i> , 2015, 19, 81-85.	2.0	3
142	Psychological and interactional characteristics of patients with somatoform disorders: Validation of the Somatic Symptoms Experiences Questionnaire (SSEQ) in a clinical psychosomatic population. <i>Journal of Psychosomatic Research</i> , 2015, 78, 553-562.	2.6	11
143	Predictors of Outcome in Inpatients with Anorexia Nervosa: A Prospective Multi-Center Study. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 255-257.	8.8	10
144	Assessing somatic symptom burden: A psychometric comparison of the Patient Health Questionnaire – 15 (PHQ-15) and the Somatic Symptom Scale – 8 (SSS-8). <i>Journal of Psychosomatic Research</i> , 2015, 78, 352-355.	2.6	65

#	ARTICLE	IF	CITATIONS
145	Ebola and Psychological Stress of Health Care Professionals. <i>Emerging Infectious Diseases</i> , 2015, 21, 913-914.	4.3	95
146	Sex differences in attitudes towards females with eating disorders. <i>Eating Behaviors</i> , 2015, 16, 78-83.	2.0	16
147	Verlauf und Prognose der Anorexia nervosa. , 2015, , 57-61.		2
148	Duration of untreated illness and predictors of late treatment initiation in anorexia nervosa. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014, 22, 519-527.	1.6	27
149	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 296-299.	1.3	8
150	Specialized inpatient treatment of adult anorexia nervosa: effectiveness and clinical significance of changes. <i>BMC Psychiatry</i> , 2014, 14, 258.	2.6	61
151	The Somatic Symptom Scaleâ€“8 (SSS-8). <i>JAMA Internal Medicine</i> , 2014, 174, 399.	5.1	408
152	Paths to First Treatment and Duration of Untreated Illness in Anorexia Nervosa: Are There Differences According to Age of Onset?. <i>European Eating Disorders Review</i> , 2014, 22, 292-298.	4.1	38
153	Anxiety Disorders in Patients with Implantable Cardioverter Defibrillators: Frequency, Course, Predictors, and Patientsâ€™ Requests for Treatment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 35-47.	1.2	29
154	Decreasing the duration of untreated illness for individuals with anorexia nervosa: study protocol of the evaluation of a systemic public health intervention at community level. <i>BMC Psychiatry</i> , 2014, 14, 300.	2.6	21
155	Pruritus is associated with severely impaired quality of life in patients with primary sclerosing cholangitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 1374-1379.	1.6	32
156	The Impact of Self-Reported Childhood Trauma on Emotion Regulation in Borderline Personality Disorder and Major Depression. <i>Journal of Trauma and Dissociation</i> , 2014, 15, 384-401.	1.9	108
157	Potentially Modifiable Correlates of Functional Status in Patients with Chronic Heart Failure. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 956-960.	1.7	6
158	Psychological Outcome, Fatigue, and Quality of Life After Infection With Shiga Toxinâ€“Producing <i>Escherichia coli</i> O104. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1848-1855.	4.4	25
159	Assessing psychological factors, social aspects and psychiatric co-morbidity associated with Chronic Prostatitis/Chronic Pelvic Pain Syndrome (CP/CPSP) in men â€“ A systematic review. <i>Journal of Psychosomatic Research</i> , 2014, 77, 333-350.	2.6	103
160	Depression, anxiety and disease-related distress in couples affected by advanced lung cancer. <i>Lung Cancer</i> , 2014, 86, 274-280.	2.0	47
161	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 73-86.	5.0	138
162	Assessing Generalized Anxiety Disorder in Elderly People Using the GAD-7 and GAD-2 Scales: Results of a Validation Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1029-1038.	1.2	207

#	ARTICLE	IF	CITATIONS
163	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in outpatients with anorexia nervosa (ANTOP study): randomised controlled trial. <i>Lancet</i> , The, 2014, 383, 127-137.	13.7	363
164	Health-related quality of life, depression, and anxiety in patients with autoimmune hepatitis. <i>Journal of Hepatology</i> , 2014, 60, 618-624.	3.7	84
165	Noradrenergic blockade and memory in patients with major depression and healthy participants. <i>Psychoneuroendocrinology</i> , 2014, 40, 86-90.	2.7	20
166	Weight Bias Internalization Scale: Psychometric Properties and Population Norms. <i>PLoS ONE</i> , 2014, 9, e86303.	2.5	110
167	Somatic Symptoms in Patients With Coronary Heart Disease: Prevalence, Risk Factors, and Quality of Life. <i>JAMA Internal Medicine</i> , 2013, 173, 1469.	5.1	41
168	Acute glucocorticoid effects on response inhibition in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2013, 38, 2780-2788.	2.7	19
169	Barriers to the diagnosis of somatoform disorders in primary care: protocol for a systematic review of the current status. <i>Systematic Reviews</i> , 2013, 2, 99.	5.3	17
170	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013, 16, 191-201.	1.8	23
171	Construct validity and descriptive validity of somatoform disorders in light of proposed changes for the DSM-5. <i>Journal of Psychosomatic Research</i> , 2013, 74, 18-24.	2.6	40
172	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder: Prospective 1-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2013, 75, 358-361.	2.6	35
173	How to assess common somatic symptoms in large-scale studies: A systematic review of questionnaires. <i>Journal of Psychosomatic Research</i> , 2013, 74, 459-468.	2.6	181
174	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013, 209, 439-446.	3.3	25
175	Suicidal ideation in German primary care. <i>General Hospital Psychiatry</i> , 2013, 35, 366-369.	2.4	15
176	Suicidality in Primary Care Patients With Somatoform Disorders. <i>Psychosomatic Medicine</i> , 2013, 75, 800-806.	2.0	33
177	Cognitive biases in patients with chronic obstructive pulmonary disease and depression – a pilot study. <i>British Journal of Health Psychology</i> , 2013, 18, 827-843.	3.5	10
178	100 kg more or less, still the same person (and disorder): From overweight to underweight – exacerbation of an eating disorder after bariatric surgery. <i>International Journal of Eating Disorders</i> , 2013, 46, 280-283.	4.0	5
179	Psychological Change Mechanisms in Anorexia Nervosa Treatments: How Much Do We Know?. <i>Journal of Clinical Psychology</i> , 2013, 69, 762-773.	1.9	14
180	Physicians' attitudes, diagnostic process and barriers regarding depression diagnosis in primary care: a systematic review of qualitative studies. <i>Family Practice</i> , 2012, 29, 255-263.	1.9	71

#	ARTICLE	IF	CITATIONS
181	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder " Comparison with DSM-IV somatoform disorders and additional criteria for consideration. <i>Journal of Psychosomatic Research</i> , 2012, 73, 345-350.	2.6	71
182	Rationale and content of psychenet: the Hamburg Network for Mental Health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 57-63.	3.2	64
183	Costs of illness studies and cost-effectiveness analyses in eating disorders: A systematic review. <i>International Journal of Eating Disorders</i> , 2012, 45, 476-491.	4.0	141
184	Public Familiarity With the Terms Somatoform Disorder and Functional Disorder in Germany. primary care companion for CNS disorders, <i>The</i> , 2012, 14, .	0.6	2
185	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. <i>Journal of Psychosomatic Research</i> , 2011, 70, 53-58.	2.6	28
186	Psychiatric comorbidity in cardiovascular inpatients: Costs, net gain, and length of hospitalization. <i>Journal of Psychosomatic Research</i> , 2011, 70, 135-139.	2.6	33
187	Depression comorbidity in spinocerebellar ataxia. <i>Movement Disorders</i> , 2011, 26, 870-876.	3.9	69
188	The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. <i>General Hospital Psychiatry</i> , 2010, 32, 345-359.	2.4	2,879
189	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2010, 122, 86-95.	4.1	1,581
190	Spontaneous pneumomediastinum in anorexia nervosa: A case report and review of the literature on pneumomediastinum and pneumothorax. <i>European Eating Disorders Review</i> , 2010, 18, 107-115.	4.1	22
191	Towards positive diagnostic criteria: A systematic review of somatoform disorder diagnoses and suggestions for future classification. <i>Journal of Psychosomatic Research</i> , 2010, 68, 403-414.	2.6	96
192	Characteristics of oligosymptomatic versus polysymptomatic presentations of somatoform disorders in patients with suspected allergies. <i>Journal of Psychosomatic Research</i> , 2010, 69, 259-266.	2.6	7
193	Exploring potential associations of suicidal ideation and ideas of self-harm in patients with congestive heart failure. <i>Depression and Anxiety</i> , 2009, 26, 764-768.	4.1	38
194	Depression, anxiety, and somatoform disorders: Vague or distinct categories in primary care? Results from a large cross-sectional study. <i>Journal of Psychosomatic Research</i> , 2009, 67, 189-197.	2.6	202
195	Self-care and depression in patients with chronic heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2009, 38, 392-397.	1.6	63
196	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. <i>Psychosomatics</i> , 2009, 50, 613-621.	2.5	327
197	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. <i>Psychosomatics</i> , 2009, 50, 613-621.	2.5	2,151
198	Effectiveness of a 1-Year Resident Training Program in Clinical Research: A Controlled Before-and-After Study. <i>Journal of General Internal Medicine</i> , 2008, 23, 122-128.	2.6	51

#	ARTICLE	IF	CITATIONS
199	Depression, anxiety and somatization in primary care: syndrome overlap and functional impairment. <i>General Hospital Psychiatry</i> , 2008, 30, 191-199.	2.4	549
200	Depression profile in patients with and without chronic heart failure. <i>Journal of Affective Disorders</i> , 2008, 105, 53-62.	4.1	43
201	Panic disorder in patients with chronic heart failure. <i>Journal of Psychosomatic Research</i> , 2008, 64, 299-303.	2.6	39
202	Risk factors of symptom underestimation by physicians. <i>Journal of Psychosomatic Research</i> , 2008, 64, 543-551.	2.6	38
203	Gastrointestinal symptoms in primary care: Prevalence and association with depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2008, 64, 605-612.	2.6	133
204	Depression and panic disorder as predictors of health outcomes for patients with asthma in primary care. <i>Respiratory Medicine</i> , 2008, 102, 359-366.	2.9	51
205	Validity of Current Somatoform Disorder Diagnoses: Perspectives for Classification in DSM-V and ICD-11. <i>Psychopathology</i> , 2008, 41, 4-9.	1.5	70
206	Validation and Standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the General Population. <i>Medical Care</i> , 2008, 46, 266-274.	2.4	2,912
207	Verlauf und Prognose der Anorexia nervosa. , 2008, , 44-47.		2
208	Anxiety Disorders in Primary Care: Prevalence, Impairment, Comorbidity, and Detection. <i>Annals of Internal Medicine</i> , 2007, 146, 317.	3.9	3,084
209	Routine Screening for Depression and Quality of Life in Outpatients With Congestive Heart Failure. <i>Psychosomatics</i> , 2007, 48, 112-116.	2.5	41
210	Responsiveness of the PHQ-9 to Psychopharmacological Depression Treatment. <i>Psychosomatics</i> , 2006, 47, 62-67.	2.5	110
211	Depression, pain, and somatoform disorders. <i>Current Opinion in Psychiatry</i> , 2006, 19, 19-24.	6.3	55
212	Medical patients' attitudes toward emotional problems and their treatment. <i>Journal of General Internal Medicine</i> , 2006, 21, 39-45.	2.6	65
213	Adding a question that asks whether help is wanted improves sensitivity of a depression screening tool. <i>Evidence-Based Mental Health</i> , 2006, 9, 39-39.	4.5	0
214	A Brief Measure for Assessing Generalized Anxiety Disorder. <i>Archives of Internal Medicine</i> , 2006, 166, 1092.	3.8	18,596
215	Medical Complications. , 2005, , 169-190.		6
216	Efficacy, predictors of therapy response, and safety of sertraline in routine clinical practice: Prospective, open-label, non-interventional postmarketing surveillance study in 1878 patients. <i>Journal of Affective Disorders</i> , 2005, 87, 271-279.	4.1	27

#	ARTICLE	IF	CITATIONS
217	The sentence completion test for depression can distinguish between people with and without major depressive disorder. <i>Evidence-Based Mental Health</i> , 2005, 8, 99-99.	4.5	0
218	Detecting and monitoring depression with a two-item questionnaire (PHQ-2). <i>Journal of Psychosomatic Research</i> , 2005, 58, 163-171.	2.6	1,078
219	Diagnosing ICD-10 Depressive Episodes: Superior Criterion Validity of the Patient Health Questionnaire. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 386-390.	8.8	269
220	Comparative validity of three screening questionnaires for DSM-IV depressive disorders and physicians' diagnoses. <i>Journal of Affective Disorders</i> , 2004, 78, 131-140.	4.1	874
221	Measuring depression outcome with a brief self-report instrument: sensitivity to change of the Patient Health Questionnaire (PHQ-9). <i>Journal of Affective Disorders</i> , 2004, 81, 61-66.	4.1	1,223
222	Anxiety and Depression in Patients With Pulmonary Hypertension. <i>Psychosomatic Medicine</i> , 2004, 66, 831-836.	2.0	196
223	Monitoring Depression Treatment Outcomes With the Patient Health Questionnaire-9. <i>Medical Care</i> , 2004, 42, 1194-1201.	2.4	1,017
224	Psychiatric Comorbidity and Work Disability in Patients With Inflammatory Rheumatic Diseases. <i>Psychosomatic Medicine</i> , 2004, 66, 395-402.	2.0	3
225	Psychiatric comorbidity and work disability in patients with inflammatory rheumatic diseases. <i>Psychosomatic Medicine</i> , 2004, 66, 395-402.	2.0	58
226	Internistische Psychosomatik. <i>Psychotherapeut</i> , 2003, 48, 348-356.	0.1	14
227	Detecting panic disorder in medical and psychosomatic outpatients. <i>Journal of Psychosomatic Research</i> , 2003, 55, 515-519.	2.6	232
228	Predictors of Psychiatric Comorbidity in Medical Outpatients. <i>Psychosomatic Medicine</i> , 2003, 65, 764-770.	2.0	48
229	Osteoporosis in Eating Disorders: A Follow-Up Study of Patients with Anorexia and Bulimia Nervosa. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5227-5233.	3.6	167
230	Long-term prognosis in anorexia nervosa: lessons from a 21-year follow-up study. <i>Lancet</i> , The, 2000, 355, 721-722.	13.7	472