Giacomo Boccuzzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9202131/publications.pdf

Version: 2024-02-01

279798 175258 2,945 74 23 52 citations h-index g-index papers 88 88 88 5126 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Reduced Rate of Hospital Admissions for ACS during Covid-19 Outbreak in Northern Italy. New England Journal of Medicine, 2020, 383, 88-89.	27.0	873
2	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. New England Journal of Medicine, 2015, 373, 997-1009.	27.0	334
3	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. Lancet, The, 2018, 392, 835-848.	13.7	215
4	Machine learning-based prediction of adverse events following an acute coronary syndrome (PRAISE): a modelling study of pooled datasets. Lancet, The, 2021, 397, 199-207.	13.7	164
5	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management. Journal of the American College of Cardiology, 2017, 69, 2592-2603.	2.8	132
6	Single-Staged Compared With Multi-Staged PCI in Multivessel NSTEMI Patients. Journal of the American College of Cardiology, 2016, 67, 264-272.	2.8	121
7	Eroded Versus Ruptured Plaques at the Culprit Site of STEMI. JACC: Cardiovascular Imaging, 2015, 8, 566-575.	5. 3	88
8	In-hospital and midterm clinical outcomes of rotational atherectomy followed by stent implantation: the ROTATE multicentre registry. EuroIntervention, 2016, 12, 1448-1456.	3.2	49
9	Temporal course of vascular healing and neoatherosclerosis after implantation of durable- or biodegradable-polymer drug-eluting stents. European Heart Journal, 2018, 39, 2448-2456.	2.2	44
10	ROTational AThErectomy in acute coronary syndrome: early and midterm outcomes from a multicentre registry. EuroIntervention, 2016, 12, 1457-1464.	3.2	43
11	Short term outcomes of Impella in cardiogenic shock: A review and meta-analysis of observational studies. International Journal of Cardiology, 2021, 324, 44-51.	1.7	40
12	Rotational atherectomy in very long lesions: Results for the ROTATE registry. Catheterization and Cardiovascular Interventions, 2016, 88, E164-E172.	1.7	39
13	Impact of Kissing Balloon in Patients Treated With Ultrathin Stents for Left Main Lesions and Bifurcations. Circulation: Cardiovascular Interventions, 2020, 13, e008325.	3.9	39
14	Planned versus provisional rotational atherectomy for severe calcified coronary lesions: Insights From the ROTATE multiâ€center registry. Catheterization and Cardiovascular Interventions, 2016, 88, 881-889.	1.7	38
15	Incidence and Management of Restenosis After Treatment of Unprotected Left Main Disease With Second-Generation Drug-Eluting Stents (from Failure in Left Main Study With 2nd Generation) Tj ETQq1 1 0.784	31 4.6 gBT	/Oww.lock 10°
16	P2Y12 inhibitors in acute coronary syndrome patients with renal dysfunction: an analysis from the RENAMI and BleeMACS projects. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 31-42.	3.0	37
17	Immunosuppressive Therapy with Oral Prednisone to Prevent Restenosis after PCI. A Multicenter Randomized Trial. American Journal of Medicine, 2011, 124, 434-443.	1.5	29
18	Persistent Coronary No Flow After Wire Insertion Is an Early and Readily Available Mortality Risk Factor Despite Successful Mechanical Intervention in Acute Myocardial Infarction. JACC: Cardiovascular Interventions, 2011, 4, 51-62.	2.9	29

#	Article	IF	Citations
19	Effects of statins on plaque rupture assessed by optical coherence tomography in patients presenting with acute coronary syndromes: insights from the optical coherence tomography (OCT)-FORMIDABLE registry. European Heart Journal Cardiovascular Imaging, 2018, 19, 524-531.	1.2	29
20	Cardiac septal umbrella for closure of a tracheoesophageal fistula. Endoscopy, 2010, 42, E318-E319.	1.8	28
21	Long versus short dual antiplatelet therapy in acute coronary syndrome patients treated with prasugrel or ticagrelor and coronary revascularization: Insights from the RENAMI registry. European Journal of Preventive Cardiology, 2020, 27, 696-705.	1.8	28
22	Impact of an optical coherence tomography guided approach in acute coronary syndromes: A propensity matched analysis from the international FORMIDABLEâ€CARDIOGROUP IV and USZ registry. Catheterization and Cardiovascular Interventions, 2017, 90, E46-E52.	1.7	26
23	Average daily ischemic versus bleeding risk in patients with ACS undergoing PCI: Insights from the BleeMACS and RENAMI registries. American Heart Journal, 2020, 220, 108-115.	2.7	26
24	Comparative external validation of the PRECISE-DAPT and PARIS risk scores in 4424 acute coronary syndrome patients treated with prasugrel or ticagrelor. International Journal of Cardiology, 2020, 301, 200-206.	1.7	26
25	Long-term clinical follow-up of the multicentre, randomized study to test immunosuppressive therapy with oral prednisone for the prevention of restenosis after percutaneous coronary interventions: Cortisone plus BMS or DES veRsus BMS alone to EliminAte Restenosis (CEREA-DES). European Heart lournal, 2013, 34, 1740-1748.	2.2	21
26	Impact of Final Kissing Balloon and of Imaging on Patients Treated on Unprotected Left Main Coronary Artery With Thin-Strut Stents (From the RAIN-CARDIOGROUP VII Study). American Journal of Cardiology, 2019, 123, 1610-1619.	1.6	20
27	In-Hospital and 1-Year Outcomes of Rotational Atherectomy and Stent Implantation in Patients With Severely Calcified Unprotected Left Main Narrowings (from the Multicenter ROTATE Registry). American Journal of Cardiology, 2017, 119, 1331-1337.	1.6	19
28	Anemia in patients with acute coronary syndromes treated with prasugrel or ticagrelor: Insights from the RENAMI registry. Thrombosis Research, 2018, 167, 142-148.	1.7	19
29	Safety and Efficacy of Single Versus Dual Antiplatelet Therapy After Left Atrial Appendage Occlusion. American Journal of Cardiology, 2020, 134, 83-90.	1.6	18
30	Cerebral protection in left atrial appendage closure in the presence of appendage thrombosis. Catheterization and Cardiovascular Interventions, 2021, 97, 511-515.	1.7	17
31	Catheterization laboratory activity before and during COVID-19 spread: A comparative analysis in Piedmont, Italy, by the Italian Society of Interventional Cardiology (GISE). International Journal of Cardiology, 2021, 323, 288-291.	1.7	17
32	Real-World Data of Prasugrel vs. Ticagrelor in Acute Myocardial Infarction: Results from the RENAMI Registry. American Journal of Cardiovascular Drugs, 2019, 19, 381-391.	2.2	16
33	Incidence and predictors of bleeding in ACS patients treated with PCI and prasugrel or ticagrelor: An analysis from the RENAMI registry. International Journal of Cardiology, 2018, 273, 29-33.	1.7	15
34	Prasugrel or ticagrelor in patients with acute coronary syndrome and diabetes: a propensity matched substudy of RENAMI. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 536-542.	1.0	15
35	Impact of structural features of very thin stents implanted in unprotected left main or coronary bifurcations on clinical outcomes. Catheterization and Cardiovascular Interventions, 2020, 96, 1-9.	1.7	15
36	Everolimus-eluting bioresorbable vascular scaffolds for treatment of complex chronic total occlusions. EuroIntervention, 2017, 13, 355-363.	3.2	15

#	Article	IF	CITATIONS
37	One-year clinical results of the Italian diffuse/multivessel disease ABSORB prospective registry (IT-DISAPPEARS). EuroIntervention, 2017, 13, 424-431.	3.2	15
38	Provisional versus elective two-stent strategy for unprotected true left main bifurcation lesions: Insights from a FAILS-2 sub-study. International Journal of Cardiology, 2018, 250, 80-85.	1.7	14
39	Daily risk of adverse outcomes in patients undergoing complex lesions revascularization: A subgroup analysis from the RAIN-CARDIOGROUP VII study (veRy thin stents for patients with left mAIn or) Tj ETQq $1\ 1\ 0.784$	3 1.4 rgBT	/🛭 serlock 1
40	Diagnostic accuracy of functional, imaging and biochemical tests for patients presenting with chest pain to the emergency department: A systematic review and meta-analysis. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 412-420.	1.0	13
41	Radial Versus Femoral Access for the Treatment of LeftÂMain Lesion in the Era of Second-Generation Drug-Eluting Stents. American Journal of Cardiology, 2017, 120, 33-39.	1.6	12
42	Efficacy and Safety of Clopidogrel, Prasugrel and Ticagrelor in ACS Patients Treated with PCI: A Propensity Score Analysis of the RENAMI and BleeMACS Registries. American Journal of Cardiovascular Drugs, 2020, 20, 259-269.	2.2	12
43	Pulmonary Artery Catheter Monitoring in Patients with Cardiogenic Shock: Time for a Reappraisal?. Cardiac Failure Review, 2022, 8, e15.	3.0	12
44	Retrospective multicenter observational study of the interventional management of coronary disease in the very elderly: The NINETY. Catheterization and Cardiovascular Interventions, 2013, 82, 414-421.	1.7	10
45	Incidence of Adverse Events at 3 Months Versus at 12ÂMonths After Dual Antiplatelet Therapy Cessation in Patients Treated With Thin Stents With Unprotected Left Main or Coronary Bifurcations. American Journal of Cardiology, 2020, 125, 491-499.	1.6	10
46	Planned angiographic control versus clinical followâ€up for patients with unprotected left main stem stenosis treated with second generation drugâ€eluting stents: A propensity score with matching analysis from the FAILS (failure in left main with second generation stentsâ€Cardiogroup III Study). Catheterization and Cardiovascular Interventions, 2018, 92, E271-E277.	1.7	7
47	Clinical impact of optical coherence tomography findings on culprit plaque in acute coronary syndrome: The OCTâ€FORMIDABLE study registry. Catheterization and Cardiovascular Interventions, 2018, 92, E486-E492.	1.7	7
48	Ticagrelor or Clopidogrel After an Acute Coronary Syndrome in the Elderly: A Propensity Score Matching Analysis from 16,653 Patients Treated with PCI Included in Two Large Multinational Registries. Cardiovascular Drugs and Therapy, 2021, 35, 1171-1182.	2.6	7
49	Impact of Successful Chronic Coronary Total Occlusion Recanalization on Recurrence of Ventricular Arrhythmias in Implantable Cardioverter-Defibrillator Recipients for Ischemic Cardiomyopathy (VACTO PCI Study). Cardiovascular Revascularization Medicine, 2022, 43, 104-111.	0.8	7
50	Comparison of frequency of insulin resistance after coronary stenting in patients with type 2 diabetes mellitus with versus without coronary restenosis. American Journal of Cardiology, 2004, 94, 777-780.	1.6	6
51	Accuracy of the PARIS score and PCI complexity to predict ischemic events in patients treated with very thin stents in unprotected left main or coronary bifurcations. Catheterization and Cardiovascular Interventions, 2021, 97, E227-E236.	1.7	6
52	Utilidad de la puntuación PARIS para evaluar el equilibrio isquémico-hemorrágico con ticagrelor y prasugrel tras un sÃndrome coronario agudo. Revista Espanola De Cardiologia, 2019, 72, 215-223.	1.2	6
53	A multicenter, randomized study to test immunosuppressive therapy with oral prednisone for the prevention of restenosis after percutaneous coronary interventions: cortisone plus BMS or DES versus BMS alone to eliminate restenosis (CEREA-DES) – study design and rationale. Journal of Cardiovascular Medicine, 2009, 10, 192-199.	1.5	5
54	Evidence from the Resorbable-polymer stent versus Unresorbable-polymer stent Deployment for coronary Intervention: (RUDI-2) registry. International Journal of Cardiology, 2014, 172, 472-475.	1.7	5

#	Article	IF	Citations
55	Comparison of intra-procedural vs. post-stenting prolonged bivalirudin infusion for residual thrombus burden in patients with ST-segment elevation myocardial infarction undergoing: the MATRIX (Minimizing Adverse Haemorrhagic Events by TRansradial Access Site and angioX) OCT study. European Heart Journal Cardiovascular Imaging, 2019, 20, 1418-1428.	1.2	5
56	Comparison of bioresorbable vs durable polymer drug-eluting stents in unprotected left main (from) Tj ETQq0 0 0	rgBT /Ove 4.7	rlock 10 Tf
57	Dual antiplatelet therapy strategies and clinical outcomes in patients treated with polymer-free biolimus A9-coated stents. EuroIntervention, 2020, 15, e1358-e1365.	3.2	5
58	Incidencia anual de trombosis del stent confirmadas y factores clÃnicos predictores en pacientes con SCA tratados con ticagrelor o prasugrel. Revista Espanola De Cardiologia, 2019, 72, 298-304.	1.2	4
59	Impact of Left Ventricular Ejection Fraction on Procedural and Long-Term Outcomes of Bifurcation Percutaneous Coronary Intervention. American Journal of Cardiology, 2022, 172, 18-25.	1.6	4
60	OCT Appraisal of Residual Thrombus Burden in Patients With STEMI Undergoing Intraprocedural Versus Post-Stenting ProlongedÂBivalirudin Infusion. JACC: Cardiovascular Imaging, 2019, 12, 934-936.	5.3	3
61	Polymer-Free Biolimus-Eluting Stents or Polymer-Based Zotarolimus-Eluting Stents for Coronary Bifurcation Lesions. Cardiovascular Revascularization Medicine, 2022, 35, 66-73.	0.8	3
62	Ticagrelor versus prasugrel in acute coronary syndrome: sex-specific analysis from the RENAMI Registry. Minerva Cardiology and Angiology, 2021, 69, 408-416.	0.7	3
63	A Sex-Based Analysis From the RAIN-CARDIOGROUP VII Study (VeRy Thin Stents for Patients With Left) Tj ETQq1 1 342-346.	. 0.784314 0.4	4 rgBT /Ove 3
64	Percutaneous transcatheter balloon valvuloplasty for severe tricuspid valve stenosis in Ebstein's anomaly. Journal of Cardiovascular Medicine, 2009, 10, 510-515.	1.5	2
65	Assessment of residual thrombus burden in patients with STâ€segment elevation myocardial infarction undergoing bivalirudin versus unfractionated heparin infusion: The MATRIX (minimizing adverse) Tj ETQq1 1 0.784 Cardiovascular Interventions, 2020, 96, 1156-1171.	1314 rgBT 1.7	/Qverlock I
66	An App for complex PCI solutions. European Heart Journal, 2020, 41, 342-344.	2.2	2
67	Cardiac Percutaneous Intervention and Surgery During Pregnancy., 0,, 304-315.		2
68	Pregnancy and Heart Disease., 2009, , 1239-1266.		2
69	Biolimus-Eluting StenT For de-novo coRonary artery dlsease in patiENts with Diabetes mellituS. Journal of Cardiovascular Medicine, 2016, 17, 729-735.	1.5	1
70	Realâ€world reasons and outcomes for 1â€month versus longer dual antiplatelet therapy strategies with a polymerâ€free BIOLIMUS A9â€coated stent. Catheterization and Cardiovascular Interventions, 2020, 96, E248-E256.	1.7	1
71	Impact of optical coherence tomography findings on clinical outcomes in ST-segment elevation myocardial infarction patients: a MATRIX (Minimizing Adverse Hemorrhagic Events by Trans-radial) Tj ETQq1 1 0.78	84314 rgB 1.5	T ₁ /Overlock
72	Angiographic control versus ischaemia-driven management of patients undergoing percutaneous revascularisation of the unprotected left main coronary artery with second-generation drug-eluting stents: rationale and design of the PULSE trial. Open Heart, 2020, 7, e001253.	2.3	1

#	Article	IF	CITATIONS
73	Intravascular ultrasound-guided rotational atherectomy for heavily calcified renal artery stenosis. Journal of Cardiovascular Medicine, 2012, 13, 338-342.	1.5	О
74	Giant aneurysm of circumflex coronary artery in asymptomatic patient. Italian Journal of Medicine, 0, 10, .	0.3	0