## Yiang Fan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9202425/publications.pdf Version: 2024-02-01



<u> Υίλης Ελη</u>

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | High-Efficiency Capture and Recovery of Anionic Perfluoroalkyl Substances from Water Using<br>PVA/PDDA Nanofibrous Membranes with Near-Zero Energy Consumption. Environmental Science and<br>Technology Letters, 2021, 8, 350-355.                 | 3.9  | 17        |
| 2  | Highly efficient catalysts of phytic acid-derivative cobalt phosphide encapsulated in N, P-codoped carbon for activation of peroxymonosulfate in norfloxacin degradation. Separation and Purification Technology, 2021, 264, 118367.               | 3.9  | 28        |
| 3  | Freestanding 3-dimensional macro-porous SnO2 electrodes for efficient electrochemical degradation of antibiotics in wastewater. Chemical Engineering Journal, 2021, 422, 130032.   | 6.6  | 49        |
| 4  | Fabrication of a permeable SnO2-Sb reactive anodic filter for high-efficiency electrochemical oxidation of antibiotics in wastewater. Environment International, 2021, 157, 106827.  | 4.8  | 27        |
| 5  | Degradation mechanisms of ofloxacin and cefazolin using peroxymonosulfate activated by reduced graphene oxide-CoFe2O4 composites. Chemical Engineering Journal, 2020, 383, 123056.   | 6.6  | 63        |
| 6  | In-situ synthesis of monodispersed Cu O heterostructure on porous carbon monolith for exceptional removal of gaseous Hg0. Applied Catalysis B: Environmental, 2020, 265, 118556.   | 10.8 | 32        |
| 7  | Nonradical degradation of microorganic pollutants by magnetic N-doped graphitic carbon: A complement to the unactivated peroxymonosulfate. Chemical Engineering Journal, 2020, 392, 123724.  | 6.6  | 28        |
| 8  | Facile synthesis of metal ion-cross-linked alginate electrode for efficient organic dye removal. Ionics, 2019, 25, 1929-1941.  | 1.2  | 2         |
| 9  | Highly crystalline lithium chloride-intercalated graphitic carbon nitride hollow nanotubes for effective lead removal. Environmental Science: Nano, 2019, 6, 3324-3335.  | 2.2  | 16        |
| 10 | Factors and mechanisms that influence the reactivity of trivalent copper: A novel oxidant for selective degradation of antibiotics. Water Research, 2019, 149, 1-8.  | 5.3  | 64        |
| 11 | Synthesis of Novel Magnetic NiFe2O4 Nanocomposite Grafted Chitosan and the Adsorption Mechanism of Cr(VI). Journal of Inorganic and Organometallic Polymers and Materials, 2019, 29, 290-301.  | 1.9  | 25        |
| 12 | Utilization of industrial waste as a novel adsorbent: Mono/competitive adsorption of chromium(VI)<br>and nickel(II) using diatomite waste modified by EDTA. Applied Organometallic Chemistry, 2018, 32,<br>e3977.                                  | 1.7  | 19        |
| 13 | Supported palladium nanoparticles as highly efficient catalysts for radical production:<br>Support-dependent synergistic effects. Chemosphere, 2018, 207, 27-32.   | 4.2  | 9         |
| 14 | Facile and effective synthesis of adsorbent – utilization of yeast cells immobilized in sodium alginate beads for the adsorption of phosphorus in aqueous solution. Water Science and Technology, 2017, 75, 75-83.                                 | 1.2  | 7         |
| 15 | Activated Biochar Prepared by Pomelo Peel Using H3PO4 for the Adsorption of Hexavalent Chromium:<br>Performance and Mechanism. Water, Air, and Soil Pollution, 2017, 228, 1.   | 1.1  | 62        |
| 16 | A Fe-OSA/Nafion composite film-decorated glassy carbon electrode as a sensor for detection of<br>Pb( <scp>ii</scp> ), Cd( <scp>ii</scp> ) and Cu( <scp>ii</scp> ). Analytical Methods, 2017, 9, 5618-5631.   | 1.3  | 25        |
| 17 | The synthesis of Fe-Al hydroxides coated with EDTA-Cross-linked β-Cyclodextrin and adsorption mechanism for As (III). Journal of Molecular Liquids, 2017, 242, 520-530.  | 2.3  | 5         |
| 18 | Co <sub>2</sub> O <sub>3</sub> â€NH <sub>2</sub> â€MCMâ€41 Decorated Graphite as an Effective Electrode:<br>Synthesis, Characterization and its Application for Electroâ€catalytic Oxidation of Acid Red 1.<br>Electroanalysis, 2017, 29, 794-805. | 1.5  | 5         |

YIANG FAN

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Adsorption of hexavalent chromium onto Bamboo Charcoal grafted by Cu2+-N-aminopropylsilane<br>complexes: Optimization, kinetic, and isotherm studies. Journal of Industrial and Engineering<br>Chemistry, 2017, 46, 222-233.                           | 2.9 | 27        |
| 20 | Functionalized agricultural biomass as a low-cost adsorbent: Utilization of rice straw incorporated<br>with amine groups for the adsorption of Cr(VI) and Ni(II) from single and binary systems. Biochemical<br>Engineering Journal, 2016, 105, 27-35. | 1.8 | 95        |
| 21 | Evaluation of the mesoporous silica material MCM-41 for competitive adsorption of Basic Violet 5BN and Basic Green from industrial dye wastewater. Desalination and Water Treatment, 2016, 57, 17494-17511.  | 1.0 | 2         |
| 22 | Mono/competitive adsorption of Arsenic(III) and Nickel(II) using modified green tea waste. Journal of the Taiwan Institute of Chemical Engineers, 2016, 60, 213-221.   | 2.7 | 54        |
| 23 | Mono/competitive adsorption of hexavalent chromium and acid fuchsin dye onto bamboo charcoal modified by Cu2+-N-aminopropylsilane complexes via response surface methodology. , 0, 92, 222-244.  |     | 0         |