

Catarina Covolo Scarabottolo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9203914/publications.pdf>

Version: 2024-02-01

19
papers

186
citations

1307594

7
h-index

1125743

13
g-index

20
all docs

20
docs citations

20
times ranked

285
citing authors

#	ARTICLE	IF	CITATIONS
1	Back and neck pain prevalence and their association with physical inactivity domains in adolescents. <i>European Spine Journal</i> , 2017, 26, 2274-2280.	2.2	59
2	Relationship of different domains of physical activity practice with health-related quality of life among community-dwelling older people: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e027751.	1.9	22
3	Body size dissatisfaction associated with dietary pattern, overweight, and physical activity in adolescents: A cross-sectional study. <i>Australian Journal of Cancer Nursing</i> , 2020, 22, 749-757.	1.6	16
4	Continuity of physical activity practice from childhood to adolescence is associated with lower neck pain in both sexes and lower back pain in girls. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2020, 33, 269-275.	1.1	11
5	Analysis of different domains of physical activity with health-related quality of life in adults: 2-year cohort. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 71.	2.4	10
6	Influence of physical exercise on the functional capacity in institutionalized elderly. <i>Revista Brasileira De Medicina Do Esporte</i> , 2017, 23, 200-203.	0.2	9
7	Physical activity across life stages and sleep quality in adulthood - an epidemiological study. <i>Sleep Medicine</i> , 2021, 83, 34-39.	1.6	9
8	Abdominal obesity: prevalence, sociodemographic- and lifestyle-associated factors in adolescents. <i>Journal of Human Growth and Development</i> , 2017, 27, 56.	0.6	8
9	Gender Analyses of Brazilian Parental Eating and Activity With Their Adolescents's Eating Habits. <i>Journal of Nutrition Education and Behavior</i> , 2020, 52, 503-511.	0.7	8
10	Sedentary behavior is more related with cardiovascular parameters in normal weight than overweight adolescents. <i>Journal of Public Health</i> , 2020, 42, e215-e222.	1.8	7
11	Physical activity is more related to adiposity in hypertensive than nonhypertensive middle-aged and older adults. <i>Blood Pressure Monitoring</i> , 2020, 25, 171-177.	0.8	7
12	Smoking among adolescents is associated with their own characteristics and with parental smoking: cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2017, 135, 561-567.	0.9	6
13	Is physical activity associated with resting heart rate in boys and girls? A representative study controlled for confounders. <i>Jornal De Pediatria</i> , 2020, 96, 247-254.	2.0	5
14	Back and neck pain and poor sleep quality in adolescents are associated even after controlling for confounding factors: An epidemiological study. <i>Sleep Science</i> , 2020, 13, 107-112.	1.0	3
15	Physical activity of parents and of their children: a systematic review of Brazilian sample studies "Report Card Brazil". <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2018, 20, 532-542.	0.5	2
16	Waist circumference was associated with 2-year blood pressure change in community dwelling adults independently of BMI. <i>Blood Pressure Monitoring</i> , 2022, 27, 1-8.	0.8	2
17	POSTURAL ADJUSTMENTS OF ACTIVE YOUTHS IN PERTURBATION AND DUAL-TASK CONDITIONS. <i>Revista Brasileira De Medicina Do Esporte</i> , 2019, 25, 428-432.	0.2	1
18	Is physical activity associated with resting heart rate in boys and girls? A representative study controlled for confounders. <i>Jornal De Pediatria (Versão Em Português)</i> , 2020, 96, 247-254.	0.2	0

#	ARTICLE	IF	CITATIONS
19	RELAÇÃO ENTRE CAPACIDADE FUNCIONAL E FUNÇÃO PULMONAR DE IDOSOS RESIDENTES EM UMA INSTITUIÇÃO DE LONGA PERMANÊNCIA. <i>Colloquium Vitae</i> , 2015, 7, 88-95.	0.0	0