
## Yasuo Kansui

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9204504/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Angiotensin II receptor blockade corrects altered expression of gap junctions in vascular endothelial cells from hypertensive rats. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 287, H216-H224.	1.5	66
2	Downregulation of Endothelial Transient Receptor Potential Vanilloid Type 4 Channel and Small-Conductance of Ca <sup>2+</sup> -Activated K <sup>+</sup> Channels Underpins Impaired Endothelium-Dependent Hyperpolarization in Hypertension. Hypertension, 2017, 69, 143-153.	1.3	55
3	Angiotensin II receptor antagonist improves age-related endothelial dysfunction. Journal of Hypertension, 2002, 20, 439-446.	0.3	51
4	Angiotensin II Receptor–Neprilysin Inhibitor Sacubitril/Valsartan Improves Endothelial Dysfunction in Spontaneously Hypertensive Rats. Journal of the American Heart Association, 2017, 6, .	1.6	30
5	Association of Serum Uric Acid With Blood Pressure in Japanese Men - Cross-Sectional Study in Work-Site Group Circulation Journal, 2011, 75, 2827-2832.	0.7	25
6	EFFECTS OF FLUVASTATIN ON ENDOTHELIUM-DERIVED HYPERPOLARIZING FACTOR- AND NITRIC OXIDE-MEDIATED RELAXATIONS IN ARTERIES OF HYPERTENSIVE RATS. Clinical and Experimental Pharmacology and Physiology, 2004, 31, 354-359.	0.9	20
7	Bradykinin Enhances Sympathetic Neurotransmission in Rat Blood Vessels. Hypertension, 2002, 39, 29-34.	1.3	13
8	Trends in blood pressure control and medication use during 20 years in a hypertension clinic in Japan. Clinical and Experimental Hypertension, 2016, 38, 299-304.	0.5	10
9	Impact of obstructive sleep apnea on long-term blood pressure variability in Japanese men: a cross-sectional study of a work-site population. Hypertension Research, 2018, 41, 957-964.	1.5	10
10	CHRONIC FLUVASTATIN TREATMENT ALTERS VASCULAR CONTRACTION BY INHIBITING THE RHO/RHOâ€KINASE PATHWAY. Clinical and Experimental Pharmacology and Physiology, 2006, 33, 673-678.	0.9	9
11	Disruption of xanthine oxidoreductase gene attenuates renal ischemia reperfusion injury in mice. Life Sciences, 2017, 182, 73-79.	2.0	8
12	Câ€reactive protein and incident hypertension in a worksite population of Japanese men. Journal of Clinical Hypertension, 2019, 21, 524-532.	1.0	8
13	Clinical characteristics of resistant hypertension evaluated by ambulatory blood pressure monitoring. Clinical and Experimental Hypertension, 2014, 36, 454-458.	0.5	6
14	Impact of obstructive sleep apnea on blood pressure and cardiovascular risk factors in Japanese men: A cross-sectional study in work-site group. Clinical and Experimental Hypertension, 2018, 40, 73-78.	0.5	6
15	Role of renin–angiotensin aldosterone system on short-term blood pressure variability in hypertensive patients. Clinical and Experimental Hypertension, 2018, 40, 624-630.	0.5	5
16	Facilitation of sympathetic neurotransmission by phosphatidylinositol-4,5-bisphosphate-dependent regulation of KCNQ channels in rat mesenteric arteries. Hypertension Research, 2012, 35, 909-916.	1.5	4
17	Slowly Progressive and Painless Thoracic Aortic Dissection Presenting with a Persistent Fever in an Elderly Patient: The Usefulness of Combined Measurement of Biochemical Parameters. Case Reports in Medicine, 2013, 2013, 1-5.	0.3	4
18	CILOSTAMIDE PRODUCES HYPERPOLARIZATION ASSOCIATED WITH K <sub>ATP</sub> CHANNEL ACTIVATION, BUT DOES NOT AUGMENT ENDOTHELIUMâ€ĐERIVED HYPERPOLARIZATION IN RAT MESENTERIC ARTERIES. Clinical and Experimental Pharmacology and Physiology, 2009, 36, 729-733.	0.9	2

#	Article	IF	CITATIONS
19	Association of Body Mass Index with Glomerular Filtration Rate in Japanese: A Cross-Sectional Study in Work-Site Population. Clinical and Experimental Hypertension, 2012, 34, 140-144.	0.5	1
20	A novel role for spontaneous endothelial cell calcium activity in the vascular myogenic response. FASEB Journal, 2013, 27, 924.3.	0.2	0