

# Gary Yellen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9206056/gary-yellen-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

10,544  
citations

46  
h-index

102  
g-index

118  
ext. papers

11,695  
ext. citations

12.1  
avg, IF

6.63  
L-index

#	Paper	IF	Citations
78	Neurophotonic tools for microscopic measurements and manipulation: status report.. <i>Neurophotonic</i> , <b>2022</b> , 9, 013001	3.9	0
77	Delivery of AAV for Expression of Fluorescent Biosensors in Juvenile Mouse Hippocampus.. <i>Bio-protocol</i> , <b>2021</b> , 11, e4259	0.9	1
76	Metabolism-based therapies for epilepsy: new directions for future cures. <i>Annals of Clinical and Translational Neurology</i> , <b>2021</b> , 8, 1730-1737	5.3	0
75	The distinct roles of calcium in rapid control of neuronal glycolysis and the tricarboxylic acid cycle. <i>ELife</i> , <b>2021</b> , 10,	8.9	12
74	Hepatic NADH reductive stress underlies common variation in metabolic traits. <i>Nature</i> , <b>2020</b> , 583, 122-126	36.4	44
73	Fluorescent Biosensors for Neuronal Metabolism and the Challenges of Quantitation. <i>Current Opinion in Neurobiology</i> , <b>2020</b> , 63, 111-121	7.6	5
72	Quantitative in vivo imaging of neuronal glucose concentrations with a genetically encoded fluorescence lifetime sensor. <i>Journal of Neuroscience Research</i> , <b>2019</b> , 97, 946-960	4.4	39
71	Neurons rely on glucose rather than astrocytic lactate during stimulation. <i>Journal of Neuroscience Research</i> , <b>2019</b> , 97, 883-889	4.4	41
70	Live cell imaging of cytosolic NADH/NAD ratio in hepatocytes and liver slices. <i>American Journal of Physiology - Renal Physiology</i> , <b>2018</b> , 314, G97-G108	5.1	8
69	Fueling thought: Management of glycolysis and oxidative phosphorylation in neuronal metabolism. <i>Journal of Cell Biology</i> , <b>2018</b> , 217, 2235-2246	7.3	129
68	BAD knockout provides metabolic seizure resistance in a genetic model of epilepsy with sudden unexplained death in epilepsy. <i>Epilepsia</i> , <b>2018</b> , 59, e1-e4	6.4	9
67	BAD and K channels regulate neuron excitability and epileptiform activity. <i>ELife</i> , <b>2018</b> , 7,	8.9	20
66	Neuronal Stimulation Triggers Neuronal Glycolysis and Not Lactate Uptake. <i>Cell Metabolism</i> , <b>2017</b> , 26, 361-374.e4	24.6	203
65	Akt regulation of glycolysis mediates bioenergetic stability in epithelial cells. <i>ELife</i> , <b>2017</b> , 6,	8.9	36
64	Cytosolic NADH-NAD(+) Redox Visualized in Brain Slices by Two-Photon Fluorescence Lifetime Biosensor Imaging. <i>Antioxidants and Redox Signaling</i> , <b>2016</b> , 25, 553-63	8.4	50
63	The leak channel NALCN controls tonic firing and glycolytic sensitivity of substantia nigra pars reticulata neurons. <i>ELife</i> , <b>2016</b> , 5,	8.9	33
62	The inward rectifier potassium channel Kir2.1 is expressed in mouse neutrophils from bone marrow and liver. <i>American Journal of Physiology - Cell Physiology</i> , <b>2015</b> , 308, C264-76	5.4	30

61	Quantitative two-photon imaging of fluorescent biosensors. <i>Current Opinion in Chemical Biology</i> , <b>2015</b> , 27, 24-30	9.7	51
60	Variants in KCNJ11 and BAD do not predict response to ketogenic dietary therapies for epilepsy. <i>Epilepsy Research</i> , <b>2015</b> , 118, 22-8	3	6
59	Quantitative determinants of aerobic glycolysis identify flux through the enzyme GAPDH as a limiting step. <i>ELife</i> , <b>2014</b> , 3,	8.9	142
58	A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging. <i>Frontiers in Pharmacology</i> , <b>2014</b> , 5, 56	5.6	56
57	Metabolism regulates the spontaneous firing of substantia nigra pars reticulata neurons via KATP and nonselective cation channels. <i>Journal of Neuroscience</i> , <b>2014</b> , 34, 16336-47	6.6	38
56	Imaging changes in the cytosolic ATP-to-ADP ratio. <i>Methods in Enzymology</i> , <b>2014</b> , 547, 355-71	1.7	18
55	Live-cell imaging of cytosolic NADH-NAD <sup>+</sup> redox state using a genetically encoded fluorescent biosensor. <i>Methods in Molecular Biology</i> , <b>2014</b> , 1071, 83-95	1.4	36
54	Imaging energy status in live cells with a fluorescent biosensor of the intracellular ATP-to-ADP ratio. <i>Nature Communications</i> , <b>2013</b> , 4, 2550	17.4	239
53	The ketogenic diet: metabolic influences on brain excitability and epilepsy. <i>Trends in Neurosciences</i> , <b>2013</b> , 36, 32-40	13.3	198
52	BAD-dependent regulation of fuel metabolism and K(ATP) channel activity confers resistance to epileptic seizures. <i>Neuron</i> , <b>2012</b> , 74, 719-30	13.9	118
51	Optogenetic reporters: Fluorescent protein-based genetically encoded indicators of signaling and metabolism in the brain. <i>Progress in Brain Research</i> , <b>2012</b> , 196, 235-63	2.9	50
50	Charge movement in gating-locked HCN channels reveals weak coupling of voltage sensors and gate. <i>Journal of General Physiology</i> , <b>2012</b> , 140, 469-79	3.4	25
49	Structural changes during HCN channel gating defined by high affinity metal bridges. <i>Journal of General Physiology</i> , <b>2012</b> , 140, 279-91	3.4	31
48	Imaging cytosolic NADH-NAD(+) redox state with a genetically encoded fluorescent biosensor. <i>Cell Metabolism</i> , <b>2011</b> , 14, 545-54	24.6	351
47	Imaging intracellular pH in live cells with a genetically encoded red fluorescent protein sensor. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 10034-7	16.4	312
46	Single K ATP channel opening in response to action potential firing in mouse dentate granule neurons. <i>Journal of Neuroscience</i> , <b>2011</b> , 31, 8689-96	6.6	100
45	A genetically encoded fluorescent reporter of ATP:ADP ratio. <i>Nature Methods</i> , <b>2009</b> , 6, 161-6	21.6	341
44	Ketone bodies, glycolysis, and KATP channels in the mechanism of the ketogenic diet. <i>Epilepsia</i> , <b>2008</b> , 49 Suppl 8, 80-2	6.4	63

43	Ketogenic diet metabolites reduce firing in central neurons by opening K(ATP) channels. <i>Journal of Neuroscience</i> , <b>2007</b> , 27, 3618-25	6.6	205
42	Reversal of HCN channel voltage dependence via bridging of the S4-S5 linker and Post-S6. <i>Journal of General Physiology</i> , <b>2006</b> , 128, 273-82	3.4	51
41	Distinct populations of HCN pacemaker channels produce voltage-dependent and voltage-independent currents. <i>Journal of General Physiology</i> , <b>2006</b> , 127, 183-90	3.4	46
40	Cooperative gating between single HCN pacemaker channels. <i>Journal of General Physiology</i> , <b>2006</b> , 128, 561-7	3.4	35
39	Status of the intracellular gate in the activated-not-open state of shaker K <sup>+</sup> channels. <i>Journal of General Physiology</i> , <b>2005</b> , 126, 419-28	3.4	53
38	Intracellular gate opening in Shaker K <sup>+</sup> channels defined by high-affinity metal bridges. <i>Nature</i> , <b>2004</b> , 428, 864-8	50.4	185
37	Inactivation in HCN channels results from reclosure of the activation gate: desensitization to voltage. <i>Neuron</i> , <b>2004</b> , 41, 737-44	13.9	101
36	Movements near the gate of a hyperpolarization-activated cation channel. <i>Journal of General Physiology</i> , <b>2003</b> , 122, 501-10	3.4	41
35	The voltage-gated potassium channels and their relatives. <i>Nature</i> , <b>2002</b> , 419, 35-42	50.4	538
34	Fast and slow voltage sensor movements in HERG potassium channels. <i>Journal of General Physiology</i> , <b>2002</b> , 119, 275-93	3.4	97
33	Voltage-controlled gating at the intracellular entrance to a hyperpolarization-activated cation channel. <i>Journal of General Physiology</i> , <b>2002</b> , 119, 83-91	3.4	91
32	Blocker state dependence and trapping in hyperpolarization-activated cation channels: evidence for an intracellular activation gate. <i>Journal of General Physiology</i> , <b>2001</b> , 117, 91-101	3.4	152
31	Tight steric closure at the intracellular activation gate of a voltage-gated K(+) channel. <i>Neuron</i> , <b>2001</b> , 32, 649-56	13.9	226
30	Blocker protection in the pore of a voltage-gated K <sup>+</sup> channel and its structural implications. <i>Nature</i> , <b>2000</b> , 403, 321-5	50.4	320
29	The bacterial K <sup>+</sup> channel structure and its implications for neuronal channels. <i>Current Opinion in Neurobiology</i> , <b>1999</b> , 9, 267-73	7.6	25
28	Premonitions of ion channel gating. <i>Nature Structural Biology</i> , <b>1998</b> , 5, 421		5
27	The activation gate of a voltage-gated K <sup>+</sup> channel can be trapped in the open state by an intersubunit metal bridge. <i>Neuron</i> , <b>1998</b> , 21, 617-21	13.9	177
26	The moving parts of voltage-gated ion channels. <i>Quarterly Reviews of Biophysics</i> , <b>1998</b> , 31, 239-95	7	389

25	Single channel seeks permeant ion for brief but intimate relationship. <i>Journal of General Physiology</i> , <b>1997</b> , 110, 83-5	3.4	19
24	Trapping of organic blockers by closing of voltage-dependent K <sup>+</sup> channels: evidence for a trap door mechanism of activation gating. <i>Journal of General Physiology</i> , <b>1997</b> , 109, 527-35	3.4	180
23	Defective "pacemaker" current (I <sub>h</sub> ) in a zebrafish mutant with a slow heart rate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 4554-9	11.5	178
22	Gated access to the pore of a voltage-dependent K <sup>+</sup> channel. <i>Neuron</i> , <b>1997</b> , 19, 175-84	13.9	435
21	N-type inactivation and the S4-S5 region of the Shaker K <sup>+</sup> channel. <i>Journal of General Physiology</i> , <b>1996</b> , 108, 195-206	3.4	96
20	On the use of thiol-modifying agents to determine channel topology. <i>Neuropharmacology</i> , <b>1996</b> , 35, 797-804	3.4	213
19	Dynamic rearrangement of the outer mouth of a K <sup>+</sup> channel during gating. <i>Neuron</i> , <b>1996</b> , 16, 859-67	13.9	405
18	Use-dependent blockers and exit rate of the last ion from the multi-ion pore of a K <sup>+</sup> channel. <i>Science</i> , <b>1996</b> , 271, 653-6	33.3	200
17	Two functionally distinct subsites for the binding of internal blockers to the pore of voltage-activated K <sup>+</sup> channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1996</b> , 93, 13357-61	11.5	48
16	Alternative mechanism for pathogenesis of an inherited epilepsy by a nicotinic AChR mutation. <i>Nature Genetics</i> , <b>1996</b> , 13, 396-7	36.3	12
15	The inward rectification mechanism of the HERG cardiac potassium channel. <i>Nature</i> , <b>1996</b> , 379, 833-6	50.4	660
14	Modulation of K <sup>+</sup> current by frequency and external [K <sup>+</sup> ]: a tale of two inactivation mechanisms. <i>Neuron</i> , <b>1995</b> , 15, 951-60	13.9	329
13	The internal quaternary ammonium receptor site of Shaker potassium channels. <i>Neuron</i> , <b>1993</b> , 10, 533-41	13.9	239
12	A novel K <sup>+</sup> channel with unique localizations in mammalian brain: molecular cloning and characterization. <i>Neuron</i> , <b>1992</b> , 8, 473-81	13.9	109
11	Ion effects on gating of the Ca(2+)-activated K <sup>+</sup> channel correlate with occupancy of the pore. <i>Biophysical Journal</i> , <b>1992</b> , 61, 639-48	2.9	88
10	Tetraethylammonium blockade distinguishes two inactivation mechanisms in voltage-activated K <sup>+</sup> channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1991</b> , 88, 5092-5	11.5	384
9	The inactivation gate of the Shaker K <sup>+</sup> channel behaves like an open-channel blocker. <i>Neuron</i> , <b>1991</b> , 7, 743-53	13.9	273
8	Expression of Torpedo nicotinic acetylcholine receptor subunits in yeast is enhanced by use of yeast signal sequences. <i>Gene</i> , <b>1990</b> , 86, 145-52	3.8	12

7	Ionic permeation and blockade in Ca <sup>2+</sup> -activated K <sup>+</sup> channels of bovine chromaffin cells. <i>Journal of General Physiology</i> , <b>1984</b> , 84, 157-86	3-4	452
6	Relief of Na <sup>+</sup> block of Ca <sup>2+</sup> -activated K <sup>+</sup> channels by external cations. <i>Journal of General Physiology</i> , <b>1984</b> , 84, 187-99	3-4	129
5	The immune system uses ion channels, too. <i>Trends in Neurosciences</i> , <b>1984</b> , 7, 179-181	13-3	4
4	Channels from genes: The oocyte as an expression system. <i>Trends in Neurosciences</i> , <b>1984</b> , 7, 457-458	13-3	17
3	Analysis of Nonstationary Channel Kinetics <b>1983</b> , 287-299		13
2	Single Ca <sup>2+</sup> -activated nonselective cation channels in neuroblastoma. <i>Nature</i> , <b>1982</b> , 296, 357-9	50-4	431
1	The distinct roles of calcium in rapid control of neuronal glycolysis and the tricarboxylic acid cycle		1