## Lok-Hi Chow

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9206066/publications.pdf

Version: 2024-02-01

840776 888059 23 307 11 17 citations h-index g-index papers 24 24 24 401 citing authors all docs docs citations times ranked

| #  | Article  | IF           | Citations |
|----|--|--------------|-----------|
| 1  | Estrogen can abolish oxytocin-induced spinal anti-hyperalgesia. Psychoneuroendocrinology, 2022, 136, 105603.   | 2.7          | 2         |
| 2  | Effects of Exercise Programs in older adults with Muscle Wasting: A Systematic Review and Meta-analysis. Archives of Gerontology and Geriatrics, 2022, 99, 104605.   | 3.0          | 6         |
| 3  | Implementing a flipped classroom model in an evidence-based medicine curriculum for pre-clinical medical students: evaluating learning effectiveness through prospective propensity score-matched cohorts. BMC Medical Education, 2022, 22, 185. | 2.4          | 5         |
| 4  | LVV-hemorphin-7 (LVV-H7) plays a role in antinociception in a rat model of alcohol-induced pain disorders. Peptides, 2021, 136, 170455.  | 2.4          | 9         |
| 5  | Salivary cortisol is associated with cognitive changes in patients with fibromyalgia. Scientific Reports, 2021, 11, 1311.  | 3.3          | 8         |
| 6  | Patients with alcohol use disorder increase pain and analgesics use: A nationwide population-based cohort study. Drug and Alcohol Dependence, 2021, 229, 109102.   | 3.2          | 6         |
| 7  | Effectiveness of Music-Based Intervention in Improving Uncomfortable Symptoms in ICU Patients: An Umbrella Review. International Journal of Environmental Research and Public Health, 2021, 18, 11500.   | 2.6          | 5         |
| 8  | Sex Difference of Angiotensin IV–, LVV-Hemorphin 7–, and Oxytocin-Induced Antiallodynia at the Spinal Level in Mice With Neuropathic Pain. Anesthesia and Analgesia, 2018, 126, 2093-2101.   | 2.2          | 23        |
| 9  | Sex Difference in Oxytocin-Induced Anti-Hyperalgesia at the Spinal Level in Rats with Intraplantar Carrageenan-Induced Inflammation. PLoS ONE, 2016, 11, e0162218.   | 2.5          | 22        |
| 10 | Chronic administration of nandrolone increases susceptibility to morphine dependence without correlation with LVV-hemorphin 7 in rats. Neuropeptides, 2016, 59, 63-69.   | 2.2          | 9         |
| 11 | The Effects of Anti-Dementia and Nootropic Treatments on the Mortality of Patients with Dementia: A Population-Based Cohort Study in Taiwan. PLoS ONE, 2015, 10, e0130993.   | 2.5          | 20        |
| 12 | Angiotensin IV possibly acts through PKMzeta in the hippocampus to regulate cognitive memory in rats. Neuropeptides, 2015, 53, 1-10.   | 2.2          | 8         |
| 13 | Successful anesthetic management of a patient with thyroid carcinoma invading the trachea with tracheal obstruction, scheduled for total thyroidectomy. Journal of the Chinese Medical Association, 2014, 77, 496-499.                           | 1.4          | 19        |
| 14 | A possible correlation between oxytocin-induced and angiotensin IV-induced anti-hyperalgesia at the spinal level in rats. Peptides, 2013, 39, 21-28.   | 2.4          | 14        |
| 15 | Difficult weaning from mechanical ventilator in a patient with corticosteroid insufficiency after low anterior resection of sigmoid colon. Acta Anaesthesiologica Taiwanica, 2012, 50, 84-86.  | 1.0          | 0         |
| 16 | Gene Knockdown of the NÂ-Methyl-d-Aspartate Receptor NR1 Subunit with Subcutaneous Small Interfering RNA Reduces Inflammation-induced Nociception in Rats. Anesthesiology, 2010, 112, 1482-1493.   | 2.5          | 20        |
| 17 | Dextromethorphan differentially affects opioid antinociception in rats. British Journal of Pharmacology, 2005, 144, 400-404.   | 5 <b>.</b> 4 | 22        |
| 18 | Effects of morphine and endomorphins on the polysynaptic reflex in the isolated rat spinal cord. Naunyn-Schmiedeberg's Archives of Pharmacology, 2005, 371, 72-80.   | 3.0          | 7         |

## Lok-Hi Chow

| #  | Article  | IF  | CITATION |
|----|--|-----|----------|
| 19 | Dextromethorphan potentiates morphine antinociception at the spinal level in rats. Canadian Journal of Anaesthesia, 2004, 51, 905-910.   | 1.6 | 22       |
| 20 | Dextromethorphan potentiates morphine-induced antinociception at both spinal and supraspinal sites but is not related to the descending serotoninergic or adrenergic pathways. Journal of Biomedical Science, 2004, 11, 717-725. | 7.0 | 21       |
| 21 | Dextromethorphan Potentiates Morphine-Induced Antinociception at both Spinal and Supraspinal Sites but Is Not Related to the Descending Serotoninergic or Adrenergic Pathways. Journal of Biomedical Science, 2004, 11, 717-725. | 7.0 | 1        |
| 22 | Does Postoperative Pain Induce Emesis?. Clinical Journal of Pain, 2002, 18, 317-323.   | 1.9 | 35       |
| 23 | The Preoperative Administration of Intravenous Dextromethorphan Reduces Postoperative Morphine Consumption. Anesthesia and Analgesia, 1999, 89, 748.   | 2.2 | 23       |