Jennifer M Taylor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9207111/publications.pdf

Version: 2024-02-01

78 papers

9,111 citations

50276 46 h-index 71685 **76** g-index

84 all docs

84 docs citations

84 times ranked 15707 citing authors

#	Article	IF	CITATIONS
1	A genome-wide association study of global gene expression. Nature Genetics, 2007, 39, 1202-1207.	21.4	882
2	QuantiSNP: an Objective Bayes Hidden-Markov Model to detect and accurately map copy number variation using SNP genotyping data. Nucleic Acids Research, 2007, 35, 2013-2025.	14.5	525
3	E <scp>ffector</scp> P: predicting fungal effector proteins from secretomes using machine learning. New Phytologist, 2016, 210, 743-761.	7.3	438
4	Improved prediction of fungal effector proteins from secretomes with EffectorP 2.0. Molecular Plant Pathology, 2018, 19, 2094-2110.	4.2	350
5	LOCALIZER: subcellular localization prediction of both plant and effector proteins in the plant cell. Scientific Reports, 2017, 7, 44598.	3.3	340
6	FLOWERING LOCUS C (FLC) regulates development pathways throughout the life cycle of <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6680-6685.	7.1	325
7	Global microRNA expression profiles in insulin target tissues in a spontaneous rat model of type 2 diabetes. Diabetologia, 2010, 53, 1099-1109.	6.3	261
8	Foxp2 Regulates Gene Networks Implicated in Neurite Outgrowth in the Developing Brain. PLoS Genetics, 2011, 7, e1002145.	3.5	256
9	DNA demethylases target promoter transposable elements to positively regulate stress responsive genes in Arabidopsis. Genome Biology, 2014, 15, 458.	8.8	243
10	The chromosome 6p22 haplotype associated with dyslexia reduces the expression of KIAA0319 , a novel gene involved in neuronal migration. Human Molecular Genetics, 2006, 15, 1659-1666.	2.9	240
11	High-Throughput Analysis of Promoter Occupancy Reveals Direct Neural Targets of FOXP2, a Gene Mutated in Speech and Language Disorders. American Journal of Human Genetics, 2007, 81, 1232-1250.	6.2	232
12	Development of a 63K SNP Array for Cotton and High-Density Mapping of Intraspecific and Interspecific Populations of <i>Gossypium</i> spp G3: Genes, Genomes, Genetics, 2015, 5, 1187-1209.	1.8	226
13	A Genome-Wide Survey of Imprinted Genes in Rice Seeds Reveals Imprinting Primarily Occurs in the Endosperm. PLoS Genetics, 2011, 7, e1002125.	3.5	213
14	Loss of <i>AvrSr50</i> by somatic exchange in stem rust leads to virulence for <i>Sr50</i> resistance in wheat. Science, 2017, 358, 1607-1610.	12.6	206
15	Regulation of multiple angiogenic pathways by Dll4 and Notch in human umbilical vein endothelial cells. Microvascular Research, 2008, 75, 144-154.	2.5	202
16	Trans Chromosomal Methylation in <i>Arabidopsis</i> hybrids. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3570-3575.	7.1	202
17	Advances and Challenges in Computational Prediction of Effectors from Plant Pathogenic Fungi. PLoS Pathogens, 2015, 11, e1004806.	4.7	197
18	Long noncoding <scp>RNA</scp> s responsive to <i><scp>F</scp>usarium oxysporum</i> infection in <i><scp>A</scp>rabidopsis thaliana</i> . New Phytologist, 2014, 201, 574-584.	7.3	188

#	Article	IF	CITATIONS
19	<scp>ApoplastP</scp> : prediction of effectors and plant proteins in the apoplast using machine learning. New Phytologist, 2018, 217, 1764-1778.	7.3	180
20	Efficient experimental design and analysis strategies for the detection of differential expression using RNA-Sequencing. BMC Genomics, 2012, 13, 484.	2.8	179
21	Microarray expression profiling in melanoma reveals a BRAF mutation signature. Oncogene, 2004, 23, 4060-4067.	5.9	169
22	Heterosis of <i>Arabidopsis</i> hybrids between C24 and Col is associated with increased photosynthesis capacity. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 7109-7114.	7.1	161
23	Somatic small RNA pathways promote the mitotic events of megagametogenesis during female reproductive development in <i>Arabidopsis</i> . Development (Cambridge), 2012, 139, 1399-1404.	2.5	145
24	Characterization of the defense transcriptome responsive to Fusarium oxysporum-infection in Arabidopsis using RNA-seq. Gene, 2013, 512, 259-266.	2.2	120
25	A Near-Complete Haplotype-Phased Genome of the Dikaryotic Wheat Stripe Rust Fungus <i>Puccinia striiformis</i> f. sp. <i>tritici</i> Reveals High Interhaplotype Diversity. MBio, 2018, 9, .	4.1	112
26	VACTERL/caudal regression/Currarino syndrome-like malformations in mice with mutation in the proprotein convertase <i>Pcsk5</i> . Genes and Development, 2008, 22, 1465-1477.	5.9	110
27	MicroRNA-125a is over-expressed in insulin target tissues in a spontaneous rat model of Type 2 Diabetes. BMC Medical Genomics, 2009, 2, 54.	1.5	105
28	Genetic expression profile of olfactory ensheathing cells is distinct from that of Schwann cells and astrocytes. Glia, 2005, 51, 132-147.	4.9	103
29	Roles for blue light, jasmonate and nitric oxide in the regulation of dormancy and germination in wheat grain (Triticum aestivum L.). Planta, 2013, 238, 121-138.	3.2	103
30	Follow-up study on a susceptibility locus for schizophrenia on chromosome 6q., 1999, 88, 337-343.		95
31	A microarray study of post-mortem mRNA degradation in mouse brain tissue. Molecular Brain Research, 2005, 138, 164-177.	2.3	95
32	Arabidopsis Polycomb Repressive Complex 2 binding sites contain putative GAGA factor binding motifs within coding regions of genes. BMC Genomics, 2013, 14, 593.	2.8	94
33	Advanced Engineering of Lipid Metabolism in Nicotiana benthamiana Using a Draft Genome and the V2 Viral Silencing-Suppressor Protein. PLoS ONE, 2012, 7, e52717.	2.5	85
34	Evaluation of Secretion Prediction Highlights Differing Approaches Needed for Oomycete and Fungal Effectors. Frontiers in Plant Science, 2015, 6, 1168.	3.6	85
35	Potential Contribution of NF-κB in Neuronal Cell Death in the Glutathione Peroxidase-1 Knockout Mouse in Response to Ischemia-Reperfusion Injury. Stroke, 2006, 37, 1533-1538.	2.0	81
36	Enlarging Cells Initiating Apomixis in <i>Hieracium praealtum</i> Transition to an Embryo Sac Program prior to Entering Mitosis Â. Plant Physiology, 2013, 163, 216-231.	4.8	78

#	Article	IF	Citations
37	Genome-Wide Analysis in Three Fusarium Pathogens Identifies Rapidly Evolving Chromosomes and Genes Associated with Pathogenicity. Genome Biology and Evolution, 2015, 7, 1613-1627.	2.5	77
38	Variability of gene expression profiles in human blood and lymphoblastoid cell lines. BMC Genomics, 2010, 11, 96.	2.8	75
39	Genetic, Hormonal, and Physiological Analysis of Late Maturity α-Amylase in Wheat Â. Plant Physiology, 2013, 161, 1265-1277.	4.8	71
40	High resolution mapping of expression QTLs in heterogeneous stock mice in multiple tissues. Genome Research, 2009, 19, 1133-1140.	5.5	69
41	miRNA regulation in the early development of barley seed. BMC Plant Biology, 2012, 12, 120.	3.6	68
42	Pervasive haplotypic variation in the spliceo-transcriptome of the human major histocompatibility complex. Genome Research, 2011, 21, 1042-1054.	5.5	63
43	Identification of candidate genes for fusarium yellows resistance in Chinese cabbage by differential expression analysis. Plant Molecular Biology, 2014, 85, 247-257.	3.9	57
44	<i>De Novo</i> Assembly and Phasing of Dikaryotic Genomes from Two Isolates of <i>Puccinia coronata</i> f. sp. <i>avenae</i> , the Causal Agent of Oat Crown Rust. MBio, 2018, 9, .	4.1	57
45	Diversity analysis of cotton (Gossypium hirsutum L.) germplasm using the CottonSNP63K Array. BMC Plant Biology, 2017, 17, 37.	3.6	56
46	Transcriptional Profiling in Coronary Artery Disease. Circulation, 2006, 114, 1811-1820.	1.6	51
47	Functional classification analysis of somatically mutated genes in human breast and colorectal cancers. Genomics, 2008, 91, 508-511.	2.9	48
48	RNA-Seq Analysis of the Expression of Genes Encoding Cell Wall Degrading Enzymes during Infection of Lupin (Lupinus angustifolius) by Phytophthora parasitica. PLoS ONE, 2015, 10, e0136899.	2.5	48
49	Smad4-dependent pathways control basement membrane deposition and endodermal cell migration at early stages of mouse development. BMC Developmental Biology, 2009, 9, 54.	2.1	46
50	Bread matters: a national initiative to profile the genetic diversity of Australian wheat. Plant Biotechnology Journal, 2012, 10, 703-708.	8.3	45
51	Diversifying selection in the wheat stem rust fungus acts predominantly on pathogen-associated gene families and reveals candidate effectors. Frontiers in Plant Science, 2014, 5, 372.	3.6	45
52	Molecular and cellular characteristics of hybrid vigour in a commercial hybrid of Chinese cabbage. BMC Plant Biology, 2016, 16, 45.	3.6	45
53	Optical and physical mapping with local finishing enables megabase-scale resolution of agronomically important regions in the wheat genome. Genome Biology, 2018, 19, 112.	8.8	41
54	The Use of Genome-Wide eQTL Associations in Lymphoblastoid Cell Lines to Identify Novel Genetic Pathways Involved in Complex Traits. PLoS ONE, 2011, 6, e22070.	2.5	36

#	Article	IF	CITATIONS
55	Copper chelator ATN-224 inhibits endothelial function by multiple mechanisms. Microvascular Research, 2009, 77, 314-326.	2.5	35
56	Genetic Diversity of the Human Serotonin Receptor 1B (HTR1B) Gene. Genomics, 2001, 72, 1-14.	2.9	34
57	Epigenetic variation in the <i>FWA</i> gene within the genus Arabidopsis. Plant Journal, 2011, 66, 831-843.	5.7	34
58	Asexual Female Gametogenesis Involves Contact with a Sexually-Fated Megaspore in Apomictic <i>Hieracium</i> . Plant Physiology, 2018, 177, 1027-1049.	4.8	28
59	Dynamic and Physical Clustering of Gene Expression during Epidermal Barrier Formation in Differentiating Keratinocytes. PLoS ONE, 2009, 4, e7651.	2.5	26
60	A comparative hidden Markov model analysis pipeline identifies proteins characteristic of cereal-infecting fungi. BMC Genomics, 2013, 14, 807.	2.8	26
61	ALTERED MERISTEM PROGRAM 1 Is involved in Development of Seed Dormancy in Arabidopsis. PLoS ONE, 2011, 6, e20408.	2.5	25
62	Assembled genomic and tissue-specific transcriptomic data resources for two genetically distinct lines of Cowpea (Vigna unguiculata (L.) Walp). Gates Open Research, 2018, 2, 7.	1.1	25
63	Genome wide gene expression in artificially synthesized amphidiploids of Arabidopsis. Plant Molecular Biology, 2011, 77, 419-431.	3.9	24
64	Chromatin profiling across the human tumour necrosis factor gene locus reveals a complex, cell type-specific landscape with novel regulatory elements. Nucleic Acids Research, 2008, 36, 4845-4862.	14.5	23
65	Therapeutic Implications of GIPC1 Silencing in Cancer. PLoS ONE, 2010, 5, e15581.	2.5	22
66	Transcriptome and Complexity-Reduced, DNA-Based Identification of Intraspecies Single-Nucleotide Polymorphisms in the Polyploid <i>Gossypium hirsutum</i> L. G3: Genes, Genomes, Genetics, 2014, 4, 1893-1905.	1.8	22
67	Generation of an integrated Hieracium genomic and transcriptomic resource enables exploration of small RNA pathways during apomixis initiation. BMC Biology, 2016, 14, 86.	3.8	19
68	Computational Methods for Predicting Effectors in Rust Pathogens. Methods in Molecular Biology, 2017, 1659, 73-83.	0.9	19
69	Deep Sequencing of the Fruit Transcriptome and Lipid Accumulation in a Non-Seed Tissue of Chinese Tallow, a Potential Biofuel Crop. Plant and Cell Physiology, 2016, 57, 125-137.	3.1	17
70	The stem rust fungus Puccinia graminis f. sp. tritici induces centromeric small RNAs during late infection that are associated with genome-wide DNA methylation. BMC Biology, 2021, 19, 203.	3.8	15
71	Patterns of gene expression in developing embryos of Arabidopsis hybrids. Plant Journal, 2017, 89, 927-939.	5.7	14
72	A comparison of transcriptome and epigenetic status between closely related species in the genus Arabidopsis. Gene, 2012, 506, 301-309.	2.2	11

#	Article	IF	CITATIONS
73	A novel splicing outcome reveals more than 2000 new mammalian protein isoforms. Bioinformatics, 2014, 30, 151-156.	4.1	11
74	A reference genetic linkage map of apomictic Hieracium species based on expressed markers derived from developing ovule transcripts. Annals of Botany, 2015, 115, 567-580.	2.9	10
75	Cellular and molecular characterization of a stem rust resistance locus on wheat chromosome 7AL. BMC Research Notes, 2016, 9, 502.	1.4	8
76	No support for linkage to the bipolar regions on chromosomes 4p, 18p, or 18q in 43 schizophrenia pedigrees., 2000, 96, 224-227.		6
77	nEASE: a method for gene ontology subclassification of high-throughput gene expression data. Bioinformatics, 2012, 28, 726-728.	4.1	6
78	Followâ€up study on a susceptibility locus for schizophrenia on chromosome 6q. American Journal of Medical Genetics Part A, 1999, 88, 337-343.	2.4	2