

Valeria Maria Gloria Bruno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9207142/publications.pdf>

Version: 2024-02-01

131
papers

8,097
citations

28190

55
h-index

51492

86
g-index

132
all docs

132
docs citations

132
times ranked

8047
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabotropic glutamate receptors: a new target for the therapy of neurodegenerative disorders?. Trends in Neurosciences, 1996, 19, 267-271.	4.2	391
2	Î²-Amyloid Monomers Are Neuroprotective. Journal of Neuroscience, 2009, 29, 10582-10587.	1.7	350
3	Metabotropic Glutamate Receptor Subtypes as Targets for Neuroprotective Drugs. Journal of Cerebral Blood Flow and Metabolism, 2001, 21, 1013-1033.	2.4	297
4	Activation of cell-cycle-associated proteins in neuronal death: a mandatory or dispensable path?. Trends in Neurosciences, 2001, 24, 25-31.	4.2	217
5	($\hat{\alpha}$) ⁺ -PHCCC, a positive allosteric modulator of mGluR4: characterization, mechanism of action, and neuroprotection. Neuropharmacology, 2003, 45, 895-906.	2.0	206
6	The Use of Knock-Out Mice Unravels Distinct Roles for mGlu2 and mGlu3 Metabotropic Glutamate Receptors in Mechanisms of Neurodegeneration/Neuroprotection. Journal of Neuroscience, 2007, 27, 8297-8308.	1.7	182
7	Group-I metabotropic glutamate receptors: hypotheses to explain their dual role in neurotoxicity and neuroprotection. Neuropharmacology, 1999, 38, 1477-1484.	2.0	153
8	Activation of metabotropic glutamate receptors coupled to inositol phospholipid hydrolysis amplifies NMDA-induced neuronal degeneration in cultured cortical cells. Neuropharmacology, 1995, 34, 1089-1098.	2.0	151
9	The Neuroprotective Activity of Group-II Metabotropic Glutamate Receptors Requires New Protein Synthesis and Involves a Glial-Neuronal Signaling. Journal of Neuroscience, 1997, 17, 1891-1897.	1.7	144
10	Activation of Class II or III Metabotropic Glutamate Receptors Protects Cultured Cortical Neurons Against Excitotoxic Degeneration. European Journal of Neuroscience, 1995, 7, 1906-1913.	1.2	143
11	Metabotropic glutamate receptor-4 modulates adaptive immunity and restrains neuroinflammation. Nature Medicine, 2010, 16, 897-902.	15.2	138
12	Induction of Dickkopf-1, a Negative Modulator of the Wnt Pathway, Is Required for the Development of Ischemic Neuronal Death. Journal of Neuroscience, 2005, 25, 2647-2657.	1.7	127
13	Neuroprotective activity of the potent and selective mGlu1a metabotropic glutamate receptor antagonist, (+)-2-methyl-4 carboxyphenylglycine (LY367385): comparison with LY357366, a broader spectrum antagonist with equal affinity for mGlu1a and mGlu5 receptors. Neuropharmacology, 1999, 38, 199-207.	2.0	120
14	Selective blockade of metabotropic glutamate receptor subtype 5 is neuroprotective. Neuropharmacology, 2000, 39, 2223-2230.	2.0	119
15	Native group-III metabotropic glutamate receptors are coupled to the mitogen-activated protein kinase/phosphatidylinositol-3-kinase pathways. Journal of Neurochemistry, 2002, 82, 216-223.	2.1	115
16	Endogenous Activation of mGlu5 Metabotropic Glutamate Receptors Contributes to the Development of Nigro-Striatal Damage Induced by 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine in Mice. Journal of Neuroscience, 2004, 24, 828-835.	1.7	113
17	Targeting Group II Metabotropic Glutamate (mGlu) Receptors for the Treatment of Psychosis Associated with Alzheimer's Disease: Selective Activation of mGlu2 Receptors Amplifies Î²-Amyloid Toxicity in Cultured Neurons, Whereas Dual Activation of mGlu2 and mGlu3 Receptors Is Neuroprotective. Molecular Pharmacology, 2011, 79, 618-626.	1.0	111
18	Metabotropic Glutamate Receptors in Glial Cells. Neurochemical Research, 2008, 33, 2436-2443.	1.6	110

#	ARTICLE	IF	CITATIONS
19	Protective effect of the metabotropic glutamate receptor agonist, DCG-IV, against excitotoxic neuronal death. <i>European Journal of Pharmacology</i> , 1994, 256, 109-112.	1.7	109
20	Neuroprotective activity of chemokines against N-methyl-d-aspartate or β -amyloid-induced toxicity in culture. <i>European Journal of Pharmacology</i> , 2000, 399, 117-121.	1.7	109
21	Activation of Metabotropic Glutamate Receptors Prevents Neuronal Apoptosis in Culture. <i>Journal of Neurochemistry</i> , 1995, 64, 101-108.	2.1	109
22	Pharmacological Activation of mGlu4 Metabotropic Glutamate Receptors Reduces Nigrostriatal Degeneration in Mice Treated with 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine. <i>Journal of Neuroscience</i> , 2006, 26, 7222-7229.	1.7	108
23	Induction of the Wnt Antagonist, Dickkopf-1, Contributes to the Development of Neuronal Death in Models of Brain Focal Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 264-276.	2.4	108
24	Pharmacological blockade of group II metabotropic glutamate receptors reduces the growth of glioma cells in vivo. <i>Neuro-Oncology</i> , 2005, 7, 236-245.	0.6	100
25	TGF- β 1 Pathway as a New Target for Neuroprotection in Alzheimer's Disease. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 237-249.	1.9	96
26	Dysfunction of TGF- β 1 signaling in Alzheimer's disease: perspectives for neuroprotection. <i>Cell and Tissue Research</i> , 2012, 347, 291-301.	1.5	96
27	Selective Blockade of Type-1 Metabotropic Glutamate Receptors Induces Neuroprotection by Enhancing Gabaergic Transmission. <i>Molecular and Cellular Neurosciences</i> , 2001, 17, 1071-1083.	1.0	92
28	Induction of the Wnt Inhibitor, Dickkopf-1, Is Associated with Neurodegeneration Related to Temporal Lobe Epilepsy. <i>Epilepsia</i> , 2007, 48, 694-705.	2.6	91
29	Xanthurenic Acid Activates mGlu2/3 Metabotropic Glutamate Receptors and is a Potential Trait Marker for Schizophrenia. <i>Scientific Reports</i> , 2016, 5, 17799.	1.6	91
30	Excitatory Amino Acids Stimulate Inositol Phospholipid Hydrolysis and Reduce Proliferation in Cultured Astrocytes. <i>Journal of Neurochemistry</i> , 1990, 54, 771-777.	2.1	87
31	Metabotropic glutamate receptors as drug targets: what's new?. <i>Current Opinion in Pharmacology</i> , 2015, 20, 89-94.	1.7	83
32	Molecular Signalling Mediating the Protective Effect of A1 Adenosine and mGlu3 Metabotropic Glutamate Receptor Activation against Apoptosis by Oxygen/Glucose Deprivation in Cultured Astrocytes. <i>Molecular Pharmacology</i> , 2007, 71, 1369-1380.	1.0	80
33	Activation of Group III Metabotropic Glutamate Receptors Inhibits the Production of RANTES in Glial Cell Cultures. <i>Journal of Neuroscience</i> , 2002, 22, 5403-5411.	1.7	79
34	Functional partnership between mGlu3 and mGlu5 metabotropic glutamate receptors in the central nervous system. <i>Neuropharmacology</i> , 2018, 128, 301-313.	2.0	79
35	Pharmacological blockade of mGlu2/3 metabotropic glutamate receptors reduces cell proliferation in cultured human glioma cells. <i>Journal of Neurochemistry</i> , 2003, 84, 1288-1295.	2.1	78
36	Fingolimod protects cultured cortical neurons against excitotoxic death. <i>Pharmacological Research</i> , 2013, 67, 1-9.	3.1	77

#	ARTICLE	IF	CITATIONS
37	Systemically administered d-glucose conjugates of 7-chlorokynurenic acid are centrally available and exert anticonvulsant activity in rodents. <i>Brain Research</i> , 2000, 860, 149-156.	1.1	76
38	The mammalian homologue of the novel peptide Bv8 is expressed in the central nervous system and supports neuronal survival by activating the MAP kinase/PI-3-kinase pathways. <i>European Journal of Neuroscience</i> , 2001, 13, 1694-1702.	1.2	75
39	Neuroprotective Activity of Metabotropic Glutamate Receptor Ligands. <i>Advances in Experimental Medicine and Biology</i> , 2003, 513, 197-223.	0.8	75
40	Changes in mGlu5 Receptor-Dependent Synaptic Plasticity and Coupling to Homer Proteins in the Hippocampus of Ube3A Hemizygous Mice Modeling Angelman Syndrome. <i>Journal of Neuroscience</i> , 2014, 34, 4558-4566.	1.7	73
41	Interaction between $\tilde{\gamma}$ -N-methylamino- l-alanine and excitatory amino acid receptors in brain slices and neuronal cultures. <i>Brain Research</i> , 1991, 558, 79-86.	1.1	69
42	Tic disorders: from pathophysiology to treatment. <i>Journal of Neurology</i> , 2006, 253, 1-15.	1.8	67
43	Cinnabarinic Acid, an Endogenous Metabolite of the Kynurenine Pathway, Activates Type 4 Metabotropic Glutamate Receptors. <i>Molecular Pharmacology</i> , 2012, 81, 643-656.	1.0	67
44	Potentiometric, spectroscopic and antioxidant activity studies of SOD mimics containing carnosine. <i>Dalton Transactions</i> , 2003, , 4406-4415.	1.6	66
45	Metabotropic glutamate receptors in neurodegeneration/neuroprotection: Still a hot topic?. <i>Neurochemistry International</i> , 2012, 61, 559-565.	1.9	66
46	Early defect of transforming growth factor \hat{I}^21 formation in Huntingtonâ€™s disease. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 555-571.	1.6	64
47	Cinnabarinic acid and xanthurenic acid: Two kynurenine metabolites that interact with metabotropic glutamate receptors. <i>Neuropharmacology</i> , 2017, 112, 365-372.	2.0	63
48	An activity-dependent switch from facilitation to inhibition in the control of excitotoxicity by group I metabotropic glutamate receptors. <i>European Journal of Neuroscience</i> , 2001, 13, 1469-1478.	1.2	62
49	The impact of metabotropic glutamate receptors into active neurodegenerative processes: A â€œdark sideâ€ in the development of new symptomatic treatments for neurologic and psychiatric disorders. <i>Neuropharmacology</i> , 2017, 115, 180-192.	2.0	62
50	Protective role of group-II metabotropic glutamate receptors against nigro-striatal degeneration induced by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice. <i>Neuropharmacology</i> , 2003, 45, 155-166.	2.0	60
51	A novel rat gene encoding a Humaninâ€™like peptide endowed with broad neuroprotective activity. <i>FASEB Journal</i> , 2002, 16, 1331-1333.	0.2	59
52	Activation of group III metabotropic glutamate receptors is neuroprotective in cortical cultures. <i>European Journal of Pharmacology</i> , 1996, 310, 61-66.	1.7	58
53	Testosterone amplifies excitotoxic damage of cultured oligodendrocytes. <i>Journal of Neurochemistry</i> , 2004, 88, 1179-1185.	2.1	56
54	Induction of the Wnt Antagonist Dickkopf-1 Is Involved in Stress-Induced Hippocampal Damage. <i>PLoS ONE</i> , 2011, 6, e16447.	1.1	56

#	ARTICLE	IF	CITATIONS
55	The metabotropic glutamate receptor mGlu5 controls the onset of developmental apoptosis in cultured cerebellar neurons. <i>European Journal of Neuroscience</i> , 1998, 10, 2173-2184.	1.2	55
56	The Wnt Antagonist, Dickkopf-1, as a Target for the Treatment of Neurodegenerative Disorders. <i>Neurochemical Research</i> , 2008, 33, 2401-2406.	1.6	55
57	Neuroprotective activity of N-acetylaspartylglutamate in cultured cortical cells. <i>Neuroscience</i> , 1998, 85, 751-757.	1.1	54
58	Insulin Secretion Is Controlled by mGlu5 Metabotropic Glutamate Receptors. <i>Molecular Pharmacology</i> , 2006, 69, 1234-1241.	1.0	54
59	The preferential mGlu2/3 receptor antagonist, LY341495, reduces the frequency of spike-wave discharges in the WAG/Rij rat model of absence epilepsy. <i>Neuropharmacology</i> , 2005, 49, 89-103.	2.0	53
60	Nanomolar concentrations of anabolic-androgenic steroids amplify excitotoxic neuronal death in mixed mouse cortical cultures. <i>Brain Research</i> , 2007, 1165, 21-29.	1.1	52
61	Synthesis, pharmacokinetics and anticonvulsant activity of 7-chlorokynurenic acid prodrugs. <i>International Journal of Pharmaceutics</i> , 2000, 202, 79-88.	2.6	50
62	Positive allosteric modulation of metabotropic glutamate 4 (mGlu4) receptors enhances spontaneous and evoked absence seizures. <i>Neuropharmacology</i> , 2008, 54, 344-354.	2.0	50
63	Mechanisms involved in the formation of dopamine-induced intracellular bodies within striatal neurons. <i>Journal of Neurochemistry</i> , 2007, 101, 1414-1427.	2.1	49
64	Defective group-II metabotropic glutamate receptors in the hippocampus of spontaneously depressed rats. <i>Neuropharmacology</i> , 2008, 55, 525-531.	2.0	48
65	Activation of mGlu3 Receptors Stimulates the Production of GDNF in Striatal Neurons. <i>PLoS ONE</i> , 2009, 4, e6591.	1.1	48
66	Interaction between ephrins/Eph receptors and excitatory amino acid receptors: possible relevance in the regulation of synaptic plasticity and in the pathophysiology of neuronal degeneration. <i>Journal of Neurochemistry</i> , 2006, 98, 1-10.	2.1	46
67	Inositol Hexakisphosphate (Phytic Acid) Enhances Ca ²⁺ Influx and D-[³ H]Aspartate Release in Cultured Cerebellar Neurons. <i>Journal of Neurochemistry</i> , 1989, 53, 1026-1030.	2.1	45
68	Enhanced Tau Phosphorylation in the Hippocampus of Mice Treated with 3,4-Methylenedioxymethamphetamine (Ecstasy). <i>Journal of Neuroscience</i> , 2008, 28, 3234-3245.	1.7	45
69	Regulation of Group II Metabotropic Glutamate Receptors by G Protein-Coupled Receptor Kinases: mGlu2 Receptors Are Resistant to Homologous Desensitization. <i>Molecular Pharmacology</i> , 2009, 75, 991-1003.	1.0	45
70	Selective activation of group-II metabotropic glutamate receptors is protective against excitotoxic neuronal death. <i>European Journal of Pharmacology</i> , 1998, 356, 271-274.	1.7	44
71	Activation of mGlu2/3 Metabotropic Glutamate Receptors Negatively Regulates the Stimulation of Inositol Phospholipid Hydrolysis Mediated by 5-Hydroxytryptamine _{2A} Serotonin Receptors in the Frontal Cortex of Living Mice. <i>Molecular Pharmacology</i> , 2009, 76, 379-387.	1.0	42
72	N-Acetyl-Cysteine Causes Analgesia by Reinforcing the Endogenous Activation of Type-2 Metabotropic Glutamate Receptors. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-77.	1.0	42

#	ARTICLE	IF	CITATIONS
73	Antidepressant activity of fingolimod in mice. <i>Pharmacology Research and Perspectives</i> , 2015, 3, e00135.	1.1	42
74	Activation of mGlu3 metabotropic glutamate receptors enhances GDNF and GLT-1 formation in the spinal cord and rescues motor neurons in the SOD-1 mouse model of amyotrophic lateral sclerosis. <i>Neurobiology of Disease</i> , 2015, 74, 126-136.	2.1	41
75	Activation of excitatory amino acid receptors reduces thymidine incorporation and cell proliferation rate in primary cultures of astrocytes. <i>Glia</i> , 1989, 2, 67-69.	2.5	40
76	Switch in the expression of mGlu1 and mGlu5 metabotropic glutamate receptors in the cerebellum of mice developing experimental autoimmune encephalomyelitis and in autoptic cerebellar samples from patients with multiple sclerosis. <i>Neuropharmacology</i> , 2008, 55, 491-499.	2.0	40
77	Interactions between Ephrin-B and Metabotropic Glutamate 1 Receptors in Brain Tissue and Cultured Neurons. <i>Journal of Neuroscience</i> , 2005, 25, 2245-2254.	1.7	39
78	Targeting mGlu Receptors for Optimization of Antipsychotic Activity and Disease-Modifying Effect in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 49.	1.3	38
79	Targeting metabotropic glutamate receptors in the treatment of epilepsy: rationale and current status. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 341-351.	1.5	37
80	Protective role for type-1 metabotropic glutamate receptors against spike and wave discharges in the WAG/Rij rat model of absence epilepsy. <i>Neuropharmacology</i> , 2011, 60, 1281-1291.	2.0	36
81	Protective Role for Type 4 Metabotropic Glutamate Receptors against Ischemic Brain Damage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1107-1118.	2.4	33
82	Vasorelaxing Action of the Kynurenine Metabolite, Xanthurenic Acid: The Missing Link in Endotoxin-Induced Hypotension?. <i>Frontiers in Pharmacology</i> , 2017, 8, 214.	1.6	33
83	d-Aspartate activates mGlu receptors coupled to polyphosphoinositide hydrolysis in neonate rat brain slices. <i>Neuroscience Letters</i> , 2010, 478, 128-130.	1.0	32
84	Estrogen Receptors and Type 1 Metabotropic Glutamate Receptors Are Interdependent in Protecting Cortical Neurons against I ² -Amyloid Toxicity. <i>Molecular Pharmacology</i> , 2012, 81, 12-20.	1.0	31
85	The Role of Macrophage Migration Inhibitory Factor in Alzheimer's Disease: Conventionally Pathogenetic or Unconventionally Protective?. <i>Molecules</i> , 2020, 25, 291.	1.7	31
86	Metabotropic glutamate receptors: Beyond the regulation of synaptic transmission. <i>Psychoneuroendocrinology</i> , 2007, 32, S40-S45.	1.3	29
87	Glutamate receptor mGlu2 and mGlu3 knockout striata are dopamine supersensitive, with elevated D2 ^{High} receptors and marked supersensitivity to the dopamine agonist (+)PHNO. <i>Synapse</i> , 2009, 63, 247-251.	0.6	27
88	Chapter 14 Metabotropic glutamate receptors and neurodegeneration. <i>Progress in Brain Research</i> , 1998, 116, 209-221.	0.9	26
89	The advent of monoclonal antibodies in the treatment of chronic autoimmune diseases. <i>Neurological Sciences</i> , 2011, 31, 283-288.	0.9	26
90	Dickkopf-3 Upregulates VEGF in Cultured Human Endothelial Cells by Activating Activin Receptor-Like Kinase 1 (ALK1) Pathway. <i>Frontiers in Pharmacology</i> , 2017, 8, 111.	1.6	26

#	ARTICLE	IF	CITATIONS
91	Comparative effects of levobupivacaine and racemic bupivacaine on excitotoxic neuronal death in culture and N-methyl-d-aspartate-induced seizures in mice. <i>European Journal of Pharmacology</i> , 2005, 518, 111-115.	1.7	25
92	Targeting type-2 metabotropic glutamate receptors to protect vulnerable hippocampal neurons against ischemic damage. <i>Molecular Brain</i> , 2015, 8, 66.	1.3	22
93	Metabotropic glutamate receptor involvement in the pathophysiology of amyotrophic lateral sclerosis: new potential drug targets for therapeutic applications. <i>Current Opinion in Pharmacology</i> , 2018, 38, 65-71.	1.7	22
94	Protective action of idebenone against excitotoxic degeneration in cultured cortical neurons. <i>Neuroscience Letters</i> , 1994, 178, 193-196.	1.0	21
95	Metabotropic glutamate receptor agonists stimulate polyphosphoinositide hydrolysis in primary cultures of rat hepatocytes. <i>European Journal of Pharmacology</i> , 1997, 338, R1-R2.	1.7	21
96	Analgesia induced by the epigenetic drug, L-acetylcarnitine, outlasts the end of treatment in mouse models of chronic inflammatory and neuropathic pain. <i>Molecular Pain</i> , 2017, 13, 174480691769700.	1.0	21
97	Memantine treatment reduces the expression of the K ⁺ /Cl ⁻ cotransporter KCC2 in the hippocampus and cerebral cortex, and attenuates behavioural responses mediated by GABA _A receptor activation in mice. <i>Brain Research</i> , 2009, 1265, 75-79.	1.1	20
98	The Trace Kynurenine, Cinnabarinic Acid, Displays Potent Antipsychotic-Like Activity in Mice and Its Levels Are Reduced in the Prefrontal Cortex of Individuals Affected by Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1471-1481.	2.3	20
99	Mouse hepatocytes lacking mGlu5 metabotropic glutamate receptors are less sensitive to hypoxic damage. <i>European Journal of Pharmacology</i> , 2004, 497, 25-27.	1.7	19
100	5-HT _{2C} serotonin receptor blockade prevents tau protein hyperphosphorylation and corrects the defect in hippocampal synaptic plasticity caused by a combination of environmental stressors in mice. <i>Pharmacological Research</i> , 2015, 99, 258-268.	3.1	18
101	Gangliosides attenuate NHDA receptor-mediated excitatory amino acid release in cultured cerebellar neurons. <i>Neuropharmacology</i> , 1989, 28, 1283-1286.	2.0	17
102	The Dichotomic Role of Macrophage Migration Inhibitory Factor in Neurodegeneration. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3023.	1.8	15
103	N-Acetylcysteine causes analgesia in a mouse model of painful diabetic neuropathy. <i>Molecular Pain</i> , 2020, 16, 174480692090429.	1.0	14
104	In PC12 Cells Neurotoxicity Induced by Methamphetamine Is Related to Proteasome Inhibition. <i>Annals of the New York Academy of Sciences</i> , 2006, 1074, 174-177.	1.8	13
105	Lack or Inhibition of Dopaminergic Stimulation Induces a Development Increase of Striatal Tyrosine Hydroxylase-Positive Interneurons. <i>PLoS ONE</i> , 2012, 7, e44025.	1.1	13
106	Permissive role for mGlu1 metabotropic glutamate receptors in excitotoxic retinal degeneration. <i>Neuroscience</i> , 2017, 363, 142-149.	1.1	13
107	Dickkopf-3 Causes Neuroprotection by Inducing Vascular Endothelial Growth Factor. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 292.	1.8	13
108	Thyrotropin releasing hormone (TRH) and its analog, RGH-2202, accelerate maturation of cerebellar neurons in vitro. <i>Developmental Brain Research</i> , 1992, 69, 179-183.	2.1	12

#	ARTICLE	IF	CITATIONS
109	Pharmacological activation of mGlu2/3 metabotropic glutamate receptors protects retinal neurons against anoxic damage in the goldfish <i>Carassius auratus</i> . <i>Experimental Eye Research</i> , 2007, 84, 544-552.	1.2	12
110	Growth conditions differentially affect the constitutive expression of primary response genes in cultured cerebellar granule cells. <i>Neurochemical Research</i> , 1995, 20, 611-616.	1.6	10
111	Genetic deletion of mGlu2 metabotropic glutamate receptors improves the short-term outcome of cerebral transient focal ischemia. <i>Molecular Brain</i> , 2017, 10, 39.	1.3	10
112	Pharmacological activation of mGlu5 receptors with the positive allosteric modulator VU0360172, modulates thalamic GABAergic transmission. <i>Neuropharmacology</i> , 2020, 178, 108240.	2.0	10
113	Growth conditions influence DNA methylation in cultured cerebellar granule cells. <i>Developmental Brain Research</i> , 1996, 95, 38-43.	2.1	9
114	Dual Effect of 17 β -Estradiol on NMDA-Induced Neuronal Death: Involvement of Metabotropic Glutamate Receptor 1. <i>Endocrinology</i> , 2012, 153, 5940-5948.	1.4	9
115	Upregulation of Tolerogenic Pathways by the Hydrogen Sulfide Donor GYY4137 and Impaired Expression of H2S-Producing Enzymes in Multiple Sclerosis. <i>Antioxidants</i> , 2020, 9, 608.	2.2	9
116	Alterations in the α 2 ligand, thrombospondin α 1, in a rat model of spontaneous absence epilepsy and in patients with idiopathic/genetic generalized epilepsies. <i>Epilepsia</i> , 2017, 58, 1993-2001.	2.6	8
117	Behavioural and biochemical responses to methamphetamine are differentially regulated by mGlu2 and mGlu3 metabotropic glutamate receptors in male mice. <i>Neuropharmacology</i> , 2021, 196, 108692.	2.0	8
118	GABAergic drugs become neurotoxic in cortical neurons pre-exposed to brain-derived neurotrophic factor. <i>Molecular and Cellular Neurosciences</i> , 2008, 37, 312-322.	1.0	7
119	Expression of the K ⁺ /Cl ⁻ cotransporter, KCC2, in cerebellar Purkinje cells is regulated by group-I metabotropic glutamate receptors. <i>Neuropharmacology</i> , 2017, 115, 51-59.	2.0	7
120	Metabotropic Glutamate Receptors and Neurodegeneration. , 2004, , 79-102.		7
121	Enhanced expression of Harvey ras induced by serum deprivation in cultured astrocytes. <i>Journal of Neurochemistry</i> , 2008, 106, 551-559.	2.1	6
122	Changes in the expression of genes encoding for mGlu4 and mGlu5 receptors and other regulators of the indirect pathway in acute mouse models of drug-induced parkinsonism. <i>Neuropharmacology</i> , 2015, 95, 50-58.	2.0	6
123	mGlu1 Receptors Monopolize the Synaptic Control of Cerebellar Purkinje Cells by Epigenetically Down-Regulating mGlu5 Receptors. <i>Scientific Reports</i> , 2018, 8, 13361.	1.6	6
124	Perineuronal nets are under the control of type-5 metabotropic glutamate receptors in the developing somatosensory cortex. <i>Translational Psychiatry</i> , 2021, 11, 109.	2.4	5
125	Genetic Deletion of mGlu3 Metabotropic Glutamate Receptors Amplifies Ischemic Brain Damage and Associated Neuroinflammation in Mice. <i>Frontiers in Neurology</i> , 2021, 12, 668877.	1.1	5
126	Type-1, but Not Type-5, Metabotropic Glutamate Receptors are Coupled to Polyphosphoinositide Hydrolysis in the Retina. <i>Neurochemical Research</i> , 2016, 41, 924-932.	1.6	4

#	ARTICLE	IF	CITATIONS
127	Type-7 metabotropic glutamate receptors negatively regulate α 1-adrenergic receptor signalling. <i>Neuropharmacology</i> , 2017, 113, 343-353.	2.0	4
128	Receptors for inositolhexakisphosphate in neurons and anterior pituitary cells. <i>Pharmacological Research</i> , 1990, 22, 83-84.	3.1	2
129	Transcriptomic Analysis Reveals Abnormal Expression of Prion Disease Gene Pathway in Brains from Patients with Autism Spectrum Disorders. <i>Brain Sciences</i> , 2020, 10, 200.	1.1	2
130	Expression and Function of Metabotropic Glutamate Receptors in Liver. , 2005, , 211-217.		1
131	Repeated episodes of transient reduction of oxygen exposure simulating aircraft cabin conditions enhance resilience to stress in mice. <i>European Journal of Neuroscience</i> , 2021, 54, 7109-7124.	1.2	0