## Keith R Walley

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9207922/keith-r-walley-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 36 7,517 99 h-index g-index citations papers 6.7 9,156 6.3 109 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
99	Longitudinal Plasma Proteomics Analysis Reveals Novel Candidate Biomarkers in Acute COVID-19  Journal of Proteome Research, 2022,	5.6	4
98	Organ dysfunction and death in patients admitted to hospital with COVID-19 in pandemic waves 1 to 3 in British Columbia, Ontario and Quebec, Canada: a cohort study <i>CMAJ Open</i> , <b>2022</b> , 10, E379-E389	2.5	1
97	Angiotensin Receptor Blockers and Angiotensin-Converting Enzyme Inhibitors in COVID-19: Meta-analysis/Meta-regression Adjusted for Confounding Factors. <i>CJC Open</i> , <b>2021</b> , 3, 965-975	2	5
96	Lower household income is associated with an increased risk of hospital readmission in patients with decompensated cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 1088-1088-1088-1088-1088-1088-1088-1088	094	1
95	Inhibition of Cholesteryl Ester Transfer Protein Preserves High-Density Lipoprotein Cholesterol and Improves Survival in Sepsis. <i>Circulation</i> , <b>2021</b> , 143, 921-934	16.7	20
94	Vasopressor Therapy in the Intensive Care Unit. <i>Seminars in Respiratory and Critical Care Medicine</i> , <b>2021</b> , 42, 59-77	3.9	5
93	The ABO histo-blood group, endothelial activation, and acute respiratory distress syndrome risk in critical illness. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	11
92	Acute Cardiac Injury in Coronavirus Disease 2019 and Other Viral Infections-A Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , <b>2021</b> , 49, 1558-1566	1.4	10
91	Is hyperchloremia harmful? <b>2020</b> , 419-425.e1		
90	Very Low Density Lipoprotein Receptor Sequesters Lipopolysaccharide Into Adipose Tissue During Sepsis. <i>Critical Care Medicine</i> , <b>2020</b> , 48, 41-48	1.4	9
89	The Impact of Chronic Ozone and Particulate Air Pollution on Mortality in Patients With Sepsis Across the United States. <i>Journal of Intensive Care Medicine</i> , <b>2020</b> , 35, 1002-1007	3.3	8
88	The Specific Organism: Not Bacterial Gram Type: Drives the Inflammatory Response in Septic Shock. Journal of Innate Immunity, <b>2020</b> , 12, 182-190	6.9	О
87	Vasopressin in Vasodilatory Shock. <i>Critical Care Clinics</i> , <b>2019</b> , 35, 247-261	4.5	10
86	Vasopressin in septic shock: an individual patient data meta-analysis of randomised controlled trials. <i>Intensive Care Medicine</i> , <b>2019</b> , 45, 844-855	14.5	36
85	Outcomes of in-hospital cardiopulmonary resuscitation for patients with end-stage liver disease. <i>Liver International</i> , <b>2019</b> , 39, 1256-1262	7.9	13
84	Reduced Proprotein convertase subtilisin/kexin 9 (PCSK9) function increases lipoteichoic acid clearance and improves outcomes in Gram positive septic shock patients. <i>Scientific Reports</i> , <b>2019</b> , 9, 105	i <b>88</b> 9	11
83	Genetic Polymorphisms in Sepsis and Cardiovascular Disease: Do Similar Risk Genes Suggest Similar Drug Targets?. <i>Chest</i> , <b>2019</b> , 155, 1260-1271	5.3	15

82	Low Low-Density Lipoprotein Levels Are Associated With, But Do Not Causally Contribute to, Increased Mortality in Sepsis. <i>Critical Care Medicine</i> , <b>2019</b> , 47, 463-466	1.4	13
81	Reply. <i>Hepatology</i> , <b>2019</b> , 69, 920-921	11.2	
80	The design and rationale of SAVE BC: The Study to Avoid CardioVascular Events in British Columbia. <i>Clinical Cardiology</i> , <b>2018</b> , 41, 888-895	3.3	8
79	Is Heparin-Binding Protein Inhibition a Mechanism of Albumin's Efficacy in Human Septic Shock?. <i>Critical Care Medicine</i> , <b>2018</b> , 46, e364-e374	1.4	10
78	Survival benefit of a low ratio of visceral to subcutaneous adipose tissue depends on LDL clearance versus production in sepsis. <i>Critical Care</i> , <b>2018</b> , 22, 58	10.8	5
77	Pharmacogenomic biomarkers do not predict response to drotrecogin alfa in patients with severe sepsis. <i>Annals of Intensive Care</i> , <b>2018</b> , 8, 16	8.9	2
76	Activated protein C as disease-modifying therapy in antenatal preeclampsia: An open-label, single arm safety and efficacy trial. <i>Pregnancy Hypertension</i> , <b>2018</b> , 13, 121-126	2.6	3
75	Outcomes of Ventilated Patients With Sepsis Who Undergo Interhospital Transfer: A Nationwide Linked Analysis. <i>Critical Care Medicine</i> , <b>2018</b> , 46, e81-e86	1.4	14
74	Tamponade: Hemodynamic and Echocardiographic Diagnosis. <i>Chest</i> , <b>2018</b> , 153, 1266-1275	5.3	32
73	CETP genetic variant rs1800777 (allele A) is associated with abnormally low HDL-C levels and increased risk of AKI during sepsis. <i>Scientific Reports</i> , <b>2018</b> , 8, 16764	4.9	18
72	Impact of PCSK9 loss-of-function genotype on 1-year mortality and recurrent infection in sepsis survivors. <i>EBioMedicine</i> , <b>2018</b> , 38, 257-264	8.8	18
71	Vasopressin versus norepinephrine in septic shock: a propensity score matched efficiency retrospective cohort study in the VASST coordinating center hospital. <i>Journal of Intensive Care</i> , <b>2018</b> , 6, 73	7	7
70	Development and internal validation of the multivariable CIPHER (Collaborative Integrated Pregnancy High-dependency Estimate of Risk) clinical risk prediction model. <i>Critical Care</i> , <b>2018</b> , 22, 278	10.8	9
69	Sepsis-induced myocardial dysfunction. <i>Current Opinion in Critical Care</i> , <b>2018</b> , 24, 292-299	3.5	64
68	The Understanding and Management of Organism Toxicity in Septic Shock. <i>Journal of Innate Immunity</i> , <b>2018</b> , 10, 502-514	6.9	10
67	Does this patient have septic shock?. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 429-432	14.5	
66	Association between chronic exposure to air pollution and mortality in the acute respiratory distress syndrome. <i>Environmental Pollution</i> , <b>2017</b> , 224, 352-356	9.3	22
65	Validating the Performance of the Modified Early Obstetric Warning System Multivariable Model to Predict Maternal Intensive Care Unit Admission. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2017</b> , 39, 728-733.e3	1.3	19

64	Decreased high-density lipoprotein cholesterol level is an early prognostic marker for organ dysfunction and death in patients with suspected sepsis. <i>Journal of Critical Care</i> , <b>2017</b> , 38, 289-294	4	68
63	Palliative care access for hospitalized patients with end-stage liver disease across the United States. <i>Hepatology</i> , <b>2017</b> , 66, 1585-1591	11.2	52
62	Genetic Association Studies Identify Unanticipated Gene Pathways Influencing Sepsis Outcome. <i>EBioMedicine</i> , <b>2016</b> , 12, 20-21	8.8	1
61	Increased Plasma PCSK9 Levels Are Associated with Reduced Endotoxin Clearance and the Development of Acute Organ Failures during Sepsis. <i>Journal of Innate Immunity</i> , <b>2016</b> , 8, 211-20	6.9	70
60	Beyond the Golden Hours: Caring for Septic Patients After the Initial Resuscitation. <i>Clinics in Chest Medicine</i> , <b>2016</b> , 37, 347-65	5.3	
59	Lactic Acidosis in Sepsis: It <b>S</b> : Not All Anaerobic: Implications for Diagnosis and Management. <i>Chest</i> , <b>2016</b> , 149, 252-61	5.3	159
58	Lipopolysaccharide Is Cleared from the Circulation by Hepatocytes via the Low Density Lipoprotein Receptor. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155030	3.7	63
57	Role of C-reactive Protein and Tumor Necrosis Factor-Alpha in Differentiating between Ventilator-Associated Pneumonia and Systemic Inflammatory Response Syndrome without Infectious Etiology. <i>Tanaffos</i> , <b>2016</b> , 15, 205-212	0.5	2
56	Evaluating mesenchymal stem cell therapy for sepsis with preclinical meta-analyses prior to initiating a first-in-human trial. <i>ELife</i> , <b>2016</b> , 5,	8.9	56
55	Increased Ratio of Visceral to Subcutaneous Adipose Tissue in Septic Patients Is Associated With Adverse Outcome. <i>Critical Care Medicine</i> , <b>2016</b> , 44, 1966-1973	1.4	22
54	The cardiovascular system in critical illness. <i>Current Opinion in Critical Care</i> , <b>2016</b> , 22, 413-5	3.5	
53	Role of lipoproteins and proprotein convertase subtilisin/kexin type 9 in endotoxin clearance in sepsis. <i>Current Opinion in Critical Care</i> , <b>2016</b> , 22, 464-9	3.5	22
52	Left ventricular function: time-varying elastance and left ventricular aortic coupling. <i>Critical Care</i> , <b>2016</b> , 20, 270	10.8	32
51	The Usefulness of the APACHE II Score in Obstetric Critical Care: A Structured Review. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2016</b> , 38, 909-918	1.3	21
50	TNFAIP2 Inhibits Early TNFIInduced NF-x03BA;B Signaling and Decreases Survival in Septic Shock Patients. <i>Journal of Innate Immunity</i> , <b>2016</b> , 8, 57-66	6.9	14
49	Hyperchloremia and moderate increase in serum chloride are associated with acute kidney injury in severe sepsis and septic shock patients. <i>Critical Care</i> , <b>2016</b> , 20, 315	10.8	86
48	Heparin-binding protein is important for vascular leak in sepsis. <i>Intensive Care Medicine Experimental</i> , <b>2016</b> , 4, 33	3.7	48
47	Advances in Sepsis Research. <i>Clinics in Chest Medicine</i> , <b>2015</b> , 36, 521-30	5.3	13

## (2011-2015)

46	The Central Role of Proprotein Convertase Subtilisin/Kexin Type 9 in Septic Pathogen Lipid Transport and Clearance. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2015</b> , 192, 1275-86	10.2	35
45	Genome-wide association study of survival from sepsis due to pneumonia: an observational cohort study. <i>Lancet Respiratory Medicine,the</i> , <b>2015</b> , 3, 53-60	35.1	108
44	Sepsis and the innate-like response. <i>Intensive Care Medicine</i> , <b>2014</b> , 40, 249-51	14.5	6
43	Prolonged QTc affects short-term and long-term outcomes in patients with normal left ventricular function undergoing cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2014</b> , 147, 1627-33	1.5	2
42	A functional synonymous coding variant in the IL1RN gene is associated with survival in septic shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2014</b> , 190, 656-64	10.2	28
41	A practical approach to goal-directed echocardiography in the critical care setting. <i>Critical Care</i> , <b>2014</b> , 18, 681	10.8	27
40	Small acute increases in serum creatinine are associated with decreased long-term survival in the critically ill. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2014</b> , 189, 1075-81	10.2	121
39	Serious adverse events associated with vasopressin and norepinephrine infusion in septic shock. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 1812-20	1.4	36
38	PCSK9 is a critical regulator of the innate immune response and septic shock outcome. <i>Science Translational Medicine</i> , <b>2014</b> , 6, 258ra143	17.5	213
37	Biomarkers in sepsis. Current Infectious Disease Reports, <b>2013</b> , 15, 413-20	3.9	17
36	Cardiac ischemia in patients with septic shock randomized to vasopressin or norepinephrine. <i>Critical Care</i> , <b>2013</b> , 17, R117	10.8	31
35	AA genotype of IL-8-251A/T is associated with low PaO(2)/FiO(2) in critically ill patients and with increased IL-8 expression. <i>Respirology</i> , <b>2012</b> , 17, 1253-60	3.6	23
34	The cardiopulmonary effects of vasopressin compared with norepinephrine in septic shock. <i>Chest</i> , <b>2012</b> , 142, 593-605	5.3	58
33	Normal-range blood lactate concentration in septic shock is prognostic and predictive. <i>Shock</i> , <b>2012</b> , 38, 4-10	3.4	108
32	Use of central venous oxygen saturation to guide therapy. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2011</b> , 184, 514-20	10.2	647
31	Fluid resuscitation in septic shock: a positive fluid balance and elevated central venous pressure are associated with increased mortality. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 259-65	1.4	979
30	Oxygen saturation as a predictor of adverse maternal outcomes in women with preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2011</b> , 33, 705-714	1.3	22
29	A single nucleotide polymorphism in NF- <b>B</b> inducing kinase is associated with mortality in septic shock. <i>Journal of Immunology</i> , <b>2011</b> , 186, 2321-8	5.3	35

28	Leucyl/cystinyl aminopeptidase gene variants in septic shock. <i>Chest</i> , <b>2011</b> , 139, 1042-1049	5.3	45
27	Vasopressin and its immune effects in septic shock. <i>Journal of Innate Immunity</i> , <b>2010</b> , 2, 446-60	6.9	43
26	beta2-Adrenergic receptor gene polymorphism is associated with mortality in septic shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2010</b> , 181, 143-9	10.2	63
25	The effects of vasopressin on acute kidney injury in septic shock. <i>Intensive Care Medicine</i> , <b>2010</b> , 36, 83-9	114.5	159
24	Bench-to-bedside review: Association of genetic variation with sepsis. <i>Critical Care</i> , <b>2009</b> , 13, 210	10.8	63
23	Interaction of vasopressin infusion, corticosteroid treatment, and mortality of septic shock. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 811-8	1.4	185
22	The role of echocardiography in hemodynamic monitoring. Current Opinion in Critical Care, 2009, 15, 239	9343	31
21	Arginine vasopressin in the treatment of vasodilatory septic shock. <i>Baillierens Best Practice and Research in Clinical Anaesthesiology</i> , <b>2008</b> , 22, 275-86	4	13
20	Vasopressin versus norepinephrine infusion in patients with septic shock. <i>New England Journal of Medicine</i> , <b>2008</b> , 358, 877-87	59.2	1340
19	Fibrinogen decreases cardiomyocyte contractility through an ICAM-1-dependent mechanism. <i>Critical Care</i> , <b>2008</b> , 12, R2	10.8	20
18	S100A8 and S100A9 mediate endotoxin-induced cardiomyocyte dysfunction via the receptor for advanced glycation end products. <i>Circulation Research</i> , <b>2008</b> , 102, 1239-46	15.7	194
17	Toll-like receptor 1 polymorphisms affect innate immune responses and outcomes in sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2008</b> , 178, 710-20	10.2	226
16	Vasopressin decreases sepsis-induced pulmonary inflammation through the V2R. <i>Resuscitation</i> , <b>2008</b> , 79, 325-31	4	36
15	Protein C -1641 AA is associated with decreased survival and more organ dysfunction in severe sepsis. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 12-7	1.4	55
14	Serum erythropoietin levels increase after coronary artery bypass surgery and are associated with neurological outcome at discharge from hospital. <i>Canadian Journal of Anaesthesia</i> , <b>2006</b> , 53, 26447-264	437	
13	Toll-like receptor stimulation in cardiomyoctes decreases contractility and initiates an NF-kappaB dependent inflammatory response. <i>Cardiovascular Research</i> , <b>2006</b> , 72, 384-93	9.9	265
12	Microvascular resuscitation as a therapeutic goal in severe sepsis. <i>Critical Care</i> , <b>2005</b> , 9 Suppl 4, S27-32	10.8	49
11	The association of interleukin 6 haplotype clades with mortality in critically ill adults. <i>Archives of Internal Medicine</i> , <b>2005</b> , 165, 75-82		83

## LIST OF PUBLICATIONS

10	Pharmacogenomics in sepsis and septic shock. <i>Drug Development Research</i> , <b>2005</b> , 64, 181-194	5.1	
9	Novel regulatory mechanism of cardiomyocyte contractility involving ICAM-1 and the cytoskeleton. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2004</b> , 287, H1013-22	5.2	39
8	The effects of vasopressin on hemodynamics and renal function in severe septic shock: a case series. <i>Intensive Care Medicine</i> , <b>2001</b> , 27, 1416-21	14.5	331
7	Physiology of vasopressin relevant to management of septic shock. <i>Chest</i> , <b>2001</b> , 120, 989-1002	5.3	496
6	Potential deleterious effect of beta-adrenergic stimulation during warm-blood cardioplegia in rabbit hearts. <i>Journal of Investigative Surgery</i> , <b>2001</b> , 14, 213-20	1.2	2
5	Endotoxin infusion in rats induces apoptotic and survival pathways in hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2000</b> , 279, H2053-61	5.2	76
4	Leukocyte activation does not mediate myocardial leukocyte retention during endotoxemia in rabbits. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>1998</b> , 275, H1548-57	5.2	13
3	Effect of crystalloid administration on oxygen extraction in endotoxemic pigs. <i>Journal of Applied Physiology</i> , <b>1998</b> , 85, 1667-75	3.7	21
2	Decreased left ventricular contractility during porcine endotoxemia is not prevented by ibuprofen. <i>Critical Care Medicine</i> , <b>1996</b> , 24, 815-9	1.4	18
1	Sepsis breakthroughs in 2014. <i>F1000Research</i> ,4, 131	3.6	