Sutapa Ray

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9208617/publications.pdf

Version: 2024-02-01

31	1,619	21	31
papers	citations	h-index	g-index
31	31	31	2387 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Roles of IL-6-gp130 Signaling in Vascular Inflammation. Current Cardiology Reviews, 2008, 4, 179-192.	1.5	129
2	Diospyrin, A Bisnaphthoquinone: A Novel Inhibitor of Type I DNA Topoisomerase of <i>Leishmania donovani</i> . Molecular Pharmacology, 1998, 54, 994-999.	2.3	118
3	STAT3 NH2-Terminal Acetylation Is Activated by the Hepatic Acute-Phase Response and Required for IL-6 Induction of Angiotensinogen. Gastroenterology, 2005, 129, 1616-1632.	1.3	118
4	A mutation in the human MPDU1 gene causes congenital disorder of glycosylation type If (CDG-If). Journal of Clinical Investigation, 2001, 108, 1613-1619.	8.2	108
5	Amarogentin, a Naturally Occurring Secoiridoid Glycoside and a Newly Recognized Inhibitor of Topoisomerase I fromLeishmania donovani. Journal of Natural Products, 1996, 59, 27-29.	3.0	107
6	Interleukin-6–Signal Transducer and Activator of Transcription-3 Signaling Mediates Aortic Dissections Induced by Angiotensin II via the T-Helper Lymphocyte 17–Interleukin 17 Axis in C57BL/6 Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 1612-1621.	2.4	99
7	The IL-6 Trans-Signaling-STAT3 Pathway Mediates ECM and Cellular Proliferation in Fibroblasts from Hypertrophic Scar. Journal of Investigative Dermatology, 2013, 133, 1212-1220.	0.7	86
8	Requirement of the Lec35 Gene for All Known Classes of Monosaccharide-P-Dolichol-dependent Glycosyltransferase Reactions in Mammals. Molecular Biology of the Cell, 2001, 12, 487-501.	2.1	79
9	Requirement of histone deacetylase1 (HDAC1) in signal transducer and activator of transcription 3 (STAT3) nucleocytoplasmic distribution. Nucleic Acids Research, 2008, 36, 4510-4520.	14.5	74
10	The STAT3 NH2-terminal Domain Stabilizes Enhanceosome Assembly by Interacting with the p300 Bromodomain. Journal of Biological Chemistry, 2008, 283, 30725-30734.	3.4	73
11	The Functional Role of an Interleukin 6-inducible CDK9·STAT3 Complex in Human γ-Fibrinogen Gene Expression. Journal of Biological Chemistry, 2007, 282, 37091-37102.	3.4	71
12	Angiotensinogen Gene Expression Is Dependent on Signal Transducer and Activator of Transcription 3-Mediated p300/cAMP Response Element Binding Protein-Binding Protein Coactivator Recruitment and Histone Acetyltransferase Activity. Molecular Endocrinology, 2002, 16, 824-836.	3.7	58
13	Respiratory Syncytial Virus-Inducible BCL-3 Expression Antagonizes the STAT/IRF and NF-κB Signaling Pathways by Inducing Histone Deacetylase 1 Recruitment to the Interleukin-8 Promoter. Journal of Virology, 2005, 79, 15302-15313.	3.4	53
14	Genomic Mechanisms of p210BCR-ABL Signaling. Journal of Biological Chemistry, 2004, 279, 35604-35615.	3.4	47
15	Inducible STAT3 NH2 terminal mono-ubiquitination promotes BRD4 complex formation to regulate apoptosis. Cellular Signalling, 2014, 26, 1445-1455.	3.6	46
16	Bcr-Abl Regulates Protein Kinase \hat{Cl}^1 (PK \hat{Cl}^1) Transcription via an Elk1 Site in the PK \hat{Cl}^1 Promoter. Journal of Biological Chemistry, 2004, 279, 9400-9408.	3.4	43
17	Human Apurinic/Apyrimidinic Endonuclease (APE1) Is Acetylated at DNA Damage Sites in Chromatin, and Acetylation Modulates Its DNA Repair Activity. Molecular and Cellular Biology, 2017, 37, .	2.3	42
18	Dual Inhibition of DNA Topoisomerases ofLeishmania donovaniby Novel Indolyl Quinolines. Biochemical and Biophysical Research Communications, 1997, 230, 171-175.	2.1	35

#	Article	IF	CITATIONS
19	Improved therapy for medulloblastoma: targeting hedgehog and PI3K-mTOR signaling pathways in combination with chemotherapy. Oncotarget, 2018, 9, 16619-16633.	1.8	35
20	Regulation of Signal Transducer and Activator of Transcription 3 Enhanceosome Formation by Apurinic/Apyrimidinic Endonuclease 1 in Hepatic Acute Phase Response. Molecular Endocrinology, 2010, 24, 391-401.	3.7	32
21	Elevated level of acetylation of APE1 in tumor cells modulates DNA damage repair. Oncotarget, 2016, 7, 75197-75209.	1.8	31
22	The human AP-endonuclease 1 (APE1) is a DNA G-quadruplex structure binding protein and regulates <i>KRAS</i> expression in pancreatic ductal adenocarcinoma cells. Nucleic Acids Research, 2022, 50, 3394-3412.	14.5	23
23	Role of protein arginine methyltransferase 5 in group 3 (MYC-driven) Medulloblastoma. BMC Cancer, 2019, 19, 1056.	2.6	22
24	Targeting Histone Chaperone FACT Complex Overcomes 5-Fluorouracil Resistance in Colon Cancer. Molecular Cancer Therapeutics, 2020, 19, 258-269.	4.1	17
25	Suppression of STAT3 NH ₂ â€terminal domain chemosensitizes medulloblastoma cells by activation of protein inhibitor of activated STAT3 via deâ€repression by microRNAâ€21. Molecular Carcinogenesis, 2018, 57, 536-548.	2.7	14
26	Targeting cyclin-dependent kinase 9 sensitizes medulloblastoma cells to chemotherapy. Biochemical and Biophysical Research Communications, 2019, 520, 250-256.	2.1	14
27	Histone chaperone FACT complex inhibitor CBL0137 interferes with DNA damage repair and enhances sensitivity of medulloblastoma to chemotherapy and radiation. Cancer Letters, 2021, 520, 201-212.	7.2	12
28	A Novel Combination Approach Targeting an Enhanced Protein Synthesis Pathway in MYC-driven (Group 3) Medulloblastoma. Molecular Cancer Therapeutics, 2020, 19, 1351-1362.	4.1	10
29	Subgroup-Specific Diagnostic, Prognostic, and Predictive Markers Influencing Pediatric Medulloblastoma Treatment. Diagnostics, 2022, 12, 61.	2.6	10
30	The FAcilitates Chromatin Transcription (FACT) complex: Its roles in DNA repair and implications for cancer therapy. DNA Repair, 2022, 109, 103246.	2.8	7
31	Synergistic efficacy of inhibiting MYCN and mTOR signaling against neuroblastoma. BMC Cancer, 2021, 21, 1061.	2.6	6