

Osamu Takakuwa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9208645/publications.pdf>

Version: 2024-02-01

62
papers

1,301
citations

304368

22
h-index

360668

35
g-index

62
all docs

62
docs citations

62
times ranked

574
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrogen diffusivity and tensile-ductility loss of solution-treated austenitic stainless steels with external and internal hydrogen. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 13289-13299.	3.8	89
2	Interpretation of hydrogen-assisted fatigue crack propagation in BCC iron based on dislocation structure evolution around the crack wake. <i>Acta Materialia</i> , 2018, 156, 245-253.	3.8	88
3	Introduction of compressive residual stress into stainless steel by employing a cavitating jet in air. <i>Surface and Coatings Technology</i> , 2011, 205, 3167-3174.	2.2	75
4	Suppression of hydrogen-assisted fatigue crack growth in austenitic stainless steel by cavitation peening. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 5268-5276.	3.8	69
5	Multi-scale observation of hydrogen-induced, localized plastic deformation in fatigue-crack propagation in a pure iron. <i>Scripta Materialia</i> , 2017, 140, 13-17.	2.6	68
6	Numerical simulation of the effects of residual stress on the concentration of hydrogen around a crack tip. <i>Surface and Coatings Technology</i> , 2012, 206, 2892-2898.	2.2	55
7	The role of intergranular fracture on hydrogen-assisted fatigue crack propagation in pure iron at a low stress intensity range. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 733, 316-328.	2.6	53
8	The roles of internal and external hydrogen in the deformation and fracture processes at the fatigue crack tip zone of metastable austenitic stainless steels. <i>Scripta Materialia</i> , 2018, 157, 95-99.	2.6	45
9	Pronounced transition of crack initiation and propagation modes in the hydrogen-related failure of a Ni-based superalloy 718 under internal and external hydrogen conditions. <i>Corrosion Science</i> , 2019, 161, 108186.	3.0	45
10	Hydrogen, as an alloying element, enables a greater strength-ductility balance in an Fe-Cr-Ni-based, stable austenitic stainless steel. <i>Acta Materialia</i> , 2020, 199, 181-192.	3.8	44
11	Comprehensive Understanding of Ductility Loss Mechanisms in Various Steels with External and Internal Hydrogen. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 5717-5732.	1.1	37
12	Similarity Law on Shedding Frequency of Cavitation Cloud Induced by a Cavitating Jet. <i>Journal of Fluid Science and Technology</i> , 2012, 7, 405-420.	0.2	32
13	Development of peening technique using recirculating shot accelerated by water jet. <i>Materials Science and Technology</i> , 2012, 28, 234-239.	0.8	32
14	Effect of defects on the fatigue limit of Ni-based superalloy 718 with different grain sizes. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2019, 42, 1203-1213.	1.7	32
15	Increase in the local yield stress near surface of austenitic stainless steel due to invasion by hydrogen. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 6095-6103.	3.8	31
16	Comparative study of hydrogen-induced intergranular fracture behavior in Ni and Cu-Ni alloy at ambient and cryogenic temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 766, 138349.	2.6	30
17	Hydrogen-induced ductility loss of precipitation-strengthened Fe-Ni-Cr-based superalloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 739, 335-342.	2.6	30
18	Effect of the impact energy of various peening techniques on the induced plastic deformation region. <i>Journal of Materials Processing Technology</i> , 2012, 212, 1998-2006.	3.1	29

#	ARTICLE	IF	CITATIONS
19	Hydrogen-assisted, intergranular, fatigue crack-growth in ferritic iron: Influences of hydrogen-gas pressure and temperature variation. <i>International Journal of Fatigue</i> , 2020, 140, 105806.	2.8	28
20	Enhancing the Aggressive Strength of a Cavitating Jet and Its Practical Application. <i>Journal of Fluid Science and Technology</i> , 2011, 6, 510-521.	0.2	27
21	Hydrogen-assisted fatigue crack-propagation in a Ni-based superalloy 718, revealed via crack-path crystallography and deformation microstructures. <i>Corrosion Science</i> , 2020, 174, 108814.	3.0	24
22	Defect tolerance and hydrogen susceptibility of the fatigue limit of an additively manufactured Ni-based superalloy 718. <i>International Journal of Fatigue</i> , 2020, 139, 105740.	2.8	24
23	Optimizing the Conditions for Residual Stress Measurement Using a Two-Dimensional XRD Method with Specimen Oscillation. <i>Advances in Materials Physics and Chemistry</i> , 2013, 03, 8-18.	0.3	24
24	A mechanism behind hydrogen-assisted fatigue crack growth in ferrite-pearlite steel focusing on its behavior in gaseous environment at elevated temperature. <i>Corrosion Science</i> , 2020, 168, 108558.	3.0	23
25	Peculiar temperature dependence of hydrogen-enhanced fatigue crack growth of low-carbon steel in gaseous hydrogen. <i>Scripta Materialia</i> , 2018, 154, 101-105.	2.6	22
26	Using an indentation test to evaluate the effect of cavitation peening on the invasion of the surface of austenitic stainless steel by hydrogen. <i>Surface and Coatings Technology</i> , 2012, 206, 3747-3750.	2.2	19
27	Hydrogen-assisted crack propagation in α -iron during elasto-plastic fracture toughness tests. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 756, 396-404.	2.6	19
28	Using cavitation peening to enhance the fatigue strength of duralumin plate containing a hole with rounded edges. <i>Surface and Coatings Technology</i> , 2016, 307, 200-205.	2.2	18
29	Optimum Injection Pressure of a Cavitating Jet for Introducing Compressive Residual Stress into Stainless Steel. <i>Journal of Power and Energy Systems</i> , 2012, 6, 63-75.	0.5	17
30	Hydrogen-enhanced fatigue crack growth in steels and its frequency dependence. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2017, 375, 20160412.	1.6	17
31	Criteria for hydrogen-assisted crack initiation in Ni-based superalloy 718. <i>Acta Materialia</i> , 2022, 229, 117789.	3.8	16
32	Suppression of fatigue crack propagation with hydrogen embrittlement in stainless steel by cavitation peening. <i>Strength, Fracture and Complexity</i> , 2011, 7, 79-85.	0.2	14
33	Estimation of the depth of surface modification layer induced by cavitation peening. <i>Journal of Materials Processing Technology</i> , 2012, 212, 1716-1722.	3.1	13
34	The effect of scanning pitch of nozzle for a cavitating jet during overlapping peening treatment. <i>Surface and Coatings Technology</i> , 2012, 206, 4756-4762.	2.2	12
35	An Indicator for the Suppression of Fatigue Crack Growth by Hybrid Peening. <i>Journal of Solid Mechanics and Materials Engineering</i> , 2013, 7, 357-371.	0.5	12
36	3D short fatigue crack closure behavior in Ti-6Al-4V alloy investigated using in-situ high resolution synchrotron X-ray tomography. <i>Engineering Fracture Mechanics</i> , 2021, 249, 107755.	2.0	12

#	ARTICLE	IF	CITATIONS
37	Technique for partially strengthening electrical steel sheet of IPM motor using cavitation peening. <i>Materials Science and Technology</i> , 2011, 27, 1422-1426.	0.8	10
38	Enhancing the durability of spinal implant fixture applications made of Ti-6Al-4V ELI by means of cavitation peening. <i>International Journal of Fatigue</i> , 2016, 92, 360-367.	2.8	8
39	Role of Hydrogen-Charging on Nucleation and Growth of Ductile Damage in Austenitic Stainless Steels. <i>Materials</i> , 2019, 12, 1426.	1.3	8
40	Hydrogen-assisted fatigue crack propagation in a pure BCC iron. Part II: Accelerated regime manifested by quasi-cleavage fracture at relatively high stress intensity range values. <i>MATEC Web of Conferences</i> , 2018, 165, 03010.	0.1	7
41	Evaluation of fatigue crack propagation in surface modification layer by a load-controlled plate bending fatigue tester. <i>Transactions of the JSME (in Japanese)</i> , 2014, 80, SMM0022-SMM0022.	0.1	6
42	Experimental verification of the hydrogen concentration around a crack tip using spot X-ray diffraction. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 23188-23195.	3.8	6
43	Hydrogen-assisted fatigue crack propagation in a pure BCC iron. Part I: Intergranular crack propagation at relatively low stress intensities. <i>MATEC Web of Conferences</i> , 2018, 165, 03011.	0.1	6
44	Evaluation of Yield Stress Distribution in the Surface Layer and Fatigue Properties of the Stainless Steel Modified by Cavitation Peening. <i>Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A</i> , 2010, 76, 1367-1372.	0.2	5
45	Simulation of the effect of internal pressure on the integrity of hydrogen pre-charged BCC and FCC steels in SSRT test conditions. <i>Engineering Fracture Mechanics</i> , 2019, 216, 106505.	2.0	5
46	Effect of Indentation Load on Vickers Hardness of Austenitic Stainless Steel After Hydrogen Charging. , 2014, , .		2
47	Suppression of hydrogen invasion into austenitic stainless steel by means of cavitation peening. <i>Transactions of the JSME (in Japanese)</i> , 2015, 81, 14-00638-14-00638.	0.1	2
48	Preventing hydrogen embrittlement in stainless steel by means of compressive stress induced by cavitation peening. <i>Journal of Engineering</i> , 2015, 2015, 106-109.	0.6	2
49	Suppression of Fatigue Crack Propagation of Duralumin by Cavitation Peening. <i>Journal of Engineering</i> , 2015, 2015, 126-128.	0.6	2
50	Fatigue crack-growth retardation after overloading in gaseous hydrogen: Revisiting the effect of hydrogen on crack-tip plastic-zone development. <i>Materials Letters</i> , 2022, 308, 131115.	1.3	2
51	Suppression of Fatigue Crack Growth in Austenite Stainless Steel by Cavitation Peening. <i>Key Engineering Materials</i> , 0, 452-453, 641-644.	0.4	1
52	Assessment of the contribution of internal pressure to the structural damage in a hydrogen-charged Type 316L austenitic stainless steel during slow strain rate tensile test. <i>Procedia Structural Integrity</i> , 2018, 13, 1615-1619.	0.3	1
53	Effect of defects and hydrogen on the fatigue limit of Ni-based superalloy 718. <i>Procedia Structural Integrity</i> , 2019, 19, 312-319.	0.3	1
54	Internal and External Hydrogen-related Loss of Ductility in a Ni-based Superalloy 718 and Its Temperature Dependence. <i>Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan</i> , 2021, 107, .	0.1	1

#	ARTICLE	IF	CITATIONS
55	Effect of Nozzle Geometry on Aggressivity of Cavitating Jet for Cavitation Erosion Test and Applications. Fluid Mechanics and Its Applications, 2014, , 283-302.	0.1	1
56	Improvement of Mechanical Properties of Dental Materials by Shot Peening. Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 2013, 79, 1019-1029.	0.2	0
57	Effect of Hydrogen on the Micro- and Macro-Strain near the Surface of Austenitic Stainless Steel. Advanced Materials Research, 0, 936, 1298-1302.	0.3	0
58	Effect of load current density during the production of Cu ₂ O/Cu solar cells by anodic oxidation on film quality and output power. Solid-State Electronics, 2014, 91, 130-136.	0.8	0
59	Hydrogen-Assisted Degradation of High-Strength Stainless Steel With a Newly Developed Aluminum-Based Coating in High-Pressure Hydrogen Gas Environment. , 2017, , .		0
60	Recent Progress on Interpretation of Tensile Ductility Loss for Various Austenitic Stainless Steels With External and Internal Hydrogen. , 2017, , .		0
61	The Ductility Loss Mechanism of a Precipitation-hardened Iron-based Superalloy A286 with Internal Hydrogen. The Proceedings of the Materials and Mechanics Conference, 2019, 2019, OS0609.	0.0	0
62	Effects of Ni Concentration and Aging Heat Treatment on the Hydrogen Embrittlement Behavior of Precipitation-Hardened High-Mn Austenitic Steel. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2022, 108, 156-172.	0.1	0