## Hodaka Kawahata

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9209797/publications.pdf

Version: 2024-02-01

259 papers

11,208 citations

54 h-index 94 g-index

272 all docs

272 docs citations

times ranked

272

9960 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Carbon budget of coral reef systems: an overview of observations in fringing reefs, barrier reefs and atolls in the Indo-Pacific regions. Tellus, Series B: Chemical and Physical Meteorology, 2022, 55, 428.  | 1.6 | 38        |
| 2  | Millennial-scale variability of Indian summer monsoon constrained by the western Bay of Bengal sediments: Implication from geochemical proxies of sea surface salinity and river runoff. Global and Planetary Change, 2022, 208, 103719.                                 | 3.5 | 5         |
| 3  | Seasonal variation of fluxes of planktic foraminiferal tests collected by a time-series sediment trap in the central Bay of Bengal during three different years. Deep-Sea Research Part I: Oceanographic Research Papers, 2022, 183, 103718.                             | 1.4 | 3         |
| 4  | The magnesium isotopic compositions of the crust and mantle: A study on the Oman ophiolite. Chemical Geology, 2022, 606, 120969.   | 3.3 | 1         |
| 5  | Organic matter and sedimentary accumulation rates in a transect of cores in the Bay of Bengal offshore Bangladesh and Andaman Sea offshore Myanmar. Marine and Petroleum Geology, 2022, 142, 105769.   | 3.3 | 1         |
| 6  | Evolution of the Earth's Surface Environment, Including the Water Environment, and Its Impact on Human Society: Modern Times, When We Have Entered the Transition Period of Geological Age Boundary. Trends in the Sciences, 2022, 27, 2_26-2_30.                        | 0.0 | 0         |
| 7  | Stable Strontium Isotopic Compositions of River Water, Groundwater and Sediments From the Ganges–Brahmaputra–Meghna River System in Bangladesh. Frontiers in Earth Science, 2021, 9, .   | 1.8 | 7         |
| 8  | Temperature effects on the shell growth of a larger benthic foraminifer (Sorites orbiculus): Results from culture experiments and micro X-ray computed tomography. Marine Micropaleontology, 2021, 163, 101960.  | 1.2 | 6         |
| 9  | Biomarkers in the rock outcrop of the Kazusa Group reveal palaeoenvironments of the Kuroshio region. Communications Earth & Environment, 2021, 2, .  | 6.8 | 1         |
| 10 | The Influence of Weathering, Water Sources, and Hydrological Cycles on Lithium Isotopic Compositions in River Water and Groundwater of the Ganges–Brahmaputra–Meghna River System in Bangladesh. Frontiers in Earth Science, 2021, 9, .                                  | 1.8 | O         |
| 11 | Crustal anorthosite formation by deepâ€seated hydrothermal circulation beneath fastâ€spreading axis:<br>Constraints from chronological approach, Sr isotope, and fluid–chromite inclusion investigation.<br>Island Arc, 2021, 30, e12423.                                | 1.1 | 1         |
| 12 | Decrease in volume and density of foraminiferal shells with progressing ocean acidification. Scientific Reports, 2021, 11, 19988.  | 3.3 | 12        |
| 13 | What drove the evolutionary trend of planktic foraminifers during the Cretaceous: Oceanic Anoxic Events (OAEs) directly affected it?. Marine Micropaleontology, 2020, 161, 101924.   | 1.2 | 3         |
| 14 | A method for stable carbon isotope measurement of underivatized individual amino acids by multiâ€dimensional highâ€performance liquid chromatography and elemental analyzer/isotope ratio mass spectrometry. Rapid Communications in Mass Spectrometry, 2020, 34, e8885. | 1.5 | 15        |
| 15 | A Systematic Assessment of Stable Sr Isotopic Compositions of Vent Fluids in Arc/Back-Arc<br>Hydrothermal Systems: Effects of Host Rock Type, Phase Separation, and Overlying Sediment. Frontiers<br>in Earth Science, 2020, 8, .  | 1.8 | 8         |
| 16 | Seasonal and Spatial Variations of Chemical Weathering in the Mekong Basin: From the Headwaters to the Lower Reaches. Aquatic Geochemistry, 2020, 26, 137-159.   | 1.3 | 6         |
| 17 | Magnesium isotopic composition of submarine vent fluids from arc and back-arc hydrothermal systems in the western Pacific. Chemical Geology, 2020, 551, 119767.  | 3.3 | 14        |
| 18 | Genomic and geochemical identification of the long-chain alkenone producers in the estuarine Lake Takahoko, Japan: Implications for temperature reconstructions. Organic Geochemistry, 2020, 142, 103980.  | 1.8 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | High time-resolution alkenone paleotemperature variations in Tokyo Bay during the Meghalayan:<br>Implications for cold climates and social unrest in Japan. Quaternary Science Reviews, 2020, 230,<br>106160.  | 3.0 | 7         |
| 20 | Magnesium Isotopic Composition of Tests of Large Benthic Foraminifers: Implications for Biomineralization. Geochemistry, Geophysics, Geosystems, 2019, 20, 4046-4058.  | 2.5 | 3         |
| 21 | Perspective on the response of marine calcifiers to global warming and ocean acidification—Behavior of corals and foraminifera in a high CO2 world "hot house― Progress in Earth and Planetary Science, 2019, 6, .   | 3.0 | 68        |
| 22 | Biomarker records and mineral compositions of the Messinian halite and K–Mg salts from Sicily. Progress in Earth and Planetary Science, 2019, 6, .   | 3.0 | 3         |
| 23 | Diazotrophy Drives Primary Production in the Organic-Rich Shales Deposited Under a Stratified Environment During the Messinian Salinity Crisis (Vena del Gesso, Italy). Frontiers in Earth Science, 2019, 7, .   | 1.8 | 9         |
| 24 | Magnesium Isotope Fractionation during Synthesis of Chlorophyll $\langle i \rangle a \langle i \rangle$ and Bacteriochlorophyll $\langle i \rangle a \langle i \rangle$ of Benthic Phototrophs in Hypersaline Environments. ACS Earth and Space Chemistry, 2019, 3, 1073-1079. | 2.7 | 7         |
| 25 | Monsoon-influenced variations in plankton community structure and upper-water column stratification in the western Bay of Bengal during the past 80†ky. Palaeogeography, Palaeoclimatology, Palaeoecology, 2019, 521, 138-150.   | 2.3 | 11        |
| 26 | Monthly changes in <i>p</i> CO <sub>2</sub> in the Ganges River: implications for carbon release from soil to the atmosphere via inland waters. J Agricultural Meteorology, 2019, 75, 47-55.   | 1.5 | 5         |
| 27 | Efficient recycling of nutrients in modern and past hypersaline environments. Scientific Reports, 2019, 9, 3718.   | 3.3 | 19        |
| 28 | Effect of Euxinic Conditions on Planktic Foraminifers: Culture Experiments and Implications for Past and Future Environments. Paleoceanography and Paleoclimatology, 2019, 34, 54-62.  | 2.9 | 4         |
| 29 | Partitioning and Chemical Environments of Minor Elements in Individual Large Benthic Foraminifera<br>Cultured in Temperature-Controlled Tanks. Frontiers in Earth Science, 2019, 7, .  | 1.8 | 2         |
| 30 | Climatic reconstruction at the Sannai-Maruyama site between Bond events 4 and 3—implication for the collapse of the society at 4.2 ka event. Progress in Earth and Planetary Science, 2019, 6, .   | 3.0 | 11        |
| 31 | Indian Monsoonal Variations During the Past 80ÂKyr Recorded in NGHPâ€02 Hole 19B, Western Bay of Bengal: Implications From Chemical and Mineral Properties. Geochemistry, Geophysics, Geosystems, 2019, 20, 148-165.   | 2.5 | 12        |
| 32 | Lithium, magnesium and sulfur purification from seawater using an ion chromatograph with a fraction collector system for stable isotope measurements. Journal of Chromatography A, 2018, 1531, 157-162.  | 3.7 | 16        |
| 33 | Extraordinary cold episodes during the mid-Holocene in the Yangtze delta: Interruption of the earliest rice cultivating civilization. Quaternary Science Reviews, 2018, 201, 418-428.  | 3.0 | 44        |
| 34 | Potential Influence of Ocean Acidification on Deep-Sea Fe–Mn Nodules and Pelagic Clays: An Improved Assessment by Using Artificial Seawater. Aquatic Geochemistry, 2018, 24, 307-322.  | 1.3 | 0         |
| 35 | A simple role of coral-algal symbiosis in coral calcification based on multiple geochemical tracers.<br>Geochimica Et Cosmochimica Acta, 2018, 235, 76-88.   | 3.9 | 17        |
| 36 | Variations in Denitrification and Ventilation Within the Arabian Sea Oxygen Minimum Zone During the Holocene. Geochemistry, Geophysics, Geosystems, 2018, 19, 2179-2193.   | 2.5 | 14        |

3

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Calibration between temperature and Mg/Ca and oxygen isotope ratios in high-magnesium calcite tests of asexually reproduced juveniles of large benthic foraminifers. Marine Micropaleontology, 2018, 143, 63-69.                        | 1.2 | 6         |
| 38 | Topics on carbonate relevant topics by IODP. Journal of the Geological Society of Japan, 2018, 124, 35-45.  | 0.6 | 0         |
| 39 | Climatic change and its influence on human society in western Japan during the Holocene. Quaternary International, 2017, 440, 102-117.  | 1.5 | 13        |
| 40 | Altervalent substitution of sodium for calcium in biogenic calcite and aragonite. Geochimica Et Cosmochimica Acta, 2017, 202, 21-38.  | 3.9 | 57        |
| 41 | Biological and physical modification of carbonate system parameters along the salinity gradient in shallow hypersaline solar salterns in Trapani, Italy. Geochimica Et Cosmochimica Acta, 2017, 208, 354-367.                           | 3.9 | 15        |
| 42 | Effects of intensification of the Indian Summer Monsoon on northern Andaman Sea sediments during the past 700 years. Journal of Quaternary Science, 2017, 32, 528-539.  | 2.1 | 17        |
| 43 | Quantitative reconstruction of temperature at a JÅmon site in the Incipient JÅmon Period in northern Japan and its implications for the production of early pottery and stone arrowheads. Quaternary Science Reviews, 2017, 157, 66-79. | 3.0 | 13        |
| 44 | Evaluation of oxygen isotope and Mg/Ca ratios in highâ€magnesium calcite from benthic foraminifera as a proxy for water temperature. Journal of Geophysical Research G: Biogeosciences, 2017, 122, 185-199.                             | 3.0 | 24        |
| 45 | Horizontal and vertical distributions of planktic foraminifera in the subarctic Pacific. Marine Micropaleontology, 2017, 130, 1-14.   | 1.2 | 17        |
| 46 | Flooding history of Lake Nakaumi, western Japan, inferred from sediment records spanning the past 700 years. Journal of Quaternary Science, 2017, 32, 1063-1074.  | 2.1 | 6         |
| 47 | Downstream and seasonal changes of lithium isotope ratios in the Gangesâ€Brahmaputra river system.<br>Geochemistry, Geophysics, Geosystems, 2017, 18, 3003-3015.  | 2.5 | 27        |
| 48 | Geochemical characteristics of modern river sediments in Myanmar and Thailand: Implications for provenance and weathering. Chemie Der Erde, 2017, 77, 443-458.  | 2.0 | 49        |
| 49 | Potential Influence of Ocean Acidification on Deep-Sea Fe–Mn Nodules: Results from Leaching Experiments. Aquatic Geochemistry, 2017, 23, 233-246.   | 1.3 | 3         |
| 50 | An Xâ€ray spectroscopic perspective on Messinian evaporite from Sicily: Sedimentary fabrics, element distributions, and chemical environments of S and Mg. Geochemistry, Geophysics, Geosystems, 2016, 17, 1383-1400.                   | 2.5 | 11        |
| 51 | Lithium isotopic systematics of submarine vent fluids from arc and backâ€arc hydrothermal systems in the western <scp>P</scp> acific. Geochemistry, Geophysics, Geosystems, 2016, 17, 3835-3853.  | 2.5 | 20        |
| 52 | The role of symbiotic algae in the formation of the coral polyp skeleton: 3-D morphological study based on X-ray microcomputed tomography. Geochemistry, Geophysics, Geosystems, 2016, 17, 3629-3637.                                   | 2.5 | 13        |
| 53 | Individual Migration Pathways of Modern Planktic Foraminifers: Chamber-by-Chamber Assessment of Stable Isotopes. Paleontological Research, 2016, 20, 268-284.   | 1.0 | 10        |
| 54 | A review by the chief editors of some of the most popular papers published by PEPS in 2014–2015. Progress in Earth and Planetary Science, 2016, 3, .  | 3.0 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Exploring photosymbiotic ecology of planktic foraminifers from chamber-by-chamber isotopic history of individual foraminifers. Paleobiology, 2015, 41, 108-121.   | 2.0 | 19        |
| 56 | Chemical weathering and longâ€term CO <sub>2</sub> consumption in the Ayeyarwady and Mekong river basins in the Himalayas. Journal of Geophysical Research G: Biogeosciences, 2015, 120, 1165-1175.   | 3.0 | 10        |
| 57 | Terrestrial environmental changes around the Gulf of Aden over the last 210 kyr deduced from the sediment n â€alkane record: Implications for the dispersal of Homo sapiens. Geophysical Research Letters, 2015, 42, 1880-1887.                 | 4.0 | 3         |
| 58 | Linkage of deep sea rapid acidification process and extinction of benthic foraminifera in the deep sea at the <scp>P</scp> aleocene/ <scp>E</scp> ocene transition. Island Arc, 2015, 24, 301-316.  | 1.1 | 7         |
| 59 | Varying responses to <scp>I</scp> ndian monsoons during the past 220 kyr recorded in deepâ€sea sediments in inner and outer regions of the <scp>G</scp> ulf of <scp>A</scp> den. Journal of Geophysical Research: Oceans, 2015, 120, 7253-7270. | 2.6 | 6         |
| 60 | Centennial- to millennial-scale change of Holocene shallow marine environments recorded in ostracode fauna, northeast Japan. Quaternary Research, 2015, 84, 467-480.  | 1.7 | 9         |
| 61 | Boron isotope systematics of a fossil hydrothermal system from the Troodos ophiolite, Cyprus:<br>Water–rock interactions in the oceanic crust and subseafloor ore deposits. Chemical Geology, 2015, 396, 61-73.                                 | 3.3 | 17        |
| 62 | Controlling factors of Ca isotope fractionation in scleractinian corals evaluated by temperature, pH and light controlled culture experiments. Geochimica Et Cosmochimica Acta, 2015, 167, 80-92.   | 3.9 | 36        |
| 63 | Mg coordination in biogenic carbonates constrained by theoretical and experimental XANES. Earth and Planetary Science Letters, 2015, 421, 68-74.  | 4.4 | 26        |
| 64 | Stable carbon isotope values in dissolved inorganic carbon of ambient waters and shell carbonate of the freshwater pearl mussel (Hyriopsis sp.). Journal of Paleolimnology, 2015, 54, 37-51.  | 1.6 | 10        |
| 65 | Spatial and Seasonal Variation in Surface Water pCO2 in the Ganges, Brahmaputra, and Meghna Rivers on the Indian Subcontinent. Aquatic Geochemistry, 2015, 21, 437-458.   | 1.3 | 18        |
| 66 | Boron isotope geochemistry of vent fluids from arc/back-arc seafloor hydrothermal systems in the western Pacific. Chemical Geology, 2015, 392, 9-18.  | 3.3 | 36        |
| 67 | Fluctuations of sulfate, S-bearing amino acids and magnesium in a giant clam shell. Biogeosciences, 2014, 11, 3881-3886.  | 3.3 | 12        |
| 68 | Micro-X-ray fluorescence-based comparison of skeletal structure and P, Mg, Sr, O and Fe in a fossil of the cold-water coral Desmophyllum sp., NW Pacific. Geo-Marine Letters, 2014, 34, 1-9.  | 1.1 | 10        |
| 69 | Lithium and strontium isotopic systematics in playas in Nevada, USA: constraints on the origin of lithium. Mineralium Deposita, 2014, 49, 371-379.  | 4.1 | 49        |
| 70 | Evaluation of Mn and Fe in coral skeletons (Porites spp.) as proxies for sediment loading and reconstruction of 50Âyrs of land use on Ishigaki Island, Japan. Coral Reefs, 2014, 33, 363-373.   | 2.2 | 26        |
| 71 | Heavy metal pollution in Ancient Nara, Japan, during the eighth century. Progress in Earth and Planetary Science, 2014, 1, 15.  | 3.0 | 11        |
| 72 | Invitation to "Progress in Earth and Planetary Science (PEPS)―by Japan Geoscience Union. Progress in Earth and Planetary Science, 2014, 1, 3.   | 3.0 | 0         |

| #  | Article  | IF         | CITATIONS   |
|----|--|------------|-------------|
| 73 | Identification of the chemical form of sulfur compounds in the Japanese pink coral (Corallium) Tj ETQq1 1 0.78431  | .4 rgBT /0 | Overlock 10 |
| 74 | A modelâ€based test of accuracy of seawater oxygen isotope ratio record derived from a coral dual proxy method at southeastern Luzon Island, the Philippines. Journal of Geophysical Research G: Biogeosciences, 2013, 118, 853-859. | 3.0        | 8           |
| 75 | Intense winter cooling of the surface water in the northern Okinawa Trough during the last glacial period. Journal of Asian Earth Sciences, 2013, 69, 86-92.   | 2.3        | 18          |
| 76 | Microscopic observation of symbiotic and aposymbiotic juvenile corals in nutrient-enriched seawater. Marine Pollution Bulletin, 2013, 68, 93-98.   | 5.0        | 21          |
| 77 | Seasonal variations in planktonic foraminiferal flux and oxygen isotopic composition in the western North Pacific: Implications for paleoceanographic reconstruction. Marine Micropaleontology, 2013, 100, 11-20.                    | 1.2        | 23          |
| 78 | Element profile and chemical environment of sulfur in a giant clam shell: Insights from $\hat{l}$ /4-XRF and X-ray absorption near-edge structure. Chemical Geology, 2013, 352, 170-175.   | 3.3        | 34          |
| 79 | Growth-rate influences on coral climate proxies tested by a multiple colony culture experiment. Earth and Planetary Science Letters, 2013, 362, 198-206.   | 4.4        | 53          |
| 80 | Effect of dissolved oxygen concentration on planktonic foraminifera through laboratory culture experiments and implications for oceanic anoxic events. Marine Micropaleontology, 2013, 101, 28-32.                                   | 1.2        | 24          |
| 81 | Rapid Alkalization in Lake Inawashiro, Fukushima, Japan: Implications for Future Changes in the Carbonate System of Terrestrial Waters. Aquatic Geochemistry, 2013, 19, 281-302.   | 1.3        | 9           |
| 82 | Tsunami recurrence revealed by Porites coral boulders in the southern Ryukyu Islands, Japan. Geology, 2013, 41, 919-922.   | 4.4        | 62          |
| 83 | Magnesium <i>K &lt; /i&gt; edge XANES spectroscopy of geological standards. Journal of Synchrotron Radiation, 2013, 20, 734-740.</i>   | 2.4        | 26          |
| 84 | Interlaboratory study for coral Sr/Ca and other element/Ca ratio measurements. Geochemistry, Geophysics, Geosystems, 2013, 14, 3730-3750.  | 2.5        | 183         |
| 85 | Lithium in the aragonite skeletons of massive <i>Porites</i> corals: A new tool to reconstruct tropical sea surface temperatures. Paleoceanography, 2013, 28, 143-152.   | 3.0        | 61          |
| 86 | Calcification responses of symbiotic and aposymbiotic corals to near-future levels of ocean acidification. Biogeosciences, 2013, 10, 6807-6814.  | 3.3        | 26          |
| 87 | Boron and oxygen isotope systematics for a complete section of oceanic crustal rocks in the Oman ophiolite. Geochimica Et Cosmochimica Acta, 2012, 84, 543-559.  | 3.9        | 55          |
| 88 | Estimate of calcification responses to thermal and freshening stresses based on culture experiments with symbiotic and aposymbiotic primary polyps of a coral, Acropora digitifera. Global and Planetary Change, 2012, 92-93, 1-7.   | 3.5        | 36          |
| 89 | Climatic forcing of Quaternary deep-sea benthic communities in the North Pacific Ocean. Paleobiology, 2012, 38, 162-179.   | 2.0        | 60          |
| 90 | Holocene seaâ€level change and Antarctic melting history derived from geological observations and geophysical modeling along the Shimokita Peninsula, northern Japan. Geophysical Research Letters, 2012, 39, .                      | 4.0        | 44          |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 91  | Effects of acidified seawater on coral calcification and symbiotic algae on the massive coral Porites australiensis. Marine Environmental Research, 2012, 73, 32-36.  | 2.5  | 62        |
| 92  | Climatic forcing of quaternary deep-sea benthic communities in the North Pacific Ocean. Paleobiology, 2012, 38, 162-179.  | 2.0  | 35        |
| 93  | Mid-Holocene palaeoceanography of the northern South China Sea using coupled fossil-modern coral and atmosphere-ocean GCM model. Geophysical Research Letters, 2011, 38, n/a-n/a.   | 4.0  | 40        |
| 94  | Effects of seawater pH on growth and skeletal U/Ca ratios of <i>Acropora digitifera </i> coral polyps. Geophysical Research Letters, 2011, 38, n/a-n/a.   | 4.0  | 52        |
| 95  | Contrasting calcification responses to ocean acidification between two reef foraminifers harboring different algal symbionts. Geophysical Research Letters, 2011, 38, n/a-n/a.  | 4.0  | 48        |
| 96  | Seasonal variation in the oxygen isotopic composition of differentâ€sized planktonic foraminifer Neogloboquadrina pachyderma (sinistral) in the northwestern North Pacific and implications for reconstruction of the paleoenvironment. Paleoceanography, 2011, 26, .     | 3.0  | 19        |
| 97  | Terrestrial $\hat{a}\in$ Ocean environmental change in the northwestern Pacific from the glacial times to Holocene. Journal of Asian Earth Sciences, 2011, 40, 1189-1202.   | 2.3  | 10        |
| 98  | The Guadalupian (Permian) Kamura event in European Tethys. Palaeogeography, Palaeoclimatology, Palaeoecology, 2011, 308, 12-21.   | 2.3  | 66        |
| 99  | Biological and water chemistry controls on Sr/Ca, Ba/Ca, Mg/Ca and δ180 profiles in freshwater pearl mussel Hyriopsis sp Palaeogeography, Palaeoclimatology, Palaeoecology, 2011, 309, 298-308.   | 2.3  | 36        |
| 100 | Gzhelian–Asselian Palaeoaplysina–microencruster reef community in the Taishaku and Akiyoshi<br>limestones, SW Japan: Implications for Late Paleozoic reef evolution on mid-Panthalassan atolls.<br>Palaeogeography, Palaeoclimatology, Palaeoecology, 2011, 310, 378-392. | 2.3  | 17        |
| 101 | Effects of ocean acidification on calcification of symbiont-bearing reef foraminifers. Biogeosciences, 2011, 8, 2089-2098.  | 3.3  | 95        |
| 102 | Permanent El Niñ0 during the Pliocene warm period not supported by coral evidence. Nature, 2011, 471, 209-211.  | 27.8 | 119       |
| 103 | Mg/Ca and δ180 in the brackish shallow-water benthic foraminifer Ammonia â€`beccarii'. Marine<br>Micropaleontology, 2011, 78, 113-120.  | 1.2  | 50        |
| 104 | Plutonium characteristics in sediments of Hiroshima Bay in the Seto Inland Sea in Japan. Journal of Radioanalytical and Nuclear Chemistry, 2011, 288, 911-917.  | 1.5  | 12        |
| 105 | Mg isotope fractionation in biogenic carbonates of deep-sea coral, benthic foraminifera, and hermatypic coral. Analytical and Bioanalytical Chemistry, 2011, 401, 2755-2769.  | 3.7  | 59        |
| 106 | Long-term culture experiment of Porites under light-controlled conditions:. JAMSTEC Report of Research and Development, 2011, 11, 43-58.  | 0.2  | 0         |
| 107 | Testing seawater Sr isotopic variability on a glacial-interglacial timescale: An application of latest high-precision thermal ionization mass spectrometry. Geochemical Journal, 2010, 44, 347-357.   | 1.0  | 8         |
| 108 | Trace element variations in fossil corals from Tahiti collected by IODP Expedition 310: Reconstruction of marine environments during the last deglaciation (15 to 9ka). Marine Geology, 2010, 271, 303-306.   | 2.1  | 21        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Oxygen and carbon isotope records of cultured freshwater pearl mussel Hyriopsis sp. shell from Lake Kasumigaura, Japan. Journal of Paleolimnology, 2010, 43, 437-448.  | 1.6  | 13        |
| 110 | Historic 1771 Meiwa tsunami confirmed by highâ€resolution U/Th dating of massive ⟨i⟩Porites⟨i⟩ coral boulders at Ishigaki Island in the Ryukyus, Japan. Geochemistry, Geophysics, Geosystems, 2010, 11, .                          | 2.5  | 43        |
| 111 | Enhanced riverine carbon flux from carbonate catchment to the ocean: A comparative hydrogeochemical study on Ishigaki and Iriomote islands, southwestern Japan. Journal of Geophysical Research, 2010, 115, .                      | 3.3  | 8         |
| 112 | Abrupt shift toward cooler condition in the earliest 20th century detected in a 165 year coral record from Ishigaki Island, southwestern Japan. Geophysical Research Letters, 2010, 37, .  | 4.0  | 10        |
| 113 | Pacific Decadal Oscillation documented in a coral record of North Pacific winter temperature since 1873. Geophysical Research Letters, 2010, 37, .   | 4.0  | 50        |
| 114 | An Early–Middle Guadalupian (Permian) isotopic record from a mid-oceanic carbonate buildup: Akiyoshi Limestone, Japan. Global and Planetary Change, 2010, 73, 114-122.   | 3.5  | 5         |
| 115 | The 1500-year climate oscillation in the midlatitude North Pacific during the Holocene. Geology, 2009, 37, 591-594.  | 4.4  | 97        |
| 116 | Subtropical coral reveals abrupt early-twentieth-century freshening in the western North Pacific Ocean. Geology, 2009, 37, 527-530.  | 4.4  | 107       |
| 117 | Using foraminiferal Mg/Ca ratios to detect an ocean-warming trend in the twentieth century from coastal shelf sediments in the Bungo Channel, southwest Japan. Holocene, 2009, 19, 285-294.  | 1.7  | 4         |
| 118 | Impacts of ocean acidification on large benthic foraminifers: Results from laboratory experiments. Marine Micropaleontology, 2009, 73, 190-195.  | 1.2  | 101       |
| 119 | Reconstruction of the East China Sea palaeoenvironment at 16 ka by comparison of fossil and modern Faviidae corals from the Ryukyus, southwestern Japan. Journal of Quaternary Science, 2009, 24, 928-936.                         | 2.1  | 17        |
| 120 | Comparison of settling particles and sediments at IMAGES coring site in the northwestern North Pacific — Effect of resuspended particles on paleorecords. Sedimentary Geology, 2009, 222, 254-262.                                 | 2.1  | 10        |
| 121 | Abrupt changes of intermediate-water oxygen in the northwestern Pacific during the last 27 kyr.<br>Geo-Marine Letters, 2009, 29, 125-131.  | 1.1  | 15        |
| 122 | Chemistry of fly ash and cyclone ash leachate from waste materials and effects of ash leachates on bacterial growth, nitrogen-transformation activity, and metal accumulation. Journal of Hazardous Materials, 2009, 165, 967-973. | 12.4 | 7         |
| 123 | Facies stacking patterns in high-frequency sequences influenced by long-term sea-level change on a Permian Panthalassan oceanic atoll: An example from the Akiyoshi Limestone, SW Japan. Sedimentary Geology, 2009, 214, 35-48.    | 2.1  | 19        |
| 124 | Changes of environments and human activity at the Sannai-Maruyama ruins in Japan during the mid-Holocene Hypsithermal climatic interval. Quaternary Science Reviews, 2009, 28, 964-974.  | 3.0  | 45        |
| 125 | Litho-, bio- and chemostratigraphy across the Cenomanian/Turonian boundary (OAE 2) in the Vocontian Basin of southeastern France. Palaeogeography, Palaeoclimatology, Palaeoecology, 2009, 273, 61-74.                             | 2.3  | 48        |
| 126 | Monsoon hydrography and productivity changes in the East China Sea during the past 100,000 years: Okinawa Trough evidence (MD012404). Paleoceanography, 2009, 24, .  | 3.0  | 41        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Thermal stability of amino acids in biogenic sediments and aqueous solutions at seafloor hydrothermal temperatures. Geochemical Journal, 2009, 43, 331-341.   | 1.0 | 14        |
| 128 | Influence on the global environment of eolian dust Glacial-interglacial times and the present. The Quaternary Research, 2009, 48, 163-177.  | 0.1 | 0         |
| 129 | Influence of water flow on skeletal isotopic composition in the coral Pocillopora damicornis. Coral Reefs, 2008, 27, 209-218.   | 2.2 | 5         |
| 130 | Radiolarian flux at an IMAGES site at the western margin of the subarctic Pacific and its seasonal relationship to the Oyashio Cold and Tsugaru Warm currents. Marine Geology, 2008, 255, 131-148.  | 2.1 | 24        |
| 131 | The occurrence of two genotypes of the planktonic foraminifer Globigerinoides ruber (white) and paleo-environmental implications. Marine Micropaleontology, 2008, 68, 236-243.  | 1.2 | 40        |
| 132 | Effect of photosynthetic light dosage on carbon isotope composition in the coral skeleton: Longâ€term culture of <i>Porites</i> spp Journal of Geophysical Research, 2008, 113, .   | 3.3 | 29        |
| 133 | Timing and magnitude of early Aptian extreme warming: Unraveling primary $\hat{l}'180$ variation in indurated pelagic carbonates at Deep Sea Drilling Project Site 463, central Pacific Ocean. Palaeogeography, Palaeoclimatology, Palaeoecology, 2008, 260, 463-476. | 2.3 | 117       |
| 134 | Seasonal to interannual changes in planktonic foraminiferal assemblages in the northwestern North Pacific: Sediment trap results encompassing a warm period related to El Niñ0. Palaeogeography, Palaeoclimatology, Palaeoecology, 2008, 262, 107-127.                | 2.3 | 24        |
| 135 | Distribution of pesticides and bisphenol A in sediments collected from rivers adjacent to coral reefs. Chemosphere, 2008, 71, 2082-2090.  | 8.2 | 57        |
| 136 | East Asian monsoon to El Ni $	ilde{A}$ ±o/Southern Oscillation: A shift in the winter climate of Ishigaki Island accompanying the 1988/1989 regime shift, based on instrumental and coral records. Geophysical Research Letters, 2008, 35, .                          | 4.0 | 13        |
| 137 | Identification of 1771 Meiwa Tsunami deposits using a combination of radiocarbon dating and oxygen isotope microprofiling of emerged massive Porites boulders. Quaternary Geochronology, 2008, 3, 226-234.  | 1.4 | 49        |
| 138 | Millennial-Scale Planktic Foraminifer Faunal Variability in the East China Sea during the Past 40000 Years (IMAGES MD012404 from the Okinawa Trough). Terrestrial, Atmospheric and Oceanic Sciences, 2008, 19, 389.   | 0.6 | 23        |
| 139 | Chapter 9 Coral Records of the 1990s in the Tropical Northwest Pacific: ENSO, Mass Coral Bleaching, and Global Warming. Elsevier Oceanography Series, 2007, , 211-238.  | 0.1 | 4         |
| 140 | Chapter 5 Settling Particles in the Central North Pacific. Elsevier Oceanography Series, 2007, , 107-133.   | 0.1 | 1         |
| 141 | Chapter 6 Understanding Biogeochemical Processes in the Pacific Ocean on the Basis of Labile Components of Settling Particles. Elsevier Oceanography Series, 2007, 73, 135-156.   | 0.1 | 0         |
| 142 | Testing for ice sheets during the mid-Cretaceous greenhouse using glassy foraminiferal calcite from the mid-Cenomanian tropics on Demerara Rise. Geology, 2007, 35, 615.  | 4.4 | 90        |
| 143 | Onset of biotic and environmental recovery from the end-Permian mass extinction within 1–2Âmillion years: A case study of the Lower Triassic of the Meishan section, South China. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 252, 176-187.              | 2.3 | 68        |
| 144 | Changes in biological production in the mixed water region (MWR) of the northwestern North Pacific during the last 27Âkyr. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 254, 430-447.   | 2.3 | 59        |

| #   | Article   | IF           | CITATIONS |
|-----|---|--------------|-----------|
| 145 | Paleoceanography of the northwestern Pacific during the Albian. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 254, 477-491.  | 2.3          | 3         |
| 146 | Thermal stability of amino acids in siliceous ooze under alkaline hydrothermal conditions. Organic Geochemistry, 2007, 38, 1897-1909.   | 1.8          | 8         |
| 147 | A unique carbon isotope record across the Guadalupian–Lopingian (Middle–Upper Permian) boundary in mid-oceanic paleo-atoll carbonates: The high-productivity "Kamura event―and its collapse in Panthalassa. Global and Planetary Change, 2007, 55, 21-38. | 3.5          | 156       |
| 148 | Arsenic resistance and removal by marine and non-marine bacteria. Journal of Biotechnology, 2007, 127, 434-442.   | 3.8          | 106       |
| 149 | Endolithic aspartic acid as a proxy of fluctuations in coral growth. Journal of Geophysical Research, 2007, 112, .  | 3.3          | 5         |
| 150 | Empirical assessment of coral Sr/Ca and Mg/Ca ratios as climate proxies using colonies grown at different temperatures. Geophysical Research Letters, 2007, 34, .   | 4.0          | 66        |
| 151 | Radiocarbon Marine Reservoir Ages in the Northwestern Pacific Off Hokkaido Island, Japan, During the Last Deglacial Period. Radiocarbon, 2007, 49, 963-968.   | 1.8          | 16        |
| 152 | Deep water ventilation in the northwestern North Pacific during the last deglaciation and the early Holocene (15-5cal.kyrB.P.) based on AMS 14C dating. Nuclear Instruments & Methods in Physics Research B, 2007, 259, 448-452.                          | 1.4          | 16        |
| 153 | The Capitanian (Permian) Kamura cooling event: The beginning of the Paleozoic–Mesozoic transition.<br>Palaeoworld, 2007, 16, 16-30.   | 1.1          | 130       |
| 154 | ENSO related variations in biogeochemistry of AA and HA in settling particles along the equatorial Pacific Ocean. Journal of Oceanography, 2007, 63, 695-709.   | 1.7          | 4         |
| 155 | Indian summer monsoon variability during the holocene as recorded in sediments of the Arabian Sea:<br>Timing and implications. Journal of Oceanography, 2007, 63, 1009-1020.  | 1.7          | 99        |
| 156 | Radiocarbon marine reservoir ages in the western Pacific estimated by pre-bomb molluscan shells. Nuclear Instruments & Methods in Physics Research B, 2007, 259, 432-437.   | 1.4          | 181       |
| 157 | Downcore diagenetic changes in organic matter and implications for paleoproductivity estimates. Global and Planetary Change, 2006, 53, 122-136.   | <b>3.</b> 5  | 27        |
| 158 | Oxygen and carbon stable isotope systematics in Porites coral near its latitudinal limit: The coral response to low-thermal temperature stress. Global and Planetary Change, 2006, 53, 137-146.   | 3.5          | 26        |
| 159 | Millennial-scale variations of sea-ice expansion in the southwestern part of the Okhotsk Sea during the past 120Âkyr: Age model and ice-rafted debris in IMAGES Core MD01-2412. Global and Planetary Change, 2006, 53, 58-77.                             | 3 <b>.</b> 5 | 43        |
| 160 | Biogenic and abiogenic sedimentation in the northern East China Sea in response to sea-level change during the Late Pleistocene. Global and Planetary Change, 2006, 53, 108-121.  | 3.5          | 17        |
| 161 | Reconstruction of paleoenvironmental changes based on the planktonic foraminiferal assemblages off Shimokita (Japan) in the northwestern North Pacific. Global and Planetary Change, 2006, 53, 92-107.  | <b>3.</b> 5  | 45        |
| 162 | Distribution and temporal changes of lead in the surface seawater in the western Pacific and adjacent seas derived from coral skeletons. Environmental Pollution, 2006, 144, 1045-1052.   | 7.5          | 30        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Close-up of the end-Permian mass extinction horizon recorded in the Meishan section, South China: Sedimentary, elemental, and biotic characterization and a negative shift of sulfate sulfur isotope ratio. Palaeogeography, Palaeoclimatology, Palaeoecology, 2006, 239, 396-405. | 2.3  | 75        |
| 164 | Thermal stability of amino acids in seafloor sediment in aqueous solution at high temperature. Organic Geochemistry, 2006, 37, 177-188.  | 1.8  | 27        |
| 165 | Impact of Changes in Redox Conditions on Leaching of Some Elements from MSW Fly Ash. Resource<br>Geology, 2006, 56, 191-196.   | 0.8  | 2         |
| 166 | Sr/Ca ratios as indicators of varying modes of pelagic carbonate diagenesis in the ooze, chalk and limestone realms. Sedimentary Geology, 2006, 191, 37-53.  | 2.1  | 17        |
| 167 | Stable isotope and chemical composition of pearls: Biomineralization in cultured pearl oysters in ago bay, Japan. Journal of Oceanography, 2006, 62, 405-412.  | 1.7  | 4         |
| 168 | Aspartic acid concentrations in coral skeletons as recorders of past disturbances of metabolic rates. Coral Reefs, 2006, 25, 599-606.  | 2.2  | 10        |
| 169 | In Situ Ore Formation Experiment: Amino Acids and Amino Sugars Trapped in Artificial Chimneys on Deep-Sea Hydrothermal Systems at Suiyo Seamount, Izu-Bonin Arc, Pacific Ocean. Bulletin of the Chemical Society of Japan, 2005, 78, 2082-2082.                                    | 3.2  | 0         |
| 170 | In Situ Ore Formation Experiment: Amino Acids and Amino Sugars Trapped in Artificial Chimneys on Deep-Sea Hydrothermal Systems at Suiyo Seamount, Izu-Bonin Arc, Pacific Ocean. Bulletin of the Chemical Society of Japan, 2005, 78, 638-651.                                      | 3.2  | 4         |
| 171 | Characterization of Water-Extractable Amino Acids in the Sub-Surface of Semi-Permafrost Environments. Bulletin of the Chemical Society of Japan, 2005, 78, 1994-1999.  | 3.2  | 3         |
| 172 | Temperature and pH Dependence of Some Metals Leaching from Fly Ash of Municipal Solid Waste. Resource Geology, 2005, 55, 357-372.  | 0.8  | 12        |
| 173 | Stable isotopic composition of two morphotypes of Globigerinoides ruber (white) in the subtropical gyre in the North Pacific. Paleontological Research, 2005, 9, 27-35.  | 1.0  | 33        |
| 174 | Global Iron Connections Between Desert Dust, Ocean Biogeochemistry, and Climate. Science, 2005, 308, 67-71.  | 12.6 | 2,365     |
| 175 | Intercolony variability of skeletal oxygen and carbon isotope signatures of cultured Porites corals: Temperature-controlled experiments. Geochimica Et Cosmochimica Acta, 2005, 69, 4453-4462.   | 3.9  | 65        |
| 176 | Paleoenvironmental changes in the northern area of the East China Sea during the past 42,000 years. Palaeogeography, Palaeoclimatology, Palaeoecology, 2005, 219, 239-261.   | 2.3  | 180       |
| 177 | Transition of low-salinity water in the Western Pacific Warm Pool recorded in the nitrogen isotopic ratios of settling particles. Geophysical Research Letters, 2005, 32, n/a-n/a.   | 4.0  | 10        |
| 178 | Foraminiferal Oxygen Isotope Stratigraphy and High-Resolution Organic Carbon, Ca rbonate Records from the Okinawa Trough (IMAGES MD012404 and ODP Site 1202). Terrestrial, Atmospheric and Oceanic Sciences, 2005, 16, 057.  | 0.6  | 21        |
| 179 | Concentrations of Trace Elements in Carbonate Reference Materials Coral JCp-1 and Giant Clam JCt-1 by Inductively Coupled Plasma-Mass Spectrometry. Geostandards and Geoanalytical Research, 2004, 28, 411-416.  | 1.9  | 79        |
| 180 | Vertical distribution of living planktonic foraminifera in the seas around Japan. Marine Micropaleontology, 2004, 53, 173-196.   | 1.2  | 172       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Endocrine disrupter nonylphenol and bisphenol A contamination in Okinawa and Ishigaki Islands, Japan––within coral reefs and adjacent river mouths. Chemosphere, 2004, 55, 1519-1527.  | 8.2 | 102       |
| 182 | Vegetation and environmental record in the northern East China Sea during the late Pleistocene. Global and Planetary Change, 2004, 41, 251-273.  | 3.5 | 61        |
| 183 | Coral skeletal tin and copper concentrations at Pohnpei, Micronesia: possible index for marine pollution by toxic anti-biofouling paints. Environmental Pollution, 2004, 129, 399-407.   | 7.5 | 41        |
| 184 | A 60-year isotopic record from a mid-Holocene fossil giant clam (Tridacna gigas) in the Ryukyu Islands: physiological and paleoclimatic implications. Palaeogeography, Palaeoclimatology, Palaeoecology, 2004, 212, 343-354.                   | 2.3 | 71        |
| 185 | Glucosamine and Galactosamine in Terrestrial Organic Matter and Their Correlation with Other Biochemical Indicators. Bulletin of the Chemical Society of Japan, 2004, 77, 729-732.   | 3.2 | 5         |
| 186 | Stratigraphy of the Middle-Upper Permian and Lowermost Triassic at Chaotian, Sichuan, China Record of Late Permian double mass extinction event. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2004, 80, 10-16. | 3.8 | 64        |
| 187 | El Niño/Southern Oscillation (ENSO) Related Variations in Particulate Export Fluxes in the Western and Central Equatorial Pacific. Journal of Oceanography, 2003, 59, 663-670.   | 1.7 | 8         |
| 188 | Skeletal isotope microprofiles of growth perturbations in Porites corals during the 1997?1998 mass bleaching event. Coral Reefs, 2003, 22, 357-369.  | 2.2 | 119       |
| 189 | Seasonal variations in planktonic foraminifera at three sediment traps in the Subarctic, Transition and Subtropical zones of the central North Pacific Ocean. Marine Micropaleontology, 2003, 48, 149-163.                                     | 1.2 | 52        |
| 190 | Glacial–interglacial deep-water changes in the NW Pacific inferred from single foraminiferal δ18O and δ13C. Marine Micropaleontology, 2003, 48, 281-290.   | 1.2 | 14        |
| 191 | Amino acids and hexosamines in the Hess Rise core during the past 220,000 years. Quaternary Research, 2003, 60, 394-403.   | 1.7 | 14        |
| 192 | Vertical and latitudinal variations in amino acid fluxes and compositions of settling particles along 1750E in the North Pacific Ocean. Tellus, Series B: Chemical and Physical Meteorology, 2003, 55, 445-455.                                | 1.6 | 4         |
| 193 | Terrestrial—oceanic environmental change in the southern Okhotsk sea during the Holocene.<br>Quaternary International, 2003, 108, 67-76.   | 1.5 | 38        |
| 194 | Demersal habitat of Late Cretaceous ammonoids: Evidence from oxygen isotopes for the Campanian (Late Cretaceous) northwestern Pacific thermal structure. Geology, 2003, 31, 167.   | 4.4 | 90        |
| 195 | Carbon budget of coral reef systems: an overview of observations in fringing reefs, barrier reefs and atolls in the Indo-Pacific regions. Tellus, Series B: Chemical and Physical Meteorology, 2003, 55, 428-444.                              | 1.6 | 75        |
| 196 | Biogeochemical processes and labile composition of settling particulate organic matter in the south-west Pacific Ocean. Marine and Freshwater Research, 2003, 54, 259.   | 1.3 | 6         |
| 197 | Vertical and latitudinal variations in amino acid fluxes and compositions of settling particles along 175°E in the North Pacific Ocean. Tellus, Series B: Chemical and Physical Meteorology, 2003, 55, 445-455.                                | 1.6 | 5         |
| 198 | Secular Change in Stable Carbon Isotope Ratio across the Middle/Upper Permian Boundary in Paleo-atoll Limestone in Kyushu, Japan Journal of Geography (Chigaku Zasshi), 2002, 111, 684-694.  | 0.3 | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Shifts in oceanic and atmospheric boundaries in the Tasman Sea (Southwest Pacific) during the Late Pleistocene: evidence from organic carbon and lithogenic fluxes. Palaeogeography, Palaeoecology, 2002, 184, 225-249.               | 2.3 | 35        |
| 200 | Impact of ENSO variability on the flux and composition of sinking POM in the western equatorial Pacific Ocean: Amino acids and hexosamines. Deep-Sea Research Part II: Topical Studies in Oceanography, 2002, 49, 2769-2782.          | 1.4 | 17        |
| 201 | Seasonal change in foraminiferal production in the western equatorial Pacific warm pool: evidence from sediment trap experiments. Deep-Sea Research Part II: Topical Studies in Oceanography, 2002, 49, 2783-2800.                    | 1.4 | 91        |
| 202 | Seasonal changes in planktonic foraminifera in the northwestern North Pacific Ocean: sediment trap experiments from subarctic and subtropical gyres. Deep-Sea Research Part II: Topical Studies in Oceanography, 2002, 49, 5627-5645. | 1.4 | 73        |
| 203 | Suspended and settling particles in the Pacific. Deep-Sea Research Part II: Topical Studies in Oceanography, 2002, 49, 5647-5664.   | 1.4 | 27        |
| 204 | Small latitudinal shift in the Kuroshio Extension (Central Pacific) during glacial times: evidence from pollen transport. Quaternary Science Reviews, 2002, 21, 1705-1717.  | 3.0 | 51        |
| 205 | Fluctuation of biogenic and abiogenic sedimentation on the Shatsky Rise in the western North Pacific during the late Quaternary. Marine Geology, 2002, 189, 197-214.  | 2.1 | 37        |
| 206 | Preparation of a New Geological Survey of Japan Geochemical Reference Material: Coral JCp-1. Geostandards and Geoanalytical Research, 2002, 26, 95-99.  | 3.1 | 196       |
| 207 | Fluctuations in Terrestrial–Marine Environments in the Western Equatorial Pacific during the Late Pleistocene. Quaternary Research, 2002, 57, 71-81.  | 1.7 | 7         |
| 208 | Eolian Dust Fluctuation during the Past 200,000 Years Revealed from Quartz in North Pacific Deep-sea Sediments The Quaternary Research, 2002, 41, 35-44.  | 0.1 | 7         |
| 209 | The oceanic CO2System and Carbon Budget in the Great Barrier Reef, Australia. Geophysical Research Letters, 2001, 28, 1243-1246.  | 4.0 | 28        |
| 210 | Sr isotope geochemistry and hydrothermal alteration of the Oman ophiolite. Journal of Geophysical Research, 2001, 106, 11083-11099.   | 3.3 | 71        |
| 211 | Last interglacial coral record of enhanced insolation seasonality and seawater 180 enrichment in the Ryukyu Islands, northwest Pacific. Geophysical Research Letters, 2001, 28, 3685-3688.  | 4.0 | 29        |
| 212 | End-Permian catastrophe by a bolide impact: Evidence of a gigantic release of sulfur from the mantle. Geology, 2001, 29, 815.   | 4.4 | 236       |
| 213 | Seasonal occurrence of coccoliths in sediment traps from West Caroline Basin, equatorial West Pacific Ocean. Marine Micropaleontology, 2001, 43, 273-284.   | 1.2 | 19        |
| 214 | Skeletal isotopic record of a Porites coral during the 1998 mass bleaching event Geochemical Journal, 2000, 34, 321-329.  | 1.0 | 41        |
| 215 | Amino acids in interstitial waters from ODP Sites 689 and 690 on the Maud Rise, Antarctic Ocean<br>Geochemical Journal, 2000, 34, 247-261.  | 1.0 | 6         |
| 216 | Distribution of the fugacity of carbon dioxide in the surface seawater of the Great Barrier Reef. Marine Chemistry, 2000, 72, 257-272.  | 2.3 | 34        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 217 | Radiocarbon of settling particles from the hemipelagic region of the Western Pacific Warm Pool. Nuclear Instruments & Methods in Physics Research B, 2000, 172, 485-489.                                 | 1.4  | 3         |
| 218 | Terrestrial influences on the Shiraho fringing reef, Ishigaki Island, Japan: high carbon input relative to phosphate. Coral Reefs, 2000, 19, 172-178.  | 2.2  | 56        |
| 219 | Fluctuations of eolian flux and ocean productivity in the mid-latitude north Pacific during the last 200 kyr. Quaternary Science Reviews, 2000, 19, 1279-1291.   | 3.0  | 73        |
| 220 | Amino acid and hexosamine composition and flux of sinking particulate matter in the equatorial Pacific at 175°E longitude. Deep-Sea Research Part I: Oceanographic Research Papers, 2000, 47, 1937-1960. | 1.4  | 45        |
| 221 | Export fluxes in the Western Pacific Warm Pool. Deep-Sea Research Part I: Oceanographic Research Papers, 2000, 47, 2061-2091.  | 1.4  | 66        |
| 222 | Evaluation of Mg/Ca thermometry in foraminifera: Comparison of experimental results and measurements in nature. Paleoceanography, 2000, $15$ , $456-464$ .   | 3.0  | 123       |
| 223 | Sinking and suspended particles in the South-west Pacific. Marine and Freshwater Research, 2000, 51, 113.  | 1.3  | 19        |
| 224 | Title is missing!. Journal of Oceanography, 1999, 55, 681-691.   | 1.7  | 45        |
| 225 | Title is missing!. Journal of Oceanography, 1999, 55, 747-761.   | 1.7  | 29        |
| 226 | Title is missing!. Journal of Oceanography, 1999, 55, 731-745.   | 1.7  | 30        |
| 227 | Abyssal benthic foraminifera from the northwestern Pacific (Shatsky Rise) during the last 298 kyr.<br>Marine Micropaleontology, 1999, 38, 119-147.   | 1.2  | 86        |
| 228 | Distributions of Three- to Seven-Ring Polynuclear Aromatic Hydrocarbons on the Deep Sea Floor in the Central Pacific. Environmental Science & Environmental Science & Robert 1999, 33, 3086-3090.        | 10.0 | 86        |
| 229 | Depth ranges of alkenone production in the central Pacific Ocean. Global Biogeochemical Cycles, 1999, 13, 695-704.   | 4.9  | 72        |
| 230 | Oceanic primary productivity and dissolved oxygen levels at the Cretaceous/Tertiary Boundary: Their decrease, subsequent warming, and recovery. Paleoceanography, 1999, 14, 511-524.                     | 3.0  | 68        |
| 231 | Fluctuations in the ocean environment within the Western Pacific Warm Pool during Late Pleistocene. Paleoceanography, 1999, 14, 639-652.   | 3.0  | 28        |
| 232 | Coral reefs as sources of atmospheric CO2. Spatial distribution of PCO2 in Majuro Atoll<br>Geochemical Journal, 1999, 33, 295-303.   | 1.0  | 14        |
| 233 | Temperature-skeletal .DELTA.18O relationship of Porites australiensis from Ishigaki Island, the Ryukyus, Japan Geochemical Journal, 1999, 33, 419-428.   | 1.0  | 34        |
| 234 | Seasonal and vertical variations of sinking particle fluxes in the West Caroline Basin. Oceanologica Acta: European Journal of Oceanology - Revue Europeene De Oceanologie, 1998, 21, 521-532.           | 0.7  | 52        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 235 | Biogenic sediments in the West Caroline Basin, the western equatorial Pacific during the last 330,000 years. Marine Geology, 1998, 149, 155-176.   | 2.1 | 38        |
| 236 | Organic carbon flux controls the morphology of magnetofossils in marine sediments. Geology, 1998, 26, 1064.  | 4.4 | 86        |
| 237 | Preface : Special Issure on the Environments of Ocean and Primary Productivity during the Late<br>Quaternary. Journal of Geography (Chigaku Zasshi), 1998, 107, 149-149.   | 0.3 | 0         |
| 238 | Environments of Ocean and Primary Productivity during the Late Quaternary. Sinking Particles and Sedimentary Particles Journal of Geography (Chigaku Zasshi), 1998, 107, 274-297.  | 0.3 | 2         |
| 239 | Sinking particles between the equatorial and subarctic regions (0.DEG.N-46.DEG.N) in the central Pacific Geochemical Journal, 1998, 32, 125-133.   | 1.0 | 48        |
| 240 | Carbonate preservation variation in the Caroline Basin during the last 330 kyr Geochemical Journal, 1997, 31, 85-103.  | 1.0 | 13        |
| 241 | Sulfate in plagiogranites from the Troodos ophiolite, Cyprus Geochemical Journal, 1997, 31, 119-124.   | 1.0 | 5         |
| 242 | Latitudinal distributions of terrestrial biomarkers in the sediments from the Central Pacific. Geochimica Et Cosmochimica Acta, 1997, 61, 1911-1918.   | 3.9 | 83        |
| 243 | Coral reef ecosystems as a source of atmospheric CO 2 : evidence from PCO 2 measurements of surface waters. Coral Reefs, 1997, 16, 261-266.  | 2.2 | 53        |
| 244 | The fluctuation of the accumulation rate of aerosol in the Hess Rise, North Pacific, during the last 200 kyr: Estimation of aerosol effect to carbon cycle Journal of the Geological Society of Japan, 1997, 103, 475-483. | 0.6 | 5         |
| 245 | Biogenic sediments on the Eauripik Rise of the western equatorial Pacific during the late Pleistocene<br>Geochemical Journal, 1996, 30, 201-215.   | 1.0 | 10        |
| 246 | Global Carbon Cycle Recorded in the Deep-sea Sediments and Milankovitch Cycle Journal of Geography (Chigaku Zasshi), 1995, 104, 1-15.  | 0.3 | 0         |
| 247 | Hydrothermal Circulation System along Spreading Centers of Mid-ocean Ridges and Ophiolites<br>Journal of Geography (Chigaku Zasshi), 1995, 104, 449-467.   | 0.3 | 1         |
| 248 | Benthic foraminifera cadmium record from the western equatorial Pacific. Marine Geology, 1995, 127, 167-180.   | 2.1 | 6         |
| 249 | Fluctuations of the Accumulation of Organic and Carbonate Carbons in the West Caroline Basin over 300kyr The Quaternary Research, 1994, 33, 19-29.   | 0.1 | 5         |
| 250 | Was deep water formed in the North Pacific during the Late Quaternary? Cadmium evidence from the Northwest Pacific. Earth and Planetary Science Letters, 1994, 124, 185-194.   | 4.4 | 42        |
| 251 | The fluctuation of primary productivity during the last 300kyr in the West Caroline Basin Journal of the Geological Society of Japan, 1994, 100, 762-770.  | 0.6 | 1         |
| 252 | Strontium isotopes and water-rock interaction of the Agrokipia 'B' stockwork deposit in the Troodos ophiolite, Cyprus: a fossil subseafloor ore body Geochemical Journal, 1990, 24, 349-356.                               | 1.0 | 11        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 253 | Drilling deep into young oceanic crust, Hole 504B, Costa Rica Rift. Reviews of Geophysics, 1989, 27, 79-102.   | 23.0 | 146       |
| 254 | Chemical properties and evolution of mid-ocean ridge hydrothermal systems-flow system approach Geochemical Journal, 1989, 23, 255-268.   | 1.0  | 6         |
| 255 | Hydrothermal Circulation System along Mid-Ocean Ridges ODP/DSDP Hole 504B, Cyprus CY2A. Journal of Geography (Chigaku Zasshi), 1989, 98, 204-211.  | 0.3  | O         |
| 256 | Strontium, oxygen, and hydrogen isotope geochemistry of hydrothermally altered and weathered rocks in DSDP Hole 504B, Costa Rica Rift. Earth and Planetary Science Letters, 1987, 85, 343-355. | 4.4  | 81        |
| 257 | Sub-sea-floor hydrothermal alteration in the Galápagos Spreading Center. Chemical Geology, 1985, 49, 259-274.  | 3.3  | 23        |
| 258 | Magnetic Properties and Alteration in Basalt, Hole 504B, Deep Sea Drilling Project Leg 83., 0,,.   |      | 2         |
| 259 | Sediments and Interstitial Water at Sites 582 and 584, the Nankai Trough and the Japan Trench Landward Slope., 0,,.  |      | 2         |