

Henrik Christensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9210666/henrik-christensen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

4,549
citations

30
h-index

62
g-index

180
ext. papers

5,872
ext. citations

2.9
avg, IF

5.51
L-index

#	Paper	IF	Citations
176	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e06984	2.3	
175	Safety and efficacy of a feed additive consisting of l-valine produced by CCTCC M2020321 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2022 , 20, e07163	2.3	
174	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by CGMCC 7.398 for all animal species (Kempex Holland B.V.).. <i>EFSA Journal</i> , 2022 , 20, e07246	2.3	
173	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). <i>EFSA Journal</i> , 2021 , 19, e06903	2.3	1
172	Safety and efficacy of a feed additive consisting of l-valine produced by CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06521	2.3	1
171	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06545	2.3	
170	Safety and efficacy of the feed additives concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by KCCM 80183 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06537	2.3	2
169	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by KCCM 80227 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06706	2.3	3
168	New strategies to prevent and control avian pathogenic (APEC). <i>Avian Pathology</i> , 2021 , 50, 370-381	2.4	14
167	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06698 ^{2,3}	2.3	
166	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for cats and dogs (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06699	2.3	
165	sp. nov. isolated from laboratory rodents. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021 , 71,	2.2	1
164	Prediction of Mannheimia haemolytica serotypes based on whole genomic sequences. <i>Veterinary Microbiology</i> , 2021 , 262, 109232	3.3	0
163	Safety and efficacy of a feed additive consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CGMCC 14498 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2021 , 19, e06980 ^{2,3}	2.3	
162	Safety and efficacy of concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by fermentation with KCCM 80190 as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06285 ^{2,3}	2.3	6
161	Safety and Efficacy of l-histidine monohydrochloride monohydrate produced by fermentation using KCCM 80212 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06287	2.3	1
160	Safety and efficacy of l-valine produced by fermentation using KCCM 80159 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06074	2.3	3

159	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CGMCC 7.266 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06019	2.3	8
158	Assessment of the application for renewal of the authorisation of DSM 16244 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06166	2.3	5
157	Whole genome sequence comparison of avian pathogenic <i>Escherichia coli</i> from acute and chronic salpingitis of egg laying hens. <i>BMC Veterinary Research</i> , 2020 , 16, 148	2.7	5
156	Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using KCCM 80109 and KCCM 80197 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06101	2.3	1
155	Safety and efficacy of l-lysine monohydrochloride produced by fermentation with DSM 32932 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06078	2.3	8
154	Assessment of the application for renewal of the authorisation of Calsporin (DSM 15544) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06283	2.3	3
153	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCTC 12307BP as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06333	2.3	2
152	Differentiation Among Species Based on 16S-23S rRNA Internal Transcribed Spacer Analysis. <i>Comparative Medicine</i> , 2020 , 70, 487-491	1.6	2
151	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCCM 80216 as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06334	2.3	1
150	Safety of vitamin B (in the form of cyanocobalamin) produced by CNCM-I 5541 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06335	2.3	
149	Safety and efficacy of l-threonine produced using CGMCC 13325 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06332	2.3	
148	Assessment of the application for renewal of authorisation of endo-1,4- β -xylanase produced by CBS 109.713 and endo-1,4- β -glucanase produced by DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. <i>EFSA Journal</i> , 2020 , 18, e06331	2.3	
147	Assessment of the application for renewal of authorisation of 6-phytase produced by CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. <i>EFSA Journal</i> , 2020 , 18, e06336	2.3	
146	sp. nov., isolated from the lungs of pigs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3686-3692	2.2	3
145	Safety of the live <i>Escherichia coli</i> vaccine Poulvac \square E. coli in layer parent stock in a field trial. <i>Veterinary Microbiology</i> , 2020 , 240, 108537	3.3	2
144	<i>Necropsobacter</i> 2020 , 1-6		
143	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06284	2.3	2
142	Safety and efficacy of l-lysine sulfate produced by fermentation using KFCC 11043 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203	2.3	9

141	Immunological and molecular techniques used for determination of serotypes in Pasteurellaceae. <i>Methods in Microbiology</i> , 2020 , 47, 117-149	2.8	3
140	Pasteurellaceae 2020 , 1-26		1
139	Muribacter 2020 , 1-6		
138	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with NITE SD 00268 for salmonids and its extension of use to other fin fish. <i>EFSA Journal</i> , 2020 , 18, e06072	2.3	2
137	Safety and efficacy of l-valine produced by fermentation using CGMCC 7.358 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06286	2.3	2
136	One for two: A novel and highly sensitive virulence factor-based quantitative polymerase chain reaction assay for the simultaneous detection of and in environmental sample material. <i>Laboratory Animals</i> , 2020 , 54, 239-250	2.6	6
135	Safety and efficacy of NatugrainTS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. <i>EFSA Journal</i> , 2020 , 18, e06025	2.3	1
134	Diversity and Population Overlap between Avian and Human Escherichia coli Belonging to Sequence Type 95. <i>MSphere</i> , 2019 , 4,	5	35
133	Correlation between footpad lesions and systemic bacterial infections in broiler breeders. <i>Veterinary Research</i> , 2019 , 50, 38	3.8	12
132	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for sows. <i>EFSA Journal</i> , 2019 , 17, e05719	2.3	3
131	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain NRRLB-50775 for all animal species based on a dossier submitted by ADM. <i>EFSA Journal</i> , 2019 , 17, e05537	2.3	12
130	Safety and efficacy of l-valine produced using CGMCC 11675 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05611	2.3	4
129	Guidance on the assessment of the safety of feed additives for the environment. <i>EFSA Journal</i> , 2019 , 17, e05648	2.3	127
128	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain KCCM 10227 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05697	2.3	12
127	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05602	2.3	1
126	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CCTCC M 2015595 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05643	2.3	12
125	Safety and efficacy of l-valine produced by fermentation using [KCCM] 1201P for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05538	2.3	5
124	Safety and efficacy of Calsporin ([DSM] 5544) for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05605	2.3	3

123	Safety of concentrated l-lysine (base), l-lysine monohydrochloride and l-lysine sulfate produced using different strains of for all animal species based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , 2019 , 17, e05532	2.3	14
122	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05603	2.3	2
121	Microbiota encompassing putative spoilage bacteria in retail packaged broiler meat and commercial broiler abattoir. <i>International Journal of Food Microbiology</i> , 2019 , 300, 14-21	5.8	20
120	The use of genomic DNA sequences as type material for valid publication of bacterial species names will have severe implications for clinical microbiology and related disciplines. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019 , 95, 102-103	2.9	8
119	Development of multi locus sequence typing (MLST) of <i>Rodentibacter pneumotropicus</i> . <i>Veterinary Microbiology</i> , 2019 , 231, 11-17	3.3	3
118	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80172 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05783	2.3	4
117	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80179 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05784	2.3	2
116	Assessment of the application for renewal of authorisation of l-arginine produced by fermentation using NITE SD 00285 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05720	2.3	1
115	Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with (NITE BP-02526) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05785	2.3	2
114	Longitudinal Study on Causes of Mortality in Danish Broiler Breeders. <i>Avian Diseases</i> , 2019 , 63, 400-410	1.6	13
113	Classification of Bisgaard's taxa 14 and 32 and a taxon from kestrels demonstrating satellitic growth and proposal of gen. nov., including the description of three species: sp. nov., sp. nov. and sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 71,	2.2	1
112	Current Distribution of Species Among the Mice and Rats of an Experimental Facility. <i>Journal of the American Association for Laboratory Animal Science</i> , 2019 , 58, 475-478	1.3	10
111	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strains NRRL-B-67439 or NRRL B-67535 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05886	2.3	10
110	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for dairy cows and horses. <i>EFSA Journal</i> , 2019 , 17, e05915	2.3	3
109	Safety of l-threonine produced by fermentation with CGMCC 11473 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05885	2.3	1
108	Atypical actinobacillosis affecting hind limbs and lungs in a single beef cattle herd. <i>Journal of Veterinary Internal Medicine</i> , 2019 , 33, 297-301	3.1	3
107	Characterization of <i>Pasteurella multocida</i> involved in rabbit infections. <i>Veterinary Microbiology</i> , 2018 , 213, 66-72	3.3	25
106	From the [<i>Pasteurella</i>] pneumotropica complex to <i>Rodentibacter</i> spp.: an update on [<i>Pasteurella</i>] pneumotropica. <i>Veterinary Microbiology</i> , 2018 , 217, 121-134	3.3	19

105	Characterization of prevalent bacterial pathogens associated with pododermatitis in table egg layers. <i>Avian Pathology</i> , 2018 , 47, 281-285	2.4	16
104	Proposed minimal standards for the use of genome data for the taxonomy of prokaryotes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 461-466	2.2	1279
103	Reclassification of Bisgaard taxon 5 as <i>Caviibacterium pharyngocola</i> gen. nov., sp. nov. and Bisgaard taxon 7 as <i>Conservatibacter flavescens</i> gen. nov., sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 643-650	2.2	9
102	Classification of genera of Pasteurellaceae using conserved predicted protein sequences. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 2692-2696	2.2	11
101	Safety and efficacy of l-threonine produced by fermentation using CGMCC 7.232 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05458	2.3	6
100	Full Shotgun DNA Metagenomics. <i>Learning Materials in Biosciences</i> , 2018 , 163-175	0.3	
99	Characterization of <i>Escherichia coli</i> causing cellulitis in broilers. <i>Veterinary Microbiology</i> , 2018 , 225, 72-78, 3	3.3	10
98	Clonal outbreaks of [<i>Pasteurella</i>] <i>pneumotropica</i> biovar Heyl in two mouse colonies. <i>Laboratory Animals</i> , 2017 , 51, 613-621	2.6	11
97	<i>Staphylococcus agnetis</i> , a potential pathogen in broiler breeders. <i>Veterinary Microbiology</i> , 2017 , 212, 1-6	3.3	14
96	Longitudinal study of transmission of <i>Escherichia coli</i> from broiler breeders to broilers. <i>Veterinary Microbiology</i> , 2017 , 207, 13-18	3.3	32
95	<i>Rodentibacter</i> gen. nov. including <i>Rodentibacter pneumotropicus</i> comb. nov., <i>Rodentibacter heyllii</i> sp. nov., <i>Rodentibacter myodis</i> sp. nov., <i>Rodentibacter rattii</i> sp. nov., <i>Rodentibacter heidelbergensis</i> sp. nov., <i>Rodentibacter trehalosifermentans</i> sp. nov., <i>Rodentibacter rarus</i> sp. nov., <i>Rodentibacter mrazii</i> and two genomospecies. <i>International Journal of Systematic and Evolutionary Microbiology, Pathology and Molecular Characterization of Escherichia Coli Associated With the Avian Salpingitis-Peritonitis Disease Syndrome</i> . <i>Avian Diseases</i> , 2016 , 60, 1-7	2.2	37
94		1.6	10
93	<i>Testudinibacter aquarius</i> gen. nov., sp. nov., a member of the family Pasteurellaceae isolated from the oral cavity of freshwater turtles. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 567-573	2.2	7
92	Draft Genome Sequences of Three <i>Escherichia coli</i> Strains with Different In Vivo Pathogenicities in an Avian (Ascending) Infection Model of the Oviduct. <i>Genome Announcements</i> , 2015 , 3,		2
91	Whole-Genome Sequence of <i>Staphylococcus aureus</i> S54F9 Isolated from a Chronic Disseminated Porcine Lung Abscess and Used in Human Infection Models. <i>Genome Announcements</i> , 2015 , 3,		16
90	<i>Bisgaardia miroungae</i> sp. nov., a new member of the family Pasteurellaceae isolated from the oral cavity of northern elephant seals (<i>Mirounga angustirostris</i>), and emended description of the genus <i>Bisgaardia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 388-392	2.2	8
89	Identification and Antimicrobial Resistance of Bacteria Isolated from Probiotic Products Used in Shrimp Culture. <i>PLoS ONE</i> , 2015 , 10, e0132338	3.7	30
88	Reclassification of <i>Actinobacillus muris</i> as <i>Muribacter muris</i> gen. nov., comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3344-3351	2.2	21

87	Ursidibacter maritimus gen. nov., sp. nov. and Ursidibacter arcticus sp. nov., two new members of the family Pasteurellaceae isolated from the oral cavity of bears. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3683-3689	2.2	6
86	Frederiksenia canicola gen. nov., sp. nov. isolated from dogs and human dog-bite wounds. <i>Antonie Van Leeuwenhoek</i> , 2014 , 105, 731-41	2.1	25
85	Extended-spectrum β -lactamase-producing <i>Escherichia coli</i> isolated from poultry: a review of current problems, illustrated with some laboratory findings. <i>Avian Pathology</i> , 2014 , 43, 199-208	2.4	41
84	MALDI-TOF mass spectrometry confirms difficulties in separating species of the <i>Avibacterium</i> genus. <i>Avian Pathology</i> , 2014 , 43, 258-63	2.4	16
83	Polyamines are essential for virulence in <i>Salmonella enterica</i> serovar Gallinarum despite evolutionary decay of polyamine biosynthesis genes. <i>Veterinary Microbiology</i> , 2014 , 170, 144-50	3.3	13
82	Comparative analysis of evolutionarily conserved motifs of epidermal growth factor receptor 2 (HER2) predicts novel potential therapeutic epitopes. <i>PLoS ONE</i> , 2014 , 9, e106448	3.7	3
81	Occurrence of weak mutators among avian pathogenic <i>Escherichia coli</i> (APEC) isolates causing salpingitis and peritonitis in broiler breeders. <i>Veterinary Microbiology</i> , 2014 , 168, 141-7	3.3	4
80	MLST typing of <i>Pasteurella multocida</i> associated with haemorrhagic septicaemia and development of a real-time PCR specific for haemorrhagic septicaemia associated isolates. <i>Veterinary Microbiology</i> , 2014 , 170, 335-41	3.3	9
79	Genital form of pasteurellosis in breeding turkeys infected during artificial insemination and isolation of an unusual strain of <i>Pasteurella multocida</i> . <i>Avian Diseases</i> , 2013 , 57, 693-7	1.6	4
78	Genetic diversity and virulence profiles of <i>Escherichia coli</i> causing salpingitis and peritonitis in broiler breeders. <i>Veterinary Microbiology</i> , 2013 , 162, 873-880	3.3	45
77	In vitro and in vivo investigation on genomic stability of <i>Salmonella enterica</i> Typhimurium DT41 obtained from broiler breeders in Denmark. <i>Veterinary Microbiology</i> , 2013 , 166, 607-16	3.3	10
76	Multilocus sequence analysis of <i>Pasteurella multocida</i> demonstrates a type species under development. <i>Microbiology (United Kingdom)</i> , 2013 , 159, 580-590	2.9	22
75	Description of <i>Riemerella columbipharyngis</i> sp. nov., isolated from the pharynx of healthy domestic pigeons (<i>Columba livia</i> f. domestica), and emended descriptions of the genus <i>Riemerella</i> , <i>Riemerella anatipestifer</i> and <i>Riemerella columbina</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 280-287	2.2	14
74	Draft Genome Sequence of <i>Gallibacterium anatis</i> bv. haemolytica 12656-12 Liver, an Isolate Obtained from the Liver of a Septicemic Chicken. <i>Genome Announcements</i> , 2013 , 1,		4
73	Comparative genomics of multiple plasmids from APEC associated with clonal outbreaks demonstrates major similarities and identifies several potential vaccine-targets. <i>Veterinary Microbiology</i> , 2012 , 158, 384-93	3.3	20
72	MALDI-TOF mass spectrometry confirms clonal lineages of <i>Gallibacterium anatis</i> between chicken flocks. <i>Veterinary Microbiology</i> , 2012 , 160, 269-73	3.3	19
71	Transmission and genetic diversity of <i>Enterococcus faecalis</i> during hatch of broiler chicks. <i>Veterinary Microbiology</i> , 2012 , 160, 214-21	3.3	14
70	Identification of animal Pasteurellaceae by MALDI-TOF mass spectrometry. <i>Journal of Microbiological Methods</i> , 2012 , 89, 1-7	2.8	58

69	Analysis of 16S-23S rRNA internal transcribed spacer regions in Pasteurellaceae isolated from laboratory rodents. <i>Journal of Microbiological Methods</i> , 2012 , 90, 342-9	2.8	14
68	Otariodibacter oris gen. nov., sp. nov., a member of the family Pasteurellaceae isolated from the oral cavity of pinnipeds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2572-2578	2.2	14
67	The diversity of inducible and constitutively expressed erm(C) genes and association to different replicon types in staphylococci plasmids. <i>Mobile Genetic Elements</i> , 2012 , 2, 72-80		11
66	Pasteurella multocida carriage in red-necked wallabies (Macropus rufogriseus). <i>Journal of Zoo and Wildlife Medicine</i> , 2012 , 43, 726-9	0.9	7
65	Classification of Pasteurella species B as Pasteurella oralis sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1396-1401	2.2	12
64	Identification of Gallibacterium species by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry evaluated by multilocus sequence analysis. <i>International Journal of Medical Microbiology</i> , 2011 , 301, 513-22	3.7	31
63	Genetic diversity and associated pathology of Pasteurella multocida isolated from porcine pneumonia. <i>Veterinary Microbiology</i> , 2011 , 150, 354-61	3.3	22
62	Transmission and genetic diversity of Enterococcus faecalis among layer chickens during hatch. <i>Acta Veterinaria Scandinavica</i> , 2011 , 53, 56	2	15
61	The gut as reservoir of antibiotic resistance: microbial diversity of tetracycline resistance in mother and infant. <i>PLoS ONE</i> , 2011 , 6, e21644	3.7	91
60	Multilocus sequence typing of Enterococcus faecalis isolates demonstrating different lesion types in broiler breeders. <i>Avian Pathology</i> , 2010 , 39, 435-40	2.4	27
59	DNA microarray analysis of Salmonella serotype Typhimurium strains causing different symptoms of disease. <i>BMC Microbiology</i> , 2010 , 10, 96	4.5	17
58	Association between phylogeny, virulence potential and serovars of Salmonella enterica. <i>Infection, Genetics and Evolution</i> , 2010 , 10, 1132-9	4.5	35
57	Molecular classification and its impact on diagnostics and understanding the phylogeny and epidemiology of selected members of Pasteurellaceae of veterinary importance. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> , 2010 , 123, 20-30		15
56	Evaluation of PCR and DNA sequencing for direct detection of Clostridium perfringens in the intestinal tract of broilers. <i>Avian Diseases</i> , 2009 , 53, 441-8	1.6	4
55	Diversity of the tetracycline resistance gene tet(M) and identification of Tn916- and Tn5801-like (Tn6014) transposons in Staphylococcus aureus from humans and animals. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 64, 490-500	5.1	53
54	Characterization of sulphonamide-resistant Escherichia coli using comparison of sul2 gene sequences and multilocus sequence typing. <i>Microbiology (United Kingdom)</i> , 2009 , 155, 831-836	2.9	31
53	Evolution of the leukotoxin promoter in genus Mannheimia. <i>BMC Evolutionary Biology</i> , 2009 , 9, 121	3	2
52	Clonality of Enterococcus faecalis associated with amyloid arthropathy in chickens evaluated by multilocus sequence typing (MLST). <i>Veterinary Microbiology</i> , 2009 , 134, 392-5	3.3	25

51	Development of a multilocus sequence typing (MLST) scheme for <i>Mannheimia haemolytica</i> and assessment of the population structure of isolates obtained from cattle and sheep. <i>Infection, Genetics and Evolution</i> , 2009 , 9, 626-32	4.5	13
50	Phylogenetic relationships of unclassified, satellitic Pasteurellaceae obtained from different species of birds as demonstrated by 16S rRNA gene sequence comparison. <i>Research in Microbiology</i> , 2009 , 160, 315-21	4	9
49	Diagnostic and typing options for investigating diseases associated with <i>Pasteurella multocida</i> . <i>Veterinary Microbiology</i> , 2008 , 128, 1-22	3.3	58
48	Characterization of small-colony variants of <i>Enterococcus faecalis</i> isolated from chickens with amyloid arthropathy. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 2686-91	9.7	32
47	<i>Actinobacillus equuli</i> subsp. <i>equuli</i> associated with equine valvular endocarditis. <i>Apms</i> , 2007 , 115, 1437-42	4	13
46	Analysis of gene order data supports vertical inheritance of the leukotoxin operon and genome rearrangements in the 5Tflanking region in genus <i>Mannheimia</i> . <i>BMC Evolutionary Biology</i> , 2007 , 7, 184	3	4
45	Presence and diversity of the beta-lactamase gene in cat and dog staphylococci. <i>Veterinary Microbiology</i> , 2007 , 123, 162-8	3.3	14
44	Specific identification of <i>Gallibacterium</i> by a PCR using primers targeting the 16S rRNA and 23S rRNA genes. <i>Veterinary Microbiology</i> , 2007 , 123, 262-8	3.3	26
43	Evidence for vertical inheritance and loss of the leukotoxin operon in genus <i>Mannheimia</i> . <i>Journal of Molecular Evolution</i> , 2007 , 64, 423-37	3.1	13
42	Proposed minimal standards for the description of genera, species and subspecies of the Pasteurellaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 166-178	2.2	94
41	<i>Avibacterium endocarditidis</i> sp. nov., isolated from valvular endocarditis in chickens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 1729-1734	2.2	22
40	Reclassification of [<i>Pasteurella</i>] <i>trehalosi</i> as <i>Bibersteinia trehalosi</i> gen. nov., comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 666-674	2.2	69
39	Emended description of <i>Actinobacillus capsulatus</i> Arseculeratne 1962, 38AL. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 625-632	2.2	19
38	Distribution of RTX toxin genes in strains of [<i>Actinobacillus</i>] <i>rossii</i> and [<i>Pasteurella</i>] <i>mairii</i> . <i>Veterinary Microbiology</i> , 2006 , 116, 194-201	3.3	10
37	Diversity and evolution of <i>bla_Z</i> from <i>Staphylococcus aureus</i> and coagulase-negative staphylococci. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 57, 450-60	5.1	111
36	Occurrence of haemolytic <i>Mannheimia</i> spp. in apparently healthy sheep in Norway. <i>Acta Veterinaria Scandinavica</i> , 2006 , 48, 19	2	7
35	Aflatoxicosis, infectious bursal disease and immune response to Newcastle disease vaccination in rural chickens. <i>Avian Pathology</i> , 2005 , 34, 319-23	2.4	20
34	Involvement of bacterial quorum-sensing signals in spoilage of bean sprouts. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 3321-30	4.8	83

33	Reclassification of <i>Pasteurella gallinarum</i> , [<i>Haemophilus</i>] <i>paragallinarum</i> , <i>Pasteurella avium</i> and <i>Pasteurella volantium</i> as <i>Avibacterium gallinarum</i> gen. nov., comb. nov., <i>Avibacterium paragallinarum</i> comb. nov., <i>Avibacterium avium</i> comb. nov. and <i>Avibacterium volantium</i> comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005 , 55, 353-362	2.2	95
32	Characterization of sucrose-negative <i>Pasteurella multocida</i> variants, including isolates from large-cat bite wounds. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 259-70	9.7	21
31	Emended description of porcine [<i>Pasteurella</i>] <i>aerogenes</i> , [<i>Pasteurella</i>] <i>mairii</i> and [<i>Actinobacillus</i>] <i>rossii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005 , 55, 209-223	2.2	14
30	Molecular characterization and phylogenetic study of newcastle disease virus isolates from recent outbreaks in eastern Uganda. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 2802-5	9.7	27
29	Phylogeny of the family Pasteurellaceae based on <i>rpoB</i> sequences. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 1393-1399	2.2	149
28	Comparative phylogenies of the housekeeping genes <i>atpD</i> , <i>infB</i> and <i>rpoB</i> and the 16S rRNA gene within the Pasteurellaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 1601-1609	2.2	86
27	Reclassification of Bisgaard taxon 33, with proposal of <i>Volucribacter psittacidica</i> gen. nov., sp. nov. and <i>Volucribacter amazonae</i> sp. nov. as new members of the Pasteurellaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 813-818	2.2	32
26	Delineation of the genus <i>Actinobacillus</i> by comparison of partial <i>infB</i> sequences. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 635-644	2.2	17
25	Revised definition of <i>Actinobacillus sensu stricto</i> isolated from animals. A review with special emphasis on diagnosis. <i>Veterinary Microbiology</i> , 2004 , 99, 13-30	3.3	67
24	Revised description and classification of atypical isolates of <i>Pasteurella multocida</i> from bovine lungs based on genotypic characterization to include variants previously classified as biovar 2 of <i>Pasteurella canis</i> and <i>Pasteurella avium</i> . <i>Microbiology (United Kingdom)</i> , 2004 , 150, 1757-1767	2.9	28
23	Detection of <i>Gallibacterium</i> spp. in chickens by fluorescent 16S rRNA in situ hybridization. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 5167-72	9.7	21
22	Proposal of <i>Histophilus somni</i> gen. nov., sp. nov. for the three species incertae sedis <i>Haemophilus somnus</i> , <i>Haemophilus agni</i> and <i>Histophilus ovis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 1449-1456	2.2	104
21	Genetic relationships among avian isolates classified as <i>Pasteurella haemolytica</i> , <i>Actinobacillus salpingitidis</i> or <i>Pasteurella anatis</i> with proposal of <i>Gallibacterium anatis</i> gen. nov., comb. nov. and description of additional genomospecies within <i>Gallibacterium</i> gen. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 275-287	2.2	113
20	Phylogenetic relationship of equine <i>Actinobacillus</i> species and distribution of RTX toxin genes among clusters. <i>Veterinary Research</i> , 2003 , 34, 353-9	3.8	22
19	Reclassification of equine isolates previously reported as <i>Actinobacillus equuli</i> , variants of <i>A. equuli</i> , <i>Actinobacillus suis</i> or Bisgaard taxon 11 and proposal of <i>A. equuli</i> subsp. <i>equuli</i> subsp. nov. and <i>A. equuli</i> subsp. <i>haemolyticus</i> subsp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002 , 52, 1569-1576	2.2	21
18	Specific detection of <i>Pasteurella multocida</i> in chickens with fowl cholera and in pig lung tissues using fluorescent rRNA in situ hybridization. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 2627-33	9.7	17
17	Genetic diversity of <i>Pasteurella multocida</i> fowl cholera isolates as demonstrated by ribotyping and 16S rRNA and partial <i>atpD</i> sequence comparisons. <i>Microbiology (United Kingdom)</i> , 2001 , 147, 2739-2748	2.9	21
16	Counting and size classification of active soil bacteria by fluorescence in situ hybridization with an rRNA oligonucleotide probe. <i>Applied and Environmental Microbiology</i> , 1999 , 65, 1753-61	4.8	130

15	Differentiation of <i>Campylobacter coli</i> and <i>C. jejuni</i> by length and DNA sequence of the 16S-23S rRNA internal spacer region. <i>Microbiology (United Kingdom)</i> , 1999 , 145 (Pt 1), 99-105	2.9	36
14	Long-term results of the Stamey Bladder-neck suspension procedure and of the Burch colposuspension. <i>Scandinavian Journal of Urology and Nephrology</i> , 1997 , 31, 349-53		19
13	Human erythropoietin response to hypocapnic hypoxia, normocapnic hypoxia, and hypocapnic normoxia. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996 , 74, 475-80		11
12	Human erythropoietin response to hypocapnic hypoxia, normocapnic hypoxia, and hypocapnic normoxia. <i>European Journal of Applied Physiology</i> , 1996 , 74, 475-480	3.4	1
11	Bacterial production determined by [³ H]thymidine incorporation in field rhizospheres as evaluated by comparison to rhizodeposition. <i>Soil Biology and Biochemistry</i> , 1995 , 27, 93-99	7.5	15
10	Soil bacterial DNA and biovolume profiles measured by flow-cytometry. <i>FEMS Microbiology Letters</i> , 1993 , 102, 129-140	2.9	24
9	Conversion factors for the thymidine incorporation technique estimated with bacteria in pure culture and on seedling roots. <i>Soil Biology and Biochemistry</i> , 1993 , 25, 1085-1096	7.5	26
8	Bacterial incorporation of tritiated thymidine and populations of bacteriophagous fauna in the rhizosphere of wheat. <i>Soil Biology and Biochemistry</i> , 1992 , 24, 703-709	7.5	51
7	Growth rate of rhizosphere bacteria measured directly by the tritiated thymidine incorporation technique. <i>Soil Biology and Biochemistry</i> , 1989 , 21, 113-117	7.5	27
6	Gallibacterium1-12		
5	Pasteurella1-20		
4	Rodentibacter1-12		
3	Frederiksenia1-4		
2	Cricetibacter1-4		
1	Mesocricetibacter1-4		