Konstantinos Poirazidis

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9211015/konstantinos-poirazidis-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18 28 831 42 h-index g-index citations papers 964 4.15 42 2.7 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|----|---|-------------------------------|-----------|
| 42 | Landscape dynamics on insular environments of South-east mediterranean Europe. <i>Geocarto International</i> , 2020 , 1-20 | 2.7 | 2 |
| 41 | Socio-ecological determinants of multiple ecosystem services on the Mediterranean landscapes of the Ionian Islands (Greece). <i>Ecological Modelling</i> , 2020 , 422, 108994 | 3 | 10 |
| 40 | Identifying spatial mismatches between the supply and demand of ecosystem services to achieve a sustainable management regime in the Ionian Islands (Western Greece). <i>Land Use Policy</i> , 2019 , 88, 1041 | 7 ⁵ 1 ⁶ | 29 |
| 39 | Landscape transition in Mediterranean islands: The case of Ionian islands, Greece 1985 2 015. Landscape and Urban Planning, 2019 , 191, 103641 | 7.7 | 13 |
| 38 | Sympatric wintering of Red Kites and Black Kites in south-east Europe. <i>Acta Zoologica Academiae Scientiarum Hungaricae</i> , 2019 , 65, 381-398 | 0.9 | 8 |
| 37 | Bioclimatic and environmental suitability models for capercaillie (Tetrao urogallus) conservation: Identification of optimal and marginal areas in Rodopi Mountain-Range National Park (Northern Greece). Global Ecology and Conservation, 2019 , 17, e00526 | 2.8 | 4 |
| 36 | Combining different spatio-temporal resolution images to depict landscape dynamics and guide wildlife management. <i>Biological Conservation</i> , 2018 , 218, 10-17 | 6.2 | 10 |
| 35 | Factors affecting biodiversity in agrosylvopastoral ecosystems with in the Mediterranean Basin: A systematic review. <i>Journal of Arid Environments</i> , 2018 , 151, 125-133 | 2.5 | 7 |
| 34 | Mapping and Understanding the Dynamics of Landscape Changes on Heterogeneous Mediterranean Islands with the Use of OBIA: The Case of Ionian Region, Greece. <i>Sustainability</i> , 2018 , 10, 2986 | 3.6 | 6 |
| 33 | Frequency of abnormalities in wildlife species: is there a relation with their ecology?. <i>Zoology and Ecology</i> , 2018 , 28, 389-394 | 0.2 | 2 |
| 32 | Assessment of the Spatial Dynamics and Interactions among Multiple Ecosystem Services to Promote Effective Policy Making across Mediterranean Island Landscapes. <i>Sustainability</i> , 2018 , 10, 3285 | 3.6 | 22 |
| 31 | Ecological assessment of Juniperus turbinata Guss. forest on the Strofades Islands, Ionian Sea, Greece. <i>Journal of Forest Science</i> , 2018 , 64, 345-352 | 0.9 | 1 |
| 30 | The use of vegetation indices and change detection techniques as a tool for monitoring ecosystem and biodiversity integrity. <i>International Journal of Sustainable Agricultural Management and Informatics</i> , 2018 , 4, 47 | 0.3 | 1 |
| 29 | Population Trends and Multi-Scale Breeding Habitat Analysis for the Black Stork (Ciconia nigra) in Dadia-Lefkimi-Soufli National Park, North-Eastern Greece. <i>Annual Research & Review in Biology</i> , 2017 , 19, 1-12 | 0.8 | 5 |
| 28 | Reconciling endangered species conservation with wind farm development: Cinereous vultures (Aegypius monachus) in south-eastern Europe. <i>Biological Conservation</i> , 2016 , 196, 10-17 | 6.2 | 31 |
| 27 | The influence of habitat features on amphibian distribution in Northeastern Greece. <i>Journal of Natural History</i> , 2015 , 49, 451-469 | 0.5 | 1 |
| 26 | At the crossroads from Asia to Europe: spring migration of raptors and black storks in Dadia National Park (Greece). <i>Journal of Natural History</i> , 2015 , 49, 285-300 | 0.5 | 4 |

(2008-2015)

| 25 | Performance of methods to select landscape metrics for modelling species richness. <i>Ecological Modelling</i> , 2015 , 295, 107-112 | 3 | 34 |
|----|---|-----|-----|
| 24 | Alternative tourism at Natura 2000 areas, as a proposal for ecological restoration, protection, conservation, and sustainable development. The case study of Zakynthos and Strofades 2015 , | | 1 |
| 23 | Temporal shifts in floristic and avian diversity in Mediterranean pine forest ecosystems under different fire pressure: The island of Zakynthos as a case study. <i>Annals of Forest Research</i> , 2014 , 61, | 2.4 | 3 |
| 22 | Multiscale performance of landscape metrics as indicators of species richness of plants, insects and vertebrates. <i>Ecological Indicators</i> , 2013 , 31, 41-48 | 5.8 | 117 |
| 21 | Does by-catch pose a threat for the conservation of seabird populations in the southern Ionian Sea (eastern Mediterranean)? A questionnaire based survey of local fisheries. <i>Mediterranean Marine Science</i> , 2013 , 14, 19 | 2.7 | 13 |
| 20 | Determinants of visitor pro-environmental intentions on two small Greek islands: is ecotourism possible at coastal protected areas?. <i>Environmental Management</i> , 2012 , 50, 64-76 | 3.1 | 29 |
| 19 | A GIS-based integrated approach predicts accurately post-fire Aleppo pine regeneration at regional scale. <i>Annals of Forest Science</i> , 2012 , 69, 519-529 | 3.1 | 6 |
| 18 | From research to implementation: Nature conservation in the Eastern Rhodopes mountains (Greece and Bulgaria), European Green Belt. <i>Journal for Nature Conservation</i> , 2011 , 19, 193-201 | 2.3 | 30 |
| 17 | Organochlorine residues in blood of cinereous vultures and Eurasian griffon vultures in a northeastern Mediterranean area of nature conservation. <i>Environmental Monitoring and Assessment</i> , 2011 , 183, 259-71 | 3.1 | 13 |
| 16 | Population Estimates for the Diverse Raptor Assemblage of Dadia National Park, Greece. <i>Ardeola</i> , 2011 , 58, 3-17 | 1.1 | 13 |
| 15 | Conservation of Biodiversity in Managed Forests: Developing an Adaptive Decision Support System 2011 , 380-399 | | 1 |
| 14 | Towards the use of ecological heterogeneity to design reserve networks: a case study from Dadia National Park, Greece. <i>Biodiversity and Conservation</i> , 2010 , 19, 1585-1597 | 3.4 | 26 |
| 13 | Do intermittent and ephemeral Mediterranean rivers belong to the same river type?. <i>Aquatic Ecology</i> , 2009 , 43, 465-476 | 1.9 | 36 |
| 12 | Landscape Approaches and GIS for Biodiversity Management 2009 , 171-182 | | |
| 11 | Ecological management of a Mediterranean mountainous reserve (Pindos National Park, Greece) using the bird community as an indicator. <i>Journal for Nature Conservation</i> , 2009 , 17, 47-59 | 2.3 | 20 |
| 10 | Population size, breeding rates and conservation status of Eurasian black vulture in the Dadia National Park, Thrace, NE Greece. <i>Journal of Natural History</i> , 2008 , 42, 345-353 | 0.5 | 19 |
| 9 | Towards a core set of landscape metrics for biodiversity assessments: A case study from Dadia National Park, Greece. <i>Ecological Indicators</i> , 2008 , 8, 502-514 | 5.8 | 135 |
| 8 | Range use of a Eurasian black vulture (Aegypius monachus) population in the Dadia-Lefkimi-Soufli National Park and the adjacent areas, Thrace, NE Greece. <i>Journal of Natural History</i> , 2008 , 42, 355-373 | 0.5 | 18 |

| 7 | Breeding biology and nesting site selection by the spur-winged plover Hoplopterus spinosus in the Evros Delta, NE Greece. <i>Journal of Natural History</i> , 2008 , 42, 333-344 | 0.5 | 5 |
|---|---|-----|----|
| 6 | Modelling site quality and individual-tree growth in pure and mixed Pinus brutia stands in north-east Greece. <i>Annals of Forest Science</i> , 2008 , 65, 501-501 | 3.1 | 18 |
| 5 | Environmental policy beliefs of stakeholders in protected area management. <i>Environmental Management</i> , 2007 , 39, 515-25 | 3.1 | 25 |
| 4 | Diversity, ecological structure and conservation of herpetofauna in a Mediterranean area (Dadia National Park, Greece). <i>Amphibia - Reptilia</i> , 2007 , 28, 517-529 | 1.2 | 21 |
| 3 | Evaluation of the environmentalist dimension of ecotourism at the Dadia Forest Reserve (Greece). <i>Environmental Management</i> , 2006 , 38, 810-22 | 3.1 | 23 |
| 2 | Modelling nesting habitat as a conservation tool for the Eurasian black vulture (Aegypius monachus) in Dadia Nature Reserve, northeastern Greece. <i>Biological Conservation</i> , 2004 , 118, 235-248 | 6.2 | 68 |
| 1 | Systematic Raptor Monitoring as conservation tool: 12 year results in the light of landscape changes in Dadia-Lefkimi-Soufli National Park. <i>Nature Conservation</i> , 22, 17-50 | | 1 |