

Emmanuel Chartier-kastler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9212314/emmanuel-chartier-kastler-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

1,381

citations

17

h-index

36

g-index

81

ext. papers

1,793

ext. citations

3

avg, IF

4.41

L-index

#	Paper	IF	Citations
66	Mid-term functional outcomes of extraperitoneal robot-assisted simple prostatectomy: a single centre experience.. <i>Journal of Robotic Surgery</i> , 2022 , 1	2.9	
65	Exploratory safety study of an umbilical cord derived urethral sling in bilateral pudendal nerves injury-induced urinary incontinence in female rats.. <i>Neurourology and Urodynamics</i> , 2022 , 41, 777-786	2.3	
64	A Real-world Data Analysis of Intermittent Catheterization, Showing the Impact of Prelubricated Versus Hydrophilic Catheter Use on the Occurrence of Symptoms Suggestive of Urinary Tract Infections.. <i>European Urology Open Science</i> , 2022 , 38, 79-87	0.9	
63	Efficacy and safety of intradetrusor botulinum toxin injections for idiopathic overactive bladder syndrome in patients with an artificial urinary sphincter. <i>World Journal of Urology</i> , 2021 , 1	4	1
62	Sacral Neuromodulation with the InterStim System for Intractable Lower Urinary Tract Dysfunctions (SOUNDS): Results of Clinical Effectiveness, Quality of Life, Patient-Reported Outcomes and Safety in a French Multicenter Observational Study. <i>European Urology Focus</i> , 2021 , 7, 1430-1437	5.1	2
61	Preliminary assessment of patient and physician satisfaction with the use of teleconsultation in urology during the COVID-19 pandemic. <i>World Journal of Urology</i> , 2021 , 39, 1991-1996	4	18
60	Long-term outcomes after penile prosthesis placement for the Management of Erectile Dysfunction: a single-Centre experience. <i>Basic and Clinical Andrology</i> , 2021 , 31, 4	2.8	2
59	How to treat neurogenic bladder and sexual dysfunction after spinal cord lesion. <i>Revue Neurologique</i> , 2021 , 177, 589-593	3	1
58	Long-term functional outcomes of artificial urinary sphincter (AMS 800) implantation in women aged over 75 years and suffering from stress urinary incontinence caused by intrinsic sphincter deficiency. <i>World Journal of Urology</i> , 2021 , 39, 3897-3902	4	
57	Robot-assisted Supratrigonal Cystectomy and Augmentation Cystoplasty with Totally Intracorporeal Reconstruction in Neurourological Patients: Technique Description and Preliminary Results. <i>European Urology</i> , 2021 , 79, 858-865	10.2	5
56	Postoperative assessment of nosocomial transmission of COVID-19 after robotic surgical procedures during the pandemic. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 298.e7-298.e11	2.8	11
55	Reprogramming Sacral Neuromodulation for Sub-Optimal Outcomes: Evidence and Recommendations for Clinical Practice. <i>Neuromodulation</i> , 2021 , 24, 1247-1257	3.1	0
54	Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , 2020 , 6, 1049-1057	5.1	14
53	Robot-assisted laparoscopic artificial urinary sphincter insertion in women with stress urinary incontinence: a pilot single-centre study. <i>BJU International</i> , 2020 , 126, 722-730	5.6	3
52	Outcomes of ileal conduit urinary diversion in patients with multiple sclerosis. <i>Neurourology and Urodynamics</i> , 2020 , 39, 771-777	2.3	4
51	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. <i>European Urology Focus</i> , 2020 , 6, 522-530	5.1	8
50	Urology surgical activity and COVID-19: risk assessment at the epidemic peak: a Parisian multicentre experience. <i>BJU International</i> , 2020 , 126, 436-440	5.6	7

49	Neuro-Urology during the COVID-19 pandemic: Triage and priority of treatments. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2011-2015	2.3	7
48	The Management of Urine Storage Dysfunction in the Neurological Patient. <i>SN Comprehensive Clinical Medicine</i> , 2019 , 1, 160-182	2.7	1
47	Management of urethrocutaneous fistulae complicating sacral and perineal pressure ulcer in neurourological patients: A national multicenter study from the French-speaking Neuro-urology Study Group and the Neuro-urology committee of the French Association of Urology. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1713-1720	2.3	1
46	Alpha-blockers for treating neurogenic lower urinary tract dysfunction in patients with multiple sclerosis: A systematic review and meta-analysis. A report from the Neuro-Urology Promotion Committee of the International Continence Society (ICS). <i>Neurourology and Urodynamics</i> , 2019 , 38, 1482-1491	2.3	5
45	Botulinum Toxin Type A Injection After Failure of Augmentation Enterocystoplasty Performed for Neurogenic Detrusor Overactivity: Preliminary Results of a Salvage Strategy. The ENTEROTOX Study. <i>Urology</i> , 2019 , 129, 43-47	1.6	6
44	Are Slings Still the Gold Standard for Female Stress Urinary Incontinence?. <i>European Urology Focus</i> , 2019 , 5, 315-316	5.1	1
43	Functional outcomes of synthetic tape and mesh revision surgeries: a monocentric experience. <i>International Urogynecology Journal</i> , 2019 , 30, 805-813	2	9
42	Desmopressin for treating nocturia in patients with multiple sclerosis: A systematic review: A report from the Neuro-Urology Promotion Committee of the International Continence Society (ICS). <i>Neurourology and Urodynamics</i> , 2019 , 38, 563-571	2.3	3
41	Neurogenic stress urinary incontinence: is there a place for Adjustable Continence Therapy (ACT) and ProACT (Uromedica, Plymouth, MN, USA)? A retrospective multicenter study. <i>Spinal Cord</i> , 2019 , 57, 388-395	2.7	4
40	Long-term functional outcomes of augmentation cystoplasty in adult spina bifida patients: A single-center experience in a multidisciplinary team. <i>Neurourology and Urodynamics</i> , 2019 , 38, 330-337	2.3	11
39	Complications of non-continent cutaneous urinary diversion in adults with spinal cord injury: a retrospective study. <i>Spinal Cord</i> , 2018 , 56, 856-862	2.7	11
38	Surgical management of the neurogenic bladder after spinal cord injury. <i>World Journal of Urology</i> , 2018 , 36, 1569-1576	4	9
37	International Continence Society best practice statement for use of sacral neuromodulation. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1823-1848	2.3	57
36	Intravesical vanilloids for treating neurogenic lower urinary tract dysfunction in patients with multiple sclerosis: A systematic review and meta-analysis. A report from the Neuro-Urology Promotion Committee of the International Continence Society (ICS). <i>Neurourology and Urodynamics</i> , 2018 , 37, 67-82	2.3	8
35	Intradetrusor Injections of Botulinum Toxin A in Adults with Spinal Dysraphism. <i>Journal of Urology</i> , 2018 , 200, 875-880	2.5	8
34	Low-dose onabotulinumtoxinA improves urinary symptoms in noncatheterizing patients with MS. <i>Neurology</i> , 2018 , 91, e657-e665	6.5	5
33	Sacral neuromodulation and pregnancy: Results of a national survey carried out for the neuro-urology committee of the French Association of Urology (AFU). <i>Neurourology and Urodynamics</i> , 2018 , 37, 792-798	2.3	5
32	Prevalence, management, and prognosis of bladder cancer in patients with neurogenic bladder: A systematic review. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1386-1395	2.3	34

31	Stress urinary incontinence in female neurological patients: long-term functional outcomes after artificial urinary sphincter (AMS 800) implantation. <i>Neurourology and Urodynamics</i> , 2017 , 36, 764-769	2.3	28
30	Cannabinoids for treating neurogenic lower urinary tract dysfunction in patients with multiple sclerosis: a systematic review and meta-analysis. <i>BJU International</i> , 2017 , 119, 515-521	5.6	16
29	Ceftolozane/tazobactam for febrile UTI due to multidrug-resistant in a patient with neurogenic bladder. <i>Spinal Cord Series and Cases</i> , 2017 , 3, 17019	1.4	3
28	Long-Term Functional Outcomes of S3 Sacral Neuromodulation for the Treatment of Idiopathic Overactive Bladder. <i>Neuromodulation</i> , 2017 , 20, 825-829	3.1	14
27	Sacral Neuromodulation: Standardized Electrode Placement Technique. <i>Neuromodulation</i> , 2017 , 20, 816-824	3.2	76
26	Dealing with complex overactive bladder syndrome patient profiles with focus on fesoterodine: in or out of the EAU guidelines?. <i>Research and Reports in Urology</i> , 2017 , 9, 209-218	1.3	4
25	Intradetrusor injection of botulinum toxin A and sacral neuromodulation for neurogenic detrusor overactivity. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017 , 53, 991-997	4.4	2
24	Pregnancy in spinal cord-injured women, a cohort study of 37 pregnancies in 25 women. <i>Spinal Cord</i> , 2017 , 55, 167-171	2.7	26
23	Control Cross-sectional Study Evaluating an Antibiotic Prevention Strategy in 30 Pregnancies Under Clean Intermittent Self-catheterization and Review of Literature. <i>Urology</i> , 2016 , 91, 58-63	1.6	7
22	Long-term complications of continent cutaneous urinary diversion in adult spinal cord injured patients. <i>Neurourology and Urodynamics</i> , 2016 , 35, 1046-1050	2.3	16
21	Risk of malignancy after augmentation cystoplasty: A systematic review. <i>Neurourology and Urodynamics</i> , 2016 , 35, 675-82	2.3	51
20	Management of neurogenic bladder in patients with multiple sclerosis. <i>Nature Reviews Urology</i> , 2016 , 13, 275-88	5.5	68
19	Re: Xavier Biardeau, Jfme Rizk, Franis Marcelli, Vincent Flamand. Robot-assisted Laparoscopic Approach for Artificial Urinary Sphincter Implantation in 11 Women with Urinary Stress Incontinence: Surgical Technique and Initial Experience. <i>Eur Urol</i> 2015;67:937-42. <i>European Urology</i> , 2016 , 69, e45-6	10.2	1
18	Functional outcomes of adjustable continence therapy (ACT) balloons in women aged >80 years and suffering from stress urinary incontinence caused by intrinsic sphincter deficiency. <i>World Journal of Urology</i> , 2015 , 33, 1897-903	4	5
17	Re: Completely Intracorporeal Robotic-assisted Laparoscopic Augmentation Enterocystoplasty With Continent Catheterizable Channel (<i>Urology</i> 2014;84:1314-1318). <i>Urology</i> , 2015 , 86, 205	1.6	
16	Comparison of functional outcomes with purely laparoscopic sacrocolpopexy and robot-assisted sacrocolpopexy in obese women. <i>Progres En Urologie</i> , 2014 , 24, 1106-13	0.9	9
15	Artificial urinary sphincter AMS 800 in males--can we explain residual leaks when sitting?. <i>Journal of Urology</i> , 2014 , 192, 483-7	2.5	6
14	Treatment of neurogenic stress urinary incontinence using an adjustable continence device: 4-year followup. <i>Journal of Urology</i> , 2012 , 188, 2274-80	2.5	28

13	Functional outcomes after management of end-stage neurological bladder dysfunction with ileal conduit in a multiple sclerosis population: a monocentric experience. <i>Urology</i> , 2011 , 78, 937-41	1.6	27
12	Botulinum neurotoxin A for male lower urinary tract symptoms. <i>Current Opinion in Urology</i> , 2011 , 21, 13-21	2.8	8
11	Artificial urinary sphincter (AMS 800) implantation for women with intrinsic sphincter deficiency: a technique for insiders?. <i>BJU International</i> , 2011 , 107, 1618-26	5.6	49
10	Safety of a new compact catheter for men with neurogenic bladder dysfunction: a randomised, crossover and open-labelled study. <i>Spinal Cord</i> , 2011 , 49, 844-50	2.7	12
9	Intermittent catheterization with hydrophilic catheters as a treatment of chronic neurogenic urinary retention. <i>Neurourology and Urodynamics</i> , 2011 , 30, 21-31	2.3	46
8	ES1 Management of male LUTS : how concepts are evolving!. <i>Japanese Journal of Urology</i> , 2011 , 102, 73		
7	Laparoscopic approach for artificial urinary sphincter implantation in women with intrinsic sphincter deficiency incontinence: a single-centre preliminary experience. <i>European Urology</i> , 2010 , 57, 499-504	10.2	49
6	A novel technique to achieve cutaneous continent urinary diversion in spinal cord-injured patients unable to catheterize through native urethra. <i>Spinal Cord</i> , 2008 , 46, 305-10	2.7	23
5	Does management of erectile dysfunction after radical prostatectomy meet patients' expectations? Results of a national survey (REPAIR) by the French Urological Association. <i>Journal of Sexual Medicine</i> , 2008 , 5, 693-704	1.1	26
4	Sacral neuromodulation for treating the symptoms of overactive bladder syndrome and non-obstructive urinary retention: >10 years of clinical experience. <i>BJU International</i> , 2008 , 101, 417-23	5.6	25
3	LUTS/BPH in clinical practice: the importance of nocturia and quality of sleep. <i>BJU International</i> , 2006 , 98, 3-8	5.6	11
2	Pharmacokinetic profile of tamsulosin OCAS. <i>BJU International</i> , 2006 , 98, 9-12	5.6	4
1	Botulinum toxin type a is a safe and effective treatment for neurogenic urinary incontinence: results of a single treatment, randomized, placebo controlled 6-month study. <i>Journal of Urology</i> , 2005 , 174, 196-200	2.5	440