

Rahul Raj

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9213385/rahul-raj-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

1,424
citations

21
h-index

33
g-index

112
ext. papers

1,974
ext. citations

4.3
avg, IF

4.53
L-index

#	Paper	IF	Citations
99	Acute ischemic stroke in a university hospital intensive care unit - one-year costs and outcome.. <i>Acta Anaesthesiologica Scandinavica</i> , 2022 ,	1.9	1
98	Endoscopic third ventriculostomy for adults with hydrocephalus: creating a prognostic model for success: protocol for a retrospective multicentre study (Nordic ETV).. <i>BMJ Open</i> , 2022 , 12, e055570	3	1
97	Evaluation of the relationship between slow-waves of intracranial pressure, mean arterial pressure and brain tissue oxygen in TBI: a CENTER-TBI exploratory analysis. <i>Journal of Clinical Monitoring and Computing</i> , 2021 , 35, 711-722	2	4
96	Spontaneous angiogram-negative subarachnoid hemorrhage: a retrospective single center cohort study. <i>Acta Neurochirurgica</i> , 2021 , 1	3	0
95	Variation in severity-adjusted resource use and outcome in intensive care units. <i>Intensive Care Medicine</i> , 2021 , 1	14.5	0
94	Trends in mortality after intensive care of patients with traumatic brain injury in Finland from 2003 to 2019: a Finnish Intensive Care Consortium study. <i>Acta Neurochirurgica</i> , 2021 , 1	3	0
93	How do we identify the crashing traumatic brain injury patient - the neurosurgeon's view. <i>Current Opinion in Critical Care</i> , 2021 , 27, 87-94	3.5	1
92	Aneurysm-Mimicking Hemangioblastoma Presenting With Spontaneous Acute Subdural Hematoma. <i>JAMA Neurology</i> , 2021 , 78, 755-756	17.2	
91	Brain Temperature Influences Intracranial Pressure and Cerebral Perfusion Pressure After Traumatic Brain Injury: A CENTER-TBI Study. <i>Neurocritical Care</i> , 2021 , 1	3.3	1
90	Mortality of older patients with dementia after surgery for chronic subdural hematoma: a nationwide study. <i>Age and Ageing</i> , 2021 , 50, 815-821	3	3
89	Outcome Prediction after Moderate and Severe Traumatic Brain Injury: External Validation of Two Established Prognostic Models in 1742 European Patients. <i>Journal of Neurotrauma</i> , 2021 , 38, 1377-1388	5.4	11
88	In reply: Concomitant cranio-spinal trauma: additional risk from a cerebrovascular injury. <i>Acta Neurochirurgica</i> , 2021 , 163, 47	3	
87	The Association Between Arterial Oxygen Level and Outcome in Neurocritically Ill Patients is not Affected by Blood Pressure. <i>Neurocritical Care</i> , 2021 , 34, 413-422	3.3	2
86	Intensive care-treated cardiac arrest: a retrospective study on the impact of extended age on mortality, neurological outcome, received treatments and healthcare-associated costs. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021 , 29, 103	3.6	0
85	Psychotropic medication use among patients with a traumatic brain injury treated in the intensive care unit: a multi-centre observational study. <i>Acta Neurochirurgica</i> , 2021 , 163, 2909-2917	3	0
84	Traumatic Microbleeds in Mild Traumatic Brain Injury Are Not Associated with Delayed Return to Work or Persisting Post-Concussion Symptoms. <i>Journal of Neurotrauma</i> , 2021 , 38, 2400-2406	5.4	1
83	Incidence of surgery for chronic subdural hematoma in Finland during 1997-2014: a nationwide study. <i>Journal of Neurosurgery</i> , 2021 , 1-8	3.2	2

82	Neurointensive care results and risk factors for unfavorable outcome in aneurysmatic SAH: a comparison of two age groups. <i>Acta Neurochirurgica</i> , 2021 , 163, 1469-1478	3	2
81	Trends in Mortality after Intensive Care of Patients with Aneurysmal Subarachnoid Hemorrhage in Finland in 2003-2019: A Finnish Intensive Care Consortium study.. <i>Neurocritical Care</i> , 2021 , 1	3.3	0
80	Alternative continuous intracranial pressure-derived cerebrovascular reactivity metrics in traumatic brain injury: a scoping overview. <i>Acta Neurochirurgica</i> , 2020 , 162, 1647-1662	3	5
79	Impact of Antithrombotic Agents on Radiological Lesion Progression in Acute Traumatic Brain Injury: A CENTER-TBI Propensity-Matched Cohort Analysis. <i>Journal of Neurotrauma</i> , 2020 , 37, 2069-2080	5.4	9
78	Finnish study of intraoperative irrigation versus drain alone after evacuation of chronic subdural haematoma (FINISH): a study protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e038275	3	2
77	Machine learning algorithms performed no better than regression models for prognostication in traumatic brain injury. <i>Journal of Clinical Epidemiology</i> , 2020 , 122, 95-107	5.7	47
76	Occurrence and prognostic effect of cervical spine injuries and cervical artery injuries with concomitant severe head injury. <i>Acta Neurochirurgica</i> , 2020 , 162, 1445-1453	3	3
75	Diffuse Intracranial Injury Patterns Are Associated with Impaired Cerebrovascular Reactivity in Adult Traumatic Brain Injury: A CENTER-TBI Validation Study. <i>Journal of Neurotrauma</i> , 2020 , 37, 1597-1608	5.4	8
74	Early surgery for superficial supratentorial spontaneous intracerebral hemorrhage: a Finnish Intensive Care Consortium study. <i>Acta Neurochirurgica</i> , 2020 , 162, 3153-3160	3	1
73	Disparities in glioblastoma survival by case volume: a nationwide observational study. <i>Journal of Neuro-Oncology</i> , 2020 , 147, 361-370	4.8	4
72	Statistical Cerebrovascular Reactivity Signal Properties after Secondary Decompressive Craniectomy in Traumatic Brain Injury: A CENTER-TBI Pilot Analysis. <i>Journal of Neurotrauma</i> , 2020 , 37, 1306-1314	5.4	11
71	Relationship between Measures of Cerebrovascular Reactivity and Intracranial Lesion Progression in Acute Traumatic Brain Injury Patients: A CENTER-TBI Study. <i>Journal of Neurotrauma</i> , 2020 , 37, 1556-1565	5.4	11
70	Brain Tissue Oxygen and Cerebrovascular Reactivity in Traumatic Brain Injury: A Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury Exploratory Analysis of Insult Burden. <i>Journal of Neurotrauma</i> , 2020 , 37, 1854-1863	5.4	17
69	Posttraumatic epilepsy in intensive care unit-treated pediatric traumatic brain injury patients. <i>Epilepsia</i> , 2020 , 61, 693-701	6.4	4
68	Psychotropic Medication After Intensive Care Unit-Treated Pediatric Traumatic Brain Injury. <i>Pediatric Neurology</i> , 2020 , 112, 64-70	2.9	1
67	Association between Cerebrovascular Reactivity Monitoring and Mortality Is Preserved When Adjusting for Baseline Admission Characteristics in Adult Traumatic Brain Injury: A CENTER-TBI Study. <i>Journal of Neurotrauma</i> , 2020 , 37, 1233-1241	5.4	25
66	Admission Levels of Interleukin 10 and Amyloid β -40 Improve the Outcome Prediction Performance of the Helsinki Computed Tomography Score in Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2020 , 11, 549527	4.1	4
65	One-Year Outcome After Aneurysmal Subarachnoid Hemorrhage in Elderly Patients. <i>World Neurosurgery</i> , 2020 , 143, e334-e343	2.1	5

64	Intensive care of traumatic brain injury and aneurysmal subarachnoid hemorrhage in Helsinki during the Covid-19 pandemic. <i>Acta Neurochirurgica</i> , 2020 , 162, 2715-2724	3	11
63	Comparison of high versus low frequency cerebral physiology for cerebrovascular reactivity assessment in traumatic brain injury: a multi-center pilot study. <i>Journal of Clinical Monitoring and Computing</i> , 2020 , 34, 971-994	2	9
62	Flow diversion treatment for acutely ruptured aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2020 , 12, 283-288	7.8	17
61	Flow diversion for internal carotid artery aneurysms: Impact of complex aneurysm features and overview of outcome. <i>Clinical Neurology and Neurosurgery</i> , 2020 , 193, 105782	2	3
60	One-year costs of intensive care in pediatric patients with traumatic brain injury. <i>Journal of Neurosurgery: Pediatrics</i> , 2020 , 1-8	2.1	1
59	Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. <i>Lancet Neurology</i> , 2019 , 18, 923-934	24.1	139
58	Extent of Resection and Long-Term Survival of Pineal Region Tumors in Helsinki Neurosurgery. <i>World Neurosurgery</i> , 2019 , 131, e379-e391	2.1	12
57	Outcome and rational management of civilian gunshot injuries to the brain-retrospective analysis of patients treated at the Helsinki University Hospital from 2000 to 2012. <i>Acta Neurochirurgica</i> , 2019 , 161, 1285-1295	3	5
56	Early hyperoxemia is not associated with cardiac arrest outcome. <i>Resuscitation</i> , 2019 , 140, 185-193	4	17
55	Association of extracerebral organ failure with 1-year survival and healthcare-associated costs after cardiac arrest: an observational database study. <i>Critical Care</i> , 2019 , 23, 67	10.8	9
54	Spontaneous Intracerebral Hemorrhage. <i>Stroke</i> , 2019 , 50, 2336-2343	6.7	10
53	Transition of a Clinical Practice to Use of Subdural Drains after Burr Hole Evacuation of Chronic Subdural Hematoma: The Helsinki Experience. <i>World Neurosurgery</i> , 2019 , 129, e614-e626	2.1	7
52	Prognostic performance of computerized tomography scoring systems in civilian penetrating traumatic brain injury: an observational study. <i>Acta Neurochirurgica</i> , 2019 , 161, 2467-2478	3	1
51	The microsurgical management of benign pineal cysts: Helsinki experience in 60 cases. <i>Surgical Neurology International</i> , 2019 , 10, 103	1	10
50	Validation of prognostic models in intensive care unit-treated pediatric traumatic brain injury patients. <i>Journal of Neurosurgery: Pediatrics</i> , 2019 , 1-8	2.1	9
49	Successful endovascular coil embolisation of a ruptured V1-segment vertebral artery dissecting aneurysm making a fistula with the adjacent vein. <i>BMJ Case Reports</i> , 2019 , 12,	0.9	1
48	Machine learning-based dynamic mortality prediction after traumatic brain injury. <i>Scientific Reports</i> , 2019 , 9, 17672	4.9	30
47	Pineal Parenchymal Tumors of Intermediate Differentiation: A long-Term Follow-Up Study in Helsinki Neurosurgery. <i>World Neurosurgery</i> , 2019 , 122, e729-e739	2.1	14

46	Treatment of Ruptured Intracranial Aneurysms Using the Woven EndoBridge Device: A Two-Center Experience. <i>World Neurosurgery</i> , 2019 , 123, e709-e716	2.1	27
45	Comparison of Performance of Different Optimal Cerebral Perfusion Pressure Parameters for Outcome Prediction in Adult Traumatic Brain Injury: A Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) Study. <i>Journal of Neurotrauma</i> , 2019 , 36, 1505-1517	5.4	31
44	Glioblastoma survival is improving despite increasing incidence rates: a nationwide study between 2000 and 2013 in Finland. <i>Neuro-Oncology</i> , 2019 , 21, 370-379	1	31
43	Praying Sitting Position for Pineal Region Surgery: An Efficient Variant of a Classic Position in Neurosurgery. <i>World Neurosurgery</i> , 2018 , 113, e604-e611	2.1	19
42	Temporal Trends in Healthcare Costs and Outcome Following ICU Admission After Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2018 , 46, e302-e309	1.4	15
41	Venous air embolisms and sitting position in Helsinki pineal region surgery. <i>Surgical Neurology International</i> , 2018 , 9, 160	1	9
40	One burr-hole craniotomy: Supracerebellar infratentorial paramedian approach in Helsinki Neurosurgery. <i>Surgical Neurology International</i> , 2018 , 9, 162	1	4
39	Multiple meningiomas in two male-to-female transsexual patients with hormone replacement therapy: A report of two cases and a brief literature review. <i>Surgical Neurology International</i> , 2018 , 9, 109	1	9
38	Costs, outcome and cost-effectiveness of neurocritical care: a multi-center observational study. <i>Critical Care</i> , 2018 , 22, 225	10.8	20
37	Temporal changes in outcome following intensive care unit treatment after traumatic brain injury: a 17-year experience in a large academic neurosurgical centre. <i>Acta Neurochirurgica</i> , 2018 , 160, 2107-2115	3.5	9
36	Outcomes and healthcare-associated costs one year after intensive care-treated cardiac arrest. <i>Resuscitation</i> , 2018 , 131, 128-134	4	22
35	In Reply to the Letter to the Editor "Spontaneous Spinal Extradural Hematoma: A Rare Neurosurgical Emergency". <i>World Neurosurgery</i> , 2017 , 98, 852	2.1	
34	Common intensive care scoring systems do not outperform age and glasgow coma scale score in predicting mid-term mortality in patients with spontaneous intracerebral hemorrhage treated in the intensive care unit. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 102	3.6	15
33	In Reply: Early Moderate Hyperoxemia does not Predict Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2017 , 80, E253	3.2	1
32	A Systematic Review of the Usefulness of Glial Fibrillary Acidic Protein for Predicting Acute Intracranial Lesions following Head Trauma. <i>Frontiers in Neurology</i> , 2017 , 8, 652	4.1	20
31	Risk of hospitalization with neurodegenerative disease after moderate-to-severe traumatic brain injury in the working-age population: A retrospective cohort study using the Finnish national health registries. <i>PLoS Medicine</i> , 2017 , 14, e1002316	11.6	29
30	Evaluation of novel computerized tomography scoring systems in human traumatic brain injury: An observational, multicenter study. <i>PLoS Medicine</i> , 2017 , 14, e1002368	11.6	45
29	A5 segment aneurysm of the anterior cerebral artery, imbedded into the body of the corpus callosum: A case report. <i>Surgical Neurology International</i> , 2017 , 8, 18	1	5

28	Simple training tricks for mastering and taming bypass procedures in neurosurgery. <i>Surgical Neurology International</i> , 2017 , 8, 295	1	7
27	Primary decompressive craniectomy is associated with worse neurological outcome in patients with traumatic brain injury requiring acute surgery. <i>Surgical Neurology International</i> , 2017 , 8, 141	1	7
26	Spontaneous Spinal Epidural Hematoma: A Surgical Case Series of Ten Patients. <i>World Neurosurgery</i> , 2016 , 93, 55-9	2.1	7
25	Unconscious trauma patients: outcome differences between southern Finland and Germany-lesson learned from trauma-registry comparisons. <i>European Journal of Trauma and Emergency Surgery</i> , 2016 , 42, 445-451	2.3	4
24	Delayed Migration of Fractured K-wire Causing Vertebral Artery Invagination After Anterior Atlantoaxial Fixation: A Case Report. <i>World Neurosurgery</i> , 2016 , 88, 695.e5-695.e10	2.1	4
23	Early Moderate Hyperoxemia Does Not Predict Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2016 , 78, 540-5	3.2	21
22	Mortality in Elderly Patients Operated for an Acute Subdural Hematoma: A Surgical Case Series. <i>World Neurosurgery</i> , 2016 , 88, 592-597	2.1	38
21	Alcohol and mortality after moderate to severe traumatic brain injury: a meta-analysis of observational studies. <i>Journal of Neurosurgery</i> , 2016 , 124, 1684-92	3.2	37
20	Association Between High Arterial Oxygen Tension and Long-Term Survival After Spontaneous Intracerebral Hemorrhage. <i>Critical Care Medicine</i> , 2016 , 44, 180-7	1.4	9
19	Traumatic brain injury patient volume and mortality in neurosurgical intensive care units: a Finnish nationwide study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 133	3.6	6
18	Long-Term Causes of Death and Excess Mortality After Carotid Artery Ligation. <i>World Neurosurgery</i> , 2016 , 90, 116-122	2.1	6
17	Increased need for interventions predicts mortality in the critically ill. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 1415-1424	1.9	2
16	External validation of the Norwegian survival prediction model in trauma after major trauma in Southern Finland. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 48-58	1.9	7
15	Transient Cardiac Arrest Induced by Adenosine: A Tool for Contralateral Clipping of Internal Carotid Artery-Ophthalmic Segment Aneurysms. <i>World Neurosurgery</i> , 2015 , 84, 1933-40	2.1	17
14	Acute alcohol intoxication and long-term outcome in patients with traumatic brain injury. <i>Journal of Neurotrauma</i> , 2015 , 32, 95-100	5.4	41
13	Validation of the revised injury severity classification score in patients with moderate-to-severe traumatic brain injury. <i>Injury</i> , 2015 , 46, 86-93	2.5	20
12	The incidence and outcome of in-ICU cardiac arrest. <i>Intensive Care Medicine</i> , 2015 , 41, 383	14.5	
11	Effect of intensive exercise in early adult life on telomere length in later life in men. <i>Journal of Sports Science and Medicine</i> , 2015 , 14, 239-45	2.7	12

10	De novo giant A2 aneurysm following anterior communicating artery occlusion. <i>Surgical Neurology International</i> , 2015 , 6, S560-5	1	1
9	Predicting six-month mortality of patients with traumatic brain injury: usefulness of common intensive care severity scores. <i>Critical Care</i> , 2014 , 18, R60	10.8	37
8	Temporal trends in cardiac arrest incidence and outcome in Finnish intensive care units from 2003 to 2013. <i>Intensive Care Medicine</i> , 2014 , 40, 1853-61	14.5	13
7	Predicting outcome after traumatic brain injury: development of prognostic scores based on the IMPACT and the APACHE II. <i>Journal of Neurotrauma</i> , 2014 , 31, 1721-32	5.4	23
6	Predicting outcome in traumatic brain injury: development of a novel computerized tomography classification system (Helsinki computerized tomography score). <i>Neurosurgery</i> , 2014 , 75, 632-46; discussion 646-7	3.2	77
5	Arterial blood gas tensions after resuscitation from out-of-hospital cardiac arrest: associations with long-term neurologic outcome. <i>Critical Care Medicine</i> , 2014 , 42, 1463-70	1.4	112
4	Hyperoxemia and long-term outcome after traumatic brain injury. <i>Critical Care</i> , 2013 , 17, R177	10.8	54
3	Factors correlating with delayed trauma center admission following traumatic brain injury. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013 , 21, 67	3.6	32
2	External validation of the international mission for prognosis and analysis of clinical trials model and the role of markers of coagulation. <i>Neurosurgery</i> , 2013 , 73, 305-11; discussion 311	3.2	24
1	One-year healthcare costs of patients with spontaneous intracerebral hemorrhage treated in the intensive care unit. <i>European Stroke Journal</i> , 239698732210947	5.6	1