Jeremy J Austin

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9213547/jeremy-j-austin-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

4,879
citations

h-index

67
g-index

145
ext. papers

5,623
ext. citations

5
avg, IF

L-index

#	Paper	IF	Citations
137	Process-explicit models reveal pathway to extinction for woolly mammoth using pattern-oriented validation. <i>Ecology Letters</i> , 2022 , 25, 125-137	10	1
136	Unveiling forensically relevant biogeographic, phenotype and Y-chromosome SNP variation in Pakistani ethnic groups using a customized hybridisation enrichment forensic intelligence panel <i>PLoS ONE</i> , 2022 , 17, e0264125	3.7	O
135	Commensals/Domesticates on Rapa Nui: What Can Their Phylogeographic Patterns Tell Us About the Discovery and Settlement of the Island?. <i>Developments in Paleoenvironmental Research</i> , 2022 , 41-6	52	
134	Comparison of Isohelixland Rayon swabbing systems for touch DNA recovery from metal surfaces. <i>Forensic Science, Medicine, and Pathology</i> , 2021 , 17, 577-584	1.5	1
133	The development of a tool to predict temperature-exposure of incinerated teeth using colourimetric and hydroxyapatite crystal size data. <i>International Journal of Legal Medicine</i> , 2021 , 135, 2045-2053	3.1	O
132	Genomic Approaches for Conservation Management in Australia under Climate Change. <i>Life</i> , 2021 , 11,	3	1
131	Evaluation of the efficiency of Isohelixland Rayon swabs for recovery of DNA from metal surfaces. <i>Forensic Science, Medicine, and Pathology</i> , 2021 , 17, 199-207	1.5	3
130	Demographic trends and reproductive patterns in the northern hairy-nosed wombat (Lasiorhinus krefftii) at Epping Forest National Park (Scientific), central Queensland. <i>Australian Mammalogy</i> , 2021 , 43, 72	1.1	2
129	Freeze-drying improves DNA yield from teeth. Forensic Science International, 2021, 326, 110938	2.6	
128	Integrating spectrophotometric and XRD analyses in the investigation of burned dental remains. <i>Forensic Science International</i> , 2020 , 310, 110236	2.6	2
127	European and Asian contribution to the genetic diversity of mainland South American chickens. <i>Royal Society Open Science</i> , 2020 , 7, 191558	3.3	5
126	Complex mosaic of sexual dichromatism and monochromatism in Pacific robins results from both gains and losses of elaborate coloration. <i>Journal of Avian Biology</i> , 2020 , 51,	1.9	2
125	Forensic touch DNA recovery from metal surfaces - A review. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2020 , 60, 206-215	2	16
124	Genetic monitoring of the greater stick-nest rat meta-population for strategic supplementation planning. <i>Conservation Genetics</i> , 2020 , 21, 941-956	2.6	3
123	Using ancient DNA to quantify losses of genetic and species diversity in seabirds: a case study of Pterodroma petrels from a Pacific island. <i>Biodiversity and Conservation</i> , 2020 , 29, 2361-2375	3.4	1
122	Low-cost cross-taxon enrichment of mitochondrial DNA using in-house synthesised RNA probes. <i>PLoS ONE</i> , 2019 , 14, e0209499	3.7	5
121	Hybridization Enrichment to Improve Forensic Mitochondrial DNA Analysis of Highly Degraded Human Remains. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	8

(2017-2019)

120	Soil DNA: advances in DNA technology offer a powerful new tool for forensic science. <i>Geological Society Special Publication</i> , 2019 , SP492-2017-351	1.7	2	
119	Genetic diversity and drivers of dwarfism in extinct island emu populations. <i>Biology Letters</i> , 2018 , 14,	3.6	14	
118	Ancient DNA tracks the mainland extinction and island survival of the Tasmanian devil. <i>Journal of Biogeography</i> , 2018 , 45, 963-976	4.1	14	
117	A mini-multiplex SNaPshot assay for the triage of degraded human DNA. <i>Forensic Science International: Genetics</i> , 2018 , 34, 62-70	4.3	4	
116	High-quality fossil dates support a synchronous, Late Holocene extinction of devils and thylacines in mainland Australia. <i>Biology Letters</i> , 2018 , 14,	3.6	22	
115	Genetic diversity through time and space: diversity and demographic history from natural history specimens and serially sampled contemporary populations of the threatened Gouldian finch (Erythrura gouldiae). <i>Conservation Genetics</i> , 2018 , 19, 737-754	2.6	1	
114	Singleplex quantitative real-time PCR for the assessment of human mitochondrial DNA quantity and quality. <i>Forensic Science, Medicine, and Pathology</i> , 2018 , 14, 70-75	1.5	9	
113	Long-term genetic consequences of mammal reintroductions into an Australian conservation reserve. <i>Biological Conservation</i> , 2018 , 219, 1-11	6.2	21	
112	Genetic divergence between colonies of Flesh-footed Shearwater Ardenna carneipes exhibiting different foraging strategies. <i>Conservation Genetics</i> , 2018 , 19, 27-41	2.6	8	
111	Ancient mitochondrial genomes reveal the demographic history and phylogeography of the extinct, enigmatic thylacine (Thylacinus cynocephalus). <i>Journal of Biogeography</i> , 2018 , 45, 1-13	4.1	17	
110	Intrinsic factors drive spatial genetic variation in a highly vagile species, the wedge-tailed eagle Aquila audax, in Tasmania. <i>Journal of Avian Biology</i> , 2017 , 48, 1025-1034	1.9	3	
109	A case for realigning species limits in the southern Australian whipbirds long recognised as the Western Whipbird (Psophodes nigrogularis). <i>Emu</i> , 2017 , 117, 254-263	1.1	4	
108	East African origins for Madagascan chickens as indicated by mitochondrial DNA. <i>Royal Society Open Science</i> , 2017 , 4, 160787	3.3	12	
107	Genetic erosion and escalating extinction risk in frogs with increasing wildfire frequency. <i>Journal of Applied Ecology</i> , 2017 , 54, 945-954	5.8	19	
106	Relict or reintroduction? Genetic population assignment of three Tasmanian devils () recovered on mainland Australia. <i>Royal Society Open Science</i> , 2017 , 4, 170053	3.3	1	
105	Observations on breeding Night Parrots (Pezoporus occidentalis) in western Queensland. <i>Emu</i> , 2017 , 117, 107-113	1.1	9	
104	Movements and habitat use of the night parrot Pezoporus occidentalis in south-western Queensland. <i>Austral Ecology</i> , 2017 , 42, 858-868	1.5	11	
103	Population genetic and behavioural variation of the two remaining colonies of Providence petrel (Pterodroma solandri). <i>Conservation Genetics</i> , 2017 , 18, 117-129	2.6	4	

102	Soil DNA metabarcoding and high-throughput sequencing as a forensic tool: considerations, potential limitations and recommendations. <i>FEMS Microbiology Ecology</i> , 2017 , 93,	4.3	22
101	Origins of endemic island tortoises in the western Indian Ocean: a critique of the human-translocation hypothesis. <i>Journal of Biogeography</i> , 2017 , 44, 1430-1435	4.1	7
100	Synergistic roles of climate warming and human occupation in Patagonian megafaunal extinctions during the Last Deglaciation. <i>Science Advances</i> , 2016 , 2, e1501682	14.3	81
99	Nucleic Acid Sample Preparation from Teeth/Dental Remains. <i>Springer Protocols</i> , 2016 , 183-193	0.3	
98	Norfolk Island Robins are a distinct endangered species: ancient DNA unlocks surprising relationships and phenotypic discordance within the Australo-Pacific Robins. <i>Conservation Genetics</i> , 2016 , 17, 321-335	2.6	11
97	Detecting Selection on Temporal and Spatial Scales: A Genomic Time-Series Assessment of Selective Responses to Devil Facial Tumor Disease. <i>PLoS ONE</i> , 2016 , 11, e0147875	3.7	12
96	Phylogeography of the antilopine wallaroo () across tropical northern Australia. <i>Ecology and Evolution</i> , 2016 , 6, 8050-8061	2.8	6
95	Ancient DNA resolves the subspecific identity of the holotype of the Galah Eolophus roseicapilla, a widespread Australian cockatoo. <i>Emu</i> , 2016 , 116, 472-475	1.1	1
94	Ancient mitochondrial DNA reveals convergent evolution of giant short-faced bears (Tremarctinae) in North and South America. <i>Biology Letters</i> , 2016 , 12,	3.6	57
93	Ancient DNA reveals complexity in the evolutionary history and taxonomy of the endangered Australian brush-tailed bettongs (Bettongia: Marsupialia: Macropodidae: Potoroinae). <i>Biodiversity and Conservation</i> , 2016 , 25, 2907-2927	3.4	9
92	Distinctiveness of Pacific Robin subspecies in Vanuatu revealed from disparate patterns of sexual dichromatism, plumage colouration, morphometrics and ancient DNA. <i>Emu</i> , 2015 , 115, 89-98	1.1	10
91	The Biarzo case in northern Italy: is the temporal dynamic of swine mitochondrial DNA lineages in Europe related to domestication?. <i>Scientific Reports</i> , 2015 , 5, 16514	4.9	11
90	Differential nuclear and mitochondrial DNA preservation in post-mortem teeth with implications for forensic and ancient DNA studies. <i>PLoS ONE</i> , 2015 , 10, e0126935	3.7	53
89	Reduced reaction volumes and increased Taq DNA polymerase concentration improve STR profiling outcomes from a real-world low template DNA source: telogen hairs. <i>Forensic Science, Medicine, and Pathology,</i> 2015 , 11, 326-38	1.5	15
88	Radiocarbon-dating and ancient DNA reveal rapid replacement of extinct prehistoric penguins. <i>Quaternary Science Reviews</i> , 2015 , 112, 59-65	3.9	26
87	Evaluation of carrier RNA and low volume demineralization for recovery of nuclear DNA from human teeth. <i>Forensic Science, Medicine, and Pathology</i> , 2014 , 10, 56-61	1.5	4
86	Using ancient DNA to study the origins and dispersal of ancestral Polynesian chickens across the Pacific. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4826-	- 31 ·5	110
85	Fifty thousand years of Arctic vegetation and megafaunal diet. <i>Nature</i> , 2014 , 506, 47-51	50.4	351

(2013-2014)

84	Extensive population decline in the Tasmanian devil predates European settlement and devil facial tumour disease. <i>Biology Letters</i> , 2014 , 10, 20140619	3.6	54	
83	Twenty microsatellite loci for population and conservation genetic studies of the wedge-tailed eagle (Aquila audax). <i>Australian Journal of Zoology</i> , 2014 , 62, 235	0.5	2	
82	Reply to Beavan, Bryant, and Storey and Matisoo-Smith: Ancestral Polynesian D [haplotypes reflect authentic Pacific chicken lineages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E3585-6	11.5	8	
81	Molecular phylogeny, biogeography, and habitat preference evolution of marsupials. <i>Molecular Biology and Evolution</i> , 2014 , 31, 2322-30	8.3	137	
80	Improving genetic monitoring of the northern hairy-nosed wombat (Lasiorhinus krefftii). <i>Australian Journal of Zoology</i> , 2014 , 62, 246	0.5	5	
79	Genetic inference as a method for modelling occurrence: A viable alternative to visual surveys. <i>Austral Ecology</i> , 2014 , 39, 952-962	1.5	4	
78	Disease induced changes in gene flow patterns among Tasmanian devil populations. <i>Biological Conservation</i> , 2013 , 165, 69-78	6.2	11	
77	Teeth as a source of DNA for forensic identification of human remains: a review. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2013 , 53, 433-41	2	85	
76	Spatio-temporal changes in the structure of an Australian frog hybrid zone: a 40-year perspective. <i>Evolution; International Journal of Organic Evolution</i> , 2013 , 67, 3442-54	3.8	22	
75	Targeted sampling of cementum for recovery of nuclear DNA from human teeth and the impact of common decontamination measures. <i>Investigative Genetics</i> , 2013 , 4, 18		24	
74	DNA capture and next-generation sequencing can recover whole mitochondrial genomes from highly degraded samples for human identification. <i>Investigative Genetics</i> , 2013 , 4, 26		78	
73	Low major histocompatibility complex diversity in the Tasmanian devil predates European settlement and may explain susceptibility to disease epidemics. <i>Biology Letters</i> , 2013 , 9, 20120900	3.6	40	
72	Molecular patterns of introgression in a classic hybrid zone between the Australian tree frogs, Litoria ewingii and L. paraewingi: evidence of a tension zone. <i>Molecular Ecology</i> , 2013 , 22, 1869-83	5.7	18	
71	Structure and fragmentation of growling grass frog metapopulations. <i>Conservation Genetics</i> , 2013 , 14, 313-322	2.6	22	
70	A quantitative assessment of a reliable screening technique for the STR analysis of telogen hair roots. <i>Forensic Science International: Genetics</i> , 2013 , 7, 180-8	4.3	23	
69	The origins of the enigmatic Falkland Islands wolf. <i>Nature Communications</i> , 2013 , 4, 1552	17.4	33	
68	Perched at the mito-nuclear crossroads: divergent mitochondrial lineages correlate with environment in the face of ongoing nuclear gene flow in an Australian bird. <i>Evolution; International Journal of Organic Evolution</i> , 2013 , 67, 3412-28	3.8	81	
67	Uncovering cryptic evolutionary diversity in extant and extinct populations of the southern Australian arid zone Western and Thick-billed Grasswrens (Passeriformes: Maluridae: Amytornis). <i>Conservation Genetics</i> , 2013 , 14, 1173-1184	2.6	20	

66	Did postglacial sea-level changes initiate the evolutionary divergence of a Tasmanian endemic raptor from its mainland relative?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013 , 280, 201	3 24 48	8
65	Ancient DNA identifies post-glacial recolonisation, not recent bottlenecks, as the primary driver of contemporary mtDNA phylogeography and diversity in Scandinavian brown bears. <i>Diversity and Distributions</i> , 2013 , 19, 245-256	5	52
64	Rapid species identification of eight sympatric northern Australian macropods from faecal-pellet DNA. <i>Wildlife Research</i> , 2013 , 40, 241	1.8	9
63	Fifteen microsatellite loci for use in non-invasive sampling studies of the antilopine wallaroo (Macropus antilopinus). <i>Australian Journal of Zoology</i> , 2013 , 61, 399	0.5	
62	Historical stocking data and 19th century DNA reveal human-induced changes to native diversity and distribution of cutthroat trout. <i>Molecular Ecology</i> , 2012 , 21, 5194-207	5.7	29
61	The effect of climate and environmental change on the megafaunal moa of New Zealand in the absence of humans. <i>Quaternary Science Reviews</i> , 2012 , 50, 141-153	3.9	35
60	Evolution of arid zone birds in Australia: leapfrog distribution patterns and mesic-arid connections in quail-thrush (Cinclosoma, Cinclosomatidae). <i>Molecular Phylogenetics and Evolution</i> , 2012 , 62, 286-95	4.1	19
59	Multiple geographic origins of commensalism and complex dispersal history of Black Rats. <i>PLoS ONE</i> , 2011 , 6, e26357	3.7	189
58	A new dolphin species, the Burrunan Dolphin Tursiops australis sp. nov., endemic to southern Australian coastal waters. <i>PLoS ONE</i> , 2011 , 6, e24047	3.7	76
57	Using DNA from museum specimens to preserve the integrity of evolutionarily significant unit boundaries in threatened species. <i>Biological Conservation</i> , 2011 , 144, 290-297	6.2	16
56	Late-Quaternary biogeographic scenarios for the brown bear (Ursus arctos), a wild mammal model species. <i>Quaternary Science Reviews</i> , 2011 , 30, 418-430	3.9	121
55	Phylogeography of the pademelons (Marsupialia: Macropodidae: Thylogale) in New Guinea reflects both geological and climatic events during the Plio-Pleistocene. <i>Journal of Biogeography</i> , 2011 , 38, 173	2 - 47 7 47	21
54	Cryptic grey-bellied dunnart (Sminthopsis griseoventer) discovered in South Australia: genetic, morphological and subfossil analyses show the value of collecting voucher material. <i>Australian Journal of Zoology</i> , 2011 , 59, 127	0.5	7
53	A cryptic and critically endangered species revealed by mitochondrial DNA analyses: the Western Ground Parrot. <i>Conservation Genetics</i> , 2011 , 12, 595-600	2.6	37
52	Microsatellite loci for the endangered growling grass frog (Litoria raniformis), with cross amplification in other Australian frog species. <i>Conservation Genetics Resources</i> , 2011 , 3, 593-595	0.8	4
51	Isolation and characterization of microsatellite markers for the Litoria ewingii complex and their use in conservation and hybridization studies. <i>Conservation Genetics Resources</i> , 2011 , 3, 621-624	0.8	4
50	Dentine and cementum as sources of nuclear DNA for use in human identification. <i>Australian Journal of Forensic Sciences</i> , 2011 , 43, 287-295	1.1	18
49	Substitutions in woolly mammoth hemoglobin confer biochemical properties adaptive for cold tolerance. <i>Nature Genetics</i> , 2010 , 42, 536-40	36.3	74

(2006-2010)

48	Assessing morphological and DNA-based diet analysis techniques in a generalist predator, the arrow squid Nototodarus gouldi. <i>Molecular Ecology Resources</i> , 2010 , 10, 466-74	8.4	47
47	Phylogenetics of the pademelons (Macropodidae: Thylogale) and historical biogeography of the Australo-Papuan region. <i>Molecular Phylogenetics and Evolution</i> , 2010 , 57, 1134-48	4.1	37
46	Ancient DNA reveals late survival of mammoth and horse in interior Alaska. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 22352-7	11.5	170
45	Relict or colonizer? Extinction and range expansion of penguins in southern New Zealand. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 815-21	4.4	80
44	Evolutionary history of the Falklands wolf. Current Biology, 2009, 19, R937-8	6.3	29
43	Single copy nuclear DNA markers for the onychophoran Phallocephale tallagandensis. <i>Conservation Genetics Resources</i> , 2009 , 1, 17-19	0.8	8
42	Revising the recent evolutionary history of equids using ancient DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 21754-9	11.5	112
41	Coprolite deposits reveal the diet and ecology of the extinct New Zealand megaherbivore moa (Aves, Dinornithiformes). <i>Quaternary Science Reviews</i> , 2008 , 27, 2593-2602	3.9	76
40	Single primer extension (SPEX) amplification to accurately genotype highly damaged DNA templates. <i>Forensic Science International: Genetics Supplement Series</i> , 2008 , 1, 19-21	0.5	1
39	Indo-European and Asian origins for Chilean and Pacific chickens revealed by mtDNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 10308-13	11.5	78
38	Reply to Storey et al.: More DNA and dating studies needed for ancient El Arenal-1 chickens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, E100-E100	11.5	12
37	Diversification patterns of pebble-mimic dragons are consistent with historical disruption of important habitat corridors in arid Australia. <i>Molecular Phylogenetics and Evolution</i> , 2008 , 48, 528-42	4.1	51
36	Characterization of polymorphic microsatellites in the logrunner, Orthonyx temminckii (Aves: Orthonychidae). <i>Molecular Ecology Notes</i> , 2007 , 7, 1117-1119		2
35	A NEW SPECIES OF CTENOPHORUS (LACERTILIA: AGAMIDAE) FROM LAKE DISAPPOINTMENT, WESTERN AUSTRALIA. <i>Herpetologica</i> , 2007 , 63, 72-86	1.9	9
34	Chapter 12 Valid Recovery of Nucleic Acid Sequence Information from High Contamination Risk Samples [Ancient DNA and Environmental DNA. <i>Perspectives in Bioanalysis</i> , 2007 , 357-371		2
33	Novel high-resolution characterization of ancient DNA reveals C > U-type base modification events as the sole cause of post mortem miscoding lesions. <i>Nucleic Acids Research</i> , 2007 , 35, 5717-28	20.1	190
32	GENETIC POPULATION STRUCTURE AND CALL VARIATION IN A PASSERINE BIRD, THE SATIN BOWERBIRD, PTILONORHYNCHUS VIOLACEUS. <i>Evolution; International Journal of Organic Evolution</i> , 2006 , 60, 1279	3.8	3
31	Polymorphic microsatellite markers in the painted dragon lizard, Ctenophorus pictus. <i>Molecular Ecology Notes</i> , 2006 , 6, 194-196		7

30	Incorporating historical museum specimens into molecular systematic and conservation genetics research. <i>Molecular Ecology Notes</i> , 2006 , 6, 1089-1092		33
29	Using ancient and recent DNA to explore relationships of extinct and endangered Leiolopisma skinks (Reptilia: Scincidae) in the Mascarene islands. <i>Molecular Phylogenetics and Evolution</i> , 2006 , 39, 503-11	4.1	24
28	Conservation genetics and species status of an endangered Australian dragon, Tympanocryptis pinguicolla (Reptilia: Agamidae). <i>Conservation Genetics</i> , 2006 , 8, 185-195	2.6	13
27	Isolation of polymorphic tetranucleotide microsatellite markers for the large-billed scrubwren (Sericornis magnirostris). <i>Molecular Ecology Notes</i> , 2005 , 5, 143-145		11
26	Isolation of polymorphic tetranucleotide microsatellite markers for the grey-headed robin (Poecilodryas albispecularis). <i>Molecular Ecology Notes</i> , 2005 , 5, 146-148		
25	Isolation of polymorphic tetranucleotide microsatellite markers in the satin bowerbird, Ptilonorhynchus violaceus. <i>Molecular Ecology Notes</i> , 2005 , 5, 305-307		4
24	Phylogeography of an east Australian wet-forest bird, the satin bowerbird (Ptilonorhynchus violaceus), derived from mtDNA, and its relationship to morphology. <i>Molecular Ecology</i> , 2005 , 14, 1485-	95 7	48
23	Major analytical and conceptual shortcomings in a recent taxonomic revision of the Procellariiformes reply to Penhallurick and Wink (2004). <i>Emu</i> , 2005 , 105, 181-186	1.1	22
22	Prevalence and differential host-specificity of two avian blood parasite genera in the Australo-Papuan region. <i>Molecular Ecology</i> , 2004 , 13, 3829-44	5.7	187
21	Reconstructing an island radiation using ancient and recent DNA: the extinct and living day geckos (Phelsuma) of the Mascarene islands. <i>Molecular Phylogenetics and Evolution</i> , 2004 , 31, 109-22	4.1	91
20	A Global Molecular Phylogeny of the Small Puffinus Shearwaters and Implications for Systematics of the Little-Audubon's Shearwater Complex. <i>Auk</i> , 2004 , 121, 847-864	2.1	35
19	A GLOBAL MOLECULAR PHYLOGENY OF THE SMALL PUFFINUS SHEARWATERS AND IMPLICATIONS FOR SYSTEMATICS OF THE LITTLE-AUDUBON'S SHEARWATER COMPLEX. <i>Auk</i> , 2004 , 121, 847	2.1	44
18	A mitochondrial 12S and 16S rRNA phylogeny of critical genera of Phoridae (Diptera) and related families of Aschiza. <i>Zootaxa</i> , 2004 , 593, 1	0.5	13
17	A Global Molecular Phylogeny of the Small Puffinus Shearwaters and Implications for Systematics of the Little-Audubon's Shearwater Complex. <i>Auk</i> , 2004 , 121, 847-864	2.1	O
16	Was there a second adaptive radiation of giant tortoises in the Indian Ocean? Using mitochondrial DNA to investigate speciation and biogeography of Aldabrachelys (Reptilia, Testudinidae). <i>Molecular Ecology</i> , 2003 , 12, 1415-24	5.7	58
15	The Provenance of Type Specimens of Extinct Mascarene Island Giant Tortoises (Cylindraspis) Revealed by Ancient Mitochondrial DNA Sequences. <i>Journal of Herpetology</i> , 2002 , 36, 280-285	1.1	11
14	Flight of the dodo. <i>Science</i> , 2002 , 295, 1683	33.3	122
13	Ancient mitochondrial DNA and morphology elucidate an extinct island radiation of Indian Ocean giant tortoises (Cylindraspis). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001 , 268, 2515-23	4.4	61

LIST OF PUBLICATIONS

12	Complete mitochondrial genome sequences of two extinct moas clarify ratite evolution. <i>Nature</i> , 2001 , 409, 704-7	50.4	332
11	Problems of reproducibilitydoes geologically ancient DNA survive in amber-preserved insects?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1997 , 264, 467-74	4.4	110
10	Palaeontology in a molecular world: the search for authentic ancient DNA. <i>Trends in Ecology and Evolution</i> , 1997 , 12, 303-6	10.9	91
9	Low frequency of extra-pair paternity in two colonies of the socially monogamous short-tailed shearwater Puffinus tenuirostris. <i>Molecular Ecology</i> , 1996 , 5, 145-150	5.7	29
8	Molecular phylogenetics of Puffinus shearwaters: preliminary evidence from mitochondrial cytochrome b gene sequences. <i>Molecular Phylogenetics and Evolution</i> , 1996 , 6, 77-88	4.1	27
7	Novel Psychrobacter species from Antarctic ornithogenic soils. <i>International Journal of Systematic Bacteriology</i> , 1996 , 46, 841-8		146
6	Female-Specific Restriction Fragments Revealed by Dna-Fingerprinting and Implications for Extra-Pair Fertilisations in the Short-Tailed Shearwater (Puffinus-Tenuirostris, Procellariiformes, Procellariidae). <i>Australian Journal of Zoology</i> , 1995 , 43, 443	0.5	4
5	Population-Genetic Structure of a Philopatric, Colonially Nesting Seabird, the Short-Tailed Shearwater (Puffinus tenuirostris). <i>Auk</i> , 1994 , 111, 70-79	2.1	37
4	Genetic-Evidence for Extra-Pair Fertilizations in Socially Monogamous Short-Tailed Shearwaters, Puffinus-Tenuirostris (Procellariiformes, Procellariidae), Using Dna Fingerprinting. <i>Australian Journal of Zoology</i> , 1993 , 41, 1	0.5	10
3	Using mitochondrial DNA to identify the provenance of 19th century K即成kins held in Australia oldest natural history collection, the Macleay. <i>Emu</i> ,1-11	1.1	O
2	The only known egg of the Night Parrot? A molecular and morphometric assessment of an alleged egg from the Tanami Desert33, 211-214		3