## Vasanth Kumar Kannuchamy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9213626/publications.pdf

Version: 2024-02-01

78 papers 6,922 citations

35 h-index 71685 **76** g-index

78 all docs 78 docs citations

78 times ranked 7516 citing authors

#	Article	IF	CITATIONS
1	TOF-SIMS analysis of curcuminoids and curcumin crystals crystallized from their pure and impure solutions. CrystEngComm, 2022, 24, 2485-2504.	2.6	1
2	Probing adsorbent heterogeneity using Toth isotherms. Journal of Materials Chemistry A, 2021, 9, 944-962.	10.3	12
3	Deep neural networks in chemical engineering classrooms to accurately model adsorption equilibrium data. Education for Chemical Engineers, 2021, 36, 115-127.	4.8	18
4	Pure Curcumin Spherulites from Impure Solutions <i>via</i> Nonclassical Crystallization. ACS Omega, 2021, 6, 23884-23900.	3.5	10
5	Advanced Size Distribution Control in Batch Cooling Crystallization Using Ultrasound. Organic Process Research and Development, 2019, 23, 935-944.	2.7	4
6	Characterization of the adsorption site energies and heterogeneous surfaces of porous materials. Journal of Materials Chemistry A, 2019, 7, 10104-10137.	10.3	187
7	Nanoporous Materials for the Onboard Storage of Natural Gas. Chemical Reviews, 2017, 117, 1796-1825.	47.7	241
8	Salt Templating with Pore Padding: Hierarchical Pore Tailoring towards Functionalised Porous Carbons. ChemSusChem, 2017, 10, 199-209.	6.8	24
9	Understanding the Hydrophilicity and Water Adsorption Behavior of Nanoporous Nitrogen-Doped Carbons. Journal of Physical Chemistry C, 2016, 120, 18167-18179.	3.1	46
10	Bio-inspired carbon electro-catalysts for the oxygen reduction reaction. Journal of Energy Chemistry, 2016, 25, 228-235.	12.9	25
11	Insights on the physical adsorption of hydrogen and methane in UiO series of MOFs using molecular simulations. Computational and Theoretical Chemistry, 2015, 1061, 36-45.	2.5	18
12	Effect of Nitrogen Doping on the CO <sub>2</sub> Adsorption Behavior in Nanoporous Carbon Structures: A Molecular Simulation Study. Journal of Physical Chemistry C, 2015, 119, 22310-22321.	3.1	108
13	The required level of isosteric heat for the adsorptive/storage delivery of H <sub>2</sub> in the UiO series of MOFs. RSC Advances, 2014, 4, 44848-44851.	<b>3.</b> 6	4
14	Co-adsorption of N <sub>2</sub> in the presence of CH <sub>4</sub> within carbon nanospaces: evidence from molecular simulations. Nanotechnology, 2013, 24, 035401.	2.6	20
15	Effect of pore structure on the selectivity of carbon materials for the separation of CO2/H2 mixtures: new insights from molecular simulation. RSC Advances, 2012, 2, 9671.	3.6	21
16	A site energy distribution function for the characterization of the continuous distribution of binding sites for gases on a heterogeneous surface. RSC Advances, 2012, 2, 784-788.	3.6	4
17	Effect of Pore Morphology on the Adsorption of Methane/Hydrogen Mixtures on Carbon Micropores. Journal of Physical Chemistry C, 2012, 116, 11820-11829.	3.1	61
18	Site Energy Distribution Function for the Sips Isotherm by the Condensation Approximation Method and Its Application to Characterization of Porous Materials. Journal of Chemical & Engineering Data, 2011, 56, 2218-2224.	1.9	27

#	Article	IF	Citations
19	Molecular Simulation of Hydrogen Physisorption and Chemisorption in Nanoporous Carbon Structures. Adsorption Science and Technology, 2011, 29, 799-817.	3.2	36
20	A site energy distribution function from Toth isotherm for adsorption of gases on heterogeneous surfaces. Physical Chemistry Chemical Physics, 2011, 13, 5753.	2.8	55
21	Heat of adsorption and binding affinity for hydrogen on pitch-based activated carbons. Chemical Engineering Journal, 2011, 168, 972-978.	12.7	21
22	On the initial reaction rate of Peleg's model for rehydration kinetics. Journal of the Taiwan Institute of Chemical Engineers, 2011, 42, 278-280.	5.3	9
23	A continuous site energy distribution function from Redlich–Peterson isotherm for adsorption on heterogeneous surfaces. Chemical Physics Letters, 2010, 492, 187-192.	2.6	38
24	Adsorption on Heterogeneous Surfaces: Site Energy Distribution Functions from Fritz–SchlÃ⅓ender Isotherms. ChemPhysChem, 2010, 11, 2555-2560.	2.1	6
25	Kinetics and thermodynamics of sucrose crystal growth in the presence of a non-ionic surfactant. Surface Science, 2010, 604, 981-987.	1.9	12
26	Neural network and principal component analysis for modeling of hydrogen adsorption isotherms on KOH activated pitch-based carbons containing different heteroatoms. Chemical Engineering Journal, 2010, 159, 272-279.	12.7	16
27	Hybrid isotherms for adsorption and capillary condensation of N2 at 77K on porous and non-porous materials. Chemical Engineering Journal, 2010, 162, 424-429.	12.7	49
28	A Continuous Binding Site Affinity Distribution Function from the Freundlich Isotherm for the Supercritical Adsorption of Hydrogen on Activated Carbon. Journal of Physical Chemistry C, 2010, 114, 13759-13765.	3.1	15
29	A Pseudo Second-Order Kinetic Expression for Dissolution Kinetic Profiles of Solids in Solutions. Industrial & Engineering Chemistry Research, 2010, 49, 7257-7262.	3.7	18
30	Equilibrium and thermodynamics of dye removal from aqueous solution by adsorption using rubber wood saw dust. International Journal of Environmental Technology and Management, 2009, 10, 295.	0.2	8
31	Modelling the solid–liquid adsorption processes using artificial neural networks trained by pseudo second order kinetics. Chemical Engineering Journal, 2009, 148, 20-25.	12.7	63
32	On the effect of a non-ionic surfactant on the surface of sucrose crystals and on the crystal growth process by inverse gas chromatography. Journal of Chromatography A, 2009, 1216, 8528-8534.	3.7	15
33	Regression Analysis for the Two-Step Growth Kinetics of Crystals in Pure Solutions. Industrial & Engineering Chemistry Research, 2009, 48, 7852-7859.	3.7	8
34	Simple Kinetic Expressions to Study the Transport Process during the Growth of Crystals in Solution. Industrial & Engineering Chemistry Research, 2009, 48, 11236-11240.	3.7	7
35	Simple kinetic models to explain the change in dislocation activity of crystals during a growth process. Philosophical Magazine Letters, 2009, 89, 599-604.	1.2	0
36	A Semiempirical Kinetics for Modeling and Simulation of the Crystal Growth Process in Pure Solutions. Industrial & Engineering Chemistry Research, 2009, 48, 5105-5110.	3.7	2

#	Article	IF	CITATIONS
37	Neural Network Prediction of Interfacial Tension at Crystal/Solution Interface. Industrial & Description of Engineering Chemistry Research, 2009, 48, 4160-4164.	3.7	28
38	Isotherms and thermodynamics by linear and non-linear regression analysis for the sorption of methylene blue onto activated carbon: Comparison of various error functions. Journal of Hazardous Materials, 2008, 151, 794-804.	12.4	166
39	Comparison of various error functions in predicting the optimum isotherm by linear and non-linear regression analysis for the sorption of basic red 9 by activated carbon. Journal of Hazardous Materials, 2008, 150, 158-165.	12.4	105
40	Comments on "Photocatalytic properties of TiO2 modified with platinum and silver nanoparticles in the degradation of oxalic acid in aqueous solution― Applied Catalysis B: Environmental, 2008, 79, 108-109.	20.2	29
41	Comments on "Removal of Congo red from aqueous solution by anilinepropylsilica xerogel―by Pavan FA, Dias SLP, Lima EC, Benvenutti EV. Dyes and Pigments 2008;76:64–9. Dyes and Pigments, 2008, 77, 481-482.	3.7	4
42	Langmuir–Hinshelwood kinetics – A theoretical study. Catalysis Communications, 2008, 9, 82-84.	3.3	592
43	Neural Network Modeling and Simulation of the Solid/Liquid Activated Carbon Adsorption Process. Industrial & Engineering Chemistry Research, 2008, 47, 486-490.	3.7	32
44	Modelling of the Batch Sucrose Crystallization Kinetics Using Artificial Neural Networks: Comparison with Conventional Regression Analysis. Industrial & Engineering Chemistry Research, 2008, 47, 4917-4923.	3.7	17
45	Modeling the Diffusion Mechanism and the Reaction Kinetics for the Photocatalytic Degradation of Acid Red 151 Aqueous Solutions by ZnO: Comparison of Linear and Non-Linear Methods. Journal of Advanced Oxidation Technologies, 2007, 10, .	0.5	0
46	Isotherms for Malachite Green onto rubber wood (Hevea brasiliensis) sawdust: Comparison of linear and non-linear methods. Dyes and Pigments, 2007, 72, 124-129.	3.7	103
47	Batch adsorber design for different solution volume/adsorbent mass ratios using the experimental equilibrium data with fixed solution volume/adsorbent mass ratio of malachite green onto orange peel. Dyes and Pigments, 2007, 74, 590-594.	3.7	68
48	Optimum sorption isotherm by linear and non-linear methods for malachite green onto lemon peel. Dyes and Pigments, 2007, 74, 595-597.	3.7	218
49	Reply to â€ <sup>*</sup> Comments on "An adsorption and kinetic study of lac dyeing on silkâ€â€™ by Yuh-Shan Ho: Discussion on pseudo second order kinetic expression. Dyes and Pigments, 2007, 75, 253-254.	3.7	3
50	Pseudo-second order models for the adsorption of safranin onto activated carbon: Comparison of linear and non-linear regression methods. Journal of Hazardous Materials, 2007, 142, 564-567.	12.4	93
51	Equilibrium, kinetics and mechanism modeling and simulation of basic and acid dyes sorption onto jute fiber carbon: Eosin yellow, malachite green and crystal violet single component systems. Journal of Hazardous Materials, 2007, 143, 311-327.	12.4	237
52	Mass transfer, kinetics and equilibrium studies for the biosorption of methylene blue using Paspalum notatum. Journal of Hazardous Materials, 2007, 146, 214-226.	12.4	155
53	Comments on "adsorption of 4-chlorophenol from aqueous solutions by xad-4 resin: Isotherm, kinetic, and thermodynamic analysis― Journal of Hazardous Materials, 2007, 143, 598-599.	12.4	12
54	Comments on "Equilibrium and kinetic studies for the biosorption system of copper(II) ion from aqueous solution using Tectona grandis L.f. leaves powder― Journal of Hazardous Materials, 2007, 146, 428-429.	12.4	7

#	Article	IF	CITATIONS
55	Comments on "Removal of lead from aqueous solution using Syzygium cumini L.: Equilibrium and kinetic studies― Journal of Hazardous Materials, 2007, 147, 677-678.	12.4	6
56	Comments on "Biosorption of nickel from protonated rice bran― Journal of Hazardous Materials, 2007, 147, 679-679.	12.4	2
57	Sorption isotherm for safranin onto rice husk: Comparison of linear and non-linear methods. Dyes and Pigments, 2007, 72, 130-133.	3.7	124
58	Biosorption of malachite green, a cationic dye onto Pithophora sp., a fresh water algae. Dyes and Pigments, 2006, 69, 102-107.	3.7	140
59	Reply to the comments on "Study on biosorption of Cr(VI) by Mucor hiemalis―by YS. Ho, Biochem. Eng. J. 26 (2005) 82–83. Biochemical Engineering Journal, 2006, 30, 222-223.	3.6	3
60	Isotherm parameters for basic dyes onto activated carbon: Comparison of linear and non-linear method. Journal of Hazardous Materials, 2006, 129, 147-150.	12.4	116
61	Equilibrium data, isotherm parameters and process design for partial and complete isotherm of methylene blue onto activated carbon. Journal of Hazardous Materials, 2006, 134, 237-244.	12.4	95
62	Selection of optimum sorption kinetics: Comparison of linear and non-linear method. Journal of Hazardous Materials, 2006, 134, 277-279.	12.4	85
63	Pseudo second order kinetics and pseudo isotherms for malachite green onto activated carbon: Comparison of linear and non-linear regression methods. Journal of Hazardous Materials, 2006, 136, 721-726.	12.4	118
64	A note on the comments by Dr. Y.S. Ho on "Remediation of soil contaminated with the heavy metal (Cd2+)― Journal of Hazardous Materials, 2006, 136, 993-994.	12.4	6
65	A note on the comments by Dr. Y.S. Ho on "Nitrate removal from aqueous solution by adsorption onto various materialsâ€. Journal of Hazardous Materials, 2006, 136, 995-996.	12.4	5
66	Comments on "Equilibrium studies for the adsorption of Acid dye onto modified hectorite― Journal of Hazardous Materials, 2006, 137, 1252-1253.	12.4	6
67	Comments on "Adsorption of acid dye onto organobentonite― Journal of Hazardous Materials, 2006, 137, 638-639.	12.4	35
68	Linear and non-linear regression analysis for the sorption kinetics of methylene blue onto activated carbon. Journal of Hazardous Materials, 2006, 137, 1538-1544.	12.4	338
69	Relation between some two- and three-parameter isotherm models for the sorption of methylene blue onto lemon peel. Journal of Hazardous Materials, 2006, 138, 633-635.	12.4	111
70	Reply to Comments on â€~Chitosan functionalized with 2[-bis-(pyridylmethyl) aminomethyl]4-methyl-6-formyl-phenol: Equilibrium and kinetics of copper(II) adsorption' by Yuh-Shan Ho: Discussion on pseudo second order kinetic expression. Polymer, 2006, 47, 1772-1773.	3.8	3
71	Pseudo second order kinetic models for safranin onto rice husk: Comparison of linear and non-linear regression analysis. Process Biochemistry, 2006, 41, 1198-1202.	3.7	55
72	Comparative analysis of linear and non-linear method of estimating the sorption isotherm parameters for malachite green onto activated carbon. Journal of Hazardous Materials, 2006, 136, 197-202.	12.4	135

#	Article	IF	CITATIONS
73	Adsorption of malachite green onto Pithophora sp., a fresh water algae: Equilibrium and kinetic modelling. Process Biochemistry, 2005, 40, 2865-2872.	3.7	218
74	Comparison of linear and non-linear method in estimating the sorption isotherm parameters for safranin onto activated carbon. Journal of Hazardous Materials, 2005, 123, 288-292.	12.4	101
75	Modeling the mechanism involved during the sorption of methylene blue onto fly ash. Journal of Colloid and Interface Science, 2005, 284, 14-21.	9.4	494
76	Equilibrium, kinetics, mechanism, and process design for the sorption of methylene blue onto rice husk. Journal of Colloid and Interface Science, 2005, 286, 90-100.	9.4	1,300
77	Removal of methylene blue by mango seed kernel powder. Biochemical Engineering Journal, 2005, 27, 83-93.	3.6	253
78	Prediction of optimum sorption isotherm: Comparison of linear and non-linear method. Journal of Hazardous Materials, 2005, 126, 198-201.	12.4	95