Pierre Chaminade

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9214626/pierre-chaminade-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,236 95 27 42 h-index g-index citations papers 4.8 2,457 4.45 99 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
95	Rapid assessment of fatty acyls chains of phospholipids and plasmalogens by atmospheric pressure chemical ionization in positive mode and high-resolution mass spectrometry using in-source generated monoacylglycerol like fragments intensities <i>Journal of Chromatography A</i> , 2022 , 1673, 4630	4.5 093	O
94	Mannosylation Of Budesonide Palmitate Nanoprodrugs For Improved Macrophage Targeting. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021 , 170, 112-112	5.7	1
93	Impact of Phosphate Availability on Membrane Lipid Content of the Model Strains, and. <i>Frontiers in Microbiology</i> , 2021 , 12, 623919	5.7	2
92	Rapid assessment of triacylglycerol fatty acyls composition by LC-APPI-HRMS using monoacylglycerol like fragments intensities. <i>Analytica Chimica Acta</i> , 2021 , 1178, 338809	6.6	2
91	New Nanoparticle Formulation for Cyclosporin A: In Vitro Assessment. <i>Pharmaceutics</i> , 2021 , 13,	6.4	3
90	Negative Correlation between Lipid Content and Antibiotic Activity in : General Rule and Exceptions. <i>Antibiotics</i> , 2020 , 9,	4.9	2
89	The Inhibition of Antibiotic Production in Over-Expressing the TetR Regulator SCO3201 IS Correlated With Changes in the Lipidome of the Strain. <i>Frontiers in Microbiology</i> , 2020 , 11, 1399	5.7	4
88	Nanoscale Lipophilic Prodrugs of Dexamethasone with Enhanced Pharmacokinetics. <i>Molecular Pharmaceutics</i> , 2019 , 16, 2999-3010	5.6	10
87	Hybrid Lipid Polymer Nanoparticles for Combined Chemo- and Photodynamic Therapy. <i>Molecular Pharmaceutics</i> , 2019 , 16, 4045-4058	5.6	10
86	Investigation of lipid modifications in J774 macrophages by vibrational spectroscopies after eicosapentaenoic acid membrane incorporation in unloaded and cholesterol-loaded cells. <i>Talanta</i> , 2019 , 199, 54-64	6.2	5
85	Dexamethasone palmitate nanoparticles: An efficient treatment for rheumatoid arthritis. <i>Journal of Controlled Release</i> , 2019 , 296, 179-189	11.7	36
84	Rapid analysis of glutamate, glutamine and GABA in mice frontal cortex microdialysis samples using HPLC coupled to electrospray tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 152, 31-38	3.5	20
83	Optimization of classification and regression analysis of four monoclonal antibodies from Raman spectra using collaborative machine learning approach. <i>Talanta</i> , 2018 , 184, 260-265	6.2	7
82	Lipid Analysis with the Corona CAD 2017 , 221-287		
81	Mycophenolate Mofetil and Rapamycin Induce Apoptosis in the Human Monocytic U937 Cell Line Through Two Different Pathways. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 3480-3487	4.7	2
80	Single-Step Rapid Diagnosis of Dopamine and Serotonin Metabolism Disorders. <i>ACS Omega</i> , 2017 , 2, 5962-5972	3.9	7
79	Eicosapentaenoic acid membrane incorporation impairs cholesterol efflux from cholesterol-loaded human macrophages by reducing the cholesteryl ester mobilization from lipid droplets. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017 , 1862, 1079-1091	5	9

(2012-2017)

78	Optimization of normal phase chromatographic conditions for lipid analysis and comparison of associated detection techniques. <i>Journal of Chromatography A</i> , 2017 , 1514, 54-71	4.5	30	
77	Towards a semiquantitative non invasive characterisation of Tyrian purple dye composition: Convergence of UV-Visible reflectance spectroscopy and fast-high temperature-high performance liquid chromatography with photodiode array detection. <i>Analytica Chimica Acta</i> , 2016 , 926, 17-27	6.6	6	
76	Eablissement du profil chromatographique liquide non aqueux des mEabolites phytochimiques apolaires des phytomElicaments. <i>Comptes Rendus Chimie</i> , 2016 , 19, 863-875	2.7		
75	Electrospray mass spectrometry as a tool to characterize phospholipid composition of plant cakes. <i>European Journal of Lipid Science and Technology</i> , 2016 , 118, 1282-1292	3	5	
74	A study of inter-species ion suppression in electrospray ionization-mass spectrometry of some phospholipid classes. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 1453-65	4.4	15	
73	Hyaluronic acid liposomal gel sustains delivery of a corticoid to the inner ear. <i>Journal of Controlled Release</i> , 2016 , 226, 248-57	11.7	47	
7 ²	Alternative solvents for improving the greenness of normal phase liquid chromatography of lipid classes. <i>Journal of Chromatography A</i> , 2016 , 1464, 55-63	4.5	13	
71	Artificial plasma membrane models based on lipidomic profiling. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 2725-2736	3.8	11	
7°	Sex-specific cardiac cardiolipin remodelling after doxorubicin treatment. <i>Biology of Sex Differences</i> , 2015 , 6, 20	9.3	27	
69	Lipophilicity of porphyrins and their retention in IAM, C8-C18 and HILIC chromatographic systems. Journal of Pharmaceutical and Biomedical Analysis, 2015 , 114, 227-40	3.5	3	
68	Sitamaquine-resistance in Leishmania donovani affects drug accumulation and lipid metabolism. <i>Biomedicine and Pharmacotherapy</i> , 2014 , 68, 893-7	7.5	9	
67	Establishing high temperature gas chromatographic profiles of non-polar metabolites for quality assessment of African traditional herbal medicinal products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 542-51	3.5	4	
66	Development of antileishmanial lipid nanocomplexes. <i>Biochimie</i> , 2014 , 107 Pt A, 143-53	4.6	13	
65	Comparative static curing versus dynamic curing on tablet coating structures. <i>International Journal of Pharmaceutics</i> , 2013 , 453, 448-53	6.5	11	
64	Plasma distribution of tetraphenylporphyrin derivatives relevant for Photodynamic Therapy: importance and limits of hydrophobicity. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2013 , 83, 244-52	5.7	16	
63	Identification of phospholipid species affected by miltefosine action in Leishmania donovani cultures using LC-ELSD, LC-ESI/MS, and multivariate data analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1169-82	4.4	51	
62	Comprehensive study of dynamic curing effect on tablet coating structure. European Journal of Pharmaceutics and Biopharmaceutics, 2012, 81, 657-65	5.7	24	
61	Atmospheric pressure photoionization as a powerful tool for large-scale lipidomic studies. <i>Journal of the American Society for Mass Spectrometry</i> , 2012 , 23, 869-79	3.5	20	

60	Comparison of electrospray ionization, atmospheric pressure chemical ionization and atmospheric pressure photoionization for a lipidomic analysis of Leishmania donovani. <i>Journal of Chromatography A</i> , 2012 , 1242, 75-83	4.5	40
59	Diprotonation process of meso-tetraphenylporphyrin derivatives designed for photodynamic therapy of cancers: from multivariate curve resolution to predictive QSPR modeling. <i>Analytica Chimica Acta</i> , 2011 , 705, 306-14	6.6	10
58	Membrane lipidomics for the discovery of new antiparasitic drug targets. <i>Trends in Parasitology</i> , 2011 , 27, 496-504	6.4	13
57	Real-time predictions of drug release and end point detection of a coating operation by in-line near infrared measurements. <i>International Journal of Pharmaceutics</i> , 2011 , 421, 237-43	6.5	44
56	Development of a Process Analytical Technology (PAT) for in-line monitoring of film thickness and mass of coating materials during a pan coating operation. <i>European Journal of Pharmaceutical Sciences</i> , 2011 , 43, 244-50	5.1	53
55	Beads made of alpha-cyclodextrin and vegetable oils: oil composition and physicochemical properties influence bead feasibility and properties. <i>Journal of Drug Delivery Science and Technology</i> , 2011 , 21, 189-194	4.5	9
54	Impact of polyunsaturated fatty acids on oxidized low density lipoprotein-induced U937 cell apoptosis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011 , 18, 494-503	4	6
53	Mechanism of interaction of sitamaquine with Leishmania donovani. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 2548-55	5.1	17
52	QUANTITATIVE STUDY OF THE STRATUM CORNEUM LIPID CLASSES BY NORMAL PHASE LIQUID CHROMATOGRAPHY: COMPARISON BETWEEN TWO UNIVERSAL DETECTORS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 629-644	1.3	14
51	Challenging near infrared spectroscopy discriminating ability for counterfeit pharmaceuticals detection. <i>Analytica Chimica Acta</i> , 2010 , 658, 163-74	6.6	57
50	The performance of PEGylated nanocapsules of perfluorooctyl bromide as an ultrasound contrast agent. <i>Biomaterials</i> , 2010 , 31, 1723-31	15.6	82
49	Phospholipid decoration of microcapsules containing perfluorooctyl bromide used as ultrasound contrast agents. <i>Biomaterials</i> , 2009 , 30, 1462-72	15.6	39
48	Simultaneous quantitation of tobramycin and colistin sulphate by HPLC with evaporative light scattering detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 64-7	3.5	20
47	Near InfraRed Spectroscopy homogeneity evaluation of complex powder blends in a small-scale pharmaceutical preformulation process, a real-life application. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2009 , 72, 189-98	5.7	22
46	Mass spectrometry-based metabolomics: accelerating the characterization of discriminating signals by combining statistical correlations and ultrahigh resolution. <i>Analytical Chemistry</i> , 2008 , 80, 4918-32	7.8	77
45	Antifungal canthin-6-one series accumulate in lipid droplets and affect fatty acid metabolism in Saccharomyces cerevisiae. <i>Biomedicine and Pharmacotherapy</i> , 2008 , 62, 99-103	7.5	20
44	Quantification of pegylated phospholipids decorating polymeric microcapsules of perfluorooctyl bromide by reverse phase HPLC with a charged aerosol detector. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 702-7	3.5	33
43	Comparison between charged aerosol detection and light scattering detection for the analysis of Leishmania membrane phospholipids. <i>Journal of Chromatography A</i> , 2008 , 1209, 88-94	4.5	79

(2005-2008)

42	Assessment of oil polarity: comparison of evaluation methods. <i>International Journal of Pharmaceutics</i> , 2008 , 348, 89-94	6.5	27	
41	Enantioselective analysis of the antipsychotic 9-hydroxyrisperidone, main metabolite of risperidone, by chiral capillary EKC using dual CDs. <i>Electrophoresis</i> , 2007 , 28, 2683-92	3.6	18	
40	High-temperature micro liquid chromatography for lipid molecular species analysis with evaporative light scattering detection. <i>Journal of Chromatography A</i> , 2007 , 1140, 131-9	4.5	37	
39	224 nm Deep-UV laser for native fluorescence, a new opportunity for biomolecules detection. <i>Journal of Chromatography A</i> , 2007 , 1156, 94-100	4.5	10	
38	Retention behaviour of polyunsaturated fatty acid methyl esters on porous graphitic carbon. <i>Journal of Chromatography A</i> , 2007 , 1157, 56-64	4.5	11	
37	Comparison of universal detectors for high-temperature micro liquid chromatography. <i>Journal of Chromatography A</i> , 2007 , 1170, 52-61	4.5	45	
36	MALDI-TOF and cluster-TOF-SIMS imaging of Fabry disease biomarkers. <i>International Journal of Mass Spectrometry</i> , 2007 , 260, 158-165	1.9	89	
35	Miltefosine affects lipid metabolism in Leishmania donovani promastigotes. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 1425-30	5.9	122	
34	Application of a xenon arc lamp as a light source for evaporative light scattering detection. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 384, 1302-7	4.4	7	
33	Microanalytical systems for separations of stratum corneum ceramides. <i>Journal of Separation Science</i> , 2006 , 29, 390-8	3.4	13	
32	Atmospheric pressure photoionization coupled to porous graphitic carbon liquid chromatography for the analysis of globotriaosylceramides. Application to Fabry disease. <i>Journal of Mass Spectrometry</i> , 2006 , 41, 50-8	2.2	27	
31	Liquid chromatography on porous graphitic carbon with atmospheric pressure photoionization mass spectrometry and tandem mass spectrometry for the analysis of glycosphingolipids. <i>Journal of Chromatography A</i> , 2006 , 1117, 154-62	4.5	23	
30	Near infrared spectroscopy and process analytical technology to master the process of busulfan paediatric capsules in a university hospital. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1171-8	3.5	27	
29	Phospholipid hydrolysis in a pharmaceutical emulsion assessed by physicochemical parameters and a new analytical method. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005 , 61, 69-76	5.7	31	
28	Fluorescence probe assisted post-column detection for lipid analysis in microbore-LC. <i>Journal of Chromatography A</i> , 2005 , 1072, 149-57	4.5	12	
27	Modelling of ceramide interactions with porous graphite carbon in non-aqueous liquid chromatography. <i>Journal of Chromatography A</i> , 2005 , 1087, 77-85	4.5	6	
26	Fast fingerprinting by MALDI-TOF mass spectrometry of urinary sediment glycosphingolipids in Fabry disease. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 1209-16	4.4	44	
25	Quantification et sp@iation du globotriaosylc@mide. <i>Medecine/Sciences</i> , 2005 , 21, 51-52		1	

24	Apport de l I magerie par spectrom i rie de masse pour l I nalyse directe du globotriaosylc i amide et du galabiosylc i amide tissulaires. <i>Medecine/Sciences</i> , 2005 , 21, 55-56		1
23	Retention behaviour of unsaturated fatty acid methyl esters on porous graphitic carbon. <i>Journal of Separation Science</i> , 2004 , 27, 41-6	3.4	8
22	Wheat digalactosyldiacylglycerol molecular species profiling using porous graphitic carbon stationary phase. <i>Journal of Separation Science</i> , 2004 , 27, 1313-22	3.4	13
21	Adaptation of an evaporative light-scattering detector to micro and capillary liquid chromatography and response assessment. <i>Journal of Chromatography A</i> , 2004 , 1051, 43-51	4.5	24
20	Optimisation of the separation of four major neutral glycosphingolipids: application to a rapid and simple detection of urinary globotriaosylceramide in Fabry disease. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 805, 331-7	3.2	18
19	Glycolipid class profiling by packed-column subcritical fluid chromatography. <i>Journal of Chromatography A</i> , 2004 , 1040, 115-21	4.5	26
18	The stenlying effect of high hydrostatic pressure on thermally and hydrolytically labile nanosized carriers. <i>Pharmaceutical Research</i> , 2003 , 20, 674-83	4.5	22
17	The benefit of the retrofitting of a conventional LC system to micro LC: a practical evaluation in the field of bioanalysis with fluorimetric detection. <i>Biomedical Chromatography</i> , 2003 , 17, 297-305	1.7	6
16	Isolation of ceramide fractions from skin sample by subcritical chromatography with packed silica and evaporative light scattering detection. <i>Journal of Chromatography A</i> , 2003 , 1016, 111-21	4.5	25
15	Eluotropic strength in non-aqueous liquid chromatography with porous graphitic carbon. <i>Journal of Chromatography A</i> , 2002 , 973, 61-8	4.5	25
14	Structure-retention diagrams of ceramides established for their identification. <i>Journal of Chromatography A</i> , 2002 , 973, 69-83	4.5	16
13	Mechanism of response enhancement in evaporative light scattering detection with the addition of triethylamine and formic acid. <i>Analyst, The</i> , 2002 , 127, 35-41	5	44
12	Chromatographic methods for ceramide identification. <i>Lipids</i> , 2001 , 36, 1387-8	1.6	
11	Response enhancement for the evaporative light scattering detection for the analysis of lipid classes and molecular species. <i>Chromatographia</i> , 2001 , 54, 607-611	2.1	50
10	Importance of the ionization states of m-THPC for its HPLC fluorescence detection. <i>Luminescence</i> , 2001 , 16, 173-8	2.5	4
9	Structural analysis of commercial ceramides by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2001 , 917, 251-60	4.5	29
8	Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography. <i>Journal of Chromatography A</i> , 2001 , 928, 127-37	4.5	39
7	Tamoxifen encapsulation within polyethylene glycol-coated nanospheres. A new antiestrogen formulation. <i>International Journal of Pharmaceutics</i> , 2001 , 214, 37-42	6.5	71

LIST OF PUBLICATIONS

6	5	A direct sensitized fluorimetric determination of 5,10,15,20-tetra(m-hydroxyphenyl)chlorin [m-THPC (Foscan)] in human plasma using a cyclodextrin inclusion complex. <i>Analyst, The</i> , 2001 , 126, 923	3- 7	14	
5	;	Retention behaviour of ceramides in sub-critical fluid chromatography in comparison with non-aqueous reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 2000 , 883, 211-22	4.5	34	
4	ļ	Near infrared with principal component analysis as a novel analytical approach for nanoparticle technology. <i>Pharmaceutical Research</i> , 2000 , 17, 1124-32	4.5	43	
3	;	IMPROVEMENT OF EVAPORATIVE LIGHT SCATTERING DETECTION OF CERAMIDES USING TRIETHYLAMINE AND FORMIC ACID IN NON-AQUEOUS REVERSED PHASE LIQUID CHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2000 , 23, 387-397	1.3	9	
2	<u>!</u>	New polymer-supported catalysts derived from Cinchona alkaloids: Their use in the asymmetric Michael reaction. <i>Tetrahedron Letters</i> , 1999 , 40, 7091-7094	2	57	
1		Postcolumn fluorescence as an alternative to evaporative light scattering detection for ceramide analysis with gradient elution in non-aqueous reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1999 , 859, 99-105	4.5	19	