

Mohammad Ebrarim Banihabib

List of Publications by Citations

Source:
<https://exaly.com/author-pdf/9216234/mohammad-ebrarim-banihabib-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59 papers	1,313 citations	16 h-index	35 g-index
68 ext. papers	1,589 ext. citations	3.5 avg, IF	5.39 L-index

#	Paper	IF	Citations
59	Comparison of the ARMA, ARIMA, and the autoregressive artificial neural network models in forecasting the monthly inflow of Dez dam reservoir. <i>Journal of Hydrology</i> , 2013 , 476, 433-441	6	541
58	Comparison of Different Multi Criteria Decision-Making Models in Prioritizing Flood Management Alternatives. <i>Water Resources Management</i> , 2015 , 29, 2503-2525	3.7	97
57	Multi-Objective Optimization Model for the Allocation of Water Resources in Arid Regions Based on the Maximization of Socioeconomic Efficiency. <i>Water Resources Management</i> , 2016 , 30, 927-946	3.7	69
56	Extended fuzzy analytic hierarchy process approach in water and environmental management (case study: Lake Urmia Basin, Iran). <i>Environmental Earth Sciences</i> , 2015 , 73, 13-26	2.9	56
55	Optimization model for the allocation of water resources based on the maximization of employment in the agriculture and industry sectors. <i>Journal of Hydrology</i> , 2016 , 533, 430-438	6	56
54	Fuzzy optimization model and fuzzy inference system for conjunctive use of surface and groundwater resources. <i>Journal of Hydrology</i> , 2018 , 566, 421-434	6	37
53	A Framework for Ground Water Management Based on Bayesian Network and MCDM Techniques. <i>Water Resources Management</i> , 2018 , 32, 4985-5005	3.7	28
52	Multi-objective particle swarm optimization model for conjunctive use of treated wastewater and groundwater. <i>Agricultural Water Management</i> , 2018 , 208, 224-231	5.9	27
51	Comparison of Compensatory and non-Compensatory Multi Criteria Decision Making Models in Water Resources Strategic Management. <i>Water Resources Management</i> , 2017 , 31, 3745-3759	3.7	25
50	Fuzzy Hybrid MCDM Model for Ranking the Agricultural Water Demand Management Strategies in Arid Areas. <i>Water Resources Management</i> , 2017 , 31, 495-513	3.7	25
49	A decision-making model for flood warning system based on ensemble forecasts. <i>Journal of Hydrology</i> , 2019 , 573, 207-219	6	23
48	A Framework for Sustainable Strategic Planning of Water Demand and Supply in Arid Regions. <i>Sustainable Development</i> , 2017 , 25, 254-266	6.7	22
47	A new framework for strategic planning to stabilize a shrinking lake. <i>Lake and Reservoir Management</i> , 2015 , 31, 31-43	1.3	21
46	A hybrid multiple criteria decision-making model for the sustainable management of aquifers. <i>Environmental Earth Sciences</i> , 2018 , 77, 1	2.9	20
45	An MCDM-based social network analysis of water governance to determine actors' power in water-food-energy nexus. <i>Journal of Hydrology</i> , 2020 , 581, 124382	6	19
44	A Multi-level Strategic Group Decision Making for Understanding and Analysis of Sustainable Watershed Planning in Response to Environmental Perplexities. <i>Group Decision and Negotiation</i> , 2017 , 26, 629-648	2.5	18
43	An assessment framework for the mitigation effects of check dams on debris flow. <i>Catena</i> , 2017 , 152, 277-284	5.8	16

42	Development of a Fuzzy Multi-Objective Heuristic Model for Optimum Water Allocation. <i>Water Resources Management</i> , 2019 , 33, 3673-3689	3.7	15
41	Extended linear and non-linear auto-regressive models for forecasting the urban water consumption of a fast-growing city in an arid region. <i>Sustainable Cities and Society</i> , 2019 , 48, 101585	10.1	14
40	Comprehensive risk assessment of river basins using Fault Tree Analysis. <i>Journal of Hydrology</i> , 2019 , 577, 123974	6	14
39	A dynamic artificial neural network for assessment of land-use change impact on warning lead-time of flood. <i>International Journal of Hydrology Science and Technology</i> , 2015 , 5, 163	1.5	14
38	Auto-Regressive Neural-Network Models for Long Lead-Time Forecasting of Daily Flow. <i>Water Resources Management</i> , 2019 , 33, 159-172	3.7	14
37	Hybrid DARIMA-NARX model for forecasting long-term daily inflow to Dez reservoir using the North Atlantic Oscillation (NAO) and rainfall data. <i>GeoResJ</i> , 2017 , 13, 9-16		12
36	The impact of slit and detention dams on debris flow control using GSTARS 3.0. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	12
35	Performance of conceptual and black-box models in flood warning systems. <i>Cogent Engineering</i> , 2016 , 3, 1127798	1.5	10
34	Hybrid MARMA-NARX model for flow forecasting based on the large-scale climate signals, sea-surface temperatures, and rainfall 2018 , 49, 1788-1803		10
33	Non-compensatory decision model for incorporating the sustainable development criteria in flood risk management plans. <i>SN Applied Sciences</i> , 2020 , 2, 1	1.8	8
32	An ARIMA-NARX hybrid model for forecasting urban water consumption (case study: Tehran metropolis). <i>Urban Water Journal</i> , 2019 , 16, 365-376	2.3	7
31	Enhanced GMCR model for resolving conflicts in a transboundary wetland. <i>Science of the Total Environment</i> , 2020 , 744, 140816	10.2	7
30	A framework for the assessment of reservoir operation adaptation to climate change in an arid region. <i>International Journal of Global Warming</i> , 2016 , 9, 286	0.6	6
29	An empirical equation to determine the threshold for rainfall-induced landslides developing to debris flows. <i>Landslides</i> , 2020 , 17, 2055-2065	6.6	5
28	A model for simulation of debris flow sedimentation in slit detention-dam reservoirs. <i>Journal of Hydro-Environment Research</i> , 2019 , 27, 65-74	2.3	5
27	Bayesian networks model for identification of the effective variables in the forecasting of debris flows occurrence. <i>Environmental Earth Sciences</i> , 2020 , 79, 1	2.9	5
26	Optimization of inter-sectorial water reallocation for arid-zone megacity-dominated area. <i>Urban Water Journal</i> , 2016 , 13, 852-860	2.3	4
25	Improving Daily Peak Flow Forecasts Using Hybrid Fourier-Series Autoregressive Integrated Moving Average and Recurrent Artificial Neural Network Models. <i>AI</i> , 2020 , 1, 263-275	3.6	4

24	Locating Water Desalination Facilities for Municipal Drinking Water Based on Qualitative and Quantitative Characteristics of Groundwater in Iran's Desert Regions. <i>Water Resources Management</i> , 2014 , 28, 3341-3353	3.7	4
23	An integrated optimisation model of reservoir and irrigation system applying uniform deficit irrigation. <i>International Journal of Hydrology Science and Technology</i> , 2015 , 5, 372	1.5	4
22	Determination of the abrasion of aprons of dams by debris flow. <i>International Journal of Materials and Structural Integrity</i> , 2015 , 9, 262	0.3	4
21	Simulation of Ca ²⁺ and Mg ²⁺ removal process in fixed-bed column of natural zeolite. <i>Desalination and Water Treatment</i> , 2015 , 55, 1116-1124		4
20	Assessment of Nitrogen Leaching of Cropping Pattern by Soil Nitrogen Balance Equation (Case Study: Varamin Irrigation and Drainage Network). <i>Modern Applied Science</i> , 2017 , 11, 30	1.3	3
19	Decision Models for the Ranking of Agricultural Water Demand Management Strategies in an Arid Region. <i>Irrigation and Drainage</i> , 2017 , 66, 773-783	1.1	3
18	Dynamic Programming Model for the System of a Non-Uniform Deficit Irrigation and a Reservoir. <i>Irrigation and Drainage</i> , 2017 , 66, 71-81	1.1	3
17	SWAT-S: A SWAT-salinity module for watershed-scale modeling of natural salinity. <i>Environmental Modelling and Software</i> , 2021 , 135, 104906	5.2	3
16	A hybrid SVR-PSO model to predict concentration of sediment in typical and debris floods. <i>Earth Science Informatics</i> , 2021 , 14, 365-376	2.5	3
15	Bayesian Network Model for Flood Forecasting Based on Atmospheric Ensemble Forecasts 2019 ,		2
14	Geo-hydroclimatological-based estimation of sediment yield by the artificial neural network. <i>International Journal of Water</i> , 2017 , 11, 159	0.9	2
13	A framework to assess the impact of a hydraulic removing system of contaminate infiltration from a river into an aquifer (case study: Semnan aquifer). <i>Groundwater for Sustainable Development</i> , 2020 , 10, 100301	6	2
12	A Hybrid Intelligence Model for the Prediction of the Peak Flow of Debris Floods. <i>Water (Switzerland)</i> , 2020 , 12, 2246	3	2
11	A model for the assessment of the effect of mulching on aquifer recharging by rainfalls in an arid region. <i>Journal of Hydrology</i> , 2018 , 567, 102-113	6	2
10	Essential strategy for urban seasonal-river restoration. <i>World Review of Science, Technology and Sustainable Development</i> , 2017 , 13, 367	1	1
9	The Urban Environment Impact of Climate Change Study and Proposal of the City Micro-Environment Improvement. <i>Sustainability</i> , 2021 , 13, 4096	3.6	1
8	Participatory Water-Food-Energy Nexus Approach for Evaluation and Design of Groundwater Governance. <i>Water Resources Management</i> , 2021 , 35, 3481-3495	3.7	1
7	Fuzzy particle swarm optimization for conjunctive use of groundwater and reclaimed wastewater under uncertainty. <i>Agricultural Water Management</i> , 2021 , 256, 107116	5.9	1

6	Empirical equation for the assessment of the effect of sediment concentration on the discharge coefficient of slit dams. <i>Arabian Journal of Geosciences</i> , 2022 , 15, 1	1.8	1
5	Forecasting urban water consumption using bayesian networks and gene expression programming. <i>Earth Science Informatics</i> , 2022 , 15, 623-633	2.5	0
4	SWAT-SF: A flexible SWAT-based model for watershed-scale water and soil salinity modeling. <i>Journal of Contaminant Hydrology</i> , 2021 , 244, 103893	3.9	0
3	A MATHEMATICAL MODEL FOR HAZARD ZONE MAPPING OF DEBRIS FLOW. <i>Geoinformatics</i> , 1996 , 7, 87-90	0.1	
2	A Temporally Varied Rainfall Simulator for Flash Flood Studies. <i>Natural Disaster Science and Mitigation Engineering: DPRI Reports</i> , 2022 , 267-279		
1	Determining the Precipitation Intensity Threshold of Debris Flood Occurrence. <i>Natural Disaster Science and Mitigation Engineering: DPRI Reports</i> , 2022 , 473-489		