## Gaojun Cai

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9216388/publications.pdf

Version: 2024-02-01

	759233	677142
504	12	22
citations	h-index	g-index
32	32	707
docs citations	times ranked	citing authors
	citations 32	504 12 citations h-index  32 32

#	Article	IF	CITATIONS
1	The atherogenic index of plasma is a strong and independent predictor for coronary artery disease in the Chinese Han population. Medicine (United States), 2017, 96, e8058.	1.0	179
2	Gender-specific associations between atherogenic index of plasma and the presence and severity of acute coronary syndrome in very young adults: a hospital-based observational study. Lipids in Health and Disease, 2019, 18, 99.	3.0	51
3	Distal transradial access: a review of the feasibility and safety in cardiovascular angiography and intervention. BMC Cardiovascular Disorders, 2020, 20, 356.	1.7	32
4	The value of the neutrophilâ€toâ€lymphocyte ratio and plateletâ€toâ€lymphocyte ratio as complementary diagnostic tools in the diagnosis of rheumatoid arthritis: A multicenter retrospective study. Journal of Clinical Laboratory Analysis, 2021, 35, e23569.	2.1	26
5	The associations between proprotein convertase subtilisin/kexin type 9 E670G polymorphism and the risk of coronary artery disease and serum lipid levels: a meta-analysis. Lipids in Health and Disease, 2015, 14, 149.	3.0	25
6	Atherogenic index of plasma is related to coronary atherosclerotic disease in elderly individuals: a cross-sectional study. Lipids in Health and Disease, 2021, 20, 68.	3.0	21
7	The associations between the MCP-1 â^'2518 A/G polymorphism and ischemic heart disease and ischemic stroke: a meta-analysis of 28 research studies involving 21,524 individuals. Molecular Biology Reports, 2015, 42, 997-1012.	2.3	19
8	The associations between endothelial lipase 584C/T polymorphism and HDL-C level and coronary heart disease susceptibility: a meta-analysis. Lipids in Health and Disease, 2014, 13, 85.	3.0	15
9	Comparison of long-term outcomes of young patients after a coronary event associated with familial hypercholesterolemia. Lipids in Health and Disease, 2019, 18, 131.	3.0	15
10	Elevated lipoprotein (a) levels are associated with the acute myocardial infarction in patients with normal low-density lipoprotein cholesterol levels. Bioscience Reports, 2019, 39, .	2.4	14
11	The association between endothelial lipase â^384A/C gene polymorphism and acute coronary syndrome in a Chinese population. Molecular Biology Reports, 2012, 39, 9879-9884.	2.3	13
12	Serum PCSK9 levels, but not PCSK9 polymorphisms, are associated with CAD risk and lipid profiles in southern Chinese Han population. Lipids in Health and Disease, 2018, 17, 213.	3.0	13
13	Effect of dipeptidyl-peptidase-4 inhibitors on C-reactive protein in patients with type 2 diabetes: a systematic review and meta-analysis. Lipids in Health and Disease, 2019, 18, 144.	3.0	13
14	Associations of Rs3744841 and Rs3744843 Polymorphisms in Endothelial Lipase Gene with Risk of Coronary Artery Disease and Lipid Levels in a Chinese Population. PLoS ONE, 2016, 11, e0162727.	2.5	13
15	Gender specific effect of CETP rs708272 polymorphism on lipid and atherogenic index of plasma levels but not on the risk of coronary artery disease. Medicine (United States), 2018, 97, e13514.	1.0	12
16	Associations between PPARG polymorphisms and the risk of essential hypertension. PLoS ONE, 2017, 12, e0181644.	2.5	12
17	Recanalization of the occluded radial artery via distal transradial access in the anatomic snuffbox. BMC Cardiovascular Disorders, 2021, 21, 67.	1.7	7
18	Endothelial lipase genetic polymorphisms and the lipid-lowering response in patients with coronary artery disease on rosuvastatin. Lipids in Health and Disease, 2016, 15, 148.	3.0	6

#	Article	IF	CITATIONS
19	Retrograde Recanalization of Occluded Radial Artery: A Single-Centre Experience and Literature Review. Journal of Endovascular Therapy, 2022, , 152660282110677.	1.5	4
20	Homozygous familial hypercholesterolemia in China: Genetic and clinical characteristics from a real-world, multi-center, cohort study. Journal of Clinical Lipidology, 2022, 16, 306-314.	1.5	4
21	E-Selectin Gene Polymorphisms and Essential Hypertension in Asian Population: An Updated Meta-Analysis. PLoS ONE, 2014, 9, e102058.	2.5	3
22	Associations of pregnancy-associated plasma protein-A level with essential hypertension and hypertensive disorders in pregnancy in Chinese population: a meta-analysis of 20 research studies involving 3332 individuals. BMJ Open, 2015, 5, e008210.	1.9	3
23	Deferral Versus Performance of Revascularization for Coronary Stenosis With Grey Zone Fractional Flow Reserve Values: A Systematic Review and Meta-Analysis. Angiology, 2020, 71, 48-55.	1.8	2
24	A preliminary study showing no association between methylation levels of C3 gene promoter and the risk of CAD. Lipids in Health and Disease, 2019, 18, 5.	3.0	1
25	The ratio of HDL-C to apoA-l interacts with free triiodothyronine to modulate coronary artery disease risk. BMC Cardiovascular Disorders, 2021, 21, 504.	1.7	1
26	Complement C3 gene polymorphisms are associated with lipid levels, but not the risk of coronary artery disease: a case-control study. Lipids in Health and Disease, 2019, 18, 217.	3.0	0