

Davide Cattaneo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9216872/publications.pdf>

Version: 2024-02-01

101
papers

3,567
citations

172207

29
h-index

149479

56
g-index

102
all docs

102
docs citations

102
times ranked

3110
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Validity of six balance disorders scales in persons with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2006, 28, 789-795. | 0.9 | 311 |
| 2 | Risks of falls in subjects with multiple sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 864-867. | 0.5 | 257 |
| 3 | Effects of balance exercises on people with multiple sclerosis: a pilot study. <i>Clinical Rehabilitation</i> , 2007, 21, 771-781. | 1.0 | 214 |
| 4 | Reliability and Validity of the Dynamic Gait Index in Persons With Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1410-1415. | 0.5 | 206 |
| 5 | Reliability of four scales on balance disorders in persons with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2007, 29, 1920-1925. | 0.9 | 193 |
| 6 | Sensory impairments in quiet standing in subjects with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 59-67. | 1.4 | 168 |
| 7 | A systematic review of factors associated with accidental falls in people with multiple sclerosis: a meta-analytic approach. <i>Clinical Rehabilitation</i> , 2014, 28, 704-716. | 1.0 | 114 |
| 8 | Unilateral and bilateral upper limb dysfunction at body functions, activity and participation levels in people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1566-1574. | 1.4 | 110 |
| 9 | Quantitative assessment of upper limb motor function in Multiple Sclerosis using an instrumented Action Research Arm Test. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 67. | 2.4 | 86 |
| 10 | Trunk control in unstable sitting posture during functional activities in healthy subjects and patients with multiple sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 279-283. | 0.5 | 82 |
| 11 | Task-Oriented Biofeedback to Improve Gait in Individuals With Chronic Stroke: Motor Learning Approach. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 478-485. | 1.4 | 81 |
| 12 | Minimal Clinically Important Difference of Berg Balance Scale in People With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 337-340.e2. | 0.5 | 81 |
| 13 | Participation Restriction in People With Multiple Sclerosis: Prevalence and Correlations With Cognitive, Walking, Balance, and Upper Limb Impairments. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1308-1315. | 0.5 | 80 |
| 14 | Wearable Sensor-Based Biofeedback Training for Balance and Gait in Parkinson Disease: A Pilot Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 622-630.e3. | 0.5 | 80 |
| 15 | Robot-based rehabilitation of the upper limbs in multiple sclerosis: Feasibility and preliminary results. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 966-970. | 0.8 | 67 |
| 16 | Robot Training of Upper Limb in Multiple Sclerosis: Comparing Protocols With or Without Manipulative Task Components. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2012, 20, 351-360. | 2.7 | 66 |
| 17 | Effect of kinesiio taping on standing balance in subjects with multiple sclerosis: A pilot study1. <i>NeuroRehabilitation</i> , 2011, 28, 365-372. | 0.5 | 60 |
| 18 | Prediction of Falls in Subjects Suffering From Parkinson Disease, Multiple Sclerosis, and Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 641-651. | 0.5 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Associations of Upper Limb Disability Measures on Different Levels of the International Classification of Functioning, Disability and Health in People With Multiple Sclerosis. <i>Physical Therapy</i> , 2015, 95, 65-75. | 1.1 | 50 |
| 20 | Wearable Devices for Biofeedback Rehabilitation: A Systematic Review and Meta-Analysis to Design Application Rules and Estimate the Effectiveness on Balance and Gait Outcomes in Neurological Diseases. <i>Sensors</i> , 2021, 21, 3444. | 2.1 | 46 |
| 21 | Are Modular Activations Altered in Lower Limb Muscles of Persons with Multiple Sclerosis during Walking? Evidence from Muscle Synergies and Biomechanical Analysis. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 620. | 1.0 | 42 |
| 22 | Comparison of upright balance in stroke, Parkinson and multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2016, 133, 346-354. | 1.0 | 39 |
| 23 | Relationship Between Quality of Life and Dysarthria in Patients With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 2047-2054. | 0.5 | 37 |
| 24 | Intensive Multimodal Training to Improve Gait Resistance, Mobility, Balance and Cognitive Function in Persons With Multiple Sclerosis: A Pilot Randomized Controlled Trial. <i>Frontiers in Neurology</i> , 2018, 9, 800. | 1.1 | 37 |
| 25 | Responsiveness and meaningful improvement of mobility measures following MS rehabilitation. <i>Neurology</i> , 2018, 91, e1880-e1892. | 1.5 | 37 |
| 26 | Concepts of Motor Learning Applied to a Rehabilitation Protocol Using Biofeedback to Improve Gait in a Chronic Stroke Patient: An A-B System Study With Multiple Gait Analyses. <i>Neurorehabilitation and Neural Repair</i> , 2007, 21, 190-194. | 1.4 | 35 |
| 27 | A new instrumented method for the evaluation of gait initiation and step climbing based on inertial sensors: a pilot application in Parkinson's disease. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015, 12, 45. | 2.4 | 34 |
| 28 | Clinical correlates of 9-hole peg test in a large population of people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 30, 1-8. | 0.9 | 34 |
| 29 | The virtual time to contact in the evaluation of balance disorders and prediction of falls in people with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2012, 34, 470-477. | 0.9 | 31 |
| 30 | How do resistance training and balance and motor control training affect gait performance and fatigue impact in people with multiple sclerosis? A randomized controlled multi-center study. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1420-1432. | 1.4 | 31 |
| 31 | Targeting Dynamic Balance in Falls-Prevention Interventions in Multiple Sclerosis. <i>International Journal of MS Care</i> , 2014, 16, 198-202. | 0.4 | 31 |
| 32 | Emerging evidence-based physical rehabilitation for Multiple Sclerosis - Towards an inventory of current content across Europe. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 76. | 1.0 | 30 |
| 33 | Reliability and Validity of an Instrument to Measure Quality of Life in the Dysarthric Speaker. <i>Folia Phoniatria Et Logopaedica</i> , 2011, 63, 289-295. | 0.5 | 28 |
| 34 | Stabilometric assessment of context dependent balance recovery in persons with multiple sclerosis: a randomized controlled study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 100. | 2.4 | 28 |
| 35 | What is the impact of robotic rehabilitation on balance and gait outcomes in people with multiple sclerosis? A systematic review of randomized control trials. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 246-253. | 1.1 | 27 |
| 36 | Physiotherapeutic interventions in multiple sclerosis across Europe: Regions and other factors that matter. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 22, 59-67. | 0.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Instrumental Assessment of Stair Ascent in People With Multiple Sclerosis, Stroke, and Parkinsonâ€™s Disease: A Wearable-Sensor-Based Approach. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 2324-2332. | 2.7 | 22 |
| 38 | Advances in molecular tools for the use of Zygosaccharomyces bailii as host for biotechnological productions and construction of the first auxotrophic mutant. FEMS Yeast Research, 2010, 10, 894-908. | 1.1 | 21 |
| 39 | An Experimental Paradigm to Assess Postural Stabilization: No More Movement and Not Yet Posture. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2011, 19, 420-426. | 2.7 | 21 |
| 40 | Falls prevention and balance rehabilitation in multiple sclerosis: a bi-centre randomised controlled trial. Disability and Rehabilitation, 2018, 40, 522-526. | 0.9 | 20 |
| 41 | Educational and Exercise Intervention to Prevent Falls and Improve Participation in Subjects With Neurological Conditions: The NEUROFALL Randomized Controlled Trial. Frontiers in Neurology, 2019, 10, 865. | 1.1 | 20 |
| 42 | Treadmill training in patients affected by Charcotâ€™s Tooth neuropathy: results of a multicenter, prospective, randomized, single-blind, controlled study. European Journal of Neurology, 2020, 27, 280-287. | 1.7 | 19 |
| 43 | Local Dynamic Stability of Gait in People With Early Multiple Sclerosis and No-to-Mild Neurological Impairment. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 1389-1396. | 2.7 | 19 |
| 44 | Effects of Functional Electrical Stimulation on Reducing Falls and Improving Gait Parameters in Multiple Sclerosis and Stroke. PM and R, 2017, 9, 339. | 0.9 | 18 |
| 45 | How much does balance and muscle strength impact walking in persons with multiple sclerosis? - A cross-sectional study. Multiple Sclerosis and Related Disorders, 2019, 29, 137-144. | 0.9 | 18 |
| 46 | The impact of balance specific physiotherapy, intensity of therapy and disability on static and dynamic balance in people with multiple sclerosis: A multi-center prospective study. Multiple Sclerosis and Related Disorders, 2020, 40, 101974. | 0.9 | 18 |
| 47 | Content and Delivery of Physical Therapy in Multiple Sclerosis across Europe: A Survey. International Journal of Environmental Research and Public Health, 2020, 17, 886. | 1.2 | 18 |
| 48 | Is a Wearable Sensor-Based Characterisation of Gait Robust Enough to Overcome Differences Between Measurement Protocols? A Multi-Centric Pragmatic Study in Patients with Multiple Sclerosis. Sensors, 2020, 20, 79. | 2.1 | 17 |
| 49 | Head Control: Volitional Aspects of Rehabilitation Training in Patients With Multiple Sclerosis Compared With Healthy Subjects. Archives of Physical Medicine and Rehabilitation, 2005, 86, 1381-1388. | 0.5 | 16 |
| 50 | Assessment of postural stabilization in three task oriented movements in people with multiple sclerosis. Disability and Rehabilitation, 2014, 36, 2237-2243. | 0.9 | 16 |
| 51 | Applying the RE-AIM Framework to Inform the Development of a Multiple Sclerosis Falls-Prevention Intervention. International Journal of MS Care, 2014, 16, 192-197. | 0.4 | 16 |
| 52 | Computerized System to Improve Voluntary Control of Balance in Neurological Patients. Cyberpsychology, Behavior and Social Networking, 2001, 4, 687-694. | 2.2 | 15 |
| 53 | Oropharyngolaryngeal Disorders in Scleroderma: Development and Validation of the SLS Scale. Dysphagia, 2010, 25, 127-138. | 1.0 | 15 |
| 54 | Effect of treadmill training on fatigue in multiple sclerosis. International Journal of Rehabilitation Research, 2014, 37, 54-60. | 0.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Factors influencing balance improvement in multiple sclerosis rehabilitation: A pragmatic multicentric trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 93-98. | 1.1 | 12 |
| 56 | Mobility Disorders in Stroke, Parkinson Disease, and Multiple Sclerosis. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, 41-47. | 0.7 | 12 |
| 57 | The organisation of physiotherapy for people with multiple sclerosis across Europe: a multicentre questionnaire survey. <i>BMC Health Services Research</i> , 2016, 16, 552. | 0.9 | 11 |
| 58 | Modified Functional Walking Categories and participation in people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 26, 11-18. | 0.9 | 11 |
| 59 | Haptic vs sensorimotor training in the treatment of upper limb dysfunction in multiple sclerosis: A multi-center, randomised controlled trial. <i>Journal of the Neurological Sciences</i> , 2020, 412, 116743. | 0.3 | 11 |
| 60 | Instrumentally assessed gait quality is more relevant than gait endurance and velocity to explain patient-reported walking ability in early-stage multiple sclerosis. <i>European Journal of Neurology</i> , 2021, 28, 2259-2268. | 1.7 | 11 |
| 61 | Prevalence and patterns of subclinical motor and cognitive impairments in non-disabled individuals with early multiple sclerosis: A multicenter cross-sectional study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101491. | 1.1 | 11 |
| 62 | Effects of Sudden, Passive Muscle Shortening According to Grimaldi's Method on Patients Suffering from Multiple Sclerosis: A Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2004, 18, 47-52. | 1.4 | 10 |
| 63 | Clinical and stabilometric measures predicting falls in Parkinson disease/parkinsonisms. <i>Acta Neurologica Scandinavica</i> , 2015, 132, 235-241. | 1.0 | 10 |
| 64 | Hilbert-Huang transform based instrumental assessment of intention tremor in multiple sclerosis. <i>Journal of Neural Engineering</i> , 2015, 12, 046011. | 1.8 | 10 |
| 65 | How does strength training and balance training affect gait and fatigue in patients with Multiple Sclerosis? A study protocol of a randomized controlled trial. <i>NeuroRehabilitation</i> , 2018, 42, 131-142. | 0.5 | 10 |
| 66 | Validation of the Arm Profile Score in assessing upper limb functional impairments in people with multiple sclerosis. <i>Clinical Biomechanics</i> , 2018, 51, 45-50. | 0.5 | 10 |
| 67 | Real-World Goal Setting and Use of Outcome Measures According to the International Classification of Functioning, Disability and Health: A European Survey of Physical Therapy Practice in Multiple Sclerosis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4774. | 1.2 | 10 |
| 68 | Effects of Fatigue on Balance and Mobility in Subjects with Multiple Sclerosis: A Brief Report. <i>ISRN Neurology</i> , 2012, 2012, 1-4. | 1.5 | 9 |
| 69 | Instrumented Version of the Modified Dynamic Gait Index in Patients With Neurologic Disorders. <i>PM and R</i> , 2019, 11, 1312-1319. | 0.9 | 9 |
| 70 | Improved Gait of Persons With Multiple Sclerosis After Rehabilitation: Effects on Lower Limb Muscle Synergies, Push-Off, and Toe-Clearance. <i>Frontiers in Neurology</i> , 2020, 11, 668. | 1.1 | 9 |
| 71 | Nine Hole Peg Test asymmetry in refining upper limb assessment in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 45, 102422. | 0.9 | 9 |
| 72 | Italian translation and psychometric validation of the Manual Ability Measure-36 (MAM-36) and its correlation with an objective measure of upper limb function in patients with multiple sclerosis. <i>Neurological Sciences</i> , 2020, 41, 1539-1546. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effects of immersive virtual reality on upper limb function in subjects with multiple sclerosis: A cross-over study. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 65, 104004. | 0.9 | 9 |
| 74 | Predictors of mobility domain of health-related quality of life after rehabilitation in Parkinsonâ€™s disease: a pilot study. <i>Archives of Physiotherapy</i> , 2018, 8, 10. | 0.7 | 8 |
| 75 | Identification of modified dynamic gait index cutoff scores for assessing fall risk in people with Parkinson disease, stroke and multiple sclerosis. <i>Gait and Posture</i> , 2022, 91, 1-6. | 0.6 | 8 |
| 76 | Pain in Postsurgical Orthopedic Rehabilitation: A Multicenter Study. <i>Pain Medicine</i> , 2012, 13, 769-776. | 0.9 | 7 |
| 77 | Cardiac autonomic function during postural changes and exercise in people with multiple sclerosis: A cross-sectional study. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 24, 85-90. | 0.9 | 7 |
| 78 | Effect of arm cycling and task-oriented exercises on fatigue and upper limb performance in multiple sclerosis: a randomized crossover study. <i>International Journal of Rehabilitation Research</i> , 2019, 42, 300-308. | 0.7 | 7 |
| 79 | Use of wrist-worn accelerometers to quantify bilateral upper limb activity and asymmetry under free-living conditions in people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 53, 103081. | 0.9 | 7 |
| 80 | A tailored exercise of manipulation of virtual tools to treat upper limb impairment in Multiple Sclerosis. , 2011, 2011, 5975509. | | 6 |
| 81 | Counteracting Postural Perturbations Through Body Weight Shift: A Pilot Study Using a Robotic Platform in Subjects With Parkinsonâ€™s Disease. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018, 26, 1794-1802. | 2.7 | 6 |
| 82 | Assessing balance in non-disabled subjects with multiple sclerosis: Validation of the Fullerton Advanced Balance Scale. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 42, 102085. | 0.9 | 6 |
| 83 | Home or Away? Choosing a Setting for a Falls-Prevention Program for People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2014, 16, 186-191. | 0.4 | 6 |
| 84 | Distribution and relation of two arm function tests, Box and Blocks test and Nine Hole Peg test, across disease severity levels and types of multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 59, 103683. | 0.9 | 6 |
| 85 | Impaired heart rate recovery after sub-maximal physical exercise in people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 40, 101960. | 0.9 | 5 |
| 86 | Walking With Horizontal Head Turns Is Impaired in Persons With Early-Stage Multiple Sclerosis Showing Normal Locomotion. <i>Frontiers in Neurology</i> , 2021, 12, 821640. | 1.1 | 5 |
| 87 | Physical activity in non-disabled people with early multiple sclerosis: A multicenter cross-sectional study. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 64, 103941. | 0.9 | 5 |
| 88 | Physical therapy in multiple sclerosis differs across Europe: Information regarding an ongoing study. <i>Journal of International Medical Research</i> , 2014, 42, 1185-1187. | 0.4 | 4 |
| 89 | Instrumented Assessment of Oral Motor Function in Healthy Subjects and People with Systemic Sclerosis. <i>Dysphagia</i> , 2015, 30, 286-295. | 1.0 | 4 |
| 90 | Multidisciplinary Rehabilitation is Efficacious and Induces Neural Plasticity in Multiple Sclerosis even when Complicated by Progressive Multifocal Leukoencephalopathy. <i>Frontiers in Neurology</i> , 2017, 8, 491. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Effect of Impairment-Oriented and Function-Oriented Exercises on Mouth Function in Subjects with Systemic Sclerosis. <i>Folia Phoniatrica Et Logopaedica</i> , 2020, 72, 389-401. | 0.5 | 4 |
| 92 | Improving our understanding of the most important items of the Multiple Sclerosis Walking Scale-12 indicating mobility dysfunction: Secondary results from a RIMS multicenter study. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 46, 102511. | 0.9 | 3 |
| 93 | Italian translation and psychometric validation of the ABILHAND-26 and its correlation with upper limb objective and subjective measures in multiple sclerosis subjects. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 55, 103160. | 0.9 | 3 |
| 94 | Minimal clinically important difference of modified dynamic gait index in people with neurological disorders. <i>Gait and Posture</i> , 2021, 90, 210-214. | 0.6 | 3 |
| 95 | Effects of voice rehabilitation in people with MS: A double-blinded long-term randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1081-1090. | 1.4 | 3 |
| 96 | Identification of New Hematopoietic Cell Subsets with a Polyclonal Antibody Library Specific for Neglected Proteins. <i>PLoS ONE</i> , 2012, 7, e34395. | 1.1 | 1 |
| 97 | Modular organization of lower limbs in persons with multiple sclerosis and healthy persons during walking. <i>Gait and Posture</i> , 2015, 42, S14-S15. | 0.6 | 1 |
| 98 | Response to Letter "Prediction of Falls in Subjects Suffering From Parkinson Disease, Multiple Sclerosis, and Stroke: Methodologic Issues" <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1688-1689. | 0.5 | 1 |
| 99 | Response to Letter Regarding "Minimal Clinically Important Difference of Berg Balance Scale in People With Multiple Sclerosis" <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 1191-1192. | 0.5 | 1 |
| 100 | Clinical validity of novel postural stabilization experimental indices based on hyperbolic transformation. <i>Gait and Posture</i> , 2019, 67, 147-150. | 0.6 | 1 |
| 101 | Acute Thermoregulatory and Cardiovascular Response to Submaximal Exercise in People With Multiple Sclerosis. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 1 |