

Lorenzo Memeo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9217135/lorenzo-memeo-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

6,531
citations

39
h-index

80
g-index

117
ext. papers

7,254
ext. citations

5.7
avg. IF

4.94
L-index

#	Paper	IF	Citations
106	PEA-OXA Mitigates Oxaliplatin-Induced Painful Neuropathy through NF- κ B/Nrf-2 Axis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
105	Endomyometriosis of the Rectum With Disseminated Peritoneal Leiomyomatosis 8 Years After Laparoscopic Myomectomy: A Case Report. <i>Frontiers in Surgery</i> , 2021 , 8, 666147	2.3	2
104	Microfluidic Organoids-on-a-Chip: Quantum Leap in Cancer Research. <i>Cancers</i> , 2021 , 13,	6.6	16
103	Adipose stem cell niche reprograms the colorectal cancer stem cell metastatic machinery. <i>Nature Communications</i> , 2021 , 12, 5006	17.4	8
102	Sclerosing Mesenteritis, a Rare Cause of Mesenteric Mass in a Young Adult: A Case Report. <i>Frontiers in Surgery</i> , 2021 , 8, 722312	2.3	
101	STARD3: A Prospective Target for Cancer Therapy. <i>Cancers</i> , 2021 , 13,	6.6	2
100	Clear Cell Carcinoma Arising in an Abdominal Wall Cesarean Section Scar: A Case Report With Description of Pathological and Molecular Features. <i>Frontiers in Surgery</i> , 2021 , 8, 735381	2.3	1
99	Medullary Carcinoma of the Gastrointestinal Tract: Report on Two Cases with Immunohistochemical and Molecular Features. <i>Diagnostics</i> , 2021 , 11,	3.8	0
98	Cancer Stem Cell Biomarkers Predictive of Radiotherapy Response in Rectal Cancer: A Systematic Review. <i>Genes</i> , 2021 , 12,	4.2	1
97	Metabolic Escape Routes of Cancer Stem Cells and Therapeutic Opportunities. <i>Cancers</i> , 2020 , 12,	6.6	11
96	Association of immune microenvironment to response in treatment-naïve non-small cell lung cancer (NSCLC) samples with follow-up second-line immunotherapy data.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 49-49	2.2	
95	Glucagon-like peptide-1 receptor is expressed in human and rodent testis. <i>Andrology</i> , 2020 , 8, 1935-1945	4.2	4
94	Cancer Extracellular Vesicles: Next-Generation Diagnostic and Drug Delivery Nanotools. <i>Cancers</i> , 2020 , 12,	6.6	11
93	Cancer Stem Cells in Thyroid Tumors: From the Origin to Metastasis. <i>Frontiers in Endocrinology</i> , 2020 , 11, 566	5.7	10
92	Exposure to emissions from Mount Etna (Sicily, Italy) and incidence of thyroid cancer: a geographic analysis. <i>Scientific Reports</i> , 2020 , 10, 21298	4.9	2
91	LINC00483 Has a Potential Tumor-Suppressor Role in Colorectal Cancer Through Multiple Molecular Axes. <i>Frontiers in Oncology</i> , 2020 , 10, 614455	5.3	4
90	Extracellular Vesicles from Thyroid Carcinoma: The New Frontier of Liquid Biopsy. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	21

89	Thyroidectomy as Treatment of Choice for Differentiated Thyroid Cancer. <i>International Journal of Surgical Oncology</i> , 2019 , 2019, 2715260	0.9	1
88	Cancer Targeted Therapy Strategy: The Pathologist's Perspectives. <i>Current Cancer Drug Targets</i> , 2018 , 18, 410-420	2.8	3
87	Eribulin efficacy based on type of metastatic site: a real-life study in heavily pretreated metastatic breast cancer. <i>Future Oncology</i> , 2017 , 13, 5-10	3.6	7
86	Effect of trehalose on cryopreservation of pure peripheral blood stem cells. <i>Biomedical Reports</i> , 2017 , 6, 314-318	1.8	25
85	MicroRNA-based molecular classification of papillary thyroid carcinoma. <i>International Journal of Oncology</i> , 2017 , 50, 1767-1777	4.4	55
84	Human adipose-derived mesenchymal stem cells seeded into a collagen-hydroxyapatite scaffold promote bone augmentation after implantation in the mouse. <i>Scientific Reports</i> , 2017 , 7, 7110	4.9	45
83	Combination of Collagen-Based Scaffold and Bioactive Factors Induces Adipose-Derived Mesenchymal Stem Cells Chondrogenic Differentiation. <i>Frontiers in Physiology</i> , 2017 , 8, 50	4.6	37
82	Evaluation of Biocompatibility and Chondrogenic Potential of a Cell-Free Collagen-Based Scaffold. <i>Frontiers in Physiology</i> , 2017 , 8, 984	4.6	20
81	Interleukin 3- receptor targeted exosomes inhibit and Chronic Myelogenous Leukemia cell growth. <i>Theranostics</i> , 2017 , 7, 1333-1345	12.1	163
80	Integrated molecular pathway analysis informs a synergistic combination therapy targeting PTEN/PI3K and EGFR pathways for basal-like breast cancer. <i>BMC Cancer</i> , 2016 , 16, 587	4.8	22
79	Bone augmentation after ectopic implantation of a cell-free collagen-hydroxyapatite scaffold in the mouse. <i>Scientific Reports</i> , 2016 , 6, 36399	4.9	36
78	Resistance of papillary thyroid cancer stem cells to chemotherapy. <i>Oncology Letters</i> , 2016 , 12, 687-691	2.6	22
77	Collagen-Hydroxyapatite Scaffolds Induce Human Adipose Derived Stem Cells Osteogenic Differentiation In Vitro. <i>PLoS ONE</i> , 2016 , 11, e0151181	3.7	82
76	Differential expression of two activating transcription factor 5 isoforms in papillary thyroid carcinoma. <i>OncoTargets and Therapy</i> , 2016 , 9, 6225-6231	4.4	2
75	Potential Role of Activating Transcription Factor 5 during Osteogenesis. <i>Stem Cells International</i> , 2016 , 2016, 5282185	5	14
74	Numb Expression Contributes to the Maintenance of an Undifferentiated State in Human Epidermis. <i>Cell Transplantation</i> , 2016 , 25, 353-64	4	6
73	Cancer stem cells as a potential therapeutic target in thyroid carcinoma. <i>Oncology Letters</i> , 2016 , 12, 2254-2260	4.8	19
72	The impact of low-dose carcinogens and environmental disruptors on tissue invasion and metastasis. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S128-59	4.6	29

71	Assessing the carcinogenic potential of low-dose exposures to chemical mixtures in the environment: the challenge ahead. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S254-96	4.6	176
70	Mechanisms of environmental chemicals that enable the cancer hallmark of evasion of growth suppression. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S2-18	4.6	44
69	Disruptive chemicals, senescence and immortality. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S19-37	4.6	26
68	The potential for chemical mixtures from the environment to enable the cancer hallmark of sustained proliferative signalling. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S38-60	4.6	27
67	Causes of genome instability: the effect of low dose chemical exposures in modern society. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S61-88	4.6	100
66	Disruptive environmental chemicals and cellular mechanisms that confer resistance to cell death. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S89-110	4.6	25
65	The effect of environmental chemicals on the tumor microenvironment. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S160-83	4.6	79
64	Assessing the carcinogenic potential of low-dose exposures to chemical mixtures in the environment: focus on the cancer hallmark of tumor angiogenesis. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S184-202	4.6	28
63	Environmental immune disruptors, inflammation and cancer risk. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S232-236	4.6	137
62	MicroRNA and pediatric tumors: Future perspectives. <i>Acta Histochemica</i> , 2015 , 117, 339-54	2	28
61	Chemical compounds from anthropogenic environment and immune evasion mechanisms: potential interactions. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S111-27	4.6	34
60	Metabolic reprogramming and dysregulated metabolism: cause, consequence and/or enabler of environmental carcinogenesis?. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S203-31	4.6	61
59	Potential Effect of CD271 on Human Mesenchymal Stromal Cell Proliferation and Differentiation. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 15609-24	6.3	46
58	The role of microRNAs in thyroid carcinomas. <i>Anticancer Research</i> , 2015 , 35, 2037-47	2.3	10
57	Inhibition of histone deacetylase 4 increases cytotoxicity of docetaxel in gastric cancer cells. <i>Proteomics - Clinical Applications</i> , 2014 , 8, 924-31	3.1	19
56	Assessment of MAGE-A expression in resected non-small cell lung cancer in relation to clinicopathologic features and mutational status of EGFR and KRAS. <i>Cancer Immunology Research</i> , 2014 , 2, 943-8	12.5	17
55	KRAS and BRAF mutational status in colon cancer from Albanian patients. <i>Diagnostic Pathology</i> , 2014 , 9, 187	3	11
54	Immunohistochemical Analysis of WT1, EGFR, E-cadherin, beta-catenin and p53 in 43 Moroccan Epithelial Ovarian Tumours 2014 , 11-17		2

53	A juvenile case of conjunctival atypical nevus. <i>Diagnostic Pathology</i> , 2013 , 8, 64	3	4
52	Large cell neuroendocrine carcinoma (LCNEC) of the urinary bladder: a case report. <i>Diagnostic Pathology</i> , 2013 , 8, 19	3	19
51	BTG2 loss and miR-21 upregulation contribute to prostate cell transformation by inducing luminal markers expression and epithelial-mesenchymal transition. <i>Oncogene</i> , 2013 , 32, 1843-53	9.2	85
50	Mek inhibition results in marked antitumor activity against metastatic melanoma patient-derived melanospheres and in melanosphere-generated xenografts. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013 , 32, 91	12.8	15
49	Abstract 869: PTEN/PI3K oncogenic pathway profiling informs an in vivo synergistic therapeutic model for basal-like breast cancer. 2013 ,		2
48	Immunohistochemical analysis of 8 biomarkers on tissue microarray (TMA) of 46 Moroccan invasive breast carcinoma. <i>Journal of Biomedical Science and Engineering</i> , 2013 , 06, 1014-1020	0.7	
47	Exocrine and endocrine modulation in common gastric carcinoma. <i>American Journal of Clinical Pathology</i> , 2012 , 137, 712-21	1.9	9
46	EGFR inhibition abrogates leiomyosarcoma cell chemoresistance through inactivation of survival pathways and impairment of CSC potential. <i>PLoS ONE</i> , 2012 , 7, e46891	3.7	27
45	Antibody responses to NY-ESO-1 in primary breast cancer identify a subtype target for immunotherapy. <i>PLoS ONE</i> , 2011 , 6, e21129	3.7	19
44	PAX8 and PAX2 immunostaining facilitates the diagnosis of primary epithelial neoplasms of the male genital tract. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1473-83	6.7	47
43	Control of tumor and microenvironment cross-talk by miR-15a and miR-16 in prostate cancer. <i>Oncogene</i> , 2011 , 30, 4231-42	9.2	201
42	Breast metastasis of primary colon cancer with micrometastasis in the axillary sentinel node: a metastasis that metastasized?. <i>Diagnostic Pathology</i> , 2011 , 6, 45	3	16
41	Expression of MAGE-A antigens is frequent in triple-negative breast cancers but does not correlate with that of basal-like markers. <i>Annals of Oncology</i> , 2011 , 22, 986-987	10.3	5
40	One-step preservation of phosphoproteins and tissue morphology at room temperature for diagnostic and research specimens. <i>PLoS ONE</i> , 2011 , 6, e23780	3.7	66
39	Associations between polycyclic aromatic hydrocarbon-related exposures and p53 mutations in breast tumors. <i>Environmental Health Perspectives</i> , 2010 , 118, 511-8	8.4	46
38	3-Phosphoinositide-dependent kinase 1 potentiates upstream lesions on the phosphatidylinositol 3-kinase pathway in breast carcinoma. <i>Cancer Research</i> , 2009 , 69, 6299-306	10.1	106
37	Mutations in p53, p53 protein overexpression and breast cancer survival. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 3847-57	5.6	32
36	PCDH8, the human homolog of PAPC, is a candidate tumor suppressor of breast cancer. <i>Oncogene</i> , 2008 , 27, 4657-65	9.2	117

35	Recurrent gross mutations of the PTEN tumor suppressor gene in breast cancers with deficient DSB repair. <i>Nature Genetics</i> , 2008 , 40, 102-7	36.3	289
34	The miR-15a-miR-16-1 cluster controls prostate cancer by targeting multiple oncogenic activities. <i>Nature Medicine</i> , 2008 , 14, 1271-7	50.5	820
33	BAF180 is a critical regulator of p21 induction and a tumor suppressor mutated in breast cancer. <i>Cancer Research</i> , 2008 , 68, 1667-74	10.1	123
32	Expression of PAX8 in nephrogenic adenoma and clear cell adenocarcinoma of the lower urinary tract: evidence of related histogenesis?. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 1380-7	6.7	102
31	Apoptosis in normal and cancer stem cells. <i>Critical Reviews in Oncology/Hematology</i> , 2008 , 66, 42-51	7	69
30	NF-Kb Localization in Multiple Myeloma Plasmacells and Mesenchimal Cells. <i>Blood</i> , 2008 , 112, 5149-5149	2.2	22
29	Long-term follow-up of complete Barrett's eradication endoscopic mucosal resection (CBE-EMR) for the treatment of high grade dysplasia and intramucosal carcinoma. <i>Endoscopy</i> , 2007 , 39, 1086-91	3.4	135
28	Immunohistochemical analysis for cytokeratin 7, KIT, and PAX2: value in the differential diagnosis of chromophobe cell carcinoma. <i>American Journal of Clinical Pathology</i> , 2007 , 127, 225-9	1.9	67
27	Poor prognosis in carcinoma is associated with a gene expression signature of aberrant PTEN tumor suppressor pathway activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7564-9	11.5	397
26	Proteasome inhibitors synergize with tumor necrosis factor-related apoptosis-induced ligand to induce anaplastic thyroid carcinoma cell death. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1938-42	5.6	47
25	An unusual case of colonic mixed adenoendocrine carcinoma: collision versus composite tumor. A case report and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2007 , 11, 285-90	2.2	22
24	PEG10 is a c-MYC target gene in cancer cells. <i>Cancer Research</i> , 2006 , 66, 665-72	10.1	75
23	CD24 is a new oncogene, early at the multistep process of colorectal cancer carcinogenesis. <i>Gastroenterology</i> , 2006 , 131, 630-9	13.3	84
22	Interobserver agreement and reproducibility in classification of invasive breast carcinoma: an NCI breast cancer family registry study. <i>Modern Pathology</i> , 2006 , 19, 195-207	9.8	84
21	PAX2: a reliable marker for nephrogenic adenoma. <i>Modern Pathology</i> , 2006 , 19, 356-63	9.8	92
20	EUS followed by EMR for staging of high-grade dysplasia and early cancer in Barrett's esophagus. <i>Gastrointestinal Endoscopy</i> , 2005 , 62, 16-23	5.2	192
19	Duodenal intraepithelial lymphocytosis with normal villous architecture: common occurrence in H. pylori gastritis. <i>Modern Pathology</i> , 2005 , 18, 1134-44	9.8	93
18	Lack of PTEN sequesters CHK1 and initiates genetic instability. <i>Cancer Cell</i> , 2005 , 7, 193-204	24.3	271

17	PIK3CA mutations correlate with hormone receptors, node metastasis, and ERBB2, and are mutually exclusive with PTEN loss in human breast carcinoma. <i>Cancer Research</i> , 2005 , 65, 2554-9	10.1	726
16	Invasive ductal carcinoma with fibrotic focus: mammographic and sonographic findings with histopathologic correlation. <i>American Journal of Roentgenology</i> , 2005 , 185, 490-4	5.4	3
15	Cyclin D1 overexpression is associated with estrogen receptor expression in Caucasian but not African-American breast cancer. <i>Anticancer Research</i> , 2005 , 25, 273-81	2.3	7
14	Relationship of HLA-DQ8 and severity of celiac disease: comparison of New York and Parisian cohorts. <i>Clinical Gastroenterology and Hepatology</i> , 2004 , 2, 888-94	6.9	39
13	Progenitor cell expansion: an important source of hepatocyte regeneration in chronic hepatitis. <i>Journal of Hepatology</i> , 2004 , 41, 983-91	13.4	71
12	Calcium oxalate precipitates in a renomedullary interstitial cell tumor. <i>Pathology and Oncology Research</i> , 2003 , 9, 47-8	2.6	4
11	Duodenal histology in patients with celiac disease after treatment with a gluten-free diet. <i>Gastrointestinal Endoscopy</i> , 2003 , 57, 187-91	5.2	174
10	Localized laryngeal amyloidosis. <i>Otolaryngology - Head and Neck Surgery</i> , 2002 , 127, 487-9	5.5	5
9	Concurrent parathyroid adenomas and carcinoma in the setting of multiple endocrine neoplasia type 1: presentation as hypercalcemic crisis. <i>Mayo Clinic Proceedings</i> , 2002 , 77, 866-9	6.4	68
8	Correlation between chromogranin-A expression and pathological variables in human colon carcinoma. <i>Anticancer Research</i> , 2002 , 22, 395-8	2.3	15
7	Duodenal pancreatic heterotopy diagnosed by magnetic resonance cholangiopancreatography: report of a case. <i>Surgery Today</i> , 2001 , 31, 928-31	3	9
6	Calcium oxalate microdeposition in failing kidney grafts. <i>Transplantation Proceedings</i> , 2001 , 33, 1262-5	1.1	10
5	Plasma and tissue prolactin detection in colon carcinoma. <i>Oncology Reports</i> , 2001 , 8, 1351-3	3.5	7
4	Primary non-Hodgkin's lymphoma of the liver. <i>Acta Oncologica</i> , 1999 , 38, 655-8	3.2	20
3	Inflammatory pseudotumour of the liver--evidence for malignant transformation. <i>Pathology Research and Practice</i> , 1999 , 195, 115-20	3.4	35
2	An Unusual Case of Neurofibroma of the Thyroid Capsule. <i>Pathology and Oncology Research</i> , 1997 , 3, 293-295	2.6	4
1	Tumor-Promoting/Associated Inflammation and the Microenvironment: A State of the Science and New Horizons473-510		