Alexandra Latini

List of Publications by Citations

Source: https://exaly.com/author-pdf/9218818/alexandra-latini-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,763 38 133 54 g-index h-index citations papers 4.8 5.11 142 4,297 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
133	Short bouts of mild-intensity physical exercise improve spatial learning and memory in aging rats: involvement of hippocampal plasticity via AKT, CREB and BDNF signaling. <i>Mechanisms of Ageing and Development</i> , 2011 , 132, 560-7	5.6	179
132	The role of oxidative damage in the neuropathology of organic acidurias: insights from animal studies. <i>Journal of Inherited Metabolic Disease</i> , 2004 , 27, 427-48	5.4	132
131	The metabolite BH4 controls Titell proliferation in autoimmunity and cancer. <i>Nature</i> , 2018 , 563, 564-56	68 50.4	103
130	Resveratrol protects C6 astrocyte cell line against hydrogen peroxide-induced oxidative stress through heme oxygenase 1. <i>PLoS ONE</i> , 2013 , 8, e64372	3.7	94
129	Effects of low-power laser irradiation (LPLI) at different wavelengths and doses on oxidative stress and fibrogenesis parameters in an animal model of wound healing. <i>Lasers in Medical Science</i> , 2011 , 26, 125-31	3.1	87
128	D-2-hydroxyglutaric acid induces oxidative stress in cerebral cortex of young rats. <i>European Journal of Neuroscience</i> , 2003 , 17, 2017-22	3.5	85
127	Molecular aspects involved in swimming exercise training reducing anhedonia in a rat model of depression. <i>Neuroscience</i> , 2011 , 192, 661-74	3.9	84
126	Evidence that oxidative stress is increased in patients with X-linked adrenoleukodystrophy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2004 , 1688, 26-32	6.9	81
125	Mitochondrial energy metabolism is markedly impaired by D-2-hydroxyglutaric acid in rat tissues. <i>Molecular Genetics and Metabolism</i> , 2005 , 86, 188-99	3.7	79
124	Reduction of Neuropathic and Inflammatory Pain through Inhibition of the Tetrahydrobiopterin Pathway. <i>Neuron</i> , 2015 , 86, 1393-406	13.9	76
123	Positive correlation between elevated plasma cholesterol levels and cognitive impairments in LDL receptor knockout mice: relevance of cortico-cerebral mitochondrial dysfunction and oxidative stress. <i>Neuroscience</i> , 2011 , 197, 99-106	3.9	71
122	Effects of inorganic selenium administration in methylmercury-induced neurotoxicity in mouse cerebral cortex. <i>International Journal of Developmental Neuroscience</i> , 2010 , 28, 631-7	2.7	71
121	In vivo manganese exposure modulates Erk, Akt and Darpp-32 in the striatum of developing rats, and impairs their motor function. <i>PLoS ONE</i> , 2012 , 7, e33057	3.7	68
120	In vitro evidence for an antioxidant role of 3-hydroxykynurenine and 3-hydroxyanthranilic acid in the brain. <i>Neurochemistry International</i> , 2007 , 50, 83-94	4.4	68
119	Folic acid plus Ecocopherol mitigates amyloid-Induced neurotoxicity through modulation of mitochondrial complexes activity. <i>Journal of Alzheimera Disease</i> , 2011 , 24, 61-75	4.3	66
118	Exercise-induced immune system response: Anti-inflammatory status on peripheral and central organs. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165823	6.9	65
117	The intranasal administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP): a new rodent model to test palliative and neuroprotective agents for ParkinsonB disease. <i>Current Pharmaceutical Design</i> , 2011 , 17, 489-507	3.3	61

(2010-2002)

116	3-Hydroxyglutaric acid induces oxidative stress and decreases the antioxidant defenses in cerebral cortex of young rats. <i>Brain Research</i> , 2002 , 956, 367-73	3.7	61
115	Lithium and valproate prevent olfactory discrimination and short-term memory impairments in the intranasal 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) rat model of Parkinson® disease. <i>Behavioural Brain Research</i> , 2012 , 229, 208-15	3.4	58
114	Moderate-Intensity Physical Exercise Protects Against Experimental 6-Hydroxydopamine-Induced Hemiparkinsonism Through Nrf2-Antioxidant Response Element Pathway. <i>Neurochemical Research</i> , 2016 , 41, 64-72	4.6	55
113	Effects of exercise on mitochondrial function, neuroplasticity and anxio-depressive behavior of mice. <i>Neuroscience</i> , 2014 , 271, 56-63	3.9	54
112	Oxidative stress-mediated inhibition of brain creatine kinase activity by methylmercury. <i>NeuroToxicology</i> , 2010 , 31, 454-60	4.4	52
111	3-Hydroxyglutaric acid moderately impairs energy metabolism in brain of young rats. <i>Neuroscience</i> , 2005 , 135, 111-20	3.9	52
110	Neurobiological alterations induced by exercise and their impact on depressive disorders [corrected]. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2010 , 6, 115-25	3.2	50
109	Induction of oxidative stress by L-2-hydroxyglutaric acid in rat brain. <i>Journal of Neuroscience Research</i> , 2003 , 74, 103-10	4.4	50
108	Proanthocyanidin-rich fraction from Croton celtidifolius Baill confers neuroprotection in the intranasal 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine rat model of Parkinson® disease. <i>Journal of Neural Transmission</i> , 2010 , 117, 1337-51	4.3	47
107	Promotion of oxidative stress by 3-hydroxyglutaric acid in rat striatum. <i>Journal of Inherited Metabolic Disease</i> , 2005 , 28, 57-67	5.4	47
106	Induction of oxidative stress by chronic and acute glutaric acid administration to rats. <i>Cellular and Molecular Neurobiology</i> , 2007 , 27, 423-38	4.6	46
105	Evaluation of the mechanisms involved in leucine-induced oxidative damage in cerebral cortex of young rats. <i>Free Radical Research</i> , 2005 , 39, 71-9	4	46
104	Responses of the macroalgae Hypnea musciformis after in vitro exposure to UV-B. <i>Aquatic Botany</i> , 2012 , 100, 8-17	1.8	45
103	Impact of different resistance training protocols on muscular oxidative stress parameters. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 1239-46	3	45
102	Alterations in architecture and metabolism induced by ultraviolet radiation-B in the carragenophyte Chondracanthus teedei (Rhodophyta, Gigartinales). <i>Protoplasma</i> , 2012 , 249, 353-67	3.4	42
101	The janus face of resveratrol in astroglial cells. <i>Neurotoxicity Research</i> , 2009 , 16, 30-41	4.3	42
100	Low-concentration exposure to glyphosate-based herbicide modulates the complexes of the mitochondrial respiratory chain and induces mitochondrial hyperpolarization in the Danio rerio brain. <i>Chemosphere</i> , 2018 , 209, 353-362	8.4	40
99	High-intensity physical exercise disrupts implicit memory in mice: involvement of the striatal glutathione antioxidant system and intracellular signaling. <i>Neuroscience</i> , 2010 , 171, 1216-27	3.9	40

98	Quinolinic acid reduces the antioxidant defenses in cerebral cortex of young rats. <i>International Journal of Developmental Neuroscience</i> , 2005 , 23, 695-701	2.7	40
97	Astrocytic proliferation and mitochondrial dysfunction induced by accumulated glutaric acidemia I (GAI) metabolites: possible implications for GAI pathogenesis. <i>Neurobiology of Disease</i> , 2008 , 32, 528-34	, 7⋅5	39
96	Effects of Cadmium on Growth, Photosynthetic Pigments, Photosynthetic Performance, Biochemical Parameters and Structure of Chloroplasts in the Agarophyte <i>Gracilaria domingensis</i> (Rhodophyta, Gracilariales). <i>American Journal of Plant Sciences</i> , 2012 , 03, 1077-10	0.5 1 84	38
95	Morphological alterations and induction of oxidative stress in glial cells caused by the branched-chain alpha-keto acids accumulating in maple syrup urine disease. <i>Neurochemistry International</i> , 2006 , 49, 640-50	4.4	37
94	Protective effects of diphenyl diselenide in a mouse model of brain toxicity. <i>Chemico-Biological Interactions</i> , 2013 , 206, 18-26	5	34
93	The effects of lead and copper on the cellular architecture and metabolism of the red alga Gracilaria domingensis. <i>Microscopy and Microanalysis</i> , 2013 , 19, 513-24	0.5	34
92	Increased platelet oxidative metabolism, blood oxidative stress and neopterin levels after ultra-endurance exercise. <i>Journal of Sports Sciences</i> , 2014 , 32, 22-30	3.6	33
91	Evidence for a synergistic action of glutaric and 3-hydroxyglutaric acids disturbing rat brain energy metabolism. <i>International Journal of Developmental Neuroscience</i> , 2007 , 25, 391-8	2.7	33
90	Diphenyl diselenide administration enhances cortical mitochondrial number and activity by increasing hemeoxygenase type 1 content in a methylmercury-induced neurotoxicity mouse model. <i>Molecular and Cellular Biochemistry</i> , 2014 , 390, 1-8	4.2	31
89	Exercise attenuates levodopa-induced dyskinesia in 6-hydroxydopamine-lesioned mice. <i>Neuroscience</i> , 2013 , 243, 46-53	3.9	30
88	Differential effects of insulin on peripheral diabetes-related changes in mitochondrial bioenergetics: involvement of advanced glycosylated end products. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011 , 1812, 1460-71	6.9	29
87	Glutaric acid administration impairs energy metabolism in midbrain and skeletal muscle of young rats. <i>Neurochemical Research</i> , 2005 , 30, 1123-31	4.6	29
86	In vitro neurotoxic properties and excitatory aminoacids concentration in the cerebrospinal fluid of amyotrophic lateral sclerosis patients. Relationship with the degree of certainty of disease diagnoses. <i>Acta Neurologica Scandinavica</i> , 2010 , 121, 120-6	3.8	28
85	Diphenyl diselenide prevents cortico-cerebral mitochondrial dysfunction and oxidative stress induced by hypercholesterolemia in LDL receptor knockout mice. <i>Neurochemical Research</i> , 2013 , 38, 202	2 8 -36	27
84	Neopterin as a potential cytoprotective brain molecule. <i>Journal of Psychiatric Research</i> , 2015 , 71, 134-9	5.2	27
83	Evidence that 3-hydroxy-3-methylglutaric acid promotes lipid and protein oxidative damage and reduces the nonenzymatic antioxidant defenses in rat cerebral cortex. <i>Journal of Neuroscience Research</i> , 2008 , 86, 683-93	4.4	27
82	Promotion of oxidative stress by L-tryptophan in cerebral cortex of rats. <i>Neurochemistry International</i> , 2006 , 49, 87-93	4.4	27
81	Barthß syndrome-like disorder: a new phenotype with a maternally inherited A3243G substitution of mitochondrial DNA (MELAS mutation). <i>American Journal of Medical Genetics Part A</i> , 2001 , 99, 83-93		27

(2002-2009)

80	Synergistic neurotoxicity induced by methylmercury and quercetin in mice. <i>Food and Chemical Toxicology</i> , 2009 , 47, 645-9	4.7	26
79	Induction of oxidative stress by the metabolites accumulating in 3-methylglutaconic aciduria in cerebral cortex of young rats. <i>Life Sciences</i> , 2008 , 82, 652-62	6.8	26
78	Evidence for oxidative stress in tissues derived from succinate semialdehyde dehydrogenase-deficient mice. <i>Journal of Inherited Metabolic Disease</i> , 2007 , 30, 800-10	5.4	26
77	Kynurenines impair energy metabolism in rat cerebral cortex. <i>Cellular and Molecular Neurobiology</i> , 2007 , 27, 147-60	4.6	26
76	Uric acid activates NRLP3 inflammasome in an in-vivo model of epithelial to mesenchymal transition in the kidney. <i>Journal of Molecular Histology</i> , 2017 , 48, 209-218	3.3	24
75	Glutaric acid moderately compromises energy metabolism in rat brain. <i>International Journal of Developmental Neuroscience</i> , 2005 , 23, 687-93	2.7	24
74	Running for REST: Physical activity attenuates neuroinflammation in the hippocampus of aged mice. <i>Brain, Behavior, and Immunity</i> , 2017 , 61, 31-35	16.6	23
73	In vitro effect of quinolinic acid on energy metabolism in brain of young rats. <i>Neuroscience Research</i> , 2007 , 57, 277-88	2.9	23
72	Deep Brain Stimulation for Obesity: A Review and Future Directions. <i>Frontiers in Neuroscience</i> , 2019 , 13, 323	5.1	22
71	Six weeks of voluntary exercise don® protect C57BL/6 mice against neurotoxicity of MPTP and MPP(+). <i>Neurotoxicity Research</i> , 2014 , 25, 147-52	4.3	21
70	Standardization of exercise intensity and consideration of a dose-response is essential. Commentary on "Exercise-linked FNDC5/irisin rescues synaptic plasticity and memory defects in Alzheimerß models", by Lourenco et al., published 2019 in. <i>Journal of Sport and Health Science</i> ,	8.2	20
69	Effects of environmental and artificial UV-B radiation on freshwater prawn Macrobrachium olfersi embryos. <i>Aquatic Toxicology</i> , 2010 , 98, 25-33	5.1	20
68	Tryptophan administration induces oxidative stress in brain cortex of rats. <i>Metabolic Brain Disease</i> , 2008 , 23, 221-33	3.9	20
67	Response of the agarophyte Gelidium floridanum after in vitro exposure to ultraviolet radiation B: changes in ultrastructure, pigments, and antioxidant systems. <i>Journal of Applied Phycology</i> , 2012 , 24, 1341-1352	3.2	19
66	Neopterin preconditioning prevents inflammasome activation in mammalian astrocytes. <i>Free Radical Biology and Medicine</i> , 2018 , 115, 371-382	7.8	19
65	Low-level laser therapy attenuates the acute inflammatory response induced by muscle traumatic injury. <i>Free Radical Research</i> , 2016 , 50, 503-13	4	18
64	Induction of oxidative stress by the metabolites accumulating in isovaleric acidemia in brain cortex of young rats. <i>Free Radical Research</i> , 2008 , 42, 707-15	4	18
63	Leukodystrophy and CSF purine abnormalities associated with isolated 3-methylcrotonyl-CoA carboxylase deficiency. <i>Metabolic Brain Disease</i> , 2002 , 17, 13-8	3.9	18

62	Neopterin acts as an endogenous cognitive enhancer. Brain, Behavior, and Immunity, 2016, 56, 156-64	16.6	17
61	Antioxidant and pro-oxidant properties of boldine on hippocampal slices exposed to oxygen-glucose deprivation in vitro. <i>NeuroToxicology</i> , 2008 , 29, 1136-40	4.4	17
60	Oxidative stress induction by cis-4-decenoic acid: relevance for MCAD deficiency. <i>Free Radical Research</i> , 2007 , 41, 1261-72	4	17
59	Inhibition of energy metabolism by 2-methylacetoacetate and 2-methyl-3-hydroxybutyrate in cerebral cortex of developing rats. <i>Journal of Inherited Metabolic Disease</i> , 2005 , 28, 501-15	5.4	16
58	Effects of natural radiation, photosynthetically active radiation and artificial ultraviolet radiation-B on the chloroplast organization and metabolism of Porphyra acanthophora var. brasiliensis (Rhodophyta, Bangiales). <i>Microscopy and Microanalysis</i> , 2012 , 18, 1467-79	0.5	15
57	Phytochemical profile, toxicity and antioxidant activity of Aloysia gratissima (Verbenaceae). <i>Quimica Nova</i> , 2013 , 36, 69-73	1.6	15
56	Neuroprotective effects of a brain permeant 6-aminoquinoxaline derivative in cell culture conditions that model the loss of dopaminergic neurons in Parkinson disease. <i>European Journal of Medicinal Chemistry</i> , 2015 , 89, 467-79	6.8	14
55	Oxidative stress and mitochondrial adaptive shift during pituitary tumoral growth. <i>Free Radical Biology and Medicine</i> , 2018 , 120, 41-55	7.8	14
54	Acute exposure of rabbits to diphenyl diselenide: a toxicological evaluation. <i>Journal of Applied Toxicology</i> , 2010 , 30, 761-8	4.1	14
53	Amygdala levels of the GluA1 subunit of glutamate receptors and its phosphorylation state at serine 845 in the anterior hippocampus are biomarkers of ictal fear but not anxiety. <i>Molecular Psychiatry</i> , 2020 , 25, 655-665	15.1	14
52	Evidence of cellular senescence during the development of estrogen-induced pituitary tumors. <i>Endocrine-Related Cancer</i> , 2015 , 22, 299-317	5.7	13
51	Hydroxyl containing seleno-imine compound exhibits improved anti-oxidant potential and does not inhibit thiol-containing enzymes. <i>Chemico-Biological Interactions</i> , 2011 , 190, 35-44	5	13
50	Na+, K+ ATPase activity is markedly reduced by cis-4-decenoic acid in synaptic plasma membranes from cerebral cortex of rats. <i>Experimental Neurology</i> , 2006 , 197, 143-9	5.7	13
49	Physical Exercise Potentials Against Viral Diseases Like COVID-19 in the Elderly. <i>Frontiers in Medicine</i> , 2020 , 7, 379	4.9	12
48	Energy metabolism is compromised in skeletal muscle of rats chronically-treated with glutaric acid. <i>Metabolic Brain Disease</i> , 2007 , 22, 111-23	3.9	12
47	Branched-chain amino acids accumulating in maple syrup urine disease induce morphological alterations in C6 glioma cells probably through reactive species. <i>International Journal of Developmental Neuroscience</i> , 2007 , 25, 181-9	2.7	11
46	Moderate running exercise prevents excessive immune system activation. <i>Physiology and Behavior</i> , 2019 , 204, 248-255	3.5	10
45	Metabolic profile of the brown macroalga Sargassum cymosum (Phaeophyceae, Fucales) under laboratory UV radiation and salinity conditions. <i>Journal of Applied Phycology</i> , 2015 , 27, 887-899	3.2	10

(2020-2020)

44	Kynurenine and Tetrahydrobiopterin Pathways Crosstalk in Pain Hypersensitivity. <i>Frontiers in Neuroscience</i> , 2020 , 14, 620	5.1	10
43	Disubstituted diaryl diselenides as potential atheroprotective compounds: Involvement of TrxR and GPx-like systems. <i>European Journal of Pharmaceutical Sciences</i> , 2013 , 48, 717-25	5.1	10
42	Platelet oxygen consumption as a peripheral blood marker of brain energetics in a mouse model of severe neurotoxicity. <i>Journal of Bioenergetics and Biomembranes</i> , 2013 , 45, 449-57	3.7	10
41	The intra-hippocampal leucine administration impairs memory consolidation and LTP generation in rats. <i>Cellular and Molecular Neurobiology</i> , 2010 , 30, 1067-75	4.6	10
40	Kuehne LK, Reiber H, Bechter K, Hagberg L, Fuchs D., Cerebrospinal fluid neopterin is brain-derived and not associated with blood-CSF barrier dysfunction in non-inflammatory affective and schizophrenic spectrum disorders. Journal of Psychiatric Research, Volume 47, Issue 10, October 2013, pages 1417-1422. Journal of Psychiatric Research, 2015, 63, 141-2	5.2	9
39	Profiling of how nociceptor neurons detect danger - new and old foes. <i>Journal of Internal Medicine</i> , 2019 , 286, 268-289	10.8	9
38	Role of hormonal levels on hospital mortality for male patients with severe traumatic brain injury. <i>Brain Injury</i> , 2014 , 28, 1262-9	2.1	9
37	Influence of cadmium and salinity in the red alga Pterocladiella capillacea: cell morphology, photosynthetic performance and antioxidant systems. <i>Revista Brasileira De Botanica</i> , 2015 , 38, 737-749	1.2	8
36	Tetrahydrobiopterin improves hippocampal nitric oxide-linked long-term memory. <i>Molecular Genetics and Metabolism</i> , 2018 , 125, 104-111	3.7	8
35	Effects of photobiomodulation on mitochondria of brain, muscle, and C6 astroglioma cells. <i>Medical Engineering and Physics</i> , 2019 , 71, 108-113	2.4	8
34	1,25(OH)2 vitamin D3 signalling on immature rat Sertoli cells: gamma-glutamyl transpeptidase and glucose metabolism. <i>Journal of Cell Communication and Signaling</i> , 2017 , 11, 233-243	5.2	7
33	Epigenetic modifications induced by exercise: Drug-free intervention to improve cognitive deficits associated with obesity. <i>Physiology and Behavior</i> , 2019 , 204, 309-323	3.5	7
32	Sepiapterin Reductase Inhibition Leading to Selective Reduction of Inflammatory Joint Pain in Mice and Increased Urinary Sepiapterin Levels in Humans and Mice. <i>Arthritis and Rheumatology</i> , 2020 , 72, 57-	66 5	7
31	Oxidative Stress: Neuropathy, Excitability, and Neurodegeneration. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 2715326	6.7	6
30	Mitochondrial Respiration Chain Enzymatic Activities in the Human Brain: Methodological Implications for Tissue Sampling and Storage. <i>Neurochemical Research</i> , 2016 , 41, 880-91	4.6	6
29	Chronic Metabolic Derangement-Induced Cognitive Deficits and Neurotoxicity Are Associated with REST Inactivation. <i>Molecular Neurobiology</i> , 2019 , 56, 1539-1557	6.2	6
28	Effect of ultraviolet-B radiation in laboratory on morphological and ultrastructural characteristics and physiological parameters of selected cultivar of Oryza sativa L. <i>Protoplasma</i> , 2013 , 250, 1303-13	3.4	6
27	Kynurenine, Tetrahydrobiopterin, and Cytokine Inflammatory Biomarkers in Individuals Affected by Diabetic Neuropathic Pain. <i>Frontiers in Neuroscience</i> , 2020 , 14, 890	5.1	6

26	Novel immune biomarkers in complex regional pain syndrome. <i>Journal of Neuroimmunology</i> , 2020 , 347, 577330	3.5	6
25	The ERK phosphorylation levels in the amygdala predict anxiety symptoms in humans and MEK/ERK inhibition dissociates innate and learned defensive behaviors in rats. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
24	Caffeine Consumption plus Physical Exercise Improves Behavioral Impairments and Stimulates Neuroplasticity in Spontaneously Hypertensive Rats (SHR): an Animal Model of Attention Deficit Hyperactivity Disorder. <i>Molecular Neurobiology</i> , 2020 , 57, 3902-3919	6.2	5
23	De novo tetrahydrobiopterin biosynthesis is impaired in the inflammed striatum of parkin mice. <i>Cell Biology International</i> , 2018 , 42, 725-733	4.5	5
22	Draft for Clinical Practice and Epidemiology in Mental Health Neurobiological Alterations Induced by Exercise and Their Impact on Depressive Disorders. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2010 , 1, 115-125	3.2	5
21	Effects of Ghrelin on the Oxidative Stress and Healing of the Colonic Anastomosis in Rats. <i>Journal of Surgical Research</i> , 2019 , 234, 167-177	2.5	5
20	Neuropsychological functioning and brain energetics of drug resistant mesial temporal lobe epilepsy patients. <i>Epilepsy Research</i> , 2017 , 138, 26-31	3	4
19	Temporal development of neurochemical and cognitive impairments following reserpine administration in rats. <i>Behavioural Brain Research</i> , 2020 , 383, 112517	3.4	4
18	Glyphosate-based herbicide impairs energy metabolism and increases autophagy in C6 astroglioma cell line. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2020 , 83, 153-167	3.2	4
17	Exposure to the herbicide 2,4-dichlorophenoxyacetic acid impairs mitochondrial function, oxidative status, and behavior in adult zebrafish. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 45874-45	5882	4
16	Impact of homocysteine on vasculogenic factors and bone formation in chicken embryos. <i>Cell Biology and Toxicology</i> , 2019 , 35, 49-58	7.4	3
15	Predictors of Pain Recurrence After Lumbar Facet Joint Injections. <i>Frontiers in Neuroscience</i> , 2019 , 13, 958	5.1	3
14	Pivotal role of NF- B in cellular senescence of experimental pituitary tumours. <i>Journal of Endocrinology</i> , 2020 , 245, 179-191	4.7	3
13	Mitochondrial respiratory chain complex enzyme activities of limbic structures and psychiatric diagnosis in temporal lobe epilepsy patients: Preliminary results. <i>CNS Neuroscience and Therapeutics</i> , 2017 , 23, 700-702	6.8	2
12	Blood advanced glycation end products and biomarkers of inflammation in class III obese Brazilian subjects. <i>Integrative Obesity and Diabetes</i> , 2017 , 3,		2
11	Treating depression with exercise: The inflammasome inhibition perspective. <i>Journal of Systems and Integrative Neuroscience</i> , 2016 , 3,	2.9	2
10	A Brazilian pulp and paper mill effluent disrupts energy metabolism in immature rat testis and alters Sertoli cell secretion and mitochondrial activity. <i>Animal Reproduction</i> , 2020 , 17, e20190116	1.7	2
9	The effect of voluntary wheel running on the antioxidant status is dependent on sociability conditions. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 198, 173018	3.9	1

8 Treating Depression with Exercise 2018, 100-110 О Commentary: Urinary Neopterin, a New Marker of the Neuroinflammatory Status in Amyotrophic 5.1 Lateral Sclerosis. Frontiers in Neuroscience, 2021, 15, 645694 Impaired dopamine metabolism is linked to fatigability in mice and fatigue in Parkinson® disease 6 О 4.5 patients. Brain Communications, 2021, 3, fcab116 Physical-Exercise-Induced Antioxidant Effects on the Brain and Skeletal Muscle. Antioxidants, 2022, 7.1 11,826 Functional and enzymatic improvement during pregnancy in McArdleß disease.. Journal of the 4 3.2 Neurological Sciences, 2022, 434, 120153 Elevated neopterin levels are associated with acute-on-chronic liver failure and mortality in 3.3 patients with liver cirrhosis. *Digestive and Liver Disease*, **2020**, 52, 753-760 3-Hydroxyglutaric Acid as a Neurotoxin 2021, 1-20 Muscle Fatigue Is Attenuated When Applying Intermittent Compared With Continuous Blood Flow Restriction During Endurance Cycling.. International Journal of Sports Physiology and Performance, 3.5 **2022**, 1-6