

Shao-Ping Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9218956/shao-ping-li-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

227
papers

7,529
citations

50
h-index

69
g-index

236
ext. papers

8,503
ext. citations

4.6
avg, IF

6.1
L-index

#	Paper	IF	Citations
227	A quantitative method for polysaccharides based on endo-enzymatic released specific oligosaccharides: A case of <i>Lentinus edodes</i> . <i>International Journal of Biological Macromolecules</i> , 2022 , 205, 15-22	7.9	0
226	Fast saccharide mapping method for quality consistency evaluation of commercial xylooligosaccharides collected in China. <i>Journal of Pharmaceutical Analysis</i> , 2021 , 11, 284-291	14	2
225	Evaluation of amylase immobilization on nanoclay by size exclusion chromatography and its application for starch removal from plant extracts of herbal medicines. <i>Process Biochemistry</i> , 2021 , 101, 36-41	4.8	2
224	Application of smartphone in detection of thin-layer chromatography: Case of <i>salvia miltiorrhiza</i> . <i>Journal of Chromatography A</i> , 2021 , 1637, 461826	4.5	6
223	Identification and determination of fructooligosaccharides in snow chrysanthemum (<i>Coreopsis tinctoria</i> nutt.). <i>World Journal of Traditional Chinese Medicine</i> , 2021 , 7, 78	1	3
222	Recent advances in total syntheses of natural products containing the benzocycloheptane motif. <i>Natural Product Reports</i> , 2021 , 38, 1821-1851	15.1	6
221	Mass spectrometry for structural elucidation and sequencing of carbohydrates. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 144, 116436	14.6	4
220	Effects of extraction methods on immunology activity and chemical profiles of <i>Lycium barbarum</i> polysaccharides. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 185, 113219	3.5	11
219	Decoding active components in a formulation of multiple herbs for treatment of psoriasis based on three cell lines fishing and liquid chromatography-mass spectrometry analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 186, 113331	3.5	3
218	A Chromosome-Level Genome Assembly of <i>Dendrobium huoshanense</i> Using Long Reads and Hi-C Data. <i>Genome Biology and Evolution</i> , 2020 , 12, 2486-2490	3.9	4
217	Quality evaluation of <i>Salvia miltiorrhiza</i> from different geographical origins in China based on qualitative and quantitative saccharide mapping and chemometrics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 191, 113583	3.5	1
216	spore powder contains little triterpenoids. <i>Chinese Medicine</i> , 2020 , 15, 111	4.7	1
215	Synergistic immunomodulatory effect of complex polysaccharides from seven herbs and their major active fractions. <i>International Journal of Biological Macromolecules</i> , 2020 , 165, 530-541	7.9	8
214	Shexiang Baoxin Pill, a Traditional Chinese Herbal Formula, Rescues the Cognitive Impairments in APP/PS1 Transgenic Mice. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1045	5.6	3
213	The herbal extract deriving from aerial parts of <i>Scutellaria baicalensis</i> shows anti-inflammation and anti-hypoxia responses in cultured fin cells from rabbit fish. <i>Fish and Shellfish Immunology</i> , 2020 , 106, 71-78	4.3	2
212	Comparison of volatile compounds in different parts of fresh Lour. from different geographical areas using cryogenic grinding combined HS-SPME-GC-MS. <i>Chinese Medicine</i> , 2020 , 15, 97	4.7	8
211	Recent development in the application of immobilized oxidative enzymes for bioremediation of hazardous micropollutants - A review. <i>Chemosphere</i> , 2020 , 239, 124716	8.4	71

210	Advanced sensing technologies of phenolic compounds for pharmaceutical and biomedical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 179, 112913	3.5	28
209	Simultaneous extraction, separation, isolation and identification of endogenous components from <i>Etligeria elatior</i> by pressurized matrix solid-phase dispersion using liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1611, 460604	4.5	2
208	Determination of seven oligosaccharides and sucrose in <i>Pseudostellaria heterophylla</i> by pressurized liquid extraction and ultra-high performance liquid chromatography with charged aerosol detector and tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1609, 460441	4.5	5
207	Asymmetric synthesis of the tetracyclic core of bufogargarizin C by an intramolecular [5 + 2] cycloaddition. <i>Organic Chemistry Frontiers</i> , 2019 , 6, 22-26	5.2	7
206	High-Performance Thin-Layer Chromatographic Fingerprints of Triterpenoids for Distinguishing Between and var.. <i>Journal of AOAC INTERNATIONAL</i> , 2019 , 102, 714-719	1.7	2
205	Chemistry, pharmacology and analysis of : a mini-review. <i>Chinese Medicine</i> , 2019 , 14, 21	4.7	10
204	Comparison of Antioxidant Activity and Main Active Compounds Among Different Parts of Hance Using High-Performance Thin Layer Chromatography-Bioautography. <i>Journal of AOAC INTERNATIONAL</i> , 2019 , 102, 726-733	1.7	7
203	Targeted Delivery of a Ligand-Drug Conjugate via Formyl Peptide Receptor 1 through Cholesterol-Dependent Endocytosis. <i>Molecular Pharmaceutics</i> , 2019 , 16, 2636-2647	5.6	4
202	Dynamic Analysis of Nucleosides and Carbohydrates during Developmental Stages of in Silkworm (). <i>Journal of AOAC INTERNATIONAL</i> , 2019 , 102, 741-747	1.7	2
201	2-O-β-glucopyranosyl--ascorbic acid, a novel vitamin C derivative from <i>Lycium barbarum</i> , prevents oxidative stress. <i>Redox Biology</i> , 2019 , 24, 101173	11.3	17
200	Recent applications of immobilized biomaterials in herbal analysis. <i>Journal of Chromatography A</i> , 2019 , 1603, 216-230	4.5	13
199	Functional polysaccharides of carob fruit: a review. <i>Chinese Medicine</i> , 2019 , 14, 40	4.7	16
198	Analysis of triterpenoids in <i>Ganoderma resinaceum</i> using liquid chromatography coupled with electrospray ionization quadrupole - time - of - flight mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2019 , 436, 42-51	1.9	8
197	Lanostane triterpenes from the mushroom <i>Ganoderma resinaceum</i> and their inhibitory activities against βglucosidase. <i>Phytochemistry</i> , 2018 , 149, 103-115	4	24
196	Preparation and identification of oligosaccharides in lotus seeds and determination of their distribution in different parts of lotus. <i>Electrophoresis</i> , 2018 , 39, 2020	3.6	0
195	Recent synthetic studies towards natural products via [5 + 2] cycloaddition reactions. <i>Organic Chemistry Frontiers</i> , 2018 , 5, 1217-1228	5.2	46
194	Development and application of bio-sample quantification to evaluate stability and pharmacokinetics of inulin-type fructo-oligosaccharides from <i>Morinda Officinalis</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 156, 125-132	3.5	6
193	Advanced strategies for quality control of Chinese medicines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 473-478	3.5	34

192	Chemical characterization and immunomodulatory activity of acetylated polysaccharides from <i>Dendrobium devonianum</i> . <i>Carbohydrate Polymers</i> , 2018 , 180, 238-245	10.3	42
191	Thunb.: A Review on Chemical Analysis, Processing Mechanism, Quality Evaluation, and Hepatotoxicity. <i>Frontiers in Pharmacology</i> , 2018 , 9, 364	5.6	35
190	Isolation, Structural Elucidation, and -Glucosidase Inhibitory Activities of Triterpenoid Lactones and Their Relevant Biogenetic Constituents from. <i>Molecules</i> , 2018 , 23,	4.8	4
189	Simultaneous Quantification of Three Curcuminoids and Three Volatile Components of Using Pressurized Liquid Extraction and High-Performance Liquid Chromatography. <i>Molecules</i> , 2018 , 23,	4.8	28
188	Preparation and Application of Standardized Typical Volatile Components Fraction from Turmeric (L.) by Supercritical Fluid Extraction and Step Molecular Distillation. <i>Molecules</i> , 2018 , 23,	4.8	10
187	Capillary Electrophoresis of Herbal Carbohydrates 2018 , 373-396		
186	Identification of <i>Salvia</i> species using high-performance liquid chromatography combined with chemical pattern recognition analysis. <i>Journal of Separation Science</i> , 2018 , 41, 609-617	3.4	9
185	Flavonoids in natural and tissue cultured materials of <i>Epimedium alpinum</i> identified by using UHPLC-Q-TOF-MS/MS. <i>International Journal of Mass Spectrometry</i> , 2018 , 434, 222-232	1.9	4
184	Capillary electrophoresis in phytochemical analysis (2014-2017). <i>Separation Science Plus</i> , 2018 , 1, 676-701	1.1	1
183	Synthetic Study toward the Total Synthesis of Taxezopidines A and B. <i>Organic Letters</i> , 2018 , 20, 5905-5909	0.2	5
182	Qualitation and quantification of water soluble non-starch polysaccharides from <i>Pseudostellaria heterophylla</i> in China using saccharide mapping and multiple chromatographic methods. <i>Carbohydrate Polymers</i> , 2018 , 199, 619-627	10.3	17
181	Analysis of <i>Cordyceps</i> by multi-column liquid chromatography. <i>Acta Pharmaceutica Sinica B</i> , 2017 , 7, 202-207	0.3	9
180	Identification of four cornua by ultra-performance liquid chromatography with time-of-flight mass spectrometry coupled with principal component analysis. <i>Journal of Separation Science</i> , 2017 , 40, 1667-1673	3.4	5
179	Comparison of Immunomodulatory Effects of Fresh Garlic and Black Garlic Polysaccharides on RAW 264.7 Macrophages. <i>Journal of Food Science</i> , 2017 , 82, 765-771	3.4	37
178	Toward the Total Synthesis of Eurifoloid A. <i>Organic Letters</i> , 2017 , 19, 2742-2745	6.2	32
177	Recent progress toward the total synthesis of humulanolides. <i>Tetrahedron</i> , 2017 , 73, 3289-3303	2.4	11
176	Comparative metabolomics analysis for the compatibility and incompatibility of kansui and licorice with different ratios by UHPLC-QTOF/MS and multivariate data analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1057, 40-45	3.2	14
175	Advanced analysis of polysaccharides, novel functional components in food and medicine dual purposes Chinese herbs. <i>TrAC - Trends in Analytical Chemistry</i> , 2017 , 96, 138-150	14.6	19

174	A new nortriterpenoid and an ergostane-type steroid from the fruiting bodies of the fungus <i>Ganoderma resinaceum</i> . <i>Journal of Asian Natural Products Research</i> , 2017 , 19, 1239-1244	1.5	7
173	Hierarchical identification of bioactive components in a medicinal herb by preparative high-performance liquid chromatography and selective knock-out strategy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 135, 206-216	3.5	11
172	Meroterpenoids from the fruiting bodies of higher fungus <i>Ganoderma resinaceum</i> . <i>Phytochemistry Letters</i> , 2017 , 22, 214-218	1.9	19
171	Nortriterpenoids from the Fruiting Bodies of the Mushroom <i>Ganoderma resinaceum</i> . <i>Molecules</i> , 2017 , 22,	4.8	11
170	Applications of liquid chromatography in the quality control of traditional Chinese medicines: An overview 2017 , 617-663		
169	Asymmetric Total Syntheses of Colchicine, Lumicolchicine, and Alcolcolchicinoid N-Acetylcolchinol-O-methyl Ether (NCME). <i>Organic Letters</i> , 2017 , 19, 4612-4615	6.2	13
168	Non-starch polysaccharide from Chinese yam activated RAW 264.7 macrophages through the Toll-like receptor 4 (TLR4)-NF- κ B signaling pathway. <i>Journal of Functional Foods</i> , 2017 , 37, 491-500	5.1	21
167	Effects of Polysaccharides in <i>Lycium Barbarum</i> Berries from Different Regions of China on Macrophages Function and their Correlation to the Glycosidic Linkages. <i>Journal of Food Science</i> , 2017 , 82, 2411-2420	3.4	15
166	Potential molecular mechanisms for fruiting body formation of <i>Cordyceps</i> illustrated in the case of. <i>Mycology</i> , 2017 , 8, 231-258	3.7	4
165	Molecular characterization of branched polysaccharides from <i>Tremella fuciformis</i> by asymmetrical flow field-flow fractionation and size exclusion chromatography. <i>Journal of Separation Science</i> , 2017 , 40, 4272-4280	3.4	11
164	Evaluation on quality consistency of <i>Ganoderma lucidum</i> dietary supplements collected in the United States. <i>Scientific Reports</i> , 2017 , 7, 7792	4.9	17
163	Quantitative analysis of flavonoids and phenolic acid in <i>Coreopsis tinctoria</i> Nutt. by capillary zone electrophoresis. <i>Electrophoresis</i> , 2017 , 38, 2654-2661	3.6	15
162	Pharmacokinetic Comparison of Seven Major Bio-Active Components in Normal and Blood Stasis Rats after Oral Administration of Herb Pair Danggui-Honghua by UPLC-TQ/MS. <i>Molecules</i> , 2017 , 22,	4.8	13
161	A Novel Strategy for Quantitative Analysis of Major Ginsenosides in <i>Panax Japonici</i> Rhizoma with a Standardized Reference Fraction. <i>Molecules</i> , 2017 , 22,	4.8	7
160	Advanced development in phytochemicals analysis of medicine and food dual purposes plants used in China (2011-2014). <i>Journal of Chromatography A</i> , 2016 , 1428, 39-54	4.5	20
159	Comparison of antioxidant activities of different parts from snow chrysanthemum (<i>Coreopsis tinctoria</i> Nutt.) and identification of their natural antioxidants using high performance liquid chromatography coupled with diode array detection and mass spectrometry and	4.5	47
158	2,2-Azino-bis(3-ethylbenzothiazoline-sulfonic acid) diammonium salt-based assay. <i>Journal of Microwave-Assisted Extraction, Chemical Structures, and Chain Conformation of Polysaccharides from a Novel Cordyceps Sinensis Fungus UM01</i> . <i>Journal of Food Science</i> , 2016 , 81, C2167-74	3.4	17
157	<i>Cordyceps</i> collected from Bhutan, an appropriate alternative of <i>Cordyceps sinensis</i> . <i>Scientific Reports</i> , 2016 , 6, 37668	4.9	5

156	Qualitation and quantification of specific polysaccharides from Panax species using GC-MS, saccharide mapping and HPSEC-RID-MALLS. <i>Carbohydrate Polymers</i> , 2016 , 153, 47-54	10.3	53
155	Qualitative and quantitative analysis of specific polysaccharides in Dendrobium huoshanense by using saccharide mapping and chromatographic methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 163-171	3.5	30
154	Structural elucidation, chain conformation and immuno-modulatory activity of glucogalactomannan from cultured Cordyceps sinensis fungus UM01. <i>Journal of Functional Foods</i> , 2016 , 25, 174-185	5.1	33
153	Simultaneous determination of molecular weights and contents of water-soluble polysaccharides and their fractions from Lycium barbarum collected in China. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 210-218	3.5	42
152	Standardized Extract from Caesalpinia spinosa is Cytotoxic Over Cancer Stem Cells and Enhance Anticancer Activity of Doxorubicin. <i>The American Journal of Chinese Medicine</i> , 2016 , 44, 1693-1717	6	22
151	Optimization of microwave-assisted extraction of bioactive alkaloids from lotus plumule using response surface methodology. <i>Journal of Pharmaceutical Analysis</i> , 2016 , 6, 382-388	14	28
150	Preparation of xylooligosaccharides from xylan by controlled acid hydrolysis and fast protein liquid chromatography coupled with refractive index detection. <i>Separation and Purification Technology</i> , 2016 , 171, 151-156	8.3	17
149	Comparison and Characterization of Compounds with Antioxidant Activity in Lycium barbarum Using High-Performance Thin Layer Chromatography Coupled with DPPH Bioautography and Tandem Mass Spectrometry. <i>Journal of Food Science</i> , 2016 , 81, C1378-84	3.4	13
148	Discovery of active components in herbs using chromatographic separation coupled with online bioassay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1021, 81-90	3.2	20
147	Chemical characteristics of different parts of Coreopsis tinctoria in China using microwave-assisted extraction and high-performance liquid chromatography followed by chemometric analysis. <i>Journal of Separation Science</i> , 2016 , 39, 2919-27	3.4	11
146	Rapid Identification and Comparison of Compounds with Antioxidant Activity in Coreopsis tinctoria Herbal Tea by High-Performance Thin-Layer Chromatography Coupled with DPPH Bioautography and Densitometry. <i>Journal of Food Science</i> , 2016 , 81, C2218-23	3.4	17
145	An evaluation system for characterization of polysaccharides from the fruiting body of Hericium erinaceus and identification of its commercial product. <i>Carbohydrate Polymers</i> , 2015 , 124, 201-7	10.3	35
144	Characterization and comparison of polysaccharides from Lycium barbarum in China using saccharide mapping based on PACE and HPTLC. <i>Carbohydrate Polymers</i> , 2015 , 134, 12-9	10.3	36
143	Decoding glycome of Astragalus membranaceus based on pressurized liquid extraction, microwave-assisted hydrolysis and chromatographic analysis. <i>Journal of Chromatography A</i> , 2015 , 1409, 19-29	4.5	22
142	A novel 12, 23-epoxy dammarane saponin from Panax notoginseng. <i>Chinese Journal of Natural Medicines</i> , 2015 , 13, 303-6	2.8	5
141	Effect of sample preparation on components and liver toxicity of Polygonum multiflorum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 109, 105-11	3.5	31
140	A rapid and accurate method for the quantitative estimation of natural polysaccharides and their fractions using high performance size exclusion chromatography coupled with multi-angle laser light scattering and refractive index detector. <i>Journal of Chromatography A</i> , 2015 , 1400, 98-106	4.5	80
139	Fermentation optimization for the production of bioactive polysaccharides from Cordyceps sinensis fungus UM01. <i>International Journal of Biological Macromolecules</i> , 2015 , 79, 180-5	7.9	22

138	Multifunctional T Lymphocytes Generated After Therapy With an Antitumor Gallotanin-Rich Normalized Fraction Are Related to Primary Tumor Size Reduction in a Breast Cancer Model. <i>Integrative Cancer Therapies</i> , 2015 , 14, 468-83	3	20
137	Characterization and comparison of bioactive polysaccharides from the tubers of <i>Gymnadenia conopsea</i> . <i>Food Hydrocolloids</i> , 2015 , 43, 199-206	10.6	25
136	A novel strategy for rapid quantification of 20(S)-protopanaxatriol and 20(S)-protopanaxadiol saponins in <i>Panax notoginseng</i> P. <i>ginseng</i> and <i>P. quinquefolium</i> . <i>Natural Product Research</i> , 2015 , 29, 46-52	2.3	16
135	Quantitative analysis of acankoreoside A and acankoreagenin in the leaves of <i>Schefflera octophylla</i> and <i>Schefflera actinophylla</i> using pressurized liquid extraction and high-performance liquid chromatography coupled with evaporative light scattering detection. <i>Journal of Separation Science</i> , 2015 , 38, 2201-7	3.4	4
134	Quality control of sweet medicines based on gas chromatography-mass spectrometry. <i>Drug Discoveries and Therapeutics</i> , 2015 , 9, 94-106	5	10
133	Phenolic Derivatives from the Root Bark of. <i>Helvetica Chimica Acta</i> , 2015 , 98, 201-209	2	2
132	A novel sample preparation and on-line HPLC-DAD-MS/MS-BCD analysis for rapid screening and characterization of specific enzyme inhibitors in herbal extracts: case study of β -glucosidase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 130-5	3.5	42
131	Discovery of xanthine oxidase inhibitors from a complex mixture using an online, restricted-access material coupled with column-switching liquid chromatography with a diode-array detection system. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1975-84	4.4	19
130	Preparation and purification of raffinose family oligosaccharides from <i>Rehmannia glutinosa</i> Libosch. by fast protein liquid chromatography coupled with refractive index detection. <i>Separation and Purification Technology</i> , 2014 , 138, 98-103	8.3	15
129	Chemical constituents of the plants from the genus <i>Oplopanax</i> . <i>Chemistry and Biodiversity</i> , 2014 , 11, 181-96	2.5	16
128	A comparative study on immunomodulatory activity of polysaccharides from two official species of <i>Ganoderma</i> (Lingzhi). <i>Nutrition and Cancer</i> , 2014 , 66, 1124-31	2.8	30
127	Determination of inulin-type fructooligosaccharides in edible plants by high-performance liquid chromatography with charged aerosol detector. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 7707-13	5.7	26
126	Determination of six polyynes in <i>Oplopanax horridus</i> and <i>Oplopanax elatus</i> using polyethylene glycol modified reversed migration microemulsion electrokinetic chromatography. <i>Electrophoresis</i> , 2014 , 35, 2959-64	3.6	8
125	High-performance liquid chromatography coupled with post-column dual-bioactivity assay for simultaneous screening of xanthine oxidase inhibitors and free radical scavengers from complex mixture. <i>Journal of Chromatography A</i> , 2014 , 1345, 50-6	4.5	34
124	Activation of mouse macrophages and dendritic cells induced by polysaccharides from a novel <i>Cordyceps sinensis</i> fungus UM01. <i>Journal of Functional Foods</i> , 2014 , 9, 242-253	5.1	54
123	Characterization of bioactive polysaccharides from <i>Cordyceps militaris</i> produced in China using saccharide mapping. <i>Journal of Functional Foods</i> , 2014 , 9, 315-323	5.1	32
122	Advanced development in chemical analysis of <i>Cordyceps</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 87, 271-89	3.5	68
121	A simple analysis of fructooligosaccharides in two medicinal plants by high-performance thin-layer chromatography. <i>Journal of Planar Chromatography - Modern TLC</i> , 2014 , 27, 245-250	0.9	7

120	Anticancer activities of polyynes from the root bark of <i>Oplopanax horridus</i> and their acetylated derivatives. <i>Molecules</i> , 2014 , 19, 6142-62	4.8	12
119	Chemopreventive effects of oplopantriol A, a novel compound isolated from <i>Oplopanax horridus</i> , on colorectal cancer. <i>Nutrients</i> , 2014 , 6, 2668-80	6.7	8
118	Comparison and characterization of the glycome of <i>Panax</i> species by high-performance thin-layer chromatography. <i>Journal of Planar Chromatography - Modern TLC</i> , 2014 , 27, 449-453	0.9	11
117	Anticancer compound Oplopantriol A kills cancer cells through inducing ER stress and BH3 proteins Bim and Noxa. <i>Cell Death and Disease</i> , 2014 , 5, e1190	9.8	23
116	Chemical Constituents from Leaves of <i>Oplopanax horridus</i> . <i>Chinese Herbal Medicines</i> , 2014 , 6, 328-331	1.4	3
115	Screening of xanthine oxidase inhibitors in complex mixtures using online HPLC coupled with postcolumn fluorescence-based biochemical detection. <i>Journal of Separation Science</i> , 2014 , 37, 338-44	3.4	10
114	Advance of CE and CEC in phytochemical analysis (2012-2013). <i>Electrophoresis</i> , 2014 , 35, 205-24	3.6	17
113	Characterization and discrimination of polysaccharides from different species of <i>Cordyceps</i> using saccharide mapping based on PACE and HPTLC. <i>Carbohydrate Polymers</i> , 2014 , 103, 100-9	10.3	45
112	Chain conformation and immunomodulatory activity of a hyperbranched polysaccharide from <i>Cordyceps sinensis</i> . <i>Carbohydrate Polymers</i> , 2014 , 110, 405-14	10.3	73
111	Simultaneous determination of seven hydrophilic bioactive compounds in water extract of <i>Polygonum multiflorum</i> using pressurized liquid extraction and short-end injection micellar electrokinetic chromatography. <i>Chemistry Central Journal</i> , 2013 , 7, 45		4
110	A novel strategy with standardized reference extract qualification and single compound quantitative evaluation for quality control of <i>Panax notoginseng</i> used as a functional food. <i>Journal of Chromatography A</i> , 2013 , 1313, 302-7	4.5	50
109	Synergistic antitumor activity of reversine combined with aspirin in cervical carcinoma in vitro and in vivo. <i>Cytotechnology</i> , 2013 , 65, 643-53	2.2	13
108	Advanced phytochemical analysis of herbal tea in China. <i>Journal of Chromatography A</i> , 2013 , 1313, 2-23	4.5	80
107	Carbohydrates analysis in herbal glycomics. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 52, 155-169	14.6	87
106	High-performance anion-exchange chromatography coupled with diode array detection for the determination of dencichine in <i>Panax notoginseng</i> and related species. <i>Journal of Separation Science</i> , 2013 , 36, 2401-6	3.4	11
105	Quality evaluation of <i>Polygonum multiflorum</i> in China based on HPLC analysis of hydrophilic bioactive compounds and chemometrics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 72, 223-30	3.5	27
104	Chromatography in characterization of polysaccharides from medicinal plants and fungi. <i>Journal of Separation Science</i> , 2013 , 36, 1-19	3.4	64
103	Identification of potential anticancer compounds from <i>Oplopanax horridus</i> . <i>Phytomedicine</i> , 2013 , 20, 999-1006	6.5	31

102	Preparation of inulin-type fructooligosaccharides using fast protein liquid chromatography coupled with refractive index detection. <i>Journal of Chromatography A</i> , 2013 , 1308, 52-7	4.5	22
101	Quality evaluation of lentinan injection produced in China. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 78-79, 176-82	3.5	38
100	Determination of fructooligosaccharides in burdock using HPLC and microwave-assisted extraction. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 5888-92	5.7	34
99	Mycelia extracts of fungal strains isolated from <i>Cordyceps sinensis</i> differently enhance the function of RAW 264.7 macrophages. <i>Journal of Ethnopharmacology</i> , 2013 , 148, 818-25	5	23
98	Characterization of polysaccharides from <i>Ganoderma</i> spp. using saccharide mapping. <i>Carbohydrate Polymers</i> , 2013 , 97, 398-405	10.3	27
97	Effects of polysaccharides from different species of <i>Dendrobium</i> (Shihu) on macrophage function. <i>Molecules</i> , 2013 , 18, 5779-91	4.8	49
96	Simultaneous determination of flavonoids, isochlorogenic acids and triterpenoids in <i>Ilex hainanensis</i> Using high performance liquid chromatography coupled with diode array and evaporative light scattering detection. <i>Molecules</i> , 2013 , 18, 2934-41	4.8	6
95	Comparison of sterols and fatty acids in two species of <i>Ganoderma</i> . <i>Chemistry Central Journal</i> , 2012 , 6, 10		19
94	CE and CEC analysis of phytochemicals in herbal medicines. <i>Electrophoresis</i> , 2012 , 33, 168-79	3.6	23
93	Simultaneous determination of five active compounds in <i>chimonanthus nitens</i> by double-development HPTLC and scanning densitometry. <i>Chemistry Central Journal</i> , 2012 , 6, 46		8
92	Effect of ion adsorption on CEC separation of small molecules using hypercrosslinked porous polymer monolithic capillary columns. <i>Journal of Separation Science</i> , 2012 , 35, 1502-5	3.4	12
91	Chemical and pharmacological studies of <i>Oplopanax horridus</i> , a North American botanical. <i>Journal of Natural Medicines</i> , 2012 , 66, 249-56	3.3	20
90	Anti-hyperlipidaemic and antioxidant effects of turmeric oil in hyperlipidaemic rats. <i>Food Chemistry</i> , 2012 , 130, 229-235	8.5	29
89	Chemical investigation of saponins in different parts of <i>Panax notoginseng</i> by pressurized liquid extraction and liquid chromatography-electrospray ionization-tandem mass spectrometry. <i>Molecules</i> , 2012 , 17, 5836-53	4.8	44
88	The antitumor natural compound falcarindiol promotes cancer cell death by inducing endoplasmic reticulum stress. <i>Cell Death and Disease</i> , 2012 , 3, e376	9.8	55
87	Comparison of polysaccharides from two species of <i>Ganoderma</i> . <i>Molecules</i> , 2012 , 17, 740-52	4.8	42
86	<i>Cordyceps</i> as an Herbal Drug. <i>Oxidative Stress and Disease</i> , 2011 , 73-105		8
85	<i>Oplopanaphesides</i> A-C, three new phenolic glycosides from the root barks of <i>Oplopanax horridus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011 , 59, 676-9	1.9	12

84	Advanced development in analysis of phytochemicals from medicine and food dual purposes plants used in China. <i>Journal of Chromatography A</i> , 2011 , 1218, 7453-75	4.5	42
83	Simultaneous analysis of hydrophilic and lipophilic compounds in <i>Salvia miltiorrhiza</i> by double-development HPTLC and scanning densitometry. <i>Journal of Planar Chromatography - Modern TLC</i> , 2011 , 24, 257-263	0.9	8
82	Comparison and characterization of polysaccharides from natural and cultured <i>Cordyceps</i> using saccharide mapping. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 3465-74	4.4	40
81	Analysis of marker compounds with anti-platelet aggregation effects in Mailuoning injection using platelet binding assay combined with HPLC-DAD-ESI-MS and solid-phase extraction technique. <i>Phytochemical Analysis</i> , 2011 , 22, 87-93	3.4	18
80	Strategies for quality control of Chinese medicines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 802-9	3.5	116
79	Comparison of polysaccharides from different <i>Dendrobium</i> using saccharide mapping. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 977-83	3.5	35
78	5,6-Didehydroginsenosides from the roots of <i>Panax notoginseng</i> . <i>Molecules</i> , 2010 , 15, 8169-76	4.8	14
77	Evaluation of carbohydrates in natural and cultured <i>Cordyceps</i> by pressurized liquid extraction and gas chromatography coupled with mass spectrometry. <i>Molecules</i> , 2010 , 15, 4227-41	4.8	45
76	Use of HPTLC to differentiate among the crude polysaccharides in six traditional Chinese medicines. <i>Journal of Planar Chromatography - Modern TLC</i> , 2010 , 23, 46-49	0.9	18
75	Isolation and identification of two new polyynes from a North American ethnic medicinal plant-- <i>Oplopanax horridus</i> (Smith) Miq. <i>Molecules</i> , 2010 , 15, 1089-96	4.8	23
74	Free radical scavenging activity and characterization of sesquiterpenoids in four species of <i>Curcuma</i> using a TLC bioautography assay and GC-MS analysis. <i>Molecules</i> , 2010 , 15, 7547-57	4.8	59
73	Inhibition of three selected beverage extracts on alpha-glucosidase and rapid identification of their active compounds using HPLC-DAD-MS/MS and biochemical detection. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 6608-13	5.7	75
72	Discrimination of polysaccharides from traditional Chinese medicines using saccharide mapping--enzymatic digestion followed by chromatographic analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 590-8	3.5	53
71	Alleviation of ovariectomy-induced osteoporosis in rats by <i>Panax notoginseng</i> saponins. <i>Journal of Natural Medicines</i> , 2010 , 64, 336-45	3.3	38
70	CEC of phytochemical bioactive compounds. <i>Electrophoresis</i> , 2010 , 31, 260-77	3.6	25
69	CE and CEC of nucleosides and nucleotides in food materials. <i>Electrophoresis</i> , 2010 , 31, 2092-105	3.6	27
68	Preparative isolation and purification of six volatile compounds from essential oil of <i>Curcuma wenyujin</i> using high-performance centrifugal partition chromatography. <i>Journal of Separation Science</i> , 2010 , 33, 1658-64	3.4	49
67	Fast determination of five components of coumarin, alkaloids and bibenzyls in <i>Dendrobium</i> spp. using pressurized liquid extraction and ultra-performance liquid chromatography. <i>Journal of Separation Science</i> , 2010 , 33, 1580-6	3.4	35

66	Pressurized liquid extraction and GC-MS analysis for simultaneous determination of seven components in <i>Cinnamomum cassia</i> and the effect of sample preparation. <i>Journal of Separation Science</i> , 2010 , 33, 2341-8	3.4	32
65	Quantitative analysis of six polyynes and one polyene in <i>Oplopanax horridus</i> and <i>Oplopanax elatus</i> by pressurized liquid extraction and on-line SPE-HPLC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 906-10	3.5	18
64	Determination of nucleotides, nucleosides and their transformation products in <i>Cordyceps</i> by ion-pairing reversed-phase liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2010 , 1217, 5501-10	4.5	75
63	Optimization and comparison of five methods for extraction of coniferyl ferulate from <i>Angelica sinensis</i> . <i>Molecules</i> , 2009 , 14, 555-65	4.8	26
62	Effect of stability of internal standard on quantification of 15 flavonoids in <i>Epimedium</i> using CZE. <i>Journal of Separation Science</i> , 2009 , 32, 275-81	3.4	13
61	Simultaneous determination of nucleosides, myriocin, and carbohydrates in <i>Cordyceps</i> by HPLC coupled with diode array detection and evaporative light scattering detection. <i>Journal of Separation Science</i> , 2009 , 32, 4069-76	3.4	32
60	Analysis of sterols and fatty acids in natural and cultured <i>Cordyceps</i> by one-step derivatization followed with gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 1172-8	3.5	57
59	Determination of nucleosides and nucleobases in different species of <i>Cordyceps</i> by capillary electrophoresis-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 307-14	3.5	65
58	Random amplified polymorphic DNA (RAPD) analysis and the nucleosides assessment of fungal strains isolated from natural <i>Cordyceps sinensis</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 522-6	3.5	21
57	Differentiation of <i>Herba Cistanches</i> by fingerprint with high-performance liquid chromatography-diode array detection-mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 2156-62	4.5	62
56	Rapid method for simultaneous determination of flavonoid, saponins and polyacetylenes in <i>folium ginseng</i> and <i>radix ginseng</i> by pressurized liquid extraction and high-performance liquid chromatography coupled with diode array detection and mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 3825-30	4.5	43
55	Simultaneous determination of five flavonoids in licorice using pressurized liquid extraction and capillary electrochromatography coupled with peak suppression diode array detection. <i>Journal of Chromatography A</i> , 2009 , 1216, 7329-35	4.5	46
54	Evaluation of antiproliferative activities and action mechanisms of extracts from two species of <i>Ganoderma</i> on tumor cell lines. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 3087-93	5.7	59
53	Chemical characteristics of <i>Salvia miltiorrhiza</i> (<i>Danshen</i>) collected from different locations in China. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 6879-87	5.7	85
52	Optimizing ultraperformance liquid chromatographic analysis of 10 diterpenoid compounds in <i>Salvia miltiorrhiza</i> using central composite design. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1164-71	5.7	24
51	Identification and quantification of free radical scavengers in Pu-erh tea by HPLC-DAD-MS coupled online with 2,2RAzinobis(3-ethylbenzthiazolinesulfonic acid) diammonium salt assay. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 11187-91	5.7	37
50	Essential oil of <i>Curcuma wenyujin</i> induces apoptosis in human hepatoma cells. <i>World Journal of Gastroenterology</i> , 2008 , 14, 4309-18	5.6	52
49	Effects of sample preparation methods on the quantification of nucleosides in natural and cultured <i>Cordyceps</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 231-5	3.5	52

48	Screening of anti-platelet aggregation agents from <i>Panax notoginseng</i> using human platelet extraction and HPLC-DAD-ESI-MS/MS. <i>Journal of Separation Science</i> , 2008 , 31, 1173-80	3-4	44
47	Simultaneous determination of seven flavonoids in <i>Epimedium</i> using pressurized liquid extraction and capillary electrochromatography. <i>Journal of Separation Science</i> , 2008 , 31, 881-7	3-4	28
46	A rapid method for simultaneous determination of 15 flavonoids in <i>Epimedium</i> using pressurized liquid extraction and ultra-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 46, 226-35	3-5	84
45	Qualitative and quantitative analysis of four species of <i>Curcuma</i> rhizomes using twice development thin layer chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1024-8	3-5	46
44	Simultaneous determination of nucleobases, nucleosides and saponins in <i>Panax notoginseng</i> using multiple columns high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1361-7	3-5	39
43	Identification of antioxidants in essential oil of <i>radix Angelicae sinensis</i> using HPLC coupled with DAD-MS and ABTS-based assay. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 3358-62	5-7	63
42	Optimization of CEC for simultaneous determination of eleven nucleosides and nucleobases in <i>Cordyceps</i> using central composite design. <i>Electrophoresis</i> , 2007 , 28, 1681-8	3-6	31
41	Chemical characteristics of three medicinal plants of the <i>Panax</i> genus determined by HPLC-ELSD. <i>Journal of Separation Science</i> , 2007 , 30, 825-32	3-4	80
40	Simultaneous determination of four tanshinones in <i>Salvia miltiorrhiza</i> by pressurized liquid extraction and capillary electrochromatography. <i>Journal of Separation Science</i> , 2007 , 30, 900-5	3-4	27
39	Simultaneous determination of 15 flavonoids in <i>Epimedium</i> using pressurized liquid extraction and high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2007 , 1163, 96-104	4-5	74
38	Optimization of GC-MS conditions based on resolution and stability of analytes for simultaneous determination of nine sesquiterpenoids in three species of <i>Curcuma</i> rhizomes. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 73-82	3-5	60
37	Quantitative determination of eight components in rhizome (<i>Jianghuang</i>) and tuberous root (<i>Yujin</i>) of <i>Curcuma longa</i> using pressurized liquid extraction and gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 486-92	3-5	55
36	Optimization and comparison of three methods for extraction of volatile compounds from <i>Cyperus rotundus</i> evaluated by gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 444-9	3-5	37
35	Macrophage biospecific extraction and high performance liquid chromatography for hypothesis of immunological active components in <i>Cordyceps sinensis</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 439-43	3-5	52
34	Determination of purine and pyrimidine bases in natural and cultured <i>Cordyceps</i> using optimum acid hydrolysis followed by high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 141-144	3-5	28
33	Qualitative and quantitative analyses of nucleosides and nucleobases in <i>Ganoderma</i> spp. by HPLC-DAD-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 807-11	3-5	64
32	A rapid method for the simultaneous determination of 11 saponins in <i>Panax notoginseng</i> using ultra performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 996-1000	3-5	93
31	Optimization of pressurized liquid extraction of five major flavanoids from <i>Lysimachia clethroides</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 341-5	3-5	20

30	Furanodiene induces G2/M cell cycle arrest and apoptosis through MAPK signaling and mitochondria-caspase pathway in human hepatocellular carcinoma cells. <i>Cancer Biology and Therapy</i> , 2007 , 6, 1044-50	4.6	61
29	Fast simultaneous determination of 14 nucleosides and nucleobases in cultured Cordyceps using ultra-performance liquid chromatography. <i>Talanta</i> , 2007 , 73, 269-73	6.2	121
28	Hypoglycemic activity of polysaccharide, with antioxidation, isolated from cultured Cordyceps mycelia. <i>Phytomedicine</i> , 2006 , 13, 428-33	6.5	143
27	Optimization of CZE for analysis of phytochemical bioactive compounds. <i>Electrophoresis</i> , 2006 , 27, 4808-10	3.0	32
26	Quality evaluation of Cordyceps through simultaneous determination of eleven nucleosides and bases by RP-HPLC. <i>Journal of Separation Science</i> , 2006 , 29, 953-8	3.4	46
25	Simultaneous determination of 11 saponins in Panax notoginseng using HPLC-ELSD and pressurized liquid extraction. <i>Journal of Separation Science</i> , 2006 , 29, 2190-6	3.4	51
24	Quality evaluation of Ganoderma through simultaneous determination of nine triterpenes and sterols using pressurized liquid extraction and high performance liquid chromatography. <i>Journal of Separation Science</i> , 2006 , 29, 2609-15	3.4	37
23	Qualitative and quantitative determination of nucleosides, bases and their analogues in natural and cultured Cordyceps by pressurized liquid extraction and high performance liquid chromatography-electrospray ionization tandem mass spectrometry (HPLC-ESI-MS/MS). <i>Analytica Chimica Acta</i> , 2006 , 571, 216-222	6.6	82
22	Optimization for quantitative determination of four flavonoids in Epimedium by capillary zone electrophoresis coupled with diode array detection using central composite design. <i>Journal of Chromatography A</i> , 2006 , 1103, 344-9	4.5	104
21	Simultaneous determination of saponins and fatty acids in Ziziphus jujuba (Suanzaoren) by high performance liquid chromatography-evaporative light scattering detection and pressurized liquid extraction. <i>Journal of Chromatography A</i> , 2006 , 1108, 188-94	4.5	131
20	Simultaneous determination of 11 characteristic components in three species of Curcuma rhizomes using pressurized liquid extraction and high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1134, 226-31	4.5	65
19	Optimization of pressurized liquid extraction for Z-ligustilide, Z-butylidenephthalide and ferulic acid in Angelica sinensis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 1073-9	3.5	45
18	GC-MS fingerprint of Pogostemon cablin in China. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 42, 200-6	3.5	60
17	Simultaneous determination of nine saponins from Panax notoginseng using HPLC and pressurized liquid extraction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 274-9	3.5	70
16	A rapid HPLC-ESI-MS/MS for qualitative and quantitative analysis of saponins in "XUESETONG" injection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 669-78	3.5	44
15	Quality control of Cordyceps sinensis, a valued traditional Chinese medicine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1571-84	3.5	199
14	Chemical characteristics for different parts of Panax notoginseng using pressurized liquid extraction and HPLC-ELSD. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1596-601	3.5	130
13	Molecular genetic and chemical assessment of Rhizoma Curcumae in China. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 6019-26	5.7	50

12	Hypothesis of potential active components in <i>Angelica sinensis</i> by using biomembrane extraction and high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 38, 664-9	3.5	67
11	Identification and quantitation of eleven sesquiterpenes in three species of <i>Curcuma</i> rhizomes by pressurized liquid extraction and gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 552-8	3.5	80
10	Simultaneous determination of anthraquinones in Rhubarb by pressurized liquid extraction and capillary zone electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 1778-82	3.6	37
9	Distinction of water-soluble constituents between natural and cultured <i>Cordyceps</i> by capillary electrophoresis. <i>Phytomedicine</i> , 2004 , 11, 684-90	6.5	24
8	Simultaneous determination of six main nucleosides and bases in natural and cultured <i>Cordyceps</i> by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004 , 1055, 215-21	4.5	75
7	Simultaneous determination of ergosterol, nucleosides and their bases from natural and cultured <i>Cordyceps</i> by pressurised liquid extraction and high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2004 , 1036, 239-43	4.5	94
6	Identification and quantification of 13 components in <i>Angelica sinensis</i> (Danggui) by gas chromatography-mass spectrometry coupled with pressurized liquid extraction. <i>Analytica Chimica Acta</i> , 2004 , 526, 131-137	6.6	94
5	The fruiting body and its caterpillar host of <i>Cordyceps sinensis</i> show close resemblance in main constituents and anti-oxidation activity. <i>Phytomedicine</i> , 2002 , 9, 319-24	6.5	71
4	Anti-oxidation activity of different types of natural <i>Cordyceps sinensis</i> and cultured <i>Cordyceps</i> mycelia. <i>Phytomedicine</i> , 2001 , 8, 207-12	6.5	129
3	Authentic identification of stigma <i>Crocus</i> (stigma of <i>Crocus sativus</i>) from its adulterants by molecular genetic analysis. <i>Planta Medica</i> , 2001 , 67, 183-6	3.1	36
2	Antithrombotic and thrombolytic activities of Agkisacutacin, a snake venom proteinase, in experimental models. <i>General Pharmacology</i> , 2000 , 35, 179-87		13
1	Application of Chemometrics in Capillary Electrophoresis Analysis of Herbal Medicines		227-242 1