

Hyemi Kwon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9219756/publications.pdf>

Version: 2024-02-01

83
papers

1,992
citations

257357

24
h-index

315616

38
g-index

85
all docs

85
docs citations

85
times ranked

2608
citing authors

#	ARTICLE	IF	CITATIONS
1	Active Surveillance for Patients With Papillary Thyroid Microcarcinoma: A Single Center's Experience in Korea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1917-1925.	1.8	164
2	Features Predictive of Distant Metastasis in Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2016, 26, 161-168.	2.4	91
3	Comparison of the Seventh and Eighth Editions of the American Joint Committee on Cancer/Union for International Cancer Control Tumor-Node-Metastasis Staging System for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017, 27, 1149-1155.	2.4	83
4	Dynamic Risk Stratification for Predicting Recurrence in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine Remnant Ablation Therapy. <i>Thyroid</i> , 2017, 27, 524-530.	2.4	74
5	Young Age and Male Sex Are Predictors of Large-Volume Central Neck Lymph Node Metastasis in Clinical NO Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2017, 27, 1285-1290.	2.4	73
6	Genomic Alterations of Anaplastic Thyroid Carcinoma Detected by Targeted Massive Parallel Sequencing in a BRAF ^{V600E} Mutation-Prevalent Area. <i>Thyroid</i> , 2016, 26, 683-690.	2.4	66
7	Association Between Glycemic Status and the Risk of Parkinson Disease: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2020, 43, 2169-2175.	4.3	54
8	Features of papillary thyroid microcarcinoma associated with lateral cervical lymph node metastasis. <i>Clinical Endocrinology</i> , 2017, 86, 845-851.	1.2	53
9	Excessive Iodine Intake and Thyrotropin Reference Interval: Data from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , 2017, 27, 967-972.	2.4	48
10	Thyrotropin Suppressive Therapy for Low-Risk Small Thyroid Cancer: A Propensity Score-Matched Cohort Study. <i>Thyroid</i> , 2017, 27, 1164-1170.	2.4	46
11	Recent Changes in the Clinical Outcome of Papillary Thyroid Carcinoma With Cervical Lymph Node Metastasis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3470-3477.	1.8	45
12	Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 642-649.	2.4	44
13	Optimal cut-off age in the TNM Staging system of differentiated thyroid cancer: is 55 years better than 45 years?. <i>Clinical Endocrinology</i> , 2017, 86, 438-443.	1.2	43
14	Metabolic Obesity Phenotypes and Thyroid Cancer Risk: A Cohort Study. <i>Thyroid</i> , 2019, 29, 349-358.	2.4	39
15	Standardized Thyroid Cancer Mortality in Korea between 1985 and 2010. <i>Endocrinology and Metabolism</i> , 2014, 29, 530.	1.3	36
16	Prevalence and Annual Incidence of Thyroid Disease in Korea from 2006 to 2015: A Nationwide Population-Based Cohort Study. <i>Endocrinology and Metabolism</i> , 2018, 33, 260.	1.3	35
17	Weight change is significantly associated with risk of thyroid cancer: A nationwide population-based cohort study. <i>Scientific Reports</i> , 2019, 9, 1546.	1.6	33
18	Visceral-to-Subcutaneous Abdominal Fat Ratio Is Associated with Nonalcoholic Fatty Liver Disease and Liver Fibrosis. <i>Endocrinology and Metabolism</i> , 2020, 35, 165.	1.3	30

#	ARTICLE	IF	CITATIONS
19	Serial Neck Ultrasonographic Evaluation of Changes in Papillary Thyroid Carcinoma During Pregnancy. <i>Thyroid</i> , 2017, 27, 773-777.	2.4	29
20	Preoperative Clinical and Sonographic Predictors for Lateral Cervical Lymph Node Metastases in Sporadic Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 362-368.	2.4	29
21	Increased risk of diabetes development in individuals with weight cycling over 4 years: The Kangbuk Samsung Health study. <i>Diabetes Research and Clinical Practice</i> , 2018, 139, 230-238.	1.1	28
22	Association Between Coronary Artery Calcification and the Hemoglobin Glycation Index: The Kangbuk Samsung Health Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4634-4641.	1.8	27
23	Resveratrol, an activator of SIRT1, improves ER stress by increasing clusterin expression in HepG2 cells. <i>Cell Stress and Chaperones</i> , 2019, 24, 825-833.	1.2	26
24	The Risk of Myocardial Infarction and Ischemic Stroke According to Waist Circumference in 21,749,261 Korean Adults: A Nationwide Population-Based Study. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 206.	1.8	26
25	Metformin Is Associated with a Favorable Outcome in Diabetic Patients with Cervical Lymph Node Metastasis of Differentiated Thyroid Cancer. <i>European Thyroid Journal</i> , 2015, 4, 181-188.	1.2	25
26	Usefulness of Measuring Thyroid Stimulating Antibody at the Time of Antithyroid Drug Withdrawal for Predicting Relapse of Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 300.	1.3	24
27	Pioglitazone Attenuates Palmitate-Induced Inflammation and Endoplasmic Reticulum Stress in Pancreatic β -Cells. <i>Endocrinology and Metabolism</i> , 2018, 33, 105.	1.3	24
28	Dynamic risk stratification for medullary thyroid cancer according to the response to initial therapy. <i>Endocrine</i> , 2016, 53, 174-181.	1.1	23
29	Changes in standardized mortality rates from thyroid cancer in Korea between 1985 and 2015: Analysis of Korean national data. <i>Cancer</i> , 2017, 123, 4808-4814.	2.0	23
30	Impact of Reclassification on Thyroid Nodules with Architectural Atypia: From Non-Invasive Encapsulated Follicular Variant Papillary Thyroid Carcinomas to Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>PLoS ONE</i> , 2016, 11, e0167756.	1.1	22
31	Association between abdominal obesity and increased risk for the development of hypertension regardless of physical activity: A nationwide population-based study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1417-1426.	1.0	22
32	COVID-19 Vaccination for Endocrine Patients: A Position Statement from the Korean Endocrine Society. <i>Endocrinology and Metabolism</i> , 2021, 36, 757-765.	1.3	22
33	Reference interval for thyrotropin in a ultrasonography screened Korean population. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 335.	0.7	22
34	Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 379-389.	1.8	21
35	Vitamin D deficiency affects thyroid autoimmunity and dysfunction in iodine-replete area: Korea national health and nutrition examination survey. <i>Endocrine</i> , 2017, 58, 332-339.	1.1	20
36	The persistence of fatty liver has a differential impact on the development of diabetes: The Kangbuk Samsung Health Study. <i>Diabetes Research and Clinical Practice</i> , 2018, 135, 1-6.	1.1	20

#	ARTICLE	IF	CITATIONS
37	Comparison of Immunohistochemistry and Direct Sanger Sequencing for Detection of the <i>BRAF</i> ^{V600E} Mutation in Thyroid Neoplasm. <i>Endocrinology and Metabolism</i> , 2018, 33, 62.	1.3	20
38	Association between thyroid hormone levels, body composition and insulin resistance in euthyroid subjects with normal thyroid ultrasound: The Kangbuk Samsung Health Study. <i>Clinical Endocrinology</i> , 2018, 89, 649-655.	1.2	20
39	A cutoff value of basal serum calcitonin for detecting macroscopic medullary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 82, 598-603.	1.2	19
40	Changing trends in the clinicopathological features and clinical outcomes of medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2016, 113, 152-158.	0.8	19
41	Associations among Obesity Degree, Glycemic Status, and Risk of Heart Failure in 9,720,220 Korean Adults. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 592.	1.8	19
42	Deficiency of Sphingosine-1-Phosphate Reduces the Expression of Prohibitin and Causes β -Cell Impairment via Mitochondrial Dysregulation. <i>Endocrinology and Metabolism</i> , 2018, 33, 403.	1.3	18
43	Lack of Efficacy of Radioiodine Remnant Ablation for Papillary Thyroid Microcarcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>Annals of Surgical Oncology</i> , 2017, 24, 2596-2602.	0.7	17
44	Low Prevalence of Somatic TERT Promoter Mutations in Classic Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2016, 31, 100.	1.3	16
45	Decreased Vagal Activity and Deviation in Sympathetic Activity Precedes Development of Diabetes. <i>Diabetes Care</i> , 2020, 43, 1336-1343.	4.3	16
46	Association between neck ultrasonographic findings and clinicopathological features in the follicular variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 83, 968-976.	1.2	15
47	Lack of Associations between Body Mass Index and Clinical Outcomes in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2015, 30, 305.	1.3	15
48	Molecular Diagnosis Using Residual Liquid-Based Cytology Materials for Patients with Nondiagnostic or Indeterminate Thyroid Nodules. <i>Endocrinology and Metabolism</i> , 2016, 31, 586.	1.3	15
49	Serum lipoprotein(a) levels and insulin resistance have opposite effects on fatty liver disease. <i>Atherosclerosis</i> , 2020, 308, 1-5.	0.4	15
50	Usefulness of NRAS codon 61 mutation analysis and core needle biopsy for the diagnosis of thyroid nodules previously diagnosed as atypia of undetermined significance. <i>Endocrine</i> , 2016, 52, 305-312.	1.1	14
51	Initial Size of Metastatic Lesions Is Best Prognostic Factor in Patients with Metastatic Differentiated Thyroid Carcinoma Confined to the Lung. <i>Thyroid</i> , 2017, 27, 49-58.	2.4	14
52	The Association between Persistent Hypertriglyceridemia and the Risk of Diabetes Development: The Kangbuk Samsung Health Study. <i>Endocrinology and Metabolism</i> , 2018, 33, 55.	1.3	14
53	Metformin, resveratrol, and exendin-4 inhibit high phosphate-induced vascular calcification via AMPK-RANKL signaling. <i>Biochemical and Biophysical Research Communications</i> , 2020, 530, 374-380.	1.0	14
54	Negative Expression of CPSF2 Predicts a Poorer Clinical Outcome in Patients with Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 1020-1025.	2.4	13

#	ARTICLE	IF	CITATIONS
55	Age-specific reference interval of serum TSH levels is high in adolescence in an iodine excess area: Korea national health and nutrition examination survey data. <i>Endocrine</i> , 2017, 57, 445-454.	1.1	13
56	Dose-Dependent Effect of Smoking on Risk of Diabetes Remains after Smoking Cessation: A Nationwide Population-Based Cohort Study in Korea. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 539-546.	1.8	13
57	Autonomic Imbalance Increases the Risk for Non-alcoholic Fatty Liver Disease. <i>Frontiers in Endocrinology</i> , 2021, 12, 752944.	1.5	13
58	Preoperative clinicopathological characteristics of patients with solitary encapsulated follicular variants of papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2017, 116, 746-755.	0.8	12
59	Dynamic Risk Stratification in Stage I Papillary Thyroid Cancer Patients Younger Than 45 Years of Age. <i>Thyroid</i> , 2017, 27, 1400-1407.	2.4	12
60	The Prevalence and Risk of Type 2 Diabetes in Adults with Disabilities in Korea. <i>Endocrinology and Metabolism</i> , 2020, 35, 552-561.	1.3	11
61	Relation between Baseline Height and New Diabetes Development: A Nationwide Population-Based Study. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 794.	1.8	10
62	Solitary Skin Metastasis of Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2014, 29, 579.	1.3	9
63	Appropriate Amount of Regular Exercise Is Associated with a Reduced Mortality Risk. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2451-2458.	0.2	9
64	Exendin-4 improves ER stress-induced lipid accumulation and regulates lipin-1 signaling in HepG2 cells. <i>Cell Stress and Chaperones</i> , 2018, 23, 629-638.	1.2	9
65	Serum Adiponectin and Progranulin Level in Patients with Benign Thyroid Nodule or Papillary Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2020, 35, 396-406.	1.3	9
66	Increased Risk of Nonalcoholic Fatty Liver Disease in Individuals with High Weight Variability. <i>Endocrinology and Metabolism</i> , 2021, 36, 845-854.	1.3	8
67	Baseline homeostasis model assessment of insulin resistance associated with fibrosis progression in patients with nonalcoholic fatty liver disease without diabetes: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0255535.	1.1	8
68	Changes in the Pulmonary Function Test after Radioactive Iodine Treatment in Patients with Pulmonary Metastases of Differentiated Thyroid Cancer. <i>PLoS ONE</i> , 2015, 10, e0125114.	1.1	7
69	Increased Mortality Burden in Young Asian Subjects with Dysglycemia and Comorbidities. <i>Journal of Clinical Medicine</i> , 2020, 9, 1042.	1.0	7
70	Growth Kinetics of Macronodular Lung Metastases and Survival in Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017, 27, 915-922.	2.4	7
71	Clusterin Protects Lipotoxicity-Induced Apoptosis via Upregulation of Autophagy in Insulin-Secreting Cells. <i>Endocrinology and Metabolism</i> , 2020, 35, 943-953.	1.3	7
72	Effects of dabrafenib and erlotinib combination treatment on anaplastic thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2022, 29, 307-319.	1.6	7

#	ARTICLE	IF	CITATIONS
73	Diffusely Increased 18F-FDG Uptake in the Thyroid Gland and Risk of Thyroid Dysfunction: A Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 443.	1.0	6
74	Changes in Insulin Resistance Index and the Risk of Liver Fibrosis in Patients with Nonalcoholic Fatty Liver Disease without Diabetes: Kangbuk Samsung Health Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 1016-1028.	1.3	6
75	Association of KCNJ2 Genetic Variants with Susceptibility to Thyrotoxic Periodic Paralysis in Patients with Graves's Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 75-78.	0.6	5
76	Changes in Patterns of Physical Activity and Risk of Heart Failure in Newly Diagnosed Diabetes Mellitus Patients. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 327-336.	1.8	5
77	Thyrotoxic Periodic Paralysis and Polymorphisms of the <i>ADRB2</i> , <i>AR</i> , and <i>GABRA3</i> Genes in Men with Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 142.	1.3	4
78	The Effects of Glucose Lowering Agents on the Secondary Prevention of Coronary Artery Disease in Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , 2021, 36, 977-987.	1.3	4
79	Dulaglutide Ameliorates Palmitic Acid-Induced Hepatic Steatosis by Activating FAM3A Signaling Pathway. <i>Endocrinology and Metabolism</i> , 2022, 37, 74-83.	1.3	4
80	Insulin resistance contributes more to the increased risk for diabetes development in subjects with low lipoprotein(a) level than insulin secretion. <i>PLoS ONE</i> , 2017, 12, e0177500.	1.1	3
81	Effects of physical activity on cardiovascular outcomes and mortality in Korean patients with diabetes: a nationwide population-based cohort study. <i>Cardiovascular Prevention and Pharmacotherapy</i> , 2022, 4, 42-55.	0.0	1
82	Letter: Thyroid-Stimulating Hormone Reference Ranges in the First Trimester of Pregnancy in an Iodine-Sufficient Country (<i>Endocrinol Metab</i> 2018;33:466-72, Carmen Castillo et al.). <i>Endocrinology and Metabolism</i> , 2019, 34, 93.	1.3	0
83	SAT-634 The Effect of Cotinine Verified Smoking on the Development of Diabetes. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.1	0