Hyemi Kwon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9219756/publications.pdf

Version: 2024-02-01

| 83 | 1,992 | 24 h-index | 38 |
|----------|----------------|--------------|----------------|
| papers | citations | | g-index |
| 85 | 85 | 85 | 2608 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Changes in Patterns of Physical Activity and Risk of Heart Failure in Newly Diagnosed Diabetes Mellitus Patients. Diabetes and Metabolism Journal, 2022, 46, 327-336. | 1.8 | 5 |
| 2 | Effects of physical activity on cardiovascular outcomes and mortality in Korean patients with diabetes: a nationwide population-based cohort study. Cardiovascular Prevention and Pharmacotherapy, 2022, 4, 42-55. | 0.0 | 1 |
| 3 | Dulaglutide Ameliorates Palmitic Acid-Induced Hepatic Steatosis by Activating FAM3A Signaling Pathway. Endocrinology and Metabolism, 2022, 37, 74-83. | 1.3 | 4 |
| 4 | Effects of dabrafenib and erlotinib combination treatment on anaplastic thyroid carcinoma. Endocrine-Related Cancer, 2022, 29, 307-319. | 1.6 | 7 |
| 5 | Increased Risk of Cardiovascular Disease and Mortality in Patients with Diabetes and Coexisting Depression: A Nationwide Population-Based Cohort Study. Diabetes and Metabolism Journal, 2021, 45, 379-389. | 1.8 | 21 |
| 6 | Dose-Dependent Effect of Smoking on Risk of Diabetes Remains after Smoking Cessation: A Nationwide Population-Based Cohort Study in Korea. Diabetes and Metabolism Journal, 2021, 45, 539-546. | 1.8 | 13 |
| 7 | COVID-19 Vaccination for Endocrine Patients: A Position Statement from the Korean Endocrine Society. Endocrinology and Metabolism, 2021, 36, 757-765. | 1.3 | 22 |
| 8 | Increased Risk of Nonalcoholic Fatty Liver Disease in Individuals with High Weight Variability. Endocrinology and Metabolism, 2021, 36, 845-854. | 1.3 | 8 |
| 9 | Baseline homeostasis model assessment of insulin resistance associated with fibrosis progression in patients with nonalcoholic fatty liver disease without diabetes: A cohort study. PLoS ONE, 2021, 16, e0255535. | 1.1 | 8 |
| 10 | Changes in Insulin Resistance Index and the Risk of Liver Fibrosis in Patients with Nonalcoholic Fatty Liver Disease without Diabetes: Kangbuk Samsung Health Study. Endocrinology and Metabolism, 2021, 36, 1016-1028. | 1.3 | 6 |
| 11 | The Effects of Glucose Lowering Agents on the Secondary Prevention of Coronary Artery Disease in Patients with Type 2 Diabetes. Endocrinology and Metabolism, 2021, 36, 977-987. | 1.3 | 4 |
| 12 | Autonomic Imbalance Increases the Risk for Non-alcoholic Fatty Liver Disease. Frontiers in Endocrinology, 2021, 12, 752944. | 1.5 | 13 |
| 13 | Serum lipoprotein(a) levels and insulin resistance have opposite effects on fatty liver disease. Atherosclerosis, 2020, 308, 1-5. | 0.4 | 15 |
| 14 | Metformin, resveratrol, and exendin-4 inhibit high phosphate-induced vascular calcification via AMPK-RANKL signaling. Biochemical and Biophysical Research Communications, 2020, 530, 374-380. | 1.0 | 14 |
| 15 | Association Between Glycemic Status and the Risk of Parkinson Disease: A Nationwide Population-Based Study. Diabetes Care, 2020, 43, 2169-2175. | 4.3 | 54 |
| 16 | Increased Mortality Burden in Young Asian Subjects with Dysglycemia and Comorbidities. Journal of Clinical Medicine, 2020, 9, 1042. | 1.0 | 7 |
| 17 | Decreased Vagal Activity and Deviation in Sympathetic Activity Precedes Development of Diabetes. Diabetes Care, 2020, 43, 1336-1343. | 4.3 | 16 |
| 18 | Visceral-to-Subcutaneous Abdominal Fat Ratio Is Associated with Nonalcoholic Fatty Liver Disease and Liver Fibrosis. Endocrinology and Metabolism, 2020, 35, 165. | 1.3 | 30 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Serum Adiponectin and Progranulin Level in Patients with Benign Thyroid Nodule or Papillary Thyroid Cancer. Endocrinology and Metabolism, 2020, 35, 396-406. | 1.3 | 9 |
| 20 | The Prevalence and Risk of Type 2 Diabetes in Adults with Disabilities in Korea. Endocrinology and Metabolism, 2020, 35, 552-561. | 1.3 | 11 |
| 21 | Clusterin Protects Lipotoxicity-Induced Apoptosis via Upregulation of Autophagy in Insulin-Secreting Cells. Endocrinology and Metabolism, 2020, 35, 943-953. | 1.3 | 7 |
| 22 | Associations among Obesity Degree, Glycemic Status, and Risk of Heart Failure in 9,720,220 Korean Adults. Diabetes and Metabolism Journal, 2020, 44, 592. | 1.8 | 19 |
| 23 | SAT-634 The Effect of Continine Verified Smoking on the Development of Diabetes. Journal of the Endocrine Society, 2020, 4, . | 0.1 | 0 |
| 24 | Resveratrol, an activator of SIRT1, improves ER stress by increasing clusterin expression in HepG2 cells. Cell Stress and Chaperones, 2019, 24, 825-833. | 1.2 | 26 |
| 25 | The Risk of Myocardial Infarction and Ischemic Stroke According to Waist Circumference in 21,749,261 Korean Adults: A Nationwide Population-Based Study. Diabetes and Metabolism Journal, 2019, 43, 206. | 1.8 | 26 |
| 26 | Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Carcinoma. Thyroid, 2019, 29, 642-649. | 2.4 | 44 |
| 27 | Letter: Thyroid-Stimulating Hormone Reference Ranges in the First Trimester of Pregnancy in an lodine-Sufficient Country (<i>Endocrinol Metab</i> Endocrinology and Metabolism, 2019, 34, 93. | 1.3 | 0 |
| 28 | Diffusely Increased 18F-FDG Uptake in the Thyroid Gland and Risk of Thyroid Dysfunction: A Cohort Study. Journal of Clinical Medicine, 2019, 8, 443. | 1.0 | 6 |
| 29 | Weight change is significantly associated with risk of thyroid cancer: A nationwide population-based cohort study. Scientific Reports, 2019, 9, 1546. | 1.6 | 33 |
| 30 | Metabolic Obesity Phenotypes and Thyroid Cancer Risk: A Cohort Study. Thyroid, 2019, 29, 349-358. | 2.4 | 39 |
| 31 | Relation between Baseline Height and New Diabetes Development: A Nationwide Population-Based Study. Diabetes and Metabolism Journal, 2019, 43, 794. | 1.8 | 10 |
| 32 | Preoperative Clinical and Sonographic Predictors for Lateral Cervical Lymph Node Metastases in Sporadic Medullary Thyroid Carcinoma. Thyroid, 2018, 28, 362-368. | 2.4 | 29 |
| 33 | Increased risk of diabetes development in individuals with weight cycling over 4†years: The Kangbuk Samsung Health study. Diabetes Research and Clinical Practice, 2018, 139, 230-238. | 1.1 | 28 |
| 34 | The persistence of fatty liver has a differential impact on the development of diabetes: The Kangbuk Samsung Health Study. Diabetes Research and Clinical Practice, 2018, 135, 1-6. | 1.1 | 20 |
| 35 | Appropriate Amount of Regular Exercise Is Associated with a Reduced Mortality Risk. Medicine and Science in Sports and Exercise, 2018, 50, 2451-2458. | 0.2 | 9 |
| 36 | Deficiency of Sphingosine-1-Phosphate Reduces the Expression of Prohibitin and Causes Î ² -Cell Impairment via Mitochondrial Dysregulation. Endocrinology and Metabolism, 2018, 33, 403. | 1.3 | 18 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Association between abdominal obesity and increased risk for the development of hypertension regardless of physical activity: A nationwide populationâ€based study. Journal of Clinical Hypertension, 2018, 20, 1417-1426. | 1.0 | 22 |
| 38 | Comparison of Immunohistochemistry and Direct Sanger Sequencing for Detection of the <i>BRAF</i> ^{V600E} Mutation in Thyroid Neoplasm. Endocrinology and Metabolism, 2018, 33, 62. | 1.3 | 20 |
| 39 | The Association between Persistent Hypertriglyceridemia and the Risk of Diabetes Development: The Kangbuk Samsung Health Study. Endocrinology and Metabolism, 2018, 33, 55. | 1.3 | 14 |
| 40 | Exendin-4 improves ER stress-induced lipid accumulation and regulates lipin-1 signaling in HepG2 cells. Cell Stress and Chaperones, 2018, 23, 629-638. | 1.2 | 9 |
| 41 | Association between thyroid hormone levels, body composition and insulin resistance in euthyroid subjects with normal thyroid ultrasound: The Kangbuk Samsung Health Study. Clinical Endocrinology, 2018, 89, 649-655. | 1.2 | 20 |
| 42 | Pioglitazone Attenuates Palmitate-Induced Inflammation and Endoplasmic Reticulum Stress in Pancreatic \hat{l}^2 -Cells. Endocrinology and Metabolism, 2018, 33, 105. | 1.3 | 24 |
| 43 | Prevalence and Annual Incidence of Thyroid Disease in Korea from 2006 to 2015: A Nationwide Population-Based Cohort Study. Endocrinology and Metabolism, 2018, 33, 260. | 1.3 | 35 |
| 44 | Association of KCNJ2 Genetic Variants with Susceptibility to Thyrotoxic Periodic Paralysis in Patients with Graves' Disease. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 75-78. | 0.6 | 5 |
| 45 | Features of papillary thyroid microcarcinoma associated with lateral cervical lymph node metastasis. Clinical Endocrinology, 2017, 86, 845-851. | 1.2 | 53 |
| 46 | Excessive Iodine Intake and Thyrotropin Reference Interval: Data from the Korean National Health and Nutrition Examination Survey. Thyroid, 2017, 27, 967-972. | 2.4 | 48 |
| 47 | Active Surveillance for Patients With Papillary Thyroid Microcarcinoma: A Single Center's Experience in Korea. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1917-1925. | 1.8 | 164 |
| 48 | Serial Neck Ultrasonographic Evaluation of Changes in Papillary Thyroid Carcinoma During Pregnancy. Thyroid, 2017, 27, 773-777. | 2.4 | 29 |
| 49 | Comparison of the Seventh and Eighth Editions of the American Joint Committee on Cancer/Union for International Cancer Control Tumor-Node-Metastasis Staging System for Differentiated Thyroid Cancer. Thyroid, 2017, 27, 1149-1155. | 2.4 | 83 |
| 50 | Preoperative clinicopathological characteristics of patients with solitary encapsulated follicular variants of papillary thyroid carcinomas. Journal of Surgical Oncology, 2017, 116, 746-755. | 0.8 | 12 |
| 51 | Lack of Efficacy of Radioiodine Remnant Ablation for Papillary Thyroid Microcarcinoma: Verification Using Inverse Probability of Treatment Weighting. Annals of Surgical Oncology, 2017, 24, 2596-2602. | 0.7 | 17 |
| 52 | Association Between Coronary Artery Calcification and the Hemoglobin Glycation Index: The Kangbuk Samsung Health Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4634-4641. | 1.8 | 27 |
| 53 | Changes in standardized mortality rates from thyroid cancer in Korea between 1985 and 2015: Analysis of Korean national data. Cancer, 2017, 123, 4808-4814. | 2.0 | 23 |
| 54 | Dynamic Risk Stratification in Stage I Papillary Thyroid Cancer Patients Younger Than 45 Years of Age. Thyroid, 2017, 27, 1400-1407. | 2.4 | 12 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Vitamin D deficiency affects thyroid autoimmunity and dysfunction in iodine-replete area: Korea national health and nutrition examination survey. Endocrine, 2017, 58, 332-339. | 1.1 | 20 |
| 56 | Thyrotropin Suppressive Therapy for Low-Risk Small Thyroid Cancer: A Propensity Score–Matched Cohort Study. Thyroid, 2017, 27, 1164-1170. | 2.4 | 46 |
| 57 | Age-specific reference interval of serum TSH levels is high in adolescence in an iodine excess area: Korea national health and nutrition examination survey data. Endocrine, 2017, 57, 445-454. | 1.1 | 13 |
| 58 | Optimal cut-off age in the TNM Staging system of differentiated thyroid cancer: is 55 years better than 45 years?. Clinical Endocrinology, 2017, 86, 438-443. | 1.2 | 43 |
| 59 | Initial Size of Metastatic Lesions Is Best Prognostic Factor in Patients with Metastatic Differentiated Thyroid Carcinoma Confined to the Lung. Thyroid, 2017, 27, 49-58. | 2.4 | 14 |
| 60 | Dynamic Risk Stratification for Predicting Recurrence in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine Remnant Ablation Therapy. Thyroid, 2017, 27, 524-530. | 2.4 | 74 |
| 61 | Growth Kinetics of Macronodular Lung Metastases and Survival in Differentiated Thyroid Carcinoma. Thyroid, 2017, 27, 915-922. | 2.4 | 7 |
| 62 | Young Age and Male Sex Are Predictors of Large-Volume Central Neck Lymph Node Metastasis in Clinical NO Papillary Thyroid Microcarcinomas. Thyroid, 2017, 27, 1285-1290. | 2.4 | 73 |
| 63 | Insulin resistance contributes more to the increased risk for diabetes development in subjects with low lipoprotein(a) level than insulin secretion. PLoS ONE, 2017, 12, e0177500. | 1.1 | 3 |
| 64 | Low Prevalence of Somatic TERT Promoter Mutations in Classic Papillary Thyroid Carcinoma. Endocrinology and Metabolism, 2016, 31, 100. | 1.3 | 16 |
| 65 | Thyrotoxic Periodic Paralysis and Polymorphisms of the <i>ADRB2</i> , <i>AR</i> , and <i>GABRA3</i> Genes in Men with Graves Disease. Endocrinology and Metabolism, 2016, 31, 142. | 1.3 | 4 |
| 66 | Usefulness of Measuring Thyroid Stimulating Antibody at the Time of Antithyroid Drug Withdrawal for Predicting Relapse of Graves Disease. Endocrinology and Metabolism, 2016, 31, 300. | 1.3 | 24 |
| 67 | Molecular Diagnosis Using Residual Liquid-Based Cytology Materials for Patients with Nondiagnostic or Indeterminate Thyroid Nodules. Endocrinology and Metabolism, 2016, 31, 586. | 1.3 | 15 |
| 68 | Impact of Reclassification on Thyroid Nodules with Architectural Atypia: From Non-Invasive Encapsulated Follicular Variant Papillary Thyroid Carcinomas to Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. PLoS ONE, 2016, 11, e0167756. | 1.1 | 22 |
| 69 | Changing trends in the clinicopathological features and clinical outcomes of medullary thyroid carcinoma. Journal of Surgical Oncology, 2016, 113, 152-158. | 0.8 | 19 |
| 70 | Dynamic risk stratification for medullary thyroid cancer according to the response to initial therapy. Endocrine, 2016, 53, 174-181. | 1.1 | 23 |
| 71 | Usefulness of NRAS codon 61 mutation analysis and core needle biopsy for the diagnosis of thyroid nodules previously diagnosed as atypia of undetermined significance. Endocrine, 2016, 52, 305-312. | 1.1 | 14 |
| 72 | Genomic Alterations of Anaplastic Thyroid Carcinoma Detected by Targeted Massive Parallel Sequencing in a <i>BRAF^{V600E}</i> Mutation-Prevalent Area. Thyroid, 2016, 26, 683-690. | 2.4 | 66 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Features Predictive of Distant Metastasis in Papillary Thyroid Microcarcinomas. Thyroid, 2016, 26, 161-168. | 2.4 | 91 |
| 74 | Metformin Is Associated with a Favorable Outcome in Diabetic Patients with Cervical Lymph Node Metastasis of Differentiated Thyroid Cancer. European Thyroid Journal, 2015, 4, 181-188. | 1.2 | 25 |
| 75 | Association between neck ultrasonographic findings and clinicoâ€pathological features in the follicular variant of papillary thyroid carcinoma. Clinical Endocrinology, 2015, 83, 968-976. | 1.2 | 15 |
| 76 | Lack of Associations between Body Mass Index and Clinical Outcomes in Patients with Papillary Thyroid Carcinoma. Endocrinology and Metabolism, 2015, 30, 305. | 1.3 | 15 |
| 77 | Changes in the Pulmonary Function Test after Radioactive Iodine Treatment in Patients with Pulmonary Metastases of Differentiated Thyroid Cancer. PLoS ONE, 2015, 10, e0125114. | 1.1 | 7 |
| 78 | Negative Expression of CPSF2 Predicts a Poorer Clinical Outcome in Patients with Papillary Thyroid Carcinoma. Thyroid, 2015, 25, 1020-1025. | 2.4 | 13 |
| 79 | Recent Changes in the Clinical Outcome of Papillary Thyroid Carcinoma With Cervical Lymph Node Metastasis. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3470-3477. | 1.8 | 45 |
| 80 | A cutâ€off value of basal serum calcitonin for detecting macroscopic medullary thyroid carcinoma. Clinical Endocrinology, 2015, 82, 598-603. | 1.2 | 19 |
| 81 | Reference interval for thyrotropin in a ultrasonography screened Korean population. Korean Journal of Internal Medicine, 2015, 30, 335. | 0.7 | 22 |
| 82 | Solitary Skin Metastasis of Papillary Thyroid Carcinoma. Endocrinology and Metabolism, 2014, 29, 579. | 1.3 | 9 |
| 83 | Standardized Thyroid Cancer Mortality in Korea between 1985 and 2010. Endocrinology and Metabolism, 2014, 29, 530. | 1.3 | 36 |