

Roymon Joseph

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9220319/publications.pdf>

Version: 2024-02-01

26
papers

2,101
citations

471061

17
h-index

525886

27
g-index

28
all docs

28
docs citations

28
times ranked

2581
citing authors

#	ARTICLE	IF	CITATIONS
1	Modulation of liquid structure and controlling molecular diffusion using supramolecular constructs. <i>Chemical Communications</i> , 2021, 57, 10604-10607.	2.2	5
2	Design Guidelines for Cationic Pillar[n]arenes that Prevent Biofilm Formation by Gram-Positive Pathogens. <i>ACS Infectious Diseases</i> , 2021, 7, 579-585.	1.8	14
3	Pillar[n]arene Derivatives as Sensors for Amino Acids. <i>ChemistrySelect</i> , 2021, 6, 3519-3533.	0.7	8
4	Quinoline appended pillar[5]arene (QPA) as Fe ³⁺ sensor and complex of Fe ³⁺ (FeQPA) as a selective sensor for F ⁻ , arginine and lysine in the aqueous medium. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 224, 117390.	2.0	22
5	Selective Detection of Fe ³⁺ , F ⁻ , and Cysteine by a Novel Triazole-Linked Decaamine Derivative of Pillar[5]arene and Its Metal Ion Complex in Water. <i>ACS Omega</i> , 2020, 5, 6215-6220.	1.6	18
6	Pillar[5]arene microcapsules turn on fluid flow in the presence of paraquat. <i>Chemical Communications</i> , 2020, 56, 9284-9287.	2.2	12
7	High Exchange Rate Complexes of ¹²⁹ Xe with Water-Soluble Pillar[5]arenes for Adjustable Magnetization Transfer MRI. <i>ChemPhysChem</i> , 2019, 20, 246-251.	1.0	20
8	Phosphonium pillar[5]arenes as a new class of efficient biofilm inhibitors: importance of charge cooperativity and the pillar platform. <i>Chemical Communications</i> , 2016, 52, 10656-10659.	2.2	51
9	Cationic Pillararenes Potently Inhibit Biofilm Formation without Affecting Bacterial Growth and Viability. <i>Journal of the American Chemical Society</i> , 2016, 138, 754-757.	6.6	180
10	Atropisomerization in Confined Space; Cucurbiturils as Tools to Determine the Torsional Barrier of Substituted Biphenyls. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 105-110.	1.2	8
11	Stabilization of Cucurbituril/Guest Assemblies via Long-Range Coulombic and CH ⁺ ⋯O Interactions. <i>Journal of the American Chemical Society</i> , 2014, 136, 6602-6607.	6.6	72
12	Cucurbit[8]uril recognition of rapidly interconverting diastereomers. <i>Supramolecular Chemistry</i> , 2014, 26, 632-641.	1.5	9
13	Subtle π - π supramolecular buttressing effects in Cucurbit[7]uril/guest assemblies. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 3116.	1.5	11
14	Cucurbituril chemistry: a tale of supramolecular success. <i>RSC Advances</i> , 2012, 2, 1213-1247.	1.7	848
15	Calix[4]arene-Based 1,3-Diconjugate of Salicylyl Imine Having Dibenzyl Amine Moiety (L): Synthesis, Characterization, Receptor Properties toward Fe ²⁺ , Cu ²⁺ , and Zn ²⁺ , Crystal Structures of Its Zn ²⁺ and Cu ²⁺ Complexes, and Selective Phosphate Sensing by the [ZnL]. <i>Inorganic Chemistry</i> , 2011, 50, 7050-7058.	1.9	46
16	Ion and Molecular Recognition by Lower Rim 1,3-Di-conjugates of Calix[4]arene as Receptors. <i>Chemical Reviews</i> , 2011, 111, 4658-4702.	23.0	314
17	Active case finding in contacts of people with tuberculosis. <i>The Cochrane Library</i> , 2011, , CD008477.	1.5	30
18	Synthesis and characterization of a (1+1) cyclic Schiff base of a lower rim 1,3-derivative of p-tert-butylcalix[4]arene and its complexes of VO ²⁺ , Fe ³⁺ , Ni ²⁺ , Cu ²⁺ and Zn ²⁺ . <i>Polyhedron</i> , 2010, 29, 1035-1040.	1.0	14

#	ARTICLE	IF	CITATIONS
19	Benzothiazole appended lower rim 1,3-di-amido-derivative of calix[4]arene: Synthesis, structure, receptor properties towards Cu ²⁺ , iodide recognition and computational modeling. <i>Inorganica Chimica Acta</i> , 2010, 363, 2833-2839.	1.2	31
20	Lower Rim 1,3-Derivative of Calix[4]arene-Appended Salicylidene Imine (H ₂ L): Experimental and Computational Studies of the Selective Recognition of H ₂ L toward Zn ²⁺ and Sensing Phosphate and Amino Acid by [ZnL]. <i>Journal of Organic Chemistry</i> , 2010, 75, 3387-3395.	1.7	77
21	Fluorescence switch-on sensor for Cu ²⁺ by an amide linked lower rim 1,3-bis(2-picoyl)amine derivative of calix[4]arene in aqueous methanol. <i>Tetrahedron Letters</i> , 2009, 50, 2735-2739.	0.7	59
22	Lower Rim 1,3-Di{bis(2-picoyl)}amide Derivative of Calix[4]arene (L) as Ratiometric Primary Sensor toward Ag ⁺ and the Complex of Ag ⁺ as Secondary Sensor toward Cys: Experimental, Computational, and Microscopy Studies and INHIBIT Logic Gate Properties of L. <i>Journal of Organic Chemistry</i> , 2009, 74, 8181-8190.	1.7	84
23	Lower rim 1,3-di-amide-derivative of calix[4]arene possessing bis-{N-(2,2'-dipyridylamide)} pendants: a dual fluorescence sensor for Zn ²⁺ and Ni ²⁺ . <i>Tetrahedron Letters</i> , 2008, 49, 6257-6261.	0.7	30
24	Experimental and Computational Studies of Selective Recognition of Hg ²⁺ by Amide Linked Lower Rim 1,3-Dibenzimidazole Derivative of Calix[4]arene: Species Characterization in Solution and that in the Isolated Complex, Including the Delineation of the Nanostructures. <i>Journal of Organic Chemistry</i> , 2008, 73, 5745-5758.	1.7	71
25	Photophysical properties of the interaction of lower rim 1,3-bis(aminoethoxy)-calix[4]arene derivative with Pb ²⁺ , Hg ²⁺ and Cd ²⁺ ions: Recognition of Hg ²⁺ . <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007, 188, 325-328.	2.0	11
26	A direct fluorescence-on chemo-sensor for selective recognition of Zn(II) by a lower rim 1,3-di-derivative of calix[4]arene possessing bis-{N-(2-hydroxynaphthyl-1-methylimine)} pendants. <i>Tetrahedron Letters</i> , 2005, 46, 7967-7971.	0.7	55