
PatrÃeia Moura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9220708/publications.pdf Version: 2024-02-01



ΡΑΤΡΑςία Μουρα

#	Article	IF	CITATIONS
1	Disposable immunosensor for human cardiac troponin T based on streptavidin-microsphere modified screen-printed electrode. Biosensors and Bioelectronics, 2010, 26, 1062-1067.	5.3	71
2	ILâ€22 and ILâ€22 binding protein (ILâ€22BP) regulate fibrosis and cirrhosis in hepatitis C virus and schistosome infections. Hepatology, 2015, 61, 1321-1331.	3.6	64
3	A label-free electrochemical immunosensor for hepatitis B based on hyaluronic acid–carbon nanotube hybrid film. Talanta, 2016, 148, 209-215.	2.9	56
4	High tumor necrosis factor-α/interleukin-10 ratio is associated with hepatocellular carcinoma in patients with chronic hepatitis C. Cytokine, 2013, 62, 421-425.	1.4	47
5	Genetic variation in <i><scp>PTX</scp>3</i> and plasma levels associated with hepatocellular carcinoma in patients with <scp>HCV</scp> . Journal of Viral Hepatitis, 2016, 23, 116-122.	1.0	45
6	Association of polymorphisms in the first exon of mannose binding lectin gene (MBL2) in Brazilian patients with HCV infection. Clinical Immunology, 2007, 124, 13-17.	1.4	26
7	<i>TNFâ€Î±</i> and <i>ILâ€10</i> polymorphisms increase the risk to hepatocellular carcinoma in HCV infected individuals. Journal of Medical Virology, 2016, 88, 1587-1595.	2.5	25
8	Role of Interleukin-22 in chronic liver injury. Cytokine, 2017, 98, 107-114.	1.4	25
9	Mannose-binding lectin serum levels in patients with leprosy are influenced by age and MBL2 genotypes. International Journal of Infectious Diseases, 2011, 15, e551-e557.	1.5	21
10	The association between vitamin D receptor gene polymorphisms (Taql and Fokl), Type 2 diabetes, and micro-/macrovascular complications in postmenopausal women. The Application of Clinical Genetics, 2016, Volume 9, 131-136.	1.4	21
11	Association of Catalase and Glutathione Peroxidase 1 Polymorphisms with Chronic Hepatitis C Outcome. Annals of Human Genetics, 2016, 80, 145-153.	0.3	21
12	Mannose-binding lectin gene (MBL2) polymorphisms related to the mannose-binding lectin low levels are associated to dengue disease severity. Human Immunology, 2016, 77, 571-575.	1.2	20
13	Association of variant alleles of MBL2 gene with vasoocclusive crisis in children with sickle cell anemia. Blood Cells, Molecules, and Diseases, 2010, 44, 224-228.	0.6	19
14	Serum cytokine/chemokine profiles in patients with dengue fever (DF) and dengue hemorrhagic fever (FHD) by using protein array. Journal of Clinical Virology, 2017, 89, 39-45.	1.6	19
15	High Frequency of Variant Alleles of the Mannose-Binding Lectin 2 (<i>MBL2)</i> Gene Are Associated with Patients Infected by Hepatitis B Virus. Viral Immunology, 2010, 23, 449-453.	0.6	17
16	Association of the <i>MBL2</i> Gene EXON1 Polymorphism and Vasoocclusive Crisis in Patients with Sickle Cell Anemia. Acta Haematologica, 2009, 121, 212-215.	0.7	15
17	Association of rs1285933 single nucleotide polymorphism in CLEC5A gene with dengue severity and its functional effects. Human Immunology, 2017, 78, 649-656.	1.2	15
18	High polymorphism of the MBL2 gene in patients with atopic dermatitis. Annals of Allergy, Asthma and Immunology, 2010, 105, 39-42.	0.5	11

PatrÃcia Moura

#	Article	IF	CITATIONS
19	Association of hepatitis C virus infection and liver fibrosis severity with the variants alleles of MBL2 gene in a Brazilian population. Human Immunology, 2010, 71, 883-887.	1.2	10
20	Relation between leukocyte count, adiposity, and cardiorespiratory fitness in pubertal adolescents. Einstein (Sao Paulo, Brazil), 2014, 12, 420-424.	0.3	10
21	Single Nucleotide Polymorphisms at +191 and +292 of Galectin-3 Gene (LGALS3) Related to Lower GAL-3 Serum Levels Are Associated with Frequent Respiratory Tract Infection and Vaso-Occlusive Crisis in Children with Sickle Cell Anemia. PLoS ONE, 2016, 11, e0162297.	1.1	10
22	Low IL10 serum levels as key factor for predicting the sustained virological response to IFNα/ribavirin in Brazilian patients with HCV carrying IL28B CT/TT genotype. Human Immunology, 2014, 75, 895-900.	1.2	9
23	Plasma myeloperoxidase levels correlate with hepatocellular carcinoma in chronic hepatitis C. Human Immunology, 2012, 73, 1127-1131.	1.2	8
24	Myeloperoxidase gene polymorphism predicts fibrosis severity in women with hepatitis C. Human Immunology, 2014, 75, 766-770.	1.2	6
25	<i>IL17A</i> Polymorphism Is Not Associated with Human T-Lymphotropic Virus 1-Associated Myelopathy/Tropical Spastic Paraparesis. Viral Immunology, 2017, 30, 298-301.	0.6	6
26	Interactions of mannose binding-lectin with red blood cells by employing cationic quantum dots. International Journal of Biological Macromolecules, 2019, 125, 1168-1174.	3.6	6
27	Two sides of a coin: GG genotype of C7 provides protection against fibrosis severity while showing a higher risk for hepatocellular carcinoma in patients with hepatitis C. Human Immunology, 2018, 79, 702-707.	1.2	5
28	The Influence of HIV-1 Subtype in the Response to Therapeutic Dendritic Cell Vaccine. Open AIDS Journal, 2012, 6, 289-292.	0.1	5
29	Mannose-binding lectin 2 (MBL2) gene polymorphisms do not influence frequency of infections in chronic lymphocytic leukemia patients. Revista Brasileira De Hematologia E Hemoterapia, 2014, 36, 29-34.	0.7	4
30	Association between interferon lambda 3 rs12979860 polymorphism and clinical outcome in dengue virusâ€infected children. International Journal of Immunogenetics, 2020, 47, 351-358.	0.8	4
31	A time series analysis of detection and mortality of hepatitis C in Brazil, 2008–2018. BMC Infectious Diseases, 2022, 22, 81.	1.3	4
32	Cognitive Dysfunction and Single Nucleotide Polymorphisms in Hepatitis C Virus-Infected Persons: A Systematic Review. Viral Immunology, 2017, 30, 703-707.	0.6	3
33	Liver expression of IL-22, IL-22R1 and IL-22BP in patients with chronic hepatitis C with different fibrosis stages. Cytokine, 2022, 150, 155784.	1.4	3
34	Ultrasensitive Genosensor Based on Minor Grove Binding (MGB) Probe forIL28BSingle Nucleotide Polymorphism (SNP) Detection Using SYBR Green as Electrochemical Indicator. Electroanalysis, 2018, 30, 2847-2852.	1.5	1
35	Molecular profile of mannan-binding lectin in hepatitis C patients with MBL gene polymorphisms by a modified mannan-coated nitrocellulose assay. Journal of Immunological Methods, 2018, 460, 101-106.	0.6	1
36	LGALS3 +191A and +292C polymorphisms are associated with a reduction in serum gal-3 levels, but not with the clinical events of individuals with sickle cell anemia. Research, Society and Development, 2020, 9, e442997314.	0.0	1

PatrÃcia Moura

#	Article	IF	CITATIONS
37	Aspects of cognitive assessments and spectroscopic magnetic resonance imaging in people with chronic hepatitis C: a systematic review. Psychology, Health and Medicine, 2022, , 1-17.	1.3	1
38	Mannose-binding lectin conjugated to quantum dots as fluorescent nanotools for carbohydrate tracing. Methods and Applications in Fluorescence, 2022, 10, 025002.	1.1	1
39	Reply. Hepatology, 2015, 62, 1920-1920.	3.6	0
40	Complement and Mannose-Binding Lectin 2 Polymorphism in Meningococcal Disease. Clinical Laboratory, 2013, 59, .	0.2	0
41	MBL2 gene polymorphisms are not related to the occurrence of cerebrovascular disease in sickle cell anemia. Research, Society and Development, 2020, 9, e439974240.	0.0	0
42	Clinical and epidemiological overview of liver fibrosis and hepatocellular carcinoma in patients infected with the hepatitis C virus. Research, Society and Development, 2020, 9, e688974645.	0.0	0
43	Relationship between Cognition, levels of PTX-3, MBL and their polymorphisms: A systematic review. Research, Society and Development, 2020, 9, e8749109215.	0.0	0
44	Mannose-binding lectin levels and MBL2 gene polymorphisms are associated to dengue infection in Brazilian children at the early ages. International Journal of Infectious Diseases, 2022, , .	1.5	0
45	Lack of Association of Polymorphisms in <i>IL22</i> and <i>IL22RA1</i> Genes with Fibrosis Severity in Patients with Chronic Hepatitis C. Viral Immunology, 0, , .	0.6	0