

Patr eia Moura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9220708/publications.pdf>

Version: 2024-02-01

45
papers

636
citations

567144

15
h-index

610775

24
g-index

45
all docs

45
docs citations

45
times ranked

1231
citing authors

#	ARTICLE	IF	CITATIONS
1	Liver expression of IL-22, IL-22R1 and IL-22BP in patients with chronic hepatitis C with different fibrosis stages. <i>Cytokine</i> , 2022, 150, 155784.	1.4	3
2	Aspects of cognitive assessments and spectroscopic magnetic resonance imaging in people with chronic hepatitis C: a systematic review. <i>Psychology, Health and Medicine</i> , 2022, , 1-17.	1.3	1
3	A time series analysis of detection and mortality of hepatitis C in Brazil, 2008–2018. <i>BMC Infectious Diseases</i> , 2022, 22, 81.	1.3	4
4	Mannose-binding lectin levels and MBL2 gene polymorphisms are associated to dengue infection in Brazilian children at the early ages. <i>International Journal of Infectious Diseases</i> , 2022, , .	1.5	0
5	Mannose-binding lectin conjugated to quantum dots as fluorescent nanotools for carbohydrate tracing. <i>Methods and Applications in Fluorescence</i> , 2022, 10, 025002.	1.1	1
6	Association between interferon lambda 3 rs12979860 polymorphism and clinical outcome in dengue virus-infected children. <i>International Journal of Immunogenetics</i> , 2020, 47, 351-358.	0.8	4
7	MBL2 gene polymorphisms are not related to the occurrence of cerebrovascular disease in sickle cell anemia. <i>Research, Society and Development</i> , 2020, 9, e439974240.	0.0	0
8	Clinical and epidemiological overview of liver fibrosis and hepatocellular carcinoma in patients infected with the hepatitis C virus. <i>Research, Society and Development</i> , 2020, 9, e688974645.	0.0	0
9	LGALS3 +191A and +292C polymorphisms are associated with a reduction in serum gal-3 levels, but not with the clinical events of individuals with sickle cell anemia. <i>Research, Society and Development</i> , 2020, 9, e442997314.	0.0	1
10	Relationship between Cognition, levels of PTX-3, MBL and their polymorphisms: A systematic review. <i>Research, Society and Development</i> , 2020, 9, e8749109215.	0.0	0
11	Interactions of mannose binding-lectin with red blood cells by employing cationic quantum dots. <i>International Journal of Biological Macromolecules</i> , 2019, 125, 1168-1174.	3.6	6
12	Ultrasensitive Genosensor Based on Minor Groove Binding (MGB) Probe for IL28B Single Nucleotide Polymorphism (SNP) Detection Using SYBR Green as Electrochemical Indicator. <i>Electroanalysis</i> , 2018, 30, 2847-2852.	1.5	1
13	Two sides of a coin: GG genotype of C7 provides protection against fibrosis severity while showing a higher risk for hepatocellular carcinoma in patients with hepatitis C. <i>Human Immunology</i> , 2018, 79, 702-707.	1.2	5
14	Molecular profile of mannan-binding lectin in hepatitis C patients with MBL gene polymorphisms by a modified mannan-coated nitrocellulose assay. <i>Journal of Immunological Methods</i> , 2018, 460, 101-106.	0.6	1
15	Serum cytokine/chemokine profiles in patients with dengue fever (DF) and dengue hemorrhagic fever (FHD) by using protein array. <i>Journal of Clinical Virology</i> , 2017, 89, 39-45.	1.6	19
16	IL17A Polymorphism Is Not Associated with Human T-Lymphotropic Virus 1-Associated Myelopathy/Tropical Spastic Paraparesis. <i>Viral Immunology</i> , 2017, 30, 298-301.	0.6	6
17	Cognitive Dysfunction and Single Nucleotide Polymorphisms in Hepatitis C Virus-Infected Persons: A Systematic Review. <i>Viral Immunology</i> , 2017, 30, 703-707.	0.6	3
18	Association of rs1285933 single nucleotide polymorphism in CLEC5A gene with dengue severity and its functional effects. <i>Human Immunology</i> , 2017, 78, 649-656.	1.2	15

#	ARTICLE	IF	CITATIONS
19	Role of Interleukin-22 in chronic liver injury. <i>Cytokine</i> , 2017, 98, 107-114.	1.4	25
20	The association between vitamin D receptor gene polymorphisms (TaqI and FokI), Type 2 diabetes, and micro-/macrovascular complications in postmenopausal women. <i>The Application of Clinical Genetics</i> , 2016, Volume 9, 131-136.	1.4	21
21	<i>TNF</i> and <i>IL10</i> polymorphisms increase the risk to hepatocellular carcinoma in HCV infected individuals. <i>Journal of Medical Virology</i> , 2016, 88, 1587-1595.	2.5	25
22	Mannose-binding lectin gene (MBL2) polymorphisms related to the mannose-binding lectin low levels are associated to dengue disease severity. <i>Human Immunology</i> , 2016, 77, 571-575.	1.2	20
23	Genetic variation in <i>PTX3</i> and plasma levels associated with hepatocellular carcinoma in patients with <i>HCV</i>. <i>Journal of Viral Hepatitis</i> , 2016, 23, 116-122.	1.0	45
24	Association of Catalase and Glutathione Peroxidase 1 Polymorphisms with Chronic Hepatitis C Outcome. <i>Annals of Human Genetics</i> , 2016, 80, 145-153.	0.3	21
25	A label-free electrochemical immunosensor for hepatitis B based on hyaluronic acid-carbon nanotube hybrid film. <i>Talanta</i> , 2016, 148, 209-215.	2.9	56
26	Single Nucleotide Polymorphisms at +191 and +292 of Galectin-3 Gene (LGALS3) Related to Lower GAL-3 Serum Levels Are Associated with Frequent Respiratory Tract Infection and Vaso-Occlusive Crisis in Children with Sickle Cell Anemia. <i>PLoS ONE</i> , 2016, 11, e0162297.	1.1	10
27	Reply. <i>Hepatology</i> , 2015, 62, 1920-1920.	3.6	0
28	IL22 and IL22 binding protein (IL22BP) regulate fibrosis and cirrhosis in hepatitis C virus and schistosome infections. <i>Hepatology</i> , 2015, 61, 1321-1331.	3.6	64
29	Relation between leukocyte count, adiposity, and cardiorespiratory fitness in pubertal adolescents. <i>Einstein (Sao Paulo, Brazil)</i> , 2014, 12, 420-424.	0.3	10
30	Low IL10 serum levels as key factor for predicting the sustained virological response to IFN/ribavirin in Brazilian patients with HCV carrying IL28B CT/TT genotype. <i>Human Immunology</i> , 2014, 75, 895-900.	1.2	9
31	Mannose-binding lectin 2 (MBL2) gene polymorphisms do not influence frequency of infections in chronic lymphocytic leukemia patients. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2014, 36, 29-34.	0.7	4
32	Myeloperoxidase gene polymorphism predicts fibrosis severity in women with hepatitis C. <i>Human Immunology</i> , 2014, 75, 766-770.	1.2	6
33	High tumor necrosis factor- α /interleukin-10 ratio is associated with hepatocellular carcinoma in patients with chronic hepatitis C. <i>Cytokine</i> , 2013, 62, 421-425.	1.4	47
34	Complement and Mannose-Binding Lectin 2 Polymorphism in Meningococcal Disease. <i>Clinical Laboratory</i> , 2013, 59, .	0.2	0
35	Plasma myeloperoxidase levels correlate with hepatocellular carcinoma in chronic hepatitis C. <i>Human Immunology</i> , 2012, 73, 1127-1131.	1.2	8
36	The Influence of HIV-1 Subtype in the Response to Therapeutic Dendritic Cell Vaccine. <i>Open AIDS Journal</i> , 2012, 6, 289-292.	0.1	5

#	ARTICLE	IF	CITATIONS
37	Mannose-binding lectin serum levels in patients with leprosy are influenced by age and MBL2 genotypes. <i>International Journal of Infectious Diseases</i> , 2011, 15, e551-e557.	1.5	21
38	Disposable immunosensor for human cardiac troponin T based on streptavidin-microsphere modified screen-printed electrode. <i>Biosensors and Bioelectronics</i> , 2010, 26, 1062-1067.	5.3	71
39	High Frequency of Variant Alleles of the Mannose-Binding Lectin 2 (MBL2) Gene Are Associated with Patients Infected by Hepatitis B Virus. <i>Viral Immunology</i> , 2010, 23, 449-453.	0.6	17
40	High polymorphism of the MBL2 gene in patients with atopic dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2010, 105, 39-42.	0.5	11
41	Association of hepatitis C virus infection and liver fibrosis severity with the variants alleles of MBL2 gene in a Brazilian population. <i>Human Immunology</i> , 2010, 71, 883-887.	1.2	10
42	Association of variant alleles of MBL2 gene with vasoocclusive crisis in children with sickle cell anemia. <i>Blood Cells, Molecules, and Diseases</i> , 2010, 44, 224-228.	0.6	19
43	Association of the MBL2 Gene EXON1 Polymorphism and Vasoocclusive Crisis in Patients with Sickle Cell Anemia. <i>Acta Haematologica</i> , 2009, 121, 212-215.	0.7	15
44	Association of polymorphisms in the first exon of mannose binding lectin gene (MBL2) in Brazilian patients with HCV infection. <i>Clinical Immunology</i> , 2007, 124, 13-17.	1.4	26
45	Lack of Association of Polymorphisms in IL22 and IL22RA1 Genes with Fibrosis Severity in Patients with Chronic Hepatitis C. <i>Viral Immunology</i> , 0, , .	0.6	0