

# John A Joska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9221082/publications.pdf>

Version: 2024-02-01

172  
papers

5,319  
citations

87723

38  
h-index

118652

62  
g-index

189  
all docs

189  
docs citations

189  
times ranked

5923  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental and cognitive healthcare training targeting primary healthcare workers providing HIV services in Africa: a scoping review. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2023, 35, 280-288.	0.6	0
2	Cognitive and Behavioral Contributions to Depression Severity, Quality of Life, and Functioning Among People Living With HIV in South Africa. <i>Behavior Therapy</i> , 2023, 54, 91-100.	1.3	1
3	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2022, 43, 470-499.	1.9	76
4	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3â€“90â€“years. <i>Human Brain Mapping</i> , 2022, 43, 431-451.	1.9	143
5	Cognitive Differences between Men and Women with HIV: A Systematic Review and Meta-Analysis. <i>Archives of Clinical Neuropsychology</i> , 2022, 37, 479-496.	0.3	10
6	The Relationship Between Harmful Alcohol Use and Antiretroviral Non-adherence in People Accessing HIV Treatment in Cape Town, South Africa: An Event-Level Analysis. <i>AIDS and Behavior</i> , 2022, 26, 2055-2066.	1.4	5
7	Limited evidence for a moderating effect of HIV status on brain age in heavy episodic drinkers. <i>Journal of NeuroVirology</i> , 2022, , 1.	1.0	0
8	An investigation of the HIV Tat C31S and R57S mutation on peripheral immune marker levels in South African participants: A pilot study. <i>Journal of Medical Virology</i> , 2022, 94, 2936-2938.	2.5	6
9	Substance use referral, treatment utilization, and patient costs associated with problematic substance use in people living with HIV in Cape Town, South Africa. , 2022, 2, 100035.		2
10	Effects of intersecting internalized stigmas and avoidance on HIV and alcohol-related outcomes among people living with HIV in South Africa. <i>Drug and Alcohol Dependence</i> , 2022, 233, 109364.	1.6	4
11	HIV-1 subtype C Tat exon-1 amino acid residue 24K is a signature for neurocognitive impairment. <i>Journal of NeuroVirology</i> , 2022, 28, 392-403.	1.0	4
12	Changing minds: A behavioural approach to vaccine hesitancy.. <i>South African Medical Journal</i> , 2022, 112, 13495.	0.2	0
13	Study protocol: an observational study of distress, immune function and persistent pain in HIV. <i>BMJ Open</i> , 2022, 12, e059723.	0.8	0
14	Sociodemographic and psychosocial predictors of longitudinal antiretroviral therapy (ART) adherence among first-time ART initiators in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 1394-1403.	0.6	7
15	Integration of mental health counselling into chronic disease services at the primary health care level: Formative research on dedicated versus designated strategies in the Western Cape, South Africa. <i>Journal of Health Services Research and Policy</i> , 2021, 26, 172-179.	0.8	23
16	HIV-Associated Neurocognitive Impairment Knowledge and Current Practices: A Survey of Frontline Healthcare Workers in South Africa. <i>Journal of Community Health</i> , 2021, 46, 538-544.	1.9	4
17	The Impact of HIV-Associated Neurocognitive Impairment on Driving Performance in Commercial Truck Drivers. <i>AIDS and Behavior</i> , 2021, 25, 689-698.	1.4	8
18	Tobacco Use and Health-Related Quality of Life Among Individuals with Depression Who Are Receiving Treatment for HIV in Cape Town, South Africa. <i>International Journal of Behavioral Medicine</i> , 2021, 28, 417-430.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Improving the measurement of food insecurity among people with HIV in South Africa: a psychometric examination. <i>Public Health Nutrition</i> , 2021, 24, 3805-3817.	1.1	3
20	Pharmacogenetics of tenofovir and emtricitabine penetration into cerebrospinal fluid. <i>Southern African Journal of HIV Medicine</i> , 2021, 22, 1206.	0.3	2
21	Staff Perceptions of Preimplementation Barriers and Facilitators to a Mobile Health Antiretroviral Therapy Adherence Counseling Intervention in South Africa: Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e23280.	1.8	6
22	Associations Between Patterns of Alcohol Use and Viral Load Suppression Amongst Women Living with HIV in South Africa. <i>AIDS and Behavior</i> , 2021, 25, 3758-3769.	1.4	25
23	Plasma Cytokine Levels As Predictors of Global and Domain-Specific Human Immunodeficiency Virus-Associated Neurocognitive Impairment in Treatment-Naïve Individuals. <i>Journal of Interferon and Cytokine Research</i> , 2021, 41, 153-160.	0.5	1
24	Moving on From HAND: Why We Need New Criteria for Cognitive Impairment in Persons Living With Human Immunodeficiency Virus and a Proposed Way Forward. <i>Clinical Infectious Diseases</i> , 2021, 73, 1113-1118.	2.9	39
25	Factors Affecting Specialist Psychiatry Training in South Africa: Are Psychiatry Residents Satisfied with Their Training?. <i>Academic Psychiatry</i> , 2021, 45, 688-697.	0.4	2
26	Factors associated with external HIV-related stigma and psychological distress among people living with HIV in South Africa. <i>SSM - Population Health</i> , 2021, 14, 100809.	1.3	15
27	Study protocol for a phase 2A trial of the safety and tolerability of increased dose rifampicin and adjunctive linezolid, with or without aspirin, for HIV-associated tuberculous meningitis [LASER-TBM]. <i>Wellcome Open Research</i> , 2021, 6, 136.	0.9	8
28	Mental health interventions for persons living with HIV in low- and middle-income countries: a systematic review. <i>Journal of the International AIDS Society</i> , 2021, 24, e25722.	1.2	26
29	Improving Detection of Depression in People Living with HIV: Psychometric Properties of the South African Depression Scale (SADS). <i>AIDS and Behavior</i> , 2021, 25, 3630-3637.	1.4	2
30	Response to: Asymptomatic neurocognitive impairment is a risk for symptomatic decline over a 3-year study period. <i>Aids</i> , 2021, 35, 1152-1153.	1.0	0
31	The role of reward and reinforcement in understanding alcohol use among adults living with HIV in South Africa.. <i>Psychology of Addictive Behaviors</i> , 2021, 35, 424-431.	1.4	5
32	Project Khanya: results from a pilot randomized type 1 hybrid effectiveness-implementation trial of a peer-delivered behavioural intervention for ART adherence and substance use in HIV care in South Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25720.	1.2	33
33	Rates of cognitive impairment in a South African cohort of people with HIV: variation by definitional criteria and lack of association with neuroimaging biomarkers. <i>Journal of NeuroVirology</i> , 2021, 27, 579-594.	1.0	6
34	Cerebrospinal fluid immune markers and HIV-associated neurocognitive impairments: A systematic review. <i>Journal of Neuroimmunology</i> , 2021, 358, 577649.	1.1	20
35	Impact of Plasma IP-10/CXCL10 and RANTES/CCL5 Levels on Neurocognitive Function in HIV Treatment-Naïve Patients. <i>AIDS Research and Human Retroviruses</i> , 2021, 37, 657-665.	0.5	11
36	Examining the association of alcohol use and psychotropic medication adherence among women with severe mental illness in South Africa. <i>Psychiatry Research</i> , 2021, 304, 114127.	1.7	1

#	ARTICLE	IF	CITATIONS
37	Association of Immunosuppression and Viral Load With Subcortical Brain Volume in an International Sample of People Living With HIV. <i>JAMA Network Open</i> , 2021, 4, e2031190.	2.8	16
38	Taking the Test: A Qualitative Analysis of Cultural and Contextual Factors Impacting Neuropsychological Assessment of Xhosa-Speaking South Africans. <i>Archives of Clinical Neuropsychology</i> , 2021, 36, 976-980.	0.3	9
39	Treating depression and improving adherence in HIV care with task-shared cognitive behavioural therapy in Khayelitsha, South Africa: a randomized controlled trial. <i>Journal of the International AIDS Society</i> , 2021, 24, e25823.	1.2	41
40	Organophosphate pesticide exposure as a risk factor for attempted suicide in Cape Town, South Africa: A case-control study. <i>Archives of Environmental and Occupational Health</i> , 2021, , 1-11.	0.7	0
41	Plasma Cytokine Biomarker Cutoff Values for HIV-Associated Neurocognitive Impairment in Adults. <i>Viral Immunology</i> , 2021, 34, 689-696.	0.6	0
42	Screening for Traumatic Experiences and Mental Health Distress Among Women in HIV Care in Cape Town, South Africa. <i>Journal of Interpersonal Violence</i> , 2020, 35, 4842-4862.	1.3	15
43	Home-versus acquired-language test performance on the Hopkins Verbal Learning Test-Revised among multilingual South Africans. <i>Applied Neuropsychology Adult</i> , 2020, 27, 173-180.	0.7	6
44	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2020, 130, 103466.	1.6	43
45	Signatures of HIV-1 subtype B and C Tat proteins and their effects in the neuropathogenesis of HIV-associated neurocognitive impairments. <i>Neurobiology of Disease</i> , 2020, 136, 104701.	2.1	26
46	The association of peripheral immune markers with brain cortical thickness and surface area in South African people living with HIV. <i>Journal of NeuroVirology</i> , 2020, 26, 908-919.	1.0	11
47	The neurologic phenotype of South African patients with HIV-associated neurocognitive impairment. <i>Neurology: Clinical Practice</i> , 2020, 10, 15-22.	0.8	4
48	Peripheral blood lymphocyte proviral DNA predicts neurocognitive impairment in clade C HIV. <i>Journal of NeuroVirology</i> , 2020, 26, 920-928.	1.0	5
49	Peripheral immune dysregulation in the ART era of HIV-associated neurocognitive impairments: A systematic review. <i>Psychoneuroendocrinology</i> , 2020, 118, 104689.	1.3	18
50	Project Khanya: a randomized, hybrid effectiveness-implementation trial of a peer-delivered behavioral intervention for ART adherence and substance use in Cape Town, South Africa. <i>Implementation Science Communications</i> , 2020, 1, .	0.8	26
51	Detecting Depression in People Living with HIV in South Africa: The Factor Structure and Convergent Validity of the South African Depression Scale (SADS). <i>AIDS and Behavior</i> , 2020, 24, 2282-2289.	1.4	13
52	COVID-19: Increased Risk to the Mental Health and Safety of Women Living with HIV in South Africa. <i>AIDS and Behavior</i> , 2020, 24, 2751-2753.	1.4	49
53	“Now We Are Told That We Can Mix” Messages and Beliefs Around Simultaneous Use of Alcohol and ART. <i>AIDS and Behavior</i> , 2020, 24, 2680-2690.	1.4	4
54	Young South African Women on Antiretroviral Therapy Perceptions of a Psychological Counselling Program to Reduce Heavy Drinking and Depression. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2249.	1.2	19

#	ARTICLE	IF	CITATIONS
55	Adapting a Behavioral Intervention for Alcohol Use and HIV Medication Adherence for Lay Counselor Delivery in Cape Town, South Africa: A Case Series. <i>Cognitive and Behavioral Practice</i> , 2020, , .	0.9	10
56	“Too much boredom isn’t a good thing”. Adapting behavioral activation for substance use in a resource-limited South African HIV care setting. <i>Psychotherapy</i> , 2020, 57, 107-118.	0.7	28
57	“I cannot change what happened to me, but I can learn to change how I feel”. A case study from ImpACT, an intervention for women with a history of sexual trauma who are living with HIV in Cape Town, South Africa. <i>Psychotherapy</i> , 2020, 57, 90-96.	0.7	5
58	Nurse-Delivered Cognitive Behavioral Therapy for Adherence and Depression Among People Living With HIV (the Ziphamandla Study): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e14200.	0.5	17
59	The Association of Immune Markers with Cognitive Performance in South African HIV-Positive Patients. <i>Journal of NeuroImmune Pharmacology</i> , 2019, 14, 679-687.	2.1	14
60	“I went back to being myself”: acceptability of a culturally adapted task-shifted cognitive-behavioural therapy (CBT) treatment for depression (Ziphamandla) for South African HIV care settings. <i>Psychology, Health and Medicine</i> , 2019, 24, 680-690.	1.3	12
61	“Someone who is in this thing that I am suffering from”. The role of peers and other facilitators for task sharing substance use treatment in South African HIV care. <i>International Journal of Drug Policy</i> , 2019, 70, 61-69.	1.6	50
62	Efavirenz is associated with altered fronto-striatal function in HIV+ adolescents. <i>Journal of NeuroVirology</i> , 2019, 25, 783-791.	1.0	4
63	Women’s perspectives on ImpACT: a coping intervention to address sexual trauma and improve HIV care engagement in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 1389-1396.	0.6	14
64	Community health worker-delivered counselling for common mental disorders among chronic disease patients in South Africa: a feasibility study. <i>BMJ Open</i> , 2019, 9, e024277.	0.8	42
65	Impact of urbanization on cognitive disorders. <i>Current Opinion in Psychiatry</i> , 2019, 32, 210-217.	3.1	35
66	Prevalence of HIV-1 Infection in an elderly rural population and associations with neurocognitive impairment. <i>Aids</i> , 2019, 33, 1765-1771.	1.0	16
67	Pharmacogenetics and pharmacokinetics of CNS penetration of efavirenz and its metabolites. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 699-709.	1.3	13
68	Initiation of antiretroviral therapy after the critical neuronal developmental period of the second postnatal year affects white matter microstructure in adolescents living with HIV. <i>Journal of NeuroVirology</i> , 2019, 25, 254-262.	1.0	8
69	“Self He’s Abusing You . . . the Baby Is Going to Be Affected”: HIV-Positive Pregnant Women’s Experiences of Intimate Partner Violence. <i>Violence Against Women</i> , 2019, 25, 839-861.	1.1	7
70	Development of a coping intervention to improve traumatic stress and HIV care engagement among South African women with sexual trauma histories. <i>Evaluation and Program Planning</i> , 2018, 68, 148-156.	0.9	25
71	Improving AIDS Care After Trauma (ImpACT): Pilot Outcomes of a Coping intervention Among HIV-Infected Women with Sexual Trauma in South Africa. <i>AIDS and Behavior</i> , 2018, 22, 1039-1052.	1.4	48
72	Antidepressants for depression in adults with HIV infection. <i>The Cochrane Library</i> , 2018, 2018, CD008525.	1.5	29

#	ARTICLE	IF	CITATIONS
73	Comparing dedicated and designated models of integrating mental health into chronic disease care: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2018, 19, 185.	0.7	47
74	Sensitivity and specificity of the Akena Visual Depression Inventory (AVIDI-18) in Kampala (Uganda) and Cape Town (South Africa). <i>British Journal of Psychiatry</i> , 2018, 212, 301-307.	1.7	7
75	A pilot study of a nurse-delivered cognitive behavioral therapy intervention (Ziphamandla) for adherence and depression in HIV in South Africa. <i>Journal of Health Psychology</i> , 2018, 23, 776-787.	1.3	70
76	White matter fiber bundle lengths are shorter in cART naive HIV: an analysis of quantitative diffusion tractography in South Africa. <i>Brain Imaging and Behavior</i> , 2018, 12, 1229-1238.	1.1	7
77	Structural brain changes in perinatally HIV-infected young adolescents in South Africa. <i>Aids</i> , 2018, 32, 2707-2718.	1.0	25
78	Patient preferences for the integration of mental health counseling and chronic disease care in South Africa. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 1797-1803.	0.8	35
79	HIV Disclosure Among Pregnant Women Initiating ART in Cape Town, South Africa: Qualitative Perspectives During the Pregnancy and Postpartum Periods. <i>AIDS and Behavior</i> , 2018, 22, 3945-3956.	1.4	20
80	Empowering Lay-Counsellors with Technology: Masivukeni, a Standardized Multimedia Counselling Support Tool to Deliver ART Counselling. <i>AIDS and Behavior</i> , 2018, 22, 3345-3356.	1.4	10
81	A Mobile App to Screen for Neurocognitive Impairment: Preliminary Validation of NeuroScreen Among HIV-Infected South African Adults. <i>JMIR MHealth and UHealth</i> , 2018, 6, e5.	1.8	40
82	Quantitative proteomic analysis of HIV-1 Tat-induced dysregulation in SH-SY5Y neuroblastoma cells. <i>Proteomics</i> , 2017, 17, 1600236.	1.3	8
83	Beyond methamphetamine: Documenting the implementation of the Matrix model of substance use treatment for opioid users in a South African setting. <i>Addictive Behaviors</i> , 2017, 66, 132-137.	1.7	23
84	Topological Organization of Whole-Brain White Matter in HIV Infection. <i>Brain Connectivity</i> , 2017, 7, 115-122.	0.8	15
85	Renal safety of lithium in HIV-infected patients established on tenofovir disoproxil fumarate containing antiretroviral therapy: analysis from a randomized placebo-controlled trial. <i>AIDS Research and Therapy</i> , 2017, 14, 6.	0.7	8
86	Neuroimaging abnormalities in clade C HIV are independent of Tat genetic diversity. <i>Journal of NeuroVirology</i> , 2017, 23, 319-328.	1.0	14
87	Psychosocial Aspects of ART Counseling: A Comparison of HIV Beliefs and Knowledge in PMTCT and ART-Naïve Women. <i>Journal of the Association of Nurses in AIDS Care</i> , 2017, 28, 504-517.	0.4	6
88	The dopamine-related polymorphisms BDNF, COMT, DRD2, DRD3, and DRD4 are not linked with changes in CSF dopamine levels and frequency of HIV infection. <i>Journal of Neural Transmission</i> , 2017, 124, 501-509.	1.4	7
89	Resting-state functional magnetic resonance imaging in clade C HIV: within-group association with neurocognitive function. <i>Journal of NeuroVirology</i> , 2017, 23, 875-885.	1.0	19
90	Adding a brief self-report cognitive tool to the IHDS improves effectiveness of identifying patients with HIV-associated dementia in South Africa. <i>Journal of NeuroVirology</i> , 2017, 23, 686-695.	1.0	8

#	ARTICLE	IF	CITATIONS
91	Impact of Sexual Trauma on HIV Care Engagement: Perspectives of Female Patients with Trauma Histories in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2017, 21, 3209-3218.	1.4	31
92	Simulating therapeutic drug monitoring results for dose individualisation to maintain investigator blinding in a randomised controlled trial. <i>Trials</i> , 2017, 18, 261.	0.7	2
93	The role of substance use coping in the relation between childhood sexual abuse and depression among methamphetamine users in South Africa.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2017, 9, 493-499.	1.4	29
94	HIV testing and sero-prevalence among methamphetamine users seeking substance abuse treatment in Cape Town. <i>Drug and Alcohol Review</i> , 2016, 35, 580-583.	1.1	10
95	Moderate to severe HIV-associated neurocognitive impairment. <i>Medicine (United States)</i> , 2016, 95, e5401.	0.4	22
96	Applying the HIV-associated neurocognitive disorder diagnostic criteria to HIV-infected youth. <i>Neurology</i> , 2016, 87, 86-93.	1.5	48
97	Prefrontal cortical thinning in HIV infection is associated with impaired striatal functioning. <i>Journal of Neural Transmission</i> , 2016, 123, 643-651.	1.4	20
98	Proposed Training Areas for Global Mental Health Researchers. <i>Academic Psychiatry</i> , 2016, 40, 679-685.	0.4	14
99	HIV Risk Behavior Among Methamphetamine Users Entering Substance Abuse Treatment in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2016, 20, 2387-2397.	1.4	7
100	Poor organisational strategy differentiates cognitively impaired and unimpaired HIV-positive adults. <i>South African Journal of Psychology</i> , 2016, 46, 25-36.	1.0	1
101	A Comparison of Five Brief Screening Tools for HIV-Associated Neurocognitive Disorders in the USA and South Africa. <i>AIDS and Behavior</i> , 2016, 20, 1621-1631.	1.4	68
102	Massachusetts General Hospital Global Psychiatric Clinical Research Training Program: A New Fellowship in Global Mental Health. <i>Academic Psychiatry</i> , 2016, 40, 695-697.	0.4	13
103	Implementation of Cognitive-Behavioral Substance Abuse Treatment in Sub-Saharan Africa: Treatment Engagement and Abstinence at Treatment Exit. <i>PLoS ONE</i> , 2016, 11, e0147900.	1.1	23
104	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 233-240.	1.8	77
105	Improving mental health among people living with HIV: a review of intervention trials in low- and middle-income countries. <i>Global Mental Health (Cambridge, England)</i> , 2015, 2, .	1.0	55
106	HIV Infection Is Associated with Impaired Striatal Function during Inhibition with Normal Cortical Functioning on Functional MRI. <i>Journal of the International Neuropsychological Society</i> , 2015, 21, 722-731.	1.2	18
107	White matter micro-structural changes in ART-naïve and ART-treated children and adolescents infected with HIV in South Africa. <i>Aids</i> , 2015, 29, 1793-1801.	1.0	45
108	HIV infection results in ventral-striatal reward system hypo-activation during cue processing. <i>Aids</i> , 2015, 29, 1335-1343.	1.0	16



#	ARTICLE	IF	CITATIONS
109	Dementia in rural South Africa: A pressing need for epidemiological studies. South African Medical Journal, 2015, 105, 189.	0.2	37
110	Executive Dyscontrol of Learning and Memory: Findings from a Clade C HIV-positive South African Sample. Clinical Neuropsychologist, 2015, 29, 956-984.	1.5	6
111	Maladaptive coping mediates the influence of childhood trauma on depression and PTSD among pregnant women in South Africa. Archives of Women's Mental Health, 2015, 18, 731-738.	1.2	50
112	Clinical associations of white matter damage in cART-treated HIV-positive children in South Africa. Journal of NeuroVirology, 2015, 21, 120-128.	1.0	46
113	Understanding the experience and manifestation of depression in people living with HIV/AIDS in South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 59-62.	0.6	53
114	Central Nervous System Penetration of Antiretroviral Drugs: Pharmacokinetic, Pharmacodynamic and Pharmacogenomic Considerations. Clinical Pharmacokinetics, 2015, 54, 581-598.	1.6	62
115	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. Trials, 2014, 15, 457.	0.7	35
116	Impact of the HIV Tat C30C31S dicysteine substitution on neuropsychological function in patients with clade C disease. Journal of NeuroVirology, 2014, 20, 627-635.	1.0	38
117	HIV infection and the fronto-striatal system. Aids, 2014, 28, 803-811.	1.0	107
118	Escitalopram Treatment of Depression in Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome. Journal of Nervous and Mental Disease, 2014, 202, 133-137.	0.5	13
119	The Validity of the Substance Abuse and Mental Illness Symptom Screener (SAMISS) in People Living with HIV/AIDS in Primary HIV Care in Cape Town, South Africa. AIDS and Behavior, 2014, 18, 1133-1141.	1.4	29
120	Severe Mental Illness and Retention in Anti-Retroviral Care: A Retrospective Study. AIDS and Behavior, 2014, 18, 1492-1500.	1.4	13
121	A SMARTPHONE APP TO SCREEN FOR HIV-RELATED NEUROCOGNITIVE IMPAIRMENT. Journal of Mobile Technology in Medicine, 2014, 3, 23-36.	0.5	30
122	Clade C HIV-1 isolates circulating in Southern Africa exhibit a greater frequency of dicysteine motif-containing Tat variants than those in Southeast Asia and cause increased neurovirulence. Retrovirology, 2013, 10, 61.	0.9	63
123	Relationship between apolipoprotein E4 genotype and white matter integrity in HIV-positive young adults in South Africa. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 189-195.	1.8	39
124	Sensitivity and specificity of clinician administered screening instruments in detecting depression among HIV-positive individuals in Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 1245-1252.	0.6	69
125	Increases in CSF dopamine in HIV patients are due to the dopamine transporter 10/10-repeat allele which is more frequent in HIV-infected individuals. Journal of Neural Transmission, 2013, 120, 1411-1419.	1.4	22
126	A Description of Common Mental Disorders in Men Who Have Sex with Men (MSM) Referred for Assessment and Intervention at an MSM Clinic in Cape Town, South Africa. AIDS and Behavior, 2013, 17, 77-81.	1.4	40



#	ARTICLE	IF	CITATIONS
127	HIV clades B and C are associated with reduced brain volumetrics. <i>Journal of NeuroVirology</i> , 2013, 19, 479-487.	1.0	40
128	Does Screening HIV-Positive Individuals in Uganda for Major Depressive Disorder Improve Case Detection Rates and Antidepressant Prescription?. <i>AIDS and Behavior</i> , 2013, 17, 2802-2807.	1.4	22
129	Exploring the Utility of the Montreal Cognitive Assessment to Detect HIV-Associated Neurocognitive Disorder: The Challenge and Need for Culturally Valid Screening Tests in South Africa. <i>Clinical Neuropsychologist</i> , 2013, 27, 437-454.	1.5	45
130	Mental Health in Primary Human Immunodeficiency Virus Care in South Africa. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 196-201.	0.5	4
131	HIV-associated neurocognitive disorders: Antiretroviral regimen, central nervous system penetration effectiveness, and cognitive outcomes. <i>South African Medical Journal</i> , 2013, 103, 758.	0.2	45
132	The accuracy of interpreting key psychiatric terms by ad hoc interpreters at a South African psychiatric hospital. <i>African Journal of Psychiatry</i> , 2013, 16, .	0.1	10
133	Reliability of the Camberwell Assessment of Need for South African mental health service users. <i>International Journal of Social Psychiatry</i> , 2012, 58, 47-54.	1.6	5
134	â€œI understand just a littleâ€ â€• Perspectives of HIV/AIDS service providers in South Africa of providing mental health care for people living with HIV/AIDS. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 319-323.	0.6	33
135	Sensitivity and Specificity of a Visual Depression Screening Instrument Among HIV-Positive Individuals in Uganda, an Area with Low Literacy. <i>AIDS and Behavior</i> , 2012, 16, 2399-2406.	1.4	13
136	A diffusion tensor imaging and neuropsychological study of prospective memory impairment in South African HIV positive individuals. <i>Metabolic Brain Disease</i> , 2012, 27, 289-297.	1.4	31
137	Dealing with major depression in general practice. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , 2012, 54, 203-209.	0.2	0
138	Neuropsychological outcomes in adults commencing highly active anti-retroviral treatment in South Africa: a prospective study. <i>BMC Infectious Diseases</i> , 2012, 12, 39.	1.3	46
139	Comparing the accuracy of brief versus long depression screening instruments which have been validated in low and middle income countries: a systematic review. <i>BMC Psychiatry</i> , 2012, 12, 187.	1.1	82
140	Integrating Mental Health into General Health Care: Lessons From HIV. <i>African Journal of Psychiatry</i> , 2012, 15, 420-3.	0.1	15
141	Neuroimaging markers of human immunodeficiency virus infection in South Africa. <i>Journal of NeuroVirology</i> , 2012, 18, 151-156.	1.0	33
142	Reliability of the Lay Adherence Counsellor Administered Substance Abuse and Mental Illness Symptoms Screener (SAMISS) and the International HIV Dementia Scale (IHDS) in a Primary care HIV Clinic in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2012, 16, 1464-1471.	1.4	31
143	The Association between Aids Related Stigma and Major Depressive Disorder among HIV-Positive Individuals in Uganda. <i>PLoS ONE</i> , 2012, 7, e48671.	1.1	57
144	Psychotropic prescribing in HIV. <i>Southern African Journal of HIV Medicine</i> , 2012, 13, 188.	0.3	6

#	ARTICLE	IF	CITATIONS
145	HIV/AIDS and mental health research in sub-Saharan Africa: a systematic review. African Journal of AIDS Research, 2011, 10, 101-122.	0.3	94
146	The prevalence and predictors of stigma amongst people living with HIV/AIDS in the Western Province. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 680-685.	0.6	46
147	Validity of the International HIV Dementia Scale in South Africa. AIDS Patient Care and STDs, 2011, 25, 95-101.	1.1	71
148	The neurobiology of HIV dementia: implications for practice in South Africa. African Journal of Psychiatry, 2011, 14, 17-22.	0.1	14
149	White-Matter Damage in Clade C HIV-Positive Subjects: A Diffusion Tensor Imaging Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2011, 23, 308-315.	0.9	33
150	Characterization of HIV-Associated Neurocognitive Disorders Among Individuals Starting Antiretroviral Therapy in South Africa. AIDS and Behavior, 2011, 15, 1197-1203.	1.4	122
151	Screening for HIV-Associated Dementia in South Africa: Potentials and Pitfalls of Task-Shifting. AIDS Patient Care and STDs, 2011, 25, 587-593.	1.1	34
152	White Matter Correlates of Apathy in HIV-Positive Subjects: A Diffusion Tensor Imaging Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2010, 22, 313-320.	0.9	47
153	Competence of Interpreters in a South African Psychiatric Hospital in Translating Key Psychiatric Terms. Psychiatric Services, 2010, 61, 309-312.	1.1	16
154	Does highly active antiretroviral therapy improve neurocognitive function? A systematic review. Journal of NeuroVirology, 2010, 16, 101-114.	1.0	113
155	NeuroAIDS in Africa. Journal of NeuroVirology, 2010, 16, 189-202.	1.0	42
156	Association between apolipoprotein E4 genotype and human immunodeficiency virus-associated dementia in younger adults starting antiretroviral therapy in South Africa. Journal of NeuroVirology, 2010, 16, 377-383.	1.0	33
157	The revolving door phenomenon in psychiatry: comparing low-frequency and high-frequency users of psychiatric inpatient services in a developing country. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 461-468.	1.6	78
158	Clinical Correlates of HIV-Associated Neurocognitive Disorders in South Africa. AIDS and Behavior, 2010, 14, 371-378.	1.4	91
159	Poverty and common mental disorders in low and middle income countries: A systematic review. Social Science and Medicine, 2010, 71, 517-528.	1.8	911
160	Normative scores for a brief neuropsychological battery for the detection of HIV-associated neurocognitive disorder (HAND) among South Africans. BMC Research Notes, 2010, 3, 28.	0.6	33
161	Assessing the efficacy of a modified assertive community-based treatment programme in a developing country. BMC Psychiatry, 2010, 10, 73.	1.1	40
162	Profile and management of patients at a memory clinic. South African Medical Journal, 2010, 100, 449.	0.2	15

#	ARTICLE	IF	CITATIONS
163	Pathways to Inpatient Mental Health Care Among People With Schizophrenia Spectrum Disorders in South Africa. <i>Psychiatric Services</i> , 2010, 61, 235-240.	1.1	22
164	Perspectives towards mental illness in people living with HIV/AIDS in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 1418-1427.	0.6	22
165	The 15th Biannual National Congress of the South African Society of Psychiatrists, 10-14 August 2008, Fancourt, George, W Cape. <i>South African Journal of Psychiatry</i> , 2008, 14, 18.	0.2	0
166	Patients with severe mental illness: a new approach to testing for HIV. <i>South African Medical Journal</i> , 2008, 98, 213-7.	0.2	10
167	Assertive community treatment in the South African context. <i>African Journal of Psychiatry</i> , 2008, 11, 272-5.	0.1	10
168	Experience of mental disorder in the context of basic service reforms: The impact on caregiving environments in South Africa. <i>International Journal of Environmental Health Research</i> , 2007, 17, 327-334.	1.3	23
169	Needs and services at an in-patient psychotherapy unit. <i>African Journal of Psychiatry</i> , 2007, 10, 149-2156.	0.1	8
170	The assessment of need for mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 529-539.	1.6	47
171	Antidepressants for depression in adults with HIV infection. <i>The Cochrane Library</i> , 0, , .	1.5	3
172	Exploring HIV-Associated Neurocognitive Impairment in the Era of Effective Antiretroviral Therapy: A Primary Healthcare Perspective. <i>Qualitative Health Research</i> , 0, , 104973232211108.	1.0	1