

# Lander Baeten

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9222443/publications.pdf>

Version: 2024-02-01

123  
papers

6,909  
citations

71061

41  
h-index

66879

78  
g-index

126  
all docs

126  
docs citations

126  
times ranked

9115  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microclimate moderates plant responses to macroclimate warming. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 18561-18565.	3.3	523
2	Global meta-analysis reveals no net change in local-scale plant biodiversity over time. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 19456-19459.	3.3	464
3	Forest microclimate dynamics drive plant responses to warming. <i>Science</i> , 2020, 368, 772-775.	6.0	385
4	Biodiversity and ecosystem functioning relations in European forests depend on environmental context. <i>Ecology Letters</i> , 2017, 20, 1414-1426.	3.0	244
5	Driving factors behind the eutrophication signal in understorey plant communities of deciduous temperate forests. <i>Journal of Ecology</i> , 2012, 100, 352-365.	1.9	214
6	Contributions of a global network of tree diversity experiments to sustainable forest plantations. <i>Ambio</i> , 2016, 45, 29-41.	2.8	203
7	Biotic homogenization can decrease landscape-scale forest multifunctionality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3557-3562.	3.3	196
8	The database of the <sc>PREDICTS</sc> (Projecting Responses of Ecological Diversity In Changing Tj ETQq0 0 0 rgBT /Overlock 10 T	0.8	186
9	Jack-of-all-trades effects drive biodiversityâ€ ecosystem multifunctionality relationships in European forests. <i>Nature Communications</i> , 2016, 7, 11109.	5.8	185
10	A novel comparative research platform designed to determine the functional significance of tree species diversity in European forests. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2013, 15, 281-291.	1.1	179
11	Plant Biodiversity Change Across Scales During the Anthropocene. <i>Annual Review of Plant Biology</i> , 2017, 68, 563-586.	8.6	179
12	The <sc>PREDICTS</sc> database: a global database of how local terrestrial biodiversity responds to human impacts. <i>Ecology and Evolution</i> , 2014, 4, 4701-4735.	0.8	178
13	Global environmental change effects on ecosystems: the importance of landâ€use legacies. <i>Global Change Biology</i> , 2016, 22, 1361-1371.	4.2	148
14	Support for the habitat amount hypothesis from a global synthesis of species density studies. <i>Ecology Letters</i> , 2020, 23, 674-681.	3.0	139
15	Drivers of temporal changes in temperate forest plant diversity vary across spatial scales. <i>Global Change Biology</i> , 2015, 21, 3726-3737.	4.2	124
16	For the sake of resilience and multifunctionality, let's diversify planted forests!. <i>Conservation Letters</i> , 2022, 15, e12829.	2.8	124
17	Management driven changes (1967â€2005) in soil acidity and the understorey plant community following conversion of a coppice-with-standards forest. <i>Forest Ecology and Management</i> , 2007, 241, 258-271.	1.4	117
18	Estimates of local biodiversity change over time stand up to scrutiny. <i>Ecology</i> , 2017, 98, 583-590.	1.5	106

#	ARTICLE	IF	CITATIONS
19	Diverging effects of overstorey conversion scenarios on the understorey vegetation in a former coppice-with-standards forest. <i>Forest Ecology and Management</i> , 2008, 256, 519-528.	1.4	96
20	Herb layer changes (1954-2000) related to the conversion of coppice-with-standards forest and soil acidification. <i>Applied Vegetation Science</i> , 2009, 12, 187-197.	0.9	96
21	Global environmental change effects on plant community composition trajectories depend upon management legacies. <i>Global Change Biology</i> , 2018, 24, 1722-1740.	4.2	93
22	Combining Biodiversity Resurveys across Regions to Advance Global Change Research. <i>BioScience</i> , 2017, 67, 73-83.	2.2	89
23	Tree diversity is key for promoting the diversity and abundance of forest-associated taxa in Europe. <i>Oikos</i> , 2020, 129, 133-146.	1.2	80
24	Beyond plant-soil feedbacks: mechanisms driving plant community shifts due to land-use legacies in post-agricultural forests. <i>Functional Ecology</i> , 2016, 30, 1073-1085.	1.7	76
25	Four decades of post-agricultural forest development have caused major redistributions of soil phosphorus fractions. <i>Oecologia</i> , 2012, 169, 221-234.	0.9	75
26	Continental mapping of forest ecosystem functions reveals a high but unrealised potential for forest multifunctionality. <i>Ecology Letters</i> , 2018, 21, 31-42.	3.0	74
27	Low recruitment across life stages partly accounts for the slow colonization of forest herbs. <i>Journal of Ecology</i> , 2009, 97, 109-117.	1.9	72
28	Unexpected understorey community development after 30 years in ancient and post-agricultural forests. <i>Journal of Ecology</i> , 2010, 98, 1447-1453.	1.9	70
29	Replacements of small- by large-ranged species scale up to diversity loss in Europe's temperate forest biome. <i>Nature Ecology and Evolution</i> , 2020, 4, 802-808.	3.4	67
30	Environmental limitation contributes to the differential colonization capacity of two forest herbs. <i>Journal of Vegetation Science</i> , 2009, 20, 209-223.	1.1	66
31	Distinguishing between turnover and nestedness in the quantification of biotic homogenization. <i>Biodiversity and Conservation</i> , 2012, 21, 1399-1409.	1.2	62
32	Throughfall deposition and canopy exchange processes along a vertical gradient within the canopy of beech ( <i>Fagus sylvatica</i> L.) and Norway spruce ( <i>Picea abies</i> (L.) Karst). <i>Science of the Total Environment</i> , 2012, 420, 168-182.	3.9	62
33	Tree Species Identity Shapes Earthworm Communities. <i>Forests</i> , 2017, 8, 85.	0.9	60
34	Local habitat and landscape affect <i>Ixodes ricinus</i> tick abundances in forests on poor, sandy soils. <i>Forest Ecology and Management</i> , 2012, 265, 30-36.	1.4	59
35	Identifying the tree species compositions that maximize ecosystem functioning in European forests. <i>Journal of Applied Ecology</i> , 2019, 56, 733-744.	1.9	58
36	How tree species identity and diversity affect light transmittance to the understory in mature temperate forests. <i>Ecology and Evolution</i> , 2017, 7, 10861-10870.	0.8	56

#	ARTICLE	IF	CITATIONS
37	Inferring plant functional diversity from space: the potential of Sentinel-2. <i>Remote Sensing of Environment</i> , 2019, 233, 111368.	4.6	56
38	Early Trajectories of Spontaneous Vegetation Recovery after Intensive Agricultural Land Use. <i>Restoration Ecology</i> , 2010, 18, 379-386.	1.4	53
39	Observer and relocation errors matter in resurveys of historical vegetation plots. <i>Journal of Vegetation Science</i> , 2018, 29, 812-823.	1.1	51
40	Interregional variation in the floristic recovery of post-agricultural forests. <i>Journal of Ecology</i> , 2011, 99, 600-609.	1.9	50
41	Ecosystem services of mixed species forest stands and monocultures: comparing practitioners' and scientists' perceptions with formal scientific knowledge. <i>Forestry</i> , 2014, 87, 639-653.	1.2	44
42	An intraspecific application of the leaf-height-seed ecology strategy scheme to forest herbs along a latitudinal gradient. <i>Ecography</i> , 2011, 34, 132-140.	2.1	41
43	The effect of air pollution and other environmental stressors on leaf fluctuating asymmetry and specific leaf area of <i>Salix alba</i> L. <i>Environmental Pollution</i> , 2011, 159, 2405-2411.	3.7	39
44	Maintaining forest cover to enhance temperature buffering under future climate change. <i>Science of the Total Environment</i> , 2022, 810, 151338.	3.9	39
45	Directional turnover towards larger-ranged plants over time and across habitats. <i>Ecology Letters</i> , 2022, 25, 466-482.	3.0	39
46	Assessment of the functional role of tree diversity: the multi-site FORBIO experiment. <i>Plant Ecology and Evolution</i> , 2013, 146, 26-35.	0.3	38
47	Understorey vegetation shifts following the conversion of temperate deciduous forest to spruce plantation. <i>Forest Ecology and Management</i> , 2013, 289, 363-370.	1.4	37
48	The effects of local neighbourhood diversity on pest and disease damage of trees in a young experimental forest. <i>Forest Ecology and Management</i> , 2014, 334, 1-9.	1.4	35
49	Plasticity in response to phosphorus and light availability in four forest herbs. <i>Oecologia</i> , 2010, 163, 1021-1032.	0.9	34
50	Temporal changes in forest plant communities at different site types. <i>Applied Vegetation Science</i> , 2013, 16, 237-247.	0.9	32
51	Do diverse overstoreys induce diverse understoreys? Lessons learnt from an experimental-observational platform in Finland. <i>Forest Ecology and Management</i> , 2014, 318, 206-215.	1.4	32
52	Forest fragmentation modulates effects of tree species richness and composition on ecosystem multifunctionality. <i>Ecology</i> , 2019, 100, e02653.	1.5	32
53	Forest herbs in the face of global change: a single-species-multiple-threats approach for <i>Anemone nemorosa</i> . <i>Plant Ecology and Evolution</i> , 2010, 143, 19-30.	0.3	31
54	Mixing effects on litter decomposition rates in a young tree diversity experiment. <i>Acta Oecologica</i> , 2016, 70, 79-86.	0.5	31

#	ARTICLE	IF	CITATIONS
55	Former land use affects the nitrogen and phosphorus concentrations and biomass of forest herbs. <i>Plant Ecology</i> , 2011, 212, 901-909.	0.7	30
56	Relating changes in understorey diversity to environmental drivers in an ancient forest in northern Belgium. <i>Plant Ecology and Evolution</i> , 2014, 147, 22-32.	0.3	30
57	<sc>BIOFRAG</sc> – a new database for analyzing <sc>BIO</sc>diversity responses to forest <sc>FRAG</sc>mentation. <i>Ecology and Evolution</i> , 2014, 4, 1524-1537.	0.8	29
58	Disentangling tree species identity and richness effects on the herb layer: first results from a German tree diversity experiment. <i>Journal of Vegetation Science</i> , 2015, 26, 742-755.	1.1	29
59	Disentangling dispersal from phylogeny in the colonization capacity of forest understorey plants. <i>Journal of Ecology</i> , 2015, 103, 175-183.	1.9	29
60	Herb litter mediates tree litter decomposition and soil fauna composition. <i>Soil Biology and Biochemistry</i> , 2021, 152, 108063.	4.2	29
61	Diversifying forest communities may change Lyme disease risk: extra dimension to the dilution effect in Europe. <i>Parasitology</i> , 2016, 143, 1310-1319.	0.7	28
62	17 years of grassland management leads to parallel local and regional biodiversity shifts among a wide range of taxonomic groups. <i>Biodiversity and Conservation</i> , 2017, 26, 717-734.	1.2	28
63	Tree species identity outweighs the effects of tree species diversity and forest fragmentation on understorey diversity and composition. <i>Plant Ecology and Evolution</i> , 2017, 150, 229-239.	0.3	28
64	The effects of hemiparasitic plant removal on community structure and seedling establishment in semi-natural grasslands. <i>Journal of Vegetation Science</i> , 2015, 26, 409-420.	1.1	27
65	Understorey removal effects on tree regeneration in temperate forests: A meta-analysis. <i>Journal of Applied Ecology</i> , 2021, 58, 9-20.	1.9	27
66	Shrub clearing adversely affects the abundance of <i>Ixodes ricinus</i> ticks. <i>Experimental and Applied Acarology</i> , 2013, 60, 411-420.	0.7	26
67	<i>Prunus serotina</i> unleashed: invader dominance after 70 years of forest development. <i>Biological Invasions</i> , 2010, 12, 1113-1124.	1.2	25
68	Experimental assessment of the survival and performance of forest herbs transplanted beyond their range limit. <i>Basic and Applied Ecology</i> , 2012, 13, 10-19.	1.2	25
69	Tree species diversity indirectly affects nutrient cycling through the shrub layer and its high-quality litter. <i>Plant and Soil</i> , 2018, 427, 335-350.	1.8	25
70	Tree regeneration responds more to shade casting by the overstorey and competition in the understorey than to abundance per se. <i>Forest Ecology and Management</i> , 2019, 450, 117492.	1.4	25
71	Biodiversity as insurance for sapling survival in experimental tree plantations. <i>Journal of Applied Ecology</i> , 2016, 53, 1777-1786.	1.9	24
72	Complex patterns in tolerance and resistance to pests and diseases underpin the domestication of tomato. <i>New Phytologist</i> , 2020, 226, 254-266.	3.5	24

#	ARTICLE	IF	CITATIONS
73	Clear-felling effects on colonization rates of shade-tolerant forest herbs into a post-agricultural forest adjacent to ancient forest. <i>Applied Vegetation Science</i> , 2011, 14, 75-83.	0.9	22
74	Pâtremoval for restoration of <i>Nardus</i> grasslands on former agricultural land: cutting traditions. <i>Restoration Ecology</i> , 2017, 25, S178.	1.4	22
75	Forest floor leachate fluxes under six different tree species on a metal contaminated site. <i>Science of the Total Environment</i> , 2013, 447, 99-107.	3.9	21
76	Strength of forest edge effects on litter-dwelling macroarthropods across Europe is influenced by forest age and edge properties. <i>Diversity and Distributions</i> , 2019, 25, 963-974.	1.9	21
77	A model-based approach to studying changes in compositional heterogeneity. <i>Methods in Ecology and Evolution</i> , 2014, 5, 156-164.	2.2	19
78	Complementary distribution patterns of arthropod detritivores (woodlice and millipedes) along forest edge-to-interior gradients. <i>Insect Conservation and Diversity</i> , 2016, 9, 456-469.	1.4	19
79	Soil properties and neighbouring forest cover affect above-ground biomass and functional composition during tropical forest restoration. <i>Applied Vegetation Science</i> , 2018, 21, 179-189.	0.9	19
80	Linking macrodetritivore distribution to desiccation resistance in small forest fragments embedded in agricultural landscapes in Europe. <i>Landscape Ecology</i> , 2018, 33, 407-421.	1.9	18
81	Contrasting vegetation change (1974-2015) in hedgerows and forests in an intensively used agricultural landscape. <i>Applied Vegetation Science</i> , 2019, 22, 269-281.	0.9	18
82	Light, temperature and understorey cover predominantly affect early life stages of tree seedlings in a multifactorial mesocosm experiment. <i>Forest Ecology and Management</i> , 2020, 461, 117907.	1.4	18
83	Nutrient input from hemiparasitic litter favors plant species with a fast-growth strategy. <i>Plant and Soil</i> , 2013, 371, 53-66.	1.8	17
84	Influence of canopy budget model approaches on atmospheric deposition estimates to forests. <i>Biogeochemistry</i> , 2013, 116, 215-229.	1.7	17
85	Competition, tree age and size drive the productivity of mixed forests of pedunculate oak, beech and red oak. <i>Forest Ecology and Management</i> , 2018, 430, 609-617.	1.4	17
86	Local neighbourhood effects on sapling growth in a young experimental forest. <i>Forest Ecology and Management</i> , 2017, 384, 424-443.	1.4	13
87	Direct and understorey-mediated indirect effects of human-induced environmental changes on litter decomposition in temperate forest. <i>Soil Biology and Biochemistry</i> , 2019, 138, 107579.	4.2	13
88	Does neighbourhood tree diversity affect the crown arthropod community in saplings?. <i>Biodiversity and Conservation</i> , 2016, 25, 169-185.	1.2	12
89	Soil carbon of hedgerows and "ghost" hedgerows. <i>Agroforestry Systems</i> , 2021, 95, 1087-1103.	0.9	12
90	Can soil acidity and light help to explain tree species effects on forest herb layer performance in post-agricultural forests?. <i>Plant and Soil</i> , 2013, 373, 183-199.	1.8	11

#	ARTICLE	IF	CITATIONS
91	Responses of competitive understorey species to spatial environmental gradients inaccurately explain temporal changes. <i>Basic and Applied Ecology</i> , 2018, 30, 52-64.	1.2	11
92	The seedling bank stabilizes the erratic early regeneration stages of the invasive <i>Prunus serotina</i> . <i>Ecoscience</i> , 2009, 16, 452-460.	0.6	10
93	The phosphorus legacy of former agricultural land use can affect the production of germinable seeds in forest herbs. <i>Ecoscience</i> , 2010, 17, 365-371.	0.6	10
94	Changes in the nature of environmental limitation in two forest herbs during two decades of forest succession. <i>Journal of Vegetation Science</i> , 2017, 28, 883-892.	1.1	10
95	Desiccation resistance determines distribution of woodlice along forest edge-to-interior gradients. <i>European Journal of Soil Biology</i> , 2018, 85, 1-3.	1.4	10
96	Biomass increment and carbon sequestration in hedgerow-grown trees. <i>Dendrochronologia</i> , 2021, 70, 125894.	1.0	10
97	Long-term scenarios of the invasive black cherry in pine-oak forest: Impact of regeneration success. <i>Acta Oecologica</i> , 2011, 37, 203-211.	0.5	9
98	Intraspecific variation in flowering phenology affects seed germinability in the forest herb <i>Primula elatior</i> . <i>Plant Ecology and Evolution</i> , 2015, 148, 283-288.	0.3	9
99	Habitat preferences of European Nightjars <i>Caprimulgus europaeus</i> in forests on sandy soils. <i>Bird Study</i> , 2011, 58, 120-129.	0.4	8
100	Quantifying establishment limitations during the ecological restoration of species-rich <i>Nardus</i> grassland. <i>Applied Vegetation Science</i> , 2017, 20, 594-607.	0.9	8
101	Climatic conditions, not above- and belowground resource availability and uptake capacity, mediate tree diversity effects on productivity and stability. <i>Science of the Total Environment</i> , 2022, 812, 152560.	3.9	8
102	Soil phosphorus availability determines the contribution of small, individual grassland remnants to the conservation of landscape-scale biodiversity. <i>Applied Vegetation Science</i> , 2021, 24, e12590.	0.9	7
103	Species ecological strategy and soil phosphorus supply interactively affect plant biomass and phosphorus concentration. <i>Basic and Applied Ecology</i> , 2022, 62, 1-11.	1.2	7
104	Understorey phylogenetic diversity in thermophilous deciduous forests: overstorey species identity can matter more than species richness. <i>Forest Ecosystems</i> , 2019, 6, .	1.3	6
105	Biodiversity on International Borders Requires Solid Inventories. <i>BioScience</i> , 2019, 69, 409-409.	2.2	6
106	Biomass Expansion Factors for Hedgerow-Grown Trees Derived from Terrestrial LiDAR. <i>Bioenergy Research</i> , 2021, 14, 561-574.	2.2	6
107	Forest herbs show species-specific responses to variation in light regime on sites with contrasting soil acidity: An experiment mimicking forest conversion scenarios. <i>Basic and Applied Ecology</i> , 2014, 15, 316-325.	1.2	5
108	Induced phenological avoidance: A neglected defense mechanism against seed predation in plants. <i>Journal of Ecology</i> , 2020, 108, 1115-1124.	1.9	5

#	ARTICLE	IF	CITATIONS
109	Temporal complementarity in activity–density of two arthropod macro–detritivore taxa. <i>Insect Conservation and Diversity</i> , 2021, 14, 455-463.	1.4	5
110	Early Tree Diversity and Composition Effects on Topsoil Chemistry in Young Forest Plantations Depend on Site Context. <i>Ecosystems</i> , 2021, 24, 1638-1653.	1.6	5
111	Soil heterogeneity in tree mixtures depends on spatial clustering of tree species. <i>Basic and Applied Ecology</i> , 2019, 39, 38-47.	1.2	4
112	Thermal differences between juveniles and adults increased over time in European forest trees. <i>Journal of Ecology</i> , 2021, 109, 3944-3957.	1.9	4
113	Intra-annual activity patterns of terrestrial isopods are tempered in forest compared to open habitat. <i>Soil Biology and Biochemistry</i> , 2021, 160, 108342.	4.2	4
114	Effects of Mineral Soil and Forest Floor on the Regeneration of Pedunculate Oak, Beech and Red Oak. <i>Forests</i> , 2018, 9, 66.	0.9	3
115	Forest edges reduce slug (but not snail) activity-density across Western Europe. <i>Pedobiologia</i> , 2019, 75, 34-37.	0.5	3
116	Overstorey composition shapes across–trophic level community relationships in deciduous forest regardless of fragmentation context. <i>Journal of Ecology</i> , 2021, 109, 1591-1606.	1.9	3
117	Flowering phenology and reproduction of a forest understorey plant species in response to the local environment. <i>Plant Ecology</i> , 2021, 222, 749-760.	0.7	3
118	Little effect of tree species richness on within–and between–plot variability in soil chemical properties in a young plantation forest. <i>European Journal of Soil Science</i> , 2022, 73, .	1.8	3
119	Response to Comment on ‘‘Forest microclimate dynamics drive plant responses to warming’’. <i>Science</i> , 2020, 370, .	6.0	3
120	Ecosystem multifunctionality lowers as grasslands under restoration approach their target habitat type. <i>Restoration Ecology</i> , 0, , .	1.4	3
121	Mixing of tree species is especially beneficial for biodiversity in fragmented landscapes, without compromising forest functioning. <i>Journal of Applied Ecology</i> , 2021, 58, 2903-2913.	1.9	2
122	Response to Comment on ‘‘Forest microclimate dynamics drive plant responses to warming’’. <i>Science</i> , 2020, 370, .	6.0	1
123	Win some, lose some: Mesocosm communities maintain community productivity despite lower phosphorus availability because of increased species diversity. <i>Applied Vegetation Science</i> , 2021, 24, e12599.	0.9	1